

LIBRARY

OF THE


LONDON SCHOOL OF MEDICINE FOR WOMEN,

30, Handel Street, Brunswick Square, W.C.



22102123732

Med
K30325





PRESENTED BY THE COUNCIL OF
THE ROYAL COLLEGE OF SURGEONS OF ENGLAND
CATALOGUE OF THE SPECIMENS

ILLUSTRATING THE

OSTEOLOGY AND DENTITION

OF

VERTEBRATED ANIMALS,

RECENT AND EXTINCT,

CONTAINED IN

THE MUSEUM

OF

THE ROYAL COLLEGE OF SURGEONS OF ENGLAND.


BY

WILLIAM HENRY FLOWER,

CONSERVATOR OF THE MUSEUM.

PART I.

MAN: *HOMO SAPIENS*, Linn.



SECOND EDITION.

LONDON:

PRINTED FOR THE COLLEGE;

AND SOLD BY

TAYLOR AND FRANCIS, RED LION COURT, FLEET STREET.

MDCCCXVII.



8770 134

verb	verb
well	well
can	
no	we

PREFACE.

THE first printed list of the Osteological Specimens contained in the Museum was published in 1831. It soon, however, became evident that a more complete catalogue was required ; and at a meeting of the Museum Committee, held on the 6th of January, 1842, Professor Owen, then Conservator of the Museum, presented a report "On the advantages of combining the Fossil and Recent Osteological Specimens in one Catalogue and system of arrangement ;" and at a meeting on the 8th of February of the same year it was resolved, in pursuance of the authority given to the Committee by the Council, that the fossil and recent osteology be incorporated in one series, and the Catalogue be prepared in accordance with this view.

For some motive not explained upon the Minutes, the method of arrangement approved by the Committee and Council, and which had been recommended with much urgency and excellent reasoning by the Conservator, was not carried out. The specimens continued to be divided primarily, not according to their zoological or anatomical relations, but by a most incon-

venient and artificial system, according as the animals from which they were derived lived before or after a particular period of the world's history. Hence each series was incomplete, and required reference to the other for its perfect illustration and comprehension.

In 1845 the 'Catalogue of Fossil Remains of Mammalia and Aves' appeared, in 1853 the 'Catalogue of the Osteological Series' (comprising only the specimens of existing species), and in 1854 the 'Catalogue of Fossil Remains of Reptilia and Pisces.'

The very valuable and detailed Catalogues, for which the Museum was indebted to the assiduous labours of Professor Owen, are, owing to the numerous additions made to the collection, as well as to the advances in zoological classification since their publication, gradually ceasing to fulfil the present requirements of the Museum; and the necessity for new ones is becoming obvious to every one engaged in studying the collection. The desirability of returning to the resolution of the Committee of 1842 is also continually becoming more evident.

It is always difficult, in the case of a growing collection, to fix the best time to print a Catalogue, as it is necessary to choose between the danger, on the one hand, of incurring much labour and expense in the production of a publication which may before long require to be superseded, and, on the other, of allowing the interests of the collection and of the workers in it to suffer by the condition of confusion into which it necessarily falls when a vast quantity of new material has

been ineorporated into a framework not sufficiently comprehensive or elastic to adapt itself to its reeeption.

Under the circumstances, the best principle appeared to be not to attempt, with the present greatly enlarged eollection, to give a minute description of every individual specimen, as had previously been done, but rather to aim at making a complete list of the contents of this department of the Museum, arranged upon a system which should combine modern scientific views of classification with convenience of reference and capability of extension, and to pay great attention to accuracy of nomenclature, and especially to the preservation of every record relating to the history and authenticity of each specimen, laying stress on all particulars which are not to be seen in the specimen itself, rather than on those which can at any time readily be found there. To do this a very great amount of time has been consumed in searching through old doeuments, letters, and publications, though often with little visible result ; and, notwithstanding all the pains taken, some specimens will be found in the Catalogue, received into the eollection in former times, the history of which is doubtful or unknown.

That the value of the former full descriptions may be retained, references will be given in the new Catalogue to its predeeessors in all instances of specimens mentioned in them.

As the additions to the eollection have been especially numerous among the specimens illustrating the anatomy of Man and the higher forms of Vertebrates, it has been considered advisable to reverse the order of the last Catalogue, and commence at the higher instead of the lower end of

the series. The first portion will relate to the section of the collection devoted to Human Osteology, including the series of skeletons and crania of the various races of Man; and, for the convenience of those who make this branch of the subject a speciality, it will be issued separately.

Royal College of Surgeons,
September 12, 1879.

PREFACE TO THE SECOND EDITION.

THE descriptions and numbers of the specimens catalogued in the first edition (with the exception of those of Abnormal Conditions of the Teeth [278-287] now transferred to the Pathological Series) have been retained unaltered, together with the introduction, appendix, and tables. Additional specimens whose descriptions were in manuscript have been incorporated, to each being assigned the same number as that borne by the preceding specimen in the first edition of the Catalogue with the addition of a small number; the skulls presented by Sir Havelock Charles, K.C.V.O., are further distinguished by an asterisk. The specimens purchased in 1895 from the Anthropological Society are followed by numbers that refer to a manuscript list received with them.

The special groups of more ancient skulls selected by Mr. N. C. Macnamara partly from our own collection, partly from that of Dr. Barnard Davis, and largely supplemented by casts presented by himself, form now the first section of the Special Osteology of Man. The numbers formerly assigned to the specimens of Abnormal Conditions of the Teeth have been used for these groups, the individual skulls being distinguished (as in the case of additions) by a small number supplementary to that of the group.

C. STEWART,

Conservator.

June 25, 1907.

INTRODUCTION TO PART I.

It has been thought advisable to issue the portion of the Catalogue containing the illustrations of Human Osteology in a separate volume, without waiting until the remainder of the work should be completed, as, while the study of Anthropology is continually attracting more and more attention, the former Catalogue has ceased to give any idea of what the Museum contains in this department, or wherein it is deficient. The extent to which this portion of the collection has increased in the last few years will be appreciated by the fact that of the 1312 specimens mentioned in the present Catalogue, only 345 are to be found in the edition of 1853. Of these, 113 are part of the original Hunterian Collection.

The first section is devoted to the General Osteology of Man, independently of peculiarities of race, and commences with the development of the skeleton (as far as it can be illustrated by dried specimens), and proceeds to the osteology of adult man in the normal condition, or showing individual variations. To draw a satisfactory line between such variations as may be classed within the range of normal anatomy and those that exceed this range and may properly be called teratological is extremely difficult, as the distinction is a purely arbitrary one; but, in the case of specimens in a museum, it will usually be

determined by convenience of arrangement. Hence some specimens are included in the present series which might, in a strictly scientific classification, more properly find a place in the department of Teratology.

On similar grounds the subjects of the second principal division of the Catalogue, illustrating Dentition, are included in the present series and arranged with the bones. Although neither morphologically nor physiologically forming any part of the osseous system, the teeth are so intimately associated with the skeleton (part of which is adapted to their support and moulded to their form) and are preserved by the same processes and under the same conditions, that it is impossible in the arrangement of a museum to separate one from the other.

The third and largest section is devoted to the Special Osteology of Man, or illustrations of those variations which have become so fixed and hereditary as to give distinctive characters to the different groups or races of mankind.

The arrangement of these specimens is one of considerable difficulty, partly owing to the present state of uncertainty as to the true classification of the varieties of the human species, and partly owing to the numerous cases that have to be dealt with of mixed or doubtful descent. It has therefore been thought that these difficulties will be best overcome, and a place most readily found for every specimen, without committal to any theoretical view of its origin or affinities, by adopting (as in Dr. Barnard Davis's valuable '*Thesaurus Craniorum*') a geographical arrangement, and placing all the specimens according to the countries of which they are presumably native. In a few obvious cases of transplantation from one country to another inhabited by a distinct race, this system has been departed from. For instance, Negroes known to be of African descent but born in America are not included among the natives of the latter continent, but are assigned to the original home of their race.

The boundaries of the regions adopted do not always exactly coincide with those of political geography ; and a considerable concession to the claims of a classification based on physical characters has been made in the general arrangement of the series. It will be observed that the various regions of the world have been so grouped as to bring together those that are mainly inhabited :—(1) by the white or Caucasian races of Blumenbach, including the whole of Europe except the eastern frontiers of Russia, Africa north of the Sahara, and Asia south and west of the Himalayas ; (2) by the yellow and red Mongolian and Mongoloid races, including the remainder of Asia, the Indo-Malay Archipelago, Eastern Polynesia, and the whole of America ; (3) by the Australians, a race agreeing with the following section in every thing but the character of the hair ; (4) by the frizzly-haired or black races—beginning with the Oceanic Negroes or Melanese in the widest sense of the term (including the Tasmanians, Melanese proper, Papuans, and Negritos of the Andaman Islands), and ending with the natives of Central and Southern Africa, the Negroes, Kaffirs, and Hottentots.

Although the geographical arrangement has thus been made to run in the same lines with some of the best-ascertained facts in the zoological classification of Man, no attempt has been made to draw the boundaries too minutely. Any serial arrangement at the best can only be a compromise, especially in a collection so imperfectly representing the numerous and indefinite gradations of variation at present existing on the earth. Not only on the frontier-line between the territories in which two different races predominate, but far into the interior of each, mixed or even pure specimens of other races are to be found. It must not, therefore, be considered that any individual skull classed among the inhabitants of a country mainly occupied by a particular race belongs as a matter of certainty to that race, especially when the history and external appearance of the individual before death may be utterly unknown. It is, however, obvious that the larger each series becomes, the less such accidental

intrusions will vitiate the results obtained by the system of averages ; and hence the necessity of bringing together, in any collection intended to advance the knowledge of physical anthropology, far larger series than are at present available.

As regards the descriptions of the individual specimens, the name of the donor and the date at which it was acquired are recorded in every case in which they could be ascertained. It is only with some of the older specimens that there has been any uncertainty on these points. Such details are often of importance in tracing the history or establishing the authenticity of specimens which might, perhaps, otherwise be subject of doubt. References are always given to any published descriptions or figures ; and the number in the former Catalogue * (O. C., *i. e.* Old Catalogue or Owen's Catalogue) is given in the case of all specimens contained therein, that the full description in it may be referred to, for which purpose copies of that Catalogue will be retained in the Museum.

It has not been thought advisable to give such detailed descriptions in the present Catalogue, as to do so with the largely increased number of specimens would have greatly prolonged the preparation of the work and delayed the much-needed succeeding volumes ; and the introduction of exact measurements supersedes the necessity of the use of such comparatively vague descriptive terms as "broad," "high," "round," &c. Certain points have, however, always been noted ; to the following explanation of which the attention of all who may consult the Catalogue is particularly requested.

When the lower jaw is present, the specimen is described as a "skull ;" when absent, as a "cranium." When the bones of the face are wanting, it is called a "calvaria."

When the sex is known from certain evidence, as from the

* 'Descriptive Catalogue of the Osteological Series contained in the Museum of the Royal College of Surgeons of England.' 2 vols. 4to. 1853.

history of the individual or the presence of the entire skeleton, it is stated in full—"male" or "female." If only inferred from the characters of the skull, it is indicated by the signs ♂ or ♀. When no such sign is appended, the characters are not sufficiently distinctive to attribute it to either sex. A sign with a ? signifies that the characters of one sex predominate, though not quite decisively. These are points upon which other observers may of course occasionally form different judgments from those given in the Catalogue.

With regard to the important question of age, all skulls in which the basilar suture is closed are regarded as adult; and where this has not taken place the circumstance is invariably noted, such skulls being regarded as "young," and excluded from the average measurements given in the Appendix. Up to this period the state of dentition is always mentioned, as indicating the relative development, though without attempting to give the age in years. Although in our own race we know tolerably well what conditions of dentition correspond to particular ages, we have little proof that it is the same with other races. Of the adult skulls, also, no attempt has been made to assign the age; but mention is made of all cases in which senile changes have set in.


— Certain points in the condition of the sutures, to which much attention has been directed of late, have always been noted. These are:—*metopism*, or persistence of the mid-frontal suture; the presence of interparietal or epactal bones, or unusual Wormian bones; and the contact of the squamosal with the frontal bone at the pterion. When no note is to be found on any of these points, it may be presumed that the exceptional condition does not exist. The small supplementary ossifications at the upper end of the alisphenoid, which may be called *epipterics*, being of such great frequency, have not been noted.

All marked anomalies of dentition are recorded.

As many of the very convenient, and, indeed, indispensable,

terms recently introduced (chiefly by Broca) into craniology are not yet familiar to all English anatomists, it may be convenient to give here a short explanation of such of them as are used in the present catalogue *.

Fig. 1.



Side view of skull of male Australian.

A. Alveolar point. *S.* Subnasal point. *N.* Nasion. *Op.* Ophryon, or centre of supraorbital line (*Op t.*). *Bg.* Bregma. *L.* Lambda. *O.* Occipital point, or most distant part of occiput from *Op.* *B.* Basion. *St.* Stephanion. *Pt.* Pterion. *As.* Asterion. *Op O.* Length of cranium. *B Bg.* Height of cranium. *B N.* Basinasal length. *B A.* Basialveolar length. *N S.* Nasal height.

The most important points for mensuration and descriptive purposes situated in the middle line of the cranium, taken in order, are :—

* For fuller explanations of these and other similar terms, see 'Instructions crâniologiques et crâniométriques de la Société d'Anthropologie de Paris' (1875); also Topinard's 'Anthropologie' (1876); and for still more detailed reasons for the introduction of the new terms, "Notions complémentaires sur l'Ostéologie du Crâne, détermination et dénominations nouvelles de certains points de repère," by P. Broca (Bulletin de la Soc. d'Anthrop. de Paris, Séance du 20 mai, 1875).

1. *Alveolar point (A)*. The centre of the anterior margin of the upper alveolar arch.
2. *Subnasal point* or *Spinal point (S)*. The middle of the inferior border of the anterior nasal aperture, at the base of the nasal spine.
3. *Nasion*, or *Nasal point (N)*. The middle of the nasofrontal suture at the root of the nose.
4. *Ophryon (Op)*. A point situated immediately above the glabella, or, more exactly, the centre of the supraorbital line, which, drawn across the narrowest part of the forehead, separates the face from the cranium.
5. *Bregma (Bg)*. The point of junction of the coronal and sagittal sutures.
6. *Lambda (L)*. The point of junction of the sagittal and lambdoidal sutures.
7. *Opisthion*. The middle of the posterior margin of the foramen magnum.
8. *Basion (B)*. The middle of the anterior margin of the foramen magnum.

On the lateral surface of the cranium are:—

9. *Pterion (Pt)*. The region, near the anterior part of the temporal fossa, where the great wing of the sphenoid, the squamosal, the parietal, and the frontal bones come near to each other in a varying manner in different individuals.
10. *Stephanion (St)*. The point where the temporal ridge crosses the coronal suture.
11. *Asterion (As)*. The point, behind the mastoid process, where the parietal, occipital, and temporal bones meet.

Sometimes a horizontal suture (traces of which are generally visible in the skulls of infants), extending across the supraoccipital, connects the asterion of each side. The upper portion thus intercepted is called an *interparietal* bone. When a suture on a higher level cuts off a smaller portion of the supraoccipital, this is called an *epactal* bone. The former is a permanent retention of an embryonic condition; the latter a mere anomaly.

The measurements are all stated in millimetres, as being not only the most convenient divisions of space for the purpose, but those used by the greater number of anatomists. In the case of the height of articulated skeletons, English feet and inches are added, to facilitate comparisons by those who are more accustomed to such measures.

The length of all the principal bones of the limbs of every skeleton has been given. In important specimens, or when the lengths have differed sensibly on the two sides, both right and left have been measured. When the length of only one side is given, it is the right, and it may be presumed that the other did not differ materially from it. The length given is always the greatest length in the direction of the long axis of the bone, measured between two plane surfaces placed one at each end of the bone and perpendicular to the axis. In the tibia, however, the spine is omitted, the length being taken from the middle of the upper edge of the internal tuberosity to the apex of the malleolus.

The measurements given of the skulls are few compared with the number that would be required in a catalogue professedly descriptive; but they are those which seemed, after much consideration, to be the most important in indicating the general characters of the head and face as revealed in their osseous framework. Great care has been taken to ensure their accuracy; in most cases they have been repeated more than once, at considerable intervals of time. Mathematical precision, however, is impossible in osteological measurements, as, independently of other difficulties, bone varies in bulk according to surrounding conditions to an extent far greater than is generally supposed. I have found by repeated experiments, in confirmation of those of Broca *, that a cranium will vary, not only in capacity, but as much as 5 millimetres in its circumference, and a femur 2 or

* "Études sur les Propriétés Hygrométriques des Crânes considérées dans leurs rapports avec la Crâniométrie" (Revue d'Anthropologie, Janvier 1874).


3 millimetres in its length, according as it is dry or damp, shrinking when dry and expanding when wet, the state of the atmosphere being quite sufficient to affect it. This circumstance will doubtless account for many discrepancies in measurements, and show that, although accuracy up to a certain point is absolutely essential, excessively minute measurements, and especially calculations of indices to numerous decimals based upon such measurements, involve only waste of labour and printing.

It may, however, be worth while mentioning, especially for beginners, that in recording measurements of whatever kind it is very important to put down, not the last, but the nearest unit of measurement to the length of the object measured ; if, for instance, it measures ten millimetres and any fraction less than a half, to set it down as 10, but if more than a half, to set it down as 11. Otherwise, in adding up a large number of figures there will be sensible loss on the whole ; whereas if this is attended to, what is gained in some cases counterbalances what is lost in others, and the general sum is accurate—the more so, of course, the larger the number of figures added. The same principle must be observed in calculating indices. Whatever be the last decimal figure used, it should always have reference to the next that would follow. If this is below 5 no notice will be taken of it, but if above 5 the last figure recorded must be augmented by 1 ; thus ·6789 must be abbreviated into ·7, ·68, or ·679, not into ·6, ·67, or ·678. This rule has been invariably followed in all the calculations in the present work.

The measurements of crania, except the circumference and capacity, have all been taken with one instrument, a sliding caliper, which combines the purposes of the French *compas d'épaisseur* and *compas-glissière*. It has been found so convenient for all cranial as well as other osteological measurements that a sketch of it is subjoined (fig. 2). The larger dimensions of the cranium are taken with the curved arms, the smaller ones, as those of the nose and orbit, with the shorter pointed arms. The

instrument can be made portable, the fixed arm, or that most distant from the handle, being removable, and the sliding arm following it; both can thus be placed in a case by the side of

Fig. 2.



Craniometer: one fifth the actual size.

the stem; but for museum or laboratory work the perfect stability of a fixed instrument is preferable.

To avoid the labour of making innumerable calculations with risk of error in every case, tables have been constructed for finding the principal indices, which are more convenient for reference and more exact than any of the mechanical instruments devised for the purpose. As such tables will be found useful by all who are working at craniometry in this museum or elsewhere, they have been printed at the end of the catalogue. The principal one, that for the length and breadth indices, is almost identical with that published by Weleker *, which was not known to me until after the present one was computed; but as that table is not at present very accessible, and also contains several slight errors, it has been thought that the reproduction of a similar one in this work would still be acceptable.

In these indices three figures have been given, the last, however, as mentioned above, always modified in reference to the one which succeeds it. These, as they stand, may be considered as thousandths, but by placing a dot after the second or first figure they may be converted into hundredths or tenths if desired. The frequent practice in France of giving four

* Archiv für Anthropologie, Band iii., 1868.

figures for indices, viz. hundredths followed by two decimals, appears to me to be very unnecessary, and to give an entirely fictitious appearance of accuracy, considering that the data from which the indices are calculated are measurements which, taken by different individuals or by the same individual at different times, rarely if ever coincide with absolute accuracy. Indeed, for most purposes, two figures are quite as likely to represent truthfully the required proportion as three.

The measurements and indices selected for record in this Catalogue are as follows, being distinguished by the initial letter:—

C. Horizontal circumference. This is taken with the tape in the usual way, passing in front round the supraorbital line (above the glabella) and behind across the most prominent part of the occiput (fig. 1, *Op O*). It gives a general idea of the size of the exterior of the cranium.

L. Length. Unfortunately craniometrists are not yet in accord as to the best method of taking this important measurement, which affects considerably the two following indices. It is here always taken by placing one arm of the cranimeter on the ophryon, and the other on the most distant part of the occiput (fig. 1, *Op O*). The glabella, which is properly a part of the face, and which may vary much in development without any alteration in the essential form of the cranium, is thus excluded.

B. Breadth, is the greatest parietal breadth.

Bi. Index of breadth. Latitudinal index or cephalic index.

$$\frac{B. \times 100}{L.}.$$

H. Height. Of the various methods of estimating the height, the one here used is that generally adopted by the French anthropologists—that is, the distance between the basion and the bregma (fig. 1, *B Bg*).

Hi. Index of height, or altitudinal index. $\frac{H. \times 100}{L.}$.

BN. Basinasal length. Basion to nasion.

BA. Basialveolar length. Basion to alveolar point, or the most distant part of the anterior margin of the alveolar arch.

Ai. Alveolar index. $\frac{BA. \times 100}{BN.}$. This affords the readiest

method of estimating the amount of forward projection of the jaw. It is not always perfectly accurate, as it is affected by any abnormal position of the basion, independently of the real relation of the face to the cranium; but these cases are comparatively rare, and scarcely affect large averages. Unfortunately, in crania in which the incisor teeth have been lost during life and the alveolar margin absorbed, the basialveolar length, and consequently the alveolar index, cannot be obtained. As will be seen in the sequel, this index forms one of the most important characteristics of race.

Nh. Nasal height. A vertical line between the nasion and the lower border of the nasal aperture.

Nw. The greatest width of the nasal aperture.

Ni. Nasal Index. $\frac{Nw. \times 100}{Nh.}$.

Ow. Orbital width. The inner point of measurement is the spot where the ridge which forms the posterior boundary of the lacrymal groove meets the fronto-lacrymal suture. This is rather behind the *dacryon* of Broca (point of junction of the frontal, ascending process of maxilla, and lacrymal), and completely excludes the lacrymal groove from the measurement. The outer point is the most distant part from this on the front edge of the outer border of the orbit.

Oh. Orbital height. The distance between the upper and lower margins of the orbit at the middle.

The right orbit, unless injured or of abnormal form, is that usually measured.

Oi. Orbital index. $\frac{Oh. \times 100}{Ow.}$

Ca. Capacity in cubic centimetres. This is one of the most important and difficult measurements. It is hoped that the figures here given may be relied upon ; at all events no pains have been spared to ensure accuracy, as far as it can be attained. Many thousands of experiments have been made to ascertain the best process; and most of the crania have been gauged several times over. The material used has been mustard-seed, with which the cranium is filled to its maximum. The measurement of the seed is then taken with the chorenometer designed and constructed by Mr. Busk *. The accuracy of the method has frequently been verified upon crania specially prepared, so that their capacity could be ascertained with absolute exactness by filling them with mercury or water. The details of the method of measurement, and the reasons for the preference of this method to that which has been elaborated with so much care and ingenuity by M. Broca, will be given elsewhere.

At the conclusion of the Catalogue the average measurements of each race are tabulated, so that they can be readily compared, and some observations are made upon the results. These will, I trust, serve to show that, although the measurements of individuals give great variations in every race, there are some tangible characters by which the broader divisions of the human species can be distinguished—at all events, that certain characteristics prevail in one, and certain others in a different race. If the measurements given had been more numerous, probably many other interesting results would have been elucidated ; but the purpose of the Catalogue has been only to illustrate the general outlines of the subject. The specimens which would be required to demonstrate the subdivisions of the great groups, the characteristics of which can only be brought out by more minute

* See 'Journal of the Anthropological Institute,' vol. iii. p. 200, pl. xii.

and complicated systems of measurement, are not sufficiently numerous to give fair averages, and in many cases are entirely wanting. It is hoped that the publication of this Catalogue, by showing the deficiencies of the collection, will lead to many of them being supplied by those who have the opportunity of so doing.

Mr. Busk, Chairman of the Museum Committee, whose long-continued and successful labours in the department of physical anthropology are so well known, has been good enough to read the proofs of this Catalogue while passing through the press. Thanks are also due to Dr. Garson, Assistant in the Museum, for similar aid, and to Mr. John M'Ara, Museum Attendant, for calculating the various tables of indices and averages.

CONTENTS.

I. GENERAL OSTEOLOGY OF MAN.

	Page
A. DEVELOPMENT OF THE HUMAN SKELETON.	
α. Up to the time of birth	1
β. Progress of ossification after birth	5
B. OSTEOLOGY OF ADULT MAN.	
Skeletons	7
Normal Crania	10
Crania of unusually small size (Microcephalic)	12
Crania of unusually large size (Megacephalic)	13
Crania showing an unusual development of Wormian or other accessory ossicles in the sutures	14
Crania showing Metopism, or persistence of the frontal suture	17
Crania the form of which appears to have been altered by premature synostosis of some of the sutures	18
Crania presenting various other anomalies of conformation .	22
Preparations of Skulls	24
Pelves	25
Structure of different parts of the Human Skeleton shown by means of sections	27
Variations of the Human Skeleton in regard to Stature . .	30

II. DENTITION OF MAN.

Normal Dentition	33
Hunterian Specimens illustrating Dentition	34

III. SPECIAL OSTEOLOGY OF MAN,

or Illustrations of the Osteological Characters of the
various Races of Mankind.

	Page
a 1. EARLY RACES OF MAN.	
<i>a.</i> Palæolithic	45
<i>b.</i> Neolithic	50
<i>c.</i> Bronze	54
<i>d.</i> Ancient British	56
<i>e.</i> Roman	59
<i>f.</i> Anglo-Saxon	60
1. EUROPE.	
A. The British Isles.	
<i>a.</i> England.	
<i>a.</i> Ancient British, or presumably ancient, though of uncertain date	61
<i>β.</i> Roman and Romano-British	64
<i>γ.</i> Anglo-Saxon Period	68
<i>δ.</i> Of uncertain date, or Modern	71
<i>b.</i> Wales	78
<i>c.</i> Scotland	79
<i>d.</i> Ireland	81
B. France.	
<i>a.</i> Ancient	82
<i>b.</i> Modern	84
C. The Spanish Peninsula	89
D. Italy.	
<i>a.</i> Ancient	90
<i>b.</i> Modern	96
E. Greece and the Ancient Greek Colonies.	
<i>a.</i> Ancient	114
<i>b.</i> Modern	115
F. Central Europe (the Netherlands, Germany, and Switzer- land)	117
G. The Danubian Provinces	120
H. Scandinavia	121
I. Russia	126

	Page
2. NORTH AFRICA.	
A. The Canary Islands	127
B. Algiers and Tunis	129
C. Egypt	131
3. ASIA.	
A. Turkey, Syria, and Arabia	153
B. India	159
C. Ceylon	212
D. Siberia and Central Asia	218
Da. Persia	219
E. China	220
F. Formosa	226
G. Japau	226
H. Burmah	229
I. Tho Indo-Malayan Archipelago	231
4. POLYNESIA (including New Zealand).	241
5. AMERICA.	
A. Eskimo	259
B. West Coast of North America	264
C. Eastern and Central Regions of North America	273
D. Central America and the Antilles	276
E. Guiana and Colombia	278
F. Brazil	280
G. Peru, Bolivia, and Chile	281
H. Patagonia	309
I. Tierra del Fuego	312
6. AUSTRALIA.	
A. North Australia	314
B. Queensland	318
C. New South Wales	320
D. Victoria	322
E. South Australia	325
F. Western Australia	333
Australians of unknown Locality	334

	Page
7. MELANESIA.	
A. Tasmania	337
B. New-Caledonian Group	343
C. Fijian Group	347
D. Tokelau or Union Group	354
E. New-Hebrides Group	355
F. Solomon Islands	362
G. Papua, or New Guinea	365
H. Molucca Group	374
I. The Andaman Islands	374
8. AFRICA SOUTH OF THE SAHARA.	
A. African Negroes of unknown Locality	380
B. West Coast of Africa	384
C. The Soudan and Central Africa	396
D. Eastern Africa	399
E. South Africa	405
F. Madagascar	417
<hr/>	
ON THE CRANIAL MEASUREMENTS AS CHARACTERISTIC OF RACE	418
TABLE I.—To calculate Cranial Indices	426
TABLE II.—To calculate Nasal and Orbital Indices	430
TABLE III.—To calculate Alveolar Indices	430
<hr/>	
LIST OF SPECIMENS SHOWING ABNORMALITIES	432

OSTEOLOGICAL CATALOGUE.

PART I.

I. GENERAL OSTEOLOGY OF MAN.

THE specimens in this series are mostly from English or at least European subjects, or of unknown origin.

A. DEVELOPMENT OF THE HUMAN SKELETON.

The structure and growth of bone generally, as far as it can be shown in specimens preserved in spirit, is illustrated in the Physiological Series, Preparations A. 97 to A. 187, described in the first volume of the Catalogue of that series.

The following specimens only show the progress of ossification.

α. Up to the time of birth.*

1. The skeleton of a foetus, one inch (25·5 mm.) in height (about the end of the second month of intra-uterine life).
O. C. 5814.

This specimen was originally part of the Sloane Museum.

British Museum. Purchased, 1809.

* The ages assigned to these embryonic skeletons are merely approximate, and inferred from the state of development, no precise dates having been obtained with the specimens. The heights are given from the vertex to the heel, but, owing to the shrinking of the dried cartilages, are less than would have been the case in the original condition.

- 1¹. Skeleton of a fœtus about the seventh week, 48 mm. in height. *Presented by Sir Erasmus Wilson.*
2. The skeleton of a fœtus, one inch and three quarters (45 mm.) in height (between the second and third month). O. C. 5815. *Hunterian.*
3. The skeleton of a fœtus, two inches and three quarters (70 mm.) in height (three months). O. C. 5816. *Hunterian.*
4. The skeleton of a fœtus, slightly more advanced. *Presented by G. W. Mackmurdo, Esq., 1857.**
5. The skeleton of a fœtus, four inches (102 mm.) in height (between three and four months). *Presented by G. W. Mackmurdo, Esq., 1857.*
6. The skeleton of a fœtus, four and three quarter inches (120 mm.) in height, wanting the left arm (four months). O. C. 5818.
From the collection of the late John Heaviside, Esq.
Purchased, 1829.
7. The skeleton of a fœtus, slightly more advanced. O. C. 5819. *Heaviside Collection. Purchased, 1829.*
8. The skeleton of a fœtus, five and a half inches (140 mm.) in height (four months). *Presented by G. W. Mackmurdo, Esq., 1857.*
9. The skeleton of a fœtus, six inches (152 mm.) in height (between four and five months). O. C. 5820. *Heaviside Collection. Purchased, 1829.*
10. The skeleton of a fœtus, seven inches (178 mm.) in height (five months). *Presented by Erasmus Wilson, Esq., 1869.*
11. The skeleton of a fœtus of the same size. O. C. 5821. *Hunterian.*

* The series of fœtal skeletons presented by Mr. Mackmurdo were purchased by that gentleman in Paris.

12. The skeleton of a fœtus, seven and a half inches (191 mm.) in height (five months).

Presented by G. W. Mackmurdo, Esq., 1857.

13. The skeleton of a fœtus, eight inches (204 mm.) in height (between five and six months).

Presented by Erasmus Wilson, Esq., 1869.

14. The skeleton of a fœtus, eight and a quarter inches (210 mm.) in height (between five and six months).

Presented by G. W. Mackmurdo, Esq., 1857.

15. The skeleton of a fœtus, of the same size.

Presented by Erasmus Wilson, Esq., 1869.

16. The skeleton of a fœtus, of the same size. *Purchased, 1861.*

17. The skeleton of a fœtus, nine and a half inches (241 mm.) in height (six months). O. C. 5822.

Heaviside Collection. Purchased, 1829.

18. The skeleton of a fœtus, ten inches (254 mm.) in height, wanting the right arm.

Presented by Erasmus Wilson, Esq., 1869.

19. The skeleton of a fœtus, ten and a half inches (267 mm.) in height (six months.) O. C. 5823. *Hunterian.*

20. The skeleton of a fœtus, of the same height.

Purchased, 1861.

21. The skeleton of a fœtus, of the same height.

Presented by G. W. Mackmurdo, Esq., 1857.

22. The skeleton of a fœtus, eleven inches (279 mm.) in height (between six and seven months). O. C. 5824.

Hunterian.

23. The skeleton of a fœtus, twelve inches (304 mm.) in height.

Purchased, 1861.

24. The skeleton of a fœtus, of the same height.

Presented by G. W. Mackmurdo, Esq., 1857.

25. The skeleton of a foetus, thirteen and a half inches (342 mm.)
in height (seven months). *Purchased, 1861.*
26. The skeleton of a foetus, fifteen inches in height.
Presented by G. W. Mackmurdo, Esq., 1857.
27. The skeleton of a foetus, of the same height.
Purchased, 1861.
28. The skeleton of a foetus, fifteen and a half inches (394 mm.)
in height (eight months). *Purchased, 1861.*
29. A skeleton, sixteen and a half inches (421 mm.) in height,
being that of a foetus of nine months or a child at birth.
Presented by G. W. Mackmurdo, Esq., 1867.
30. A skeleton of the same age.
Presented by G. W. Mackmurdo, Esq., 1867.
31. A skeleton of the same age. *Purchased, 1861.*
32. A skeleton of the same age. O. C. 5825.
Presented by Sir William Blizard, 1811.
33. A skeleton of the same age, eighteen inches (456 mm.) in
height. O. C. 5826. *Hunterian.*
34. The separated bones of the skeleton of a child at birth.
Purchased.
35. The separated bones of the skeleton of an unusually well-
developed still-born male child, weighing ten and a
quarter pounds. *Prepared in 1869.*
36. The cranium of a child at or before birth. O. C. 5827.
Hunterian.
37. The skull of a child at birth. O. C. 5828.
British Museum. Purchased, 1809.
38. The cranium of a child at birth. *Purchased, 1866.*
39. The skull of a child at birth. *Purchased, 1866.*
40. The skull of a child at birth.
Presented by G. W. Mackmurdo, Esq., 1867.
41. The skull of a child at birth.
Presented by G. W. Mackmurdo, Esq., 1867.

42. The skull of a child at birth.
Presented by G. W. Mackmurdo, Esq., 1867.
- 42¹. The skull of a child at birth.
 42². The cranium of a child or foetus.
 42³. The cranium of a foetus.
 42⁴. The cranium of a foetus.
- } *Sir Erasmus Wilson,*
 1883.
43. The skull of a female child at birth, longitudinally and
 vertically bisected. *Prepared in 1869.*
44. The skull of a child at birth.
45. A preparation of a foetal skull. O. C. 5882.
Presented by Professor Owen.
46. The bones of a foetal skull, separated and artificially con-
 nected with each other. O. C. 5880. *Purchased.*
47. The separated bones of a foetal skull. O. C. 5881.
Heaviside Collection. Purchased, 1829.
48. Three portions of the vertebral column of a foetus. De-
 scribed in the Old Catalogue, Nos. 5877, 5878, and
 5879. *Presented by Professor Owen.*

β. Progress of ossification after birth.

49. The separated bones of the skeleton of a female child aged
 fifteen months. The twelfth pair of ribs are rudi-
 mentary. *Prepared in 1864.*
- 49¹. Articulated skeleton of a boy aged sixteen months.
Purchased, 1888.
50. The articulated skeleton of a boy about two years of age.
 O. C. 5830. *British Museum. Purchased, 1809.*
51. The separated bones of the skeleton of a male child, aged
 two and a half years (slightly rachitic).
Prepared in 1866.
52. The skeleton of a child about eight years of age.
53. The separated bones of a male child nine years of age.
Prepared in 1864.

- 53¹. The separated bones of the skeleton of a child aged twelve years. *Purchased, 1891.*
54. The articulated skeleton of a boy about twelve years of age. O. C. 5831. *British Museum. Purchased, 1809.*
- 54¹. The skeleton of a youth aged 14 years. 1888.
- | | | | | | |
|-------------------|---|---|----|---|---------------------------|
| 54 ² . | „ | „ | 15 | „ | } <i>Purchased, 1891.</i> |
| 54 ³ . | „ | „ | 16 | „ | |
| 54 ⁴ . | „ | „ | 18 | „ | |
55. The skull of an infant about eight months of age. *Purchased, 1868.*
56. The skull of a child about three years of age. All the milk-teeth are in place; the germs of the second dentition are displayed. The basioccipital bone is wanting. *Presented by Joseph Hodgson, Esq., 1869.*
57. The skull of a somewhat older child. A horizontal section has been made through the calvarium.
58. The skull of a child five or six years of age, vertically and longitudinally bisected.
59. The bones of the skull, separated and artificially connected, of a child about seven years of age. The milk-dentition and the first permanent molars are in place. O. C. 5883. *Purchased, 1840.*
60. The frontal, parietal, and occipital bones of a child. O. C. 5884. *Presented by Professor Owen.*
61. The skull of a young European. O. C. 5742.
 The basilar suture is not closed. The second molars are fully developed, but the posterior molars are not yet in place. The left lower milk-molar is retained. *Hunterian.*
62. The femur of a young person, longitudinally bisected, to show the internal structure and the detached epiphyses of the head, great trochanter, and lower articular extremity. The epiphysis forming the lesser trochanter is partially united to the shaft. *Purchased.*

63. A similar preparation of a tibia, showing the epiphyses at both extremities. Probably from the same person as the last. *Purchased.*
- 63¹. The skeleton of the foot of a child ten years old.
Presented by Luther Holden, Esq., 1879.
64. The pelvis of a young child.
Presented by G. W. Mackmurdo, Esq., 1867.
- 64¹. The pelvis of a child.
65. The pelvis of a child.
Presented by G. W. Mackmurdo, Esq., 1867.
66. The pelvis of a young person, probably female, in which the three elements of the innominate bone have not completely coalesced.
Presented by G. W. Mackmurdo, Esq., 1867.

B. OSTEOLOGY OF ADULT MAN.

In this series are arranged specimens which are either normal or show only slight individual peculiarities, *i. e.* deviations from the normal condition not sufficiently marked to be included in the Teratological Series*.

67. The articulated skeleton of a male European. O. C. 5569.
Height 1715 = 5 feet 7·5 inches.
Clavicle 157, humerus 340, radius 256, femur 482, tibia 378.
Cranium: circumference 527, length 186, breadth 140, index of breadth 753, height 131, index of height 704, capacity 1470.
Hunterian.
68. The articulated skeleton of a male European. O. C. 5832.
Height 1732 = 5 feet 8·2 inches.
Clavicle 160, humerus 322, radius 248, femur 479, tibia 372.
Cranium: C. 543, L. 190, B. 142, Bi. 747, H. 139, Hi. 732, Ca. 1620.
Hunterian.

* For these see the 'Descriptive Catalogue of the Teratological Series,' 1893. It need scarcely be said that it is impossible to draw any definite line between individual peculiarity and actual malformation. In arranging and cataloguing a museum convenience in the disposition of the specimens has often to be taken into consideration.

69. The articulated skeleton of a Frenchman. O. C. 5571.

Height $1698 = 5$ feet 6·9 inches.

Clavicle 152, humerus 358, radius 254, femur 483, tibia 381.

Cranium : C. 543, L. 188, B. 152, Bi. 809, H. 125, Hi. 665, Ca. 1550. The forehead is unusually low and retreating.

Purchased, 1844.

70. The articulated skeleton of a French woman. O. C. 5572.

This and the last show well the differential sexual characters of the osseous system.

Height $1582 = 5$ feet 2·3 inches.

Clavicle 135, humerus 300, radius 229, femur 422, tibia 350.

Cranium : C. 500, L. 178, B. 130, Bi. 730, H. 118, Hi. 663, Ca. 1210.

Purchased, 1844.

70¹. The articulated skeleton of an English woman, aged 24.

The natural position of the bones, as ascertained by measurements and casts taken before maceration, has been carefully preserved.

Height $1581 = 5$ feet 2 inches.

Clavicle, *l.* 144; humerus, *r.* 320, *l.* 319; radius, *r.* 224, *l.* 220; femur, *r.* 440, *l.* 437; tibia, *r.* 349, *l.* 350.

Cranium : C. 482, L. 167, B. 137, Bi. 820, H. 116, Hi. 695, BN. 91, BA. 86, Ai. 945, Nh. 42, Nw. 19, Ni. 452, Ow. 35, Oh. 32, Oi. 914, Ca. 1280.

71. The articulated skeleton of an Englishman. O. C. 5570.

It has twenty-five præsaeral vertebræ. The supplemental vertebra has the character of a last dorsal on the right side, and of a first lumbar on the left side.

Height $1807 = 5$ feet 11·1 inches.

Clavicle 149, humerus 336, radius 253, femur 507, tibia 389.

Cranium : C. 510, L. 189, B. 138, Bi. 730, H. 134, Hi. 709, Ca. 1485.

Purchased.

72. The left half of the axial portion of a human skeleton, divided in the longitudinal and antero-posterior direction.

The proximal portions of the extremities are retained in this specimen.

Purchased.

73. The skull, vertebral column and pelvis, in longitudinal and antero-posterior section. Articulated. *Purchased.*

- 73¹. The right half of human vertebral column.
Presented by Professor D. J. Cunningham, 1889.

74. The separated bones of the skeleton of a male European (wanting the skull). These are all severally described in the former catalogue, being numbered 5573 to 5707, which numbers are retained upon them for the purpose of comparison with the descriptions in that work.
Purchased.

75. The skeleton of an Englishman, aged 38.

The vertebral column, ribs, sternum, pelvis, and bones of the right extremities are mounted in the "separate series" of homologous bones.

Clavicle 148, humerus 337, radius 248, femur 439, tibia 378.

Prepared in 1863.

- 75¹. The skeleton of an Englishman, aged 44.

The bones are not in good condition, having been injected.

Clavicle, *r.* 145, *l.* 143; humerus, *r.* 315, *l.* 320; radius, *r.* 232, *l.* 229; ulna, *r.* 252, *l.* 251; femur, *r.* 438, *l.* 444; tibia, *r.* 360, *l.* 362; fibula, *r.* 358, *l.* 357.

Pelvis: B. 297, H. 228, JDB. 108, conj. 134, TDO. 92.

C. 514, L. 182, B. 144, Bi. 791, H. 123, Hi. 676, BN. 101, BA. 104, Ai. 1030, Nh. 54, Nw. 26, Ni. 481, Ow. 39, Oh. 34, Oi. 872, Ca. 1315.

Prepared in the College, 1882.

76. The separated bones of an adult male, complete except the skull.

Clavicle 166, humerus 344, radius 255, femur 477, tibia 381.

Presented by G. W. Mackmurdo, Esq., 1867.

- 76¹. The skull and skeleton of the trunk articulated. Probably French.

C. 555, L. 182, B. 168, Bi. 923, H. 135, Hi. 742, BN. 98, BA. 96, Ai. 980, Nh. 49, Nw. 26, Ni. 531, Ow. 40, Oh. 35, Oi. 875, Ca. 1930.

Presented by Sir Erasmus Wilson, 1883.

Normal Crania.

77. The skull of an Englishman, ♂*. O. C. 5733.
C. 546, L. 194, B. 144, Bi. 742, H. 139, Hi. 716, Ca. 1780.
Purchased.
78. The skull of an Englishman, ♂. O. C. 5734.
C. 520, L. 186, B. 144, Bi. 774, H. 130, Hi. 699, Ca. 1475.
Purchased.
79. The cranium of an Englishman, ♂. O. C. 5737.
"Skull of a young Englishman, who poisoned himself in the
Island of Pulo Pinang" (Catalogue of 1831).
C. 473, L. 169, B. 127, Bi. 751, H. 126, Hi. 746, Ca. 1190.
Presented by Dr. Henderson, 1822.
80. The skull of a European, ♂. O. C. 5735.
C. 518, L. 183, B. 139, Bi. 760, H. 135, Hi. 738, Ca. 1510.
Hunterian.
81. The skull of a European, ♂. O. C. 5736.
C. 487, L. 170, B. 137, Bi. 806, H. 132, Hi. 776, Ca. 1375.
Hunterian.
82. The cranium of a European, ♂. O. C. 5743.
The right posterior molar is obliquely placed within its
alveolus.
C. 547, L. 195, B. 145, Bi. 744, H. 133, Hi. 682, Ca. 1710.
Hunterian.
83. The cranium of a European, ♂. O. C. 5744.
From a person advanced in years. The coronal, sagittal, and
lambdoidal sutures are partly obliterated. Both zygomatic
arches are curiously bent inwards near the middle of their
length.
C. 525, L. 188, B. 140, Bi. 745, H. 130, Hi. 691, Ca. 1500.
Hunterian.
84. The cranium of a European, ♀. O. C. 5747.
C. 518, L. 183, B. 135, Bi. 738, H. 115, Hi. 628, Ca. 1375.
Hunterian.

* The signs ♂ and ♀ are used when the sex is merely inferred from the characters of the skull; the words "male" and "female" when it is known from more certain evidence.

85. A cranium, attributed to a Chinese in the Catalogue of 1831, ♀. O. C. 5752.

C. 490, L. 178, B. 126, Bi. 708, H. 127, Hi. 713.

Hunterian.

86. A cranium, ascribed in the Catalogue of 1831 (No. 93, p. 16) to "a native of New Holland," but, as pointed out in the Catalogue of 1851, presenting none of the special characters of the Australian race : ♂. O. C. 5754.

C. 496, L. 175, B. 136, Bi. 777, H. 127, Hi. 726.

Hunterian.

87. A very brachycephalic skull, ♂.

C. 528, L. 173, B. 157, Bi. 908, H. 152, Hi. 879.

Presented by G. W. Mackmurdo, Esq., 1867.

88. A brachycephalic cranium, ♂.

The posterior half of the sagittal suture is situated in a longitudinal depression.

C. 527, L. 173, B. 155, Bi. 896, H. 134, Hi. 775.

Presented by G. W. Mackmurdo, Esq., 1867.

- 88¹. A brachycephalic skull.

C. 513, L. 172, B. 150, Bi. 872, H. 136, Hi. 791, BN. 93, BA. 90, Ai. 968, Nh. 47, Nw. 30, Ni. 638, Ow. 39, Oh. 33, Oi. 846, Ca. 1575.

Purchased, 1893.

89. A cranium, ♂. O. C. 5749.

The occipital region appears to have been artificially flattened in infancy, perhaps unintentionally. The parietal foramina, situated in a smooth depressed obelion, are double on both sides.

C. 490, L. 165, B. 147, Bi. 891, H. 129, Hi. 781.

Hunterian.

90. The cranium of an Englishman, in which a longitudinal vertical section has been made passing through the left orbit, for comparison with the crania of an Australian (No. 5760 O. C.) and of a Negro (No. 5761 O. C.), similarly prepared. O. C. 5762.

C. 516, L. 181, B. 138, Bi. 762, H. 128, Hi. 707.

Prepared in 1852.

91. The skull, said to be that of an aged female. Though perfectly edentulous, none of the cranial sutures are obliterated. O. C. 5886.

Probably the subject of the figure illustrative of the effects of the loss of teeth in both jaws, given by Hunter in his work 'On the Natural History of the Human Teeth,' pl. vii. (1771).

C. 498, L. 178, B. 132, Bi. 742, H. 114, Hi. 640, Ca. 1325.

Hunterian.

92. The skull of an aged edentulous person, ♂. O. C. 5887.

The cranial sutures are very simple and partially consolidated.

C. 495, L. 167, B. 140, Bi. 838, H. 127, Hi. 760.

Hunterian.

93. The skull of a person who had lost all the teeth during life. O. C. 5888.

The cranial sutures are more complex than in the last, and but partially consolidated.

C. 523, L. 190, B. 132, Bi. 695, H. 131, Hi. 689.

Presented by Sir William Blizard, 1811.

94. The skull of a person who had lost all the teeth during life. O. C. 5889.

The cranial sutures are not consolidated, except at the obelion.

C. 499, L. 177, B. 133, Bi. 751, H. 130, Hi. 730.

Hunterian.

95. The skull of an aged edentulous person.

The cranial sutures are almost entirely consolidated, and the parietal bones are much atrophied.

C. 510, L. 184, B. 134, Bi. 728, H. 129, Hi. 701.

Crania of abnormally small size (Microcephalic).

- 95¹. The cranium of a man from Southern India. Perfectly adult, all the teeth have been in place, and the one molar left shows considerable wear. Basilar suture united, but other sutures open and normal. See Journal of Anthropological Institute, vol. iii. 1893-4, p. 265, where it is very fully figured (pls. xv.-xvi.).

A Canarese by birth of healthy appearance, he presented

nothing remarkable until his head was uncovered, which then struck attention by its small size, conical shape, and the projection of the large ears. In intellect he was a mere idiot, though gifted with some power of imitation. His height was 5 feet 6 inches, weight 89 lbs. The circumference of the head was 16 inches, and the transverse arc 9·5 inches.

C. 350, L. 127, B. 95, Bi. 748, H. 100, Hi. 787, BN. 86, BA. 85, Ai. 988, Nh. 41, Nw. 21, Ni. 512, Ow. 33, Oh. 28, Oi. 848, Ca. 445.

*Presented by Dr. John Shortt, Deputy Surgeon-General
Madras Army, 1880.*

95². The cranium of an English woman, who died August 20, 1877, in the Earlswood Asylum, aged 24.

She was a congenital imbecile, the firstborn of her parents. As regards her intellectual capacity, she was very fond of man, had good powers of imitation, could count a little, had a fair memory for names of persons and common things, was able to use her hands sufficiently to hem towels and take part in the work in the dormitories. Her speech was only slightly defective, her sight, hearing, taste, smell, and touch being quite normal. In her last years she was subject to slight epileptic fits. She died of valvular disease of the heart and dropsy.

Further details of her case and a photograph will be found in the Museum letter-book (August 10th, 1881). Brain weighed 16 oz.

C. 365?, L. 127, B. 101, Bi. 795, H. 95, Hi. 748, BN. 80, BA. 85, Ai. 1063, Nh. 45, Nw. 18, Ni. 400, Ow. 35, Oh. 34, Oi. 971, Ca. 500?

Presented by Dr. G. W. Grabham, 1881.

Crania of unusually large size (Megacephalic).

96. A cranium (said to have been brought from India) of remarkable size and weight, the bones being everywhere thick and massive, but with no signs of disease, past or present : ♂.

C. 573, L. 206, B. 148, Bi. 718, H. 151, Hi. 733, Ca. 1830.

Purchased, 1862.

97. A cranium of still larger size, and with the mastoid processes and the muscular ridges greatly developed : ♂.

The venous foramen behind the left mastoid process is unusually large.

C. 577, L. 209, B. 150, Bi. 718, H. 140, Hi. 670, Ca. 1900.

Presented by H. C. Roods, Esq., 1851.

98. A very large and heavy skull : ♂.

The enlargement is chiefly in the parietal and occipital regions. The facial bones are comparatively thin and light. The sagittal and lambdoidal sutures are completely obliterated ; the coronal nearly so. There is no evidence of disease of the bones ; but the person to whom it belonged may have been hydrocephalic in early life.

C. 605, L. 210, B. 168, Bi. 800, H. 135, Hi. 643, Ca. 2060.

Presented by G. W. Mackmurdo, Esq., 1867.

- 98¹. A cranium.

C. 556, L. 193, B. 153, Bi. 793, H. 144, Hi. 746, BN. 114, BA. 112, Ai. 982, Nh. 55, Nw. 28, Ni. 509, Ow. 39, Oh. 34, Oi. 872, Ca. 1630.

J. Marshall, Esq., 1892.

99. A very large, long, depressed, and broad cranium, with prominent erect frontal region and comparatively small facial bones.

The mastoid processes and muscular ridges are feebly developed ; and all the general characters (except size) are feminine. The peculiarities of form may be due to a slight amount of hydrocephalus in early life, causing an even distention of the cranial parietes. The squamosals almost meet the frontals at the pterion.

C. 575, L. 204, B. 153, Bi. 750, H. 132, Hi. 647, Ca. 2075.

Presented by G. W. Mackmurdo, Esq., 1867.

Crania showing an unusual development of Wormian or other accessory ossicles in the sutures.

100. The skull of a person of middle age who appears to have suffered in early life from hydrocephalus : ♂.

There is great bulging of the lateral walls of the cranium and of the squama occipitis, which has been forced away from the parietals, and the interspace filled with irregular Wormian

ossicles. The cranium is now dense and solid, and the coronal and sagittal sutures are completely obliterated.

As this and some of the following are clearly pathologically altered specimens, the measurements are not of interest.

Presented by G. W. Mackmurdo, Esq., 1867.

101. A skull (said to be that of an Englishman) with a similar but less marked prominence of the squama occipitis, and with a very regular and nearly symmetrical development of Wormian ossicles in the lambdoidal suture. O. C. 5738.

There are also two such ossicles in the coronal suture (right side), where they are much less common. The mastoid processes are remarkably small.

Purchased.

102. The cranium of a European, with a similar prominence of the supraoccipital and a development of Wormian bones in the lambdoidal suture. O. C. 5892.

The upper third of the frontal suture is persistent. The squamosal sends a process to join the frontal on both sides of the head.

Hunterian.

103. A calvaria with a similar conformation of the occipital region and an anterior projection of the forehead. O. C. 5893.

Presented by Dr. W. E. Leach.

104. A skull with an abnormally prominent occipital region, in which a horizontal suture, passing from one asterion to the other, intercepts a distinct interparietal bone, which is itself divided into two by a nearly vertical suture situated to the left of the middle line: ♂.

There is also a large Wormian bone at the anterior end of the sagittal suture, and a distinct ossicle (epipteric) placed above the great wing of each sphenoid.

Presented by G. W. Mackmurdo, Esq., 1867.

105. A cranium with a very prominent occipital region, a single large epactal and several small Wormian bones: ♂.

The frontal suture is persistent. The parietal foramina are both in the form of transverse linear apertures 6 millimetres in length.

Presented by G. W. Mackmurdo, Esq., 1867.

106. The cranium of a European with a prominent occiput and a beautiful and tolerably symmetrical arrangement of Wormian ossicles in the lambdoidal and hinder part of the sagittal sutures: ♂. O. C. 5894.

Presented by Sir William Blizard, 1811.

107. A calvaria with numerous Wormian ossicles in the lambdoidal, and through the whole length of the sagittal and in the left coronal sutures. *Hunterian.*

108. The base of a cranium, showing a remarkable complexity of the lambdoidal suture.

109. The cranium of an Englishman, with the sutures generally simple, but with three large symmetrically disposed accessory ossifications in the supraoccipital: ♂. O. C. 5895. *Presented by Sir William Blizard, 1811.*

110. An English cranium, with a central and a pair of lateral large distinct ossifications in the supraoccipital: ♀. O. C. 5896. *Hunterian.*

111. A cranium with Wormian ossicles in the lambdoidal, sagittal, and coronal sutures.

112. The cranium of a Hindoo child, with a central and right lateral large ossification in the supraoccipital and a distinct ossicle in the right side of the coronal suture.

The milk-dentition has been in place; and the crown of the first permanent molar is just level with the alveolus. The nasals and basioccipital are wanting.

Presented by Walter Cooper Dendy, Esq., 1869.

- 112¹. The skull of a female from Nasirabad, Rajputana, India, with Wormian ossicles in the right side of the lambdoidal suture. *Presented by R. Meinertzhagen, Esq., 1906.*

113. A cranium with two large Wormian bones in the anterior end of the sagittal suture, besides three very symmetrically disposed in the upper part of the lambdoidal suture: ♂. O. C. 5753. *Hunterian.*

114. A cranium with numerous Wormian bones and a large accessory ossicle (epactal bone) in the lambdoidal suture : ♂. *Presented by G. W. Mackmurdo, Esq., 1867.*
115. A mutilated skull, said (erroneously) to be that of a Negro, with well-marked independent ossicles in the pterion (epipteric bones) on both sides. O. C. 5369.
Hunterian.
116. An elongated and remarkably low and narrow skull, with an epipteric bone on the right side. O. C. 5383.
C. 502, L. 183, B. 125, Bi. 683, H. 122, Hi. 667.
Hunterian.
- 116¹. The cranium of a Zulu showing an epipteric with a chain of Wormian bones continuous with it.
Presented by Professor G. B. Howes, 1891.
117. The cranium of a new-born infant, with an abnormal median ossification in the frontal suture.
Presented by Dr. G. F. A. Wilks, 1878.

Crania showing Metopism, or persistence of the frontal suture.

118. A metopic cranium of a European, with a somewhat projecting supraoccipital region : ♂. O. C. 5745.
C. 550, L. 193, B. 147, Bi. 762, H. 136, Hi. 705.
Hunterian.
119. A metopic cranium of a European. O. C. 5759.
C. 530, L. 178, B. 156, Bi. 876, H. 144, Hi. 809.
Presented by Sir William Blizard, 1811.
120. A metopic cranium.
C. 510, L. 178, B. 144, Bi. 809, H. 130, Hi. 730.
Presented by G. W. Mackmurdo, Esq., 1867.
121. An edentulous metopic cranium.
Though all the teeth have been lost, and the alveoli absorbed, none of the cranial sutures are obliterated.
C. 547, L. 188, B. 151, Bi. 803, H. 130, Hi. 691.
Presented by G. W. Mackmurdo, Esq., 1867.

122. An upper portion of a metopic calvaria in which the frontal suture is unusually denticulated.

123. An elongated depressed cranium, with a slight annular constriction of the coronal region : ♀.

The bones are light and thin. All the teeth have been lost during life ; but all the calvarial sutures, including the frontal, are persistent. The upper edge of both squamosals contain several independent ossifications.

C. 518, L. 185, B. 134, Bi. 724, H. 118, Hi. 638.

Presented by G. W. Mackmurdo, Esq., 1867.

Crania the form of which appears to have been altered by premature synostosis of some of the sutures.

124. The upper part of a calvaria, showing persistence of the frontal and obliteration of the left half of the coronal suture, with corresponding shortening of the left side of the cranium. The sagittal suture is nearly obliterated; and ossification has advanced further on the right side of the lambdoidal than on the left. O. C. 5901.

Hunterian.

124¹. A skull (adult male) with a narrow pointed frontal bone. No trace of the frontal suture remains, there is also total obliteration of the fronto-sphenoid and lower part of the fronto-parietal sutures. The minimum frontal width is 86 mm., maximum breadth of skull 154.

C. 541, L. 194, B. 154, Bi. 794, H. 142, Hi. 732, BN. 108, BA. 102, Ai. 944, Nh. 54, Nw. 26, Ni. 481, Ow. 38, Oh. 33, Oi. 868, Ca. 1705.

Presented by Vertue Tibbs, Esq., 1886.

125. A cranium, said to be that of a Scot, showing well-marked "scaphocephaly," with complete parietal synostosis. O. C. 5732.

The other sutures are not obliterated, except the lower ends of the coronal and the apex of the lambdoidal.

C. 535, L. 198, B. 128, Bi. 646, H. 140, Hi. 707, Ca. 1530.

Presented by Sir Everard Home, Bart., 1809.

125¹. A scaphocephalic cranium, dug up near the ruins of St. Mary's Abbey, York.

C. 526, L. 206, B. 118, Bi. 573, H. 144, Hi. 699, BN. 109, BA. 104, Ai. 954, Nh. 49.

Presented by Edward Allen, Esq., 1880.

- 125². A cranium showing well-marked scaphocephaly, and partial obliteration of the lambdoidal and coronal sutures.

C. 510, L. 197, B. 118, Bi. 599, H. 137, Hi. 695, BN. 116, BA. 117, Ai. 1009, Nh. 49, Nw. 30, Ni. 612, Ow. 42, Oh. 38, Oi. 905, Ca. 1335.

Presented by John Marshall, Esq., 1892.

126. A cranium, in which the parietal region is still more laterally compressed and carinated than in No. 125.

The squamosals join the frontals on both sides. The basilar suture is united; but the posterior molars are not in place.

C. 537, L. 203, B. 125, Bi. 616, H. 132, Hi. 650, Ca. 1320.

Presented by F. Kiernan, Esq., 1871.

127. A similar cranium, said to be that of "a Negro from the Mozambique." O. C. 5373.

The squamosals articulate with the frontals on both sides.

C. 490, L. 185, B. 111, Bi. 600, H. 135, Hi. 730, Ca. 1190.

Purchased.

128. A well-marked scaphocephalic calvaria.

L. 216, B. 119, Bi. 551.

Purchased, 1854.

- 128¹. An Egyptian scaphocephalic cranium of unknown date with mesial forward prolongation of united parietals.

A form of cranium like this is represented on early monuments and assigned to important persons.

L. 211, H. 153, Hi. 725, BN. 106, BA. 93, Ai. 877, Nh. 59, Nw. 25, Ni. 424, Ow. 39, Oh. 35, Oi. 897.

Presented by Flinders Petrie, Esq., 1891.

129. The cranium of a native Fijian, exhibiting a remarkable degree of scaphocephaly, with complete parietal synostosis: ♂.

Brought by the donor from Ovalau. See Journ. Anthrop. Inst., Feb. 11th, 1879.

C. 562, L. 214, B. (frontal) 116, B. (parietal) 112, Bi. 524, H. 150, Hi. 701, Ca. 1620.

Presented by Alfred Corrie, Esq., Surgeon R.N., 1877.

- 129¹. A dolichocephalic skull.

C. 579, L. 221, B. 125, Bi. 566, Hi. 135, Hi. 611, BN. 109, BA. 91, Ai. 835, Nh. 52, Nw. 25, Ni. 481, Ow. 38, Oh. 32, Oi. 842, Ca. 1525.

Purchased, 1893.

130. A skull in which the sagittal suture appears to have been prematurely obliterated.

The consequent deformity is less characteristic than in the preceding specimens. The other calvarial sutures are becoming consolidated; but of the sagittal there is no trace; and the enlarged vascular foramina, so commonly associated with this condition of cranium, are well marked. The specimen was obtained by the donor in the Mauritius; but the race to which it belonged is unknown.

C. 500, L. 185, B. 118, Bi. 638, H. 129, Hi. 697.

Presented by Staff-Surgeon Robert Allan, H.M. Army, 1878.

131. A scaphocephalic calvaria, said to be that of "a Gentoo from the banks of the Ganges." O. C. 5557.

The bone, as is frequent in these cases, presents numerous vascular foramina in the neighbourhood of the obliterated sagittal suture; and in this specimen the internal surface has a very marked reticulated appearance, as if caused by a plexus of vessels imbedded in it.

L. 195, B. 112, Bi. 574.

Brookes's Museum. Purchased, 1828.

132. The greater portion of a cranium, consisting of the frontal, parietal, and occipital bones of a child ("a Gentoo from the banks of the Ganges") affected with parietal synostosis, and of an elongated form, but differing from the preceding crania in the extraordinary prominence of the parietal eminences. O. C. 5556.

The bone forming the groove for the lodgement of the superior longitudinal sinus is reticulated by numerous channels for blood-vessels, somewhat as in the last specimen.

Brookes's Museum. Purchased, 1828.

133. A long and narrow skull, also said to be that of "a Gentoo:" ♂. O. C. 5555.

It belonged to a powerful, muscular man. It presents considerable resemblance to the last, though in a less exaggerated

degree. Though the cranium is generally narrow, the parietal eminences are very prominent. There is partial parietal synostosis, but affecting only the middle part of the sagittal suture, and apparently of recent date. This is therefore, in all probability, not an illustration of the effects of premature synostosis, but is placed here on account of its resemblance to some of the preceding specimens.

C. 560, L. 208, B. 138, Bi. 663, H. 128, Hi. 615.

Purchased.

134. A mutilated calvaria of very peculiar form, found in a garden at Camberwell.

It differs from the scaphoccephalic cranium in the retreating forehead, contracted coronal region, and great elevation behind the bregma. Though the lambdoidal and squamosal sutures are free, the frontal, sagittal, and coronal are completely obliterated, and the premature synostosis of the latter may have given rise to the deformity. The superior occipital curved line andinion are immensely developed.

L. 178, B. 138, Bi. 775.

135. A cranium affected with parietal synostosis, occipital protuberance, and great and unsymmetrical elevation of the frontal region. O. C. 5891.

C. 520, L. 188, B. 137, Bi. 729, H. 150, Hi. 798.

Hunterian.

136. A cranium showing irregular consolidation of the sutures.

The lambdoidal, squamosal, and lower ends of the coronal sutures are open, as is the speno-parietal on the right side. The left speno-parietal suture is obliterated. The sagittal and upper part of the coronal sutures are consolidated; and the bone around presents numerous enlarged vascular canals, and at two spots near the upper anterior angle of the parietals is atrophied, even to the extent of being perforated. Between these spots there is a faint trace of the median suture.

From the Collection of the late Dr. Blundell.

C. 520, L. 194, B. 133, Bi. 686, H. 139, Hi. 716.

Presented by Dr. G. A. F. Wilks, 1878.

137. A small skull of a female European, compressed and vertically elevated. O. C. 5897.

It exhibits premature synostosis of the coronal and posterior

half of the sagittal suture. The lambdoidal suture is perfectly open, and contains several Wormian bones.

C. 465, L. 166, B. 130, Bi. 783, H. 139, Hi. 837.

Hunterian.

- 137¹. A cranium similarly compressed and elevated. The sagittal suture and the lateral parts of the coronal suture are obliterated.

C. 468, L. 165, B. 120, Bi. 727, H. 145, Hi. 879, BN. 95, BA. 94, Ai. 989, Nh. 53, Nw. 23, Ni. 434, Ow. 36, Oh. 35, Oi. 972, Ca. 1375.

Presented by J. Marshall, Esq., 1892.

- 137². The cranium of a male European, aged 26, illustrating the "acrocephalic" type of development.

C. 460, L. 157, B. 132, Bi. 841, H. 136, Hi. 866, Oh. 38, Ca. 1305.

Presented by Dr. F. Parkes Weber, 1897.

- 137³. A cranium showing the "acrocephalic" type of development, from Gloucestershire.

Presented by Wentworth Sturgeon, Esq., 1906.

Crania presenting various other anomalies of conformation.

138. A short round skull, with the frontal region extremely low and narrow, possibly from the effects of artificial compression in infancy, as in the "*déformation toulousaine*."

The sutures are all partially obliterated, but only by the regular and progressive synostosis of advancing age. Theinion is greatly developed.

C. 497, L. 170, B. 145, Bi. 853, H. 135, Hi. 794.

Presented by G. W. Mackmurdo, Esq., 1867.

- 138¹. Cranium of Flat-headed Indian from South America.

C. 502, L. 164, B. 154, Bi. 939, H. 133, Hi. 811, BN. 99, BA. 108, Ai. 1091, Nh. 47, Nw. 26, Ni. 553, Ow. 41, Oh. 35, Oi. 854, Ca. 1430.

Presented by J. Marshall, Esq., 1892.

139. The skull of an English child about seven years of age, slightly plagiocephalic, every portion of the right side of the cranium being in advance of the corresponding part of the left. O. C. 5904.

As the sutures are quite normal, the obliquity is probably

due to the position in which the child was habitually carried during infancy. The first true molars are nearly in place. The basioccipital and the exoccipitals have become detached and are missing.

Hunterian.

140. A skull with the left paroccipital process greatly developed and presenting a flattened articular surface for the corresponding transverse process of the atlas, ♂.

C. 525, L. 176, B. 153, Bi. 869, H. 130, Hi. 739.

141. The base of a skull, with the atlas, of an Englishman. The paroccipital process on the left side is a small distinct tubercle; but on the right side it is so developed as to articulate at its extremity with the transverse process of the atlas. O. C. 5899.

Presented by Joseph Toynbee, Esq.

142. A cranium having a flattened articular surface or "third condyle" on the anterior edge of the foramen magnum. O. C. 5741.

C. 480, L. 162, B. 142, Bi. 877, H. 124, Hi. 766.

Purchased.

143. A cranium, said to be "from Madagascar," but with all the characters of the European skull. As an individual peculiarity it exhibits an almost symmetrical pair of tubercles on the inferior surface of the basioccipital. O. C. 5902.

Hunterian.

144. A mutilated cranium, preserved on account of the peculiar conformation of the occipital bone, especially the great development of the inion.

- 144¹. An occipital bone showing a remarkable absence of symmetry of the cerebellar fossæ. (See Trans. Path. Soc., vol. 83, 1882, p. 222.)

Presented by Pearce Gould, Esq., 1884.

145. The skull of a person advanced in life, showing a remarkable degree of platybasic deformity ("plastic deformation" of Barnard Davis), ♂.

Most of the molar teeth have been lost during life. All the

calvarial sutures are partially obliterated. There is much lateral bulging of the squamosal region; the bones generally, but especially those at the base of the cranium, are greatly atrophied; and the occipital condyles and anterior margin of the foramen magnum are deeply sunk towards the interior of the cranium.

The specimen was obtained in Paris.

C. 530, L. 184, B. 152, Bi. 826, H. 99, Hi. 538.

Purchased, 1878.

145¹. A calvaria showing an interparietal bone.

Purchased, 1890.

Preparations of Skulls.

146. The skull of a male Negro, aged 22, in which the slender stylo-hyals, which had not yet become united by bone with the tympano-hyal processes, are preserved.

Prepared in 1870, from a man of unknown history who died in a London workhouse, but with well-marked Negro features, colour, and hair.

Purchased.

147. A skull with a vertical transverse section passing through the bones of the face.

147¹. The skull of an Englishman with a horizontal section through the brain-case.

148. A skull in various sections. The osseous labyrinth of the ear is exposed on the left side.

Purchased.

149. The bones of an adult skull, separated and artificially connected together *à la Beauchène*. O.C. 5885.

Purchased.

150. A skull similarly prepared.

Presented by G. W. Mackmurdo, Esq., 1867.

151. The separated bones of an adult human skull, with the names attached to them by which they are usually known in anthropotomy, and also those by which they are designated in general comparative morphology.

152 A to P. Fifteen preparations of the human temporal bone, showing in various sections the osseous structures connected with the organ of hearing.

Prepared by M. Vasseur, Paris. Purchased, 1862.

153. A case containing eleven horizontal sections of the frontal bone, showing variations in the condition of the frontal air-sinuses, and their absence in infancy. The sex and age of the individual from whom the preparation was taken is marked on each.

154. A case containing ten similar sections.

155. A case containing six preparations of the frontal bone to show the sinuses.

Mr. Willmot stated that the sections were all cut at the same line as regards the orbit, viz., $\frac{1}{4}$ of an inch above the supra-orbital notch, and in the same plane as regards the bone in the horizontal position. He found that in 14 per cent. of adult Europeans the sinuses are absent.

*The above were prepared by and purchased from
Mr. E. Willmot, 1858.*

156. A series of twenty-two specimens of the human hyoid bones, showing individual variations. The age and sex of the person is marked on each bone in all cases in which they are known.

157. Five specimens of the hyoid bones, showing various degrees of ossification in the anterior arch (stylo-hyoid ligament).

158. A completely ossified thyroid cartilage.

Pelves.

159. The pelvis of an English female, aged 19.

Prepared in 1871.

160. The pelvis of an English female, aged 27.

Prepared in 1875.

161. The pelvis of an English female, aged 34.

Prepared in 1877.

162. The pelvis of an English female, aged 48.

Prepared in 1878.

163. The pelvis of an English female, aged 49.

Prepared in 1876.

164. The pelvis of an English female, aged 55.
Prepared in 1875.
165. The pelvis of an English female, aged 64.
Prepared in 1877.
166. The pelvis of an English female, aged 66.
Prepared in 1877.
167. The pelvis of an English female, aged 69.
Prepared in 1876.
168. The pelvis of a middle-aged female.
Presented by G. W. Mackmurdo, Esq., 1867.
169. The pelvis of an English female, aged 70.
Prepared in 1876.
170. The pelvis of an English female, aged 70.
Prepared in 1877.
171. The pelvis of an English female, aged 79.
Prepared in 1874.
172. The pelvis of an English female, aged 80.
Prepared in 1878.
173. The pelvis of an English male, aged 47.
Prepared in 1878.
- 173¹. The pelvis of an English male, aged 62.
Prepared in 1880.
- 173². The pelvis of an English male, aged 44.
Prepared in 1885.
- 173³. The pelvis of an English male of large size.
Presented by Sir Erasmus Wilson, 1886.
174. The pelvis of a male.
Presented by G. W. Mackmurdo, Esq., 1867.

Besides the above, the collection includes a large number of the separate bones of the human body, showing individual variations, arranged in drawers in Room III, and which it has not been thought necessary to enumerate in this Catalogue. Of these very many were presented by G. W. Mackmurdo, Esq., in 1867.

The following specimens, to No. 222 inclusive, exhibit the structure of different parts of the human skeleton by means of sections.

175. A verteal transverse section of the human cranium.
O. C. 5766. *Hunterian.*
176. A right parietal bone, prepared by removal of the greater part of the outer table to show the diploë, with its venous sinuses.
177. The axis vertebra, vertically and longitudinally bisected.
O. C. 5767. *Prepared in 1851.*
178. The fifth cervieal vertebra, vertically and longitudinally bisected. O. C. 5768. *Prepared in 1851.*
179. The seventh cervical vertebra, vertically and transversely bisected. O. C. 5769. *Prepared in 1851.*
180. A middle dorsal vertebra, vertically and longitudinally bisected. O. C. 5771. *Prepared in 1851.*
181. The twelfth dorsal vertebra, vertically and transversely bisected. O. C. 5772. *Prepared in 1851.*
182. The second lumbar vertebra, vertically and transversely bisected. O. C. 5773. *Prepared in 1851.*
183. The third lumbar vertebra, vertically and transversely divided. O. C. 5776. *Prepared in 1851.*
184. The fourth lumbar vertebra, vertically and longitudinally bisected. O. C. 5775. *Prepared in 1851.*
185. A lumbar vertebra, with a portion of the body removed to show its internal strueture. *Purchased.*
186. The sacrum, vertically and longitudinally bisected. O. C. 5777. *Prepared in 1851.*
187. The sacrum, vertically and transversely bisected.
188. The sacrum, transversely bisected through the middle of the second vertebra. O. C. 5778. *Prepared in 1851.*
189. The body of the sternum, longitudinally and transversely bisected. O. C. 5779. *Prepared in 1851.*

190. The first rib, longitudinally bisected. O. C. 5780.
Prepared in 1851.
191. A sixth rib, longitudinally and horizontally bisected. O. C.
5781. *Prepared in 1851.*
192. A sixth rib, longitudinally and vertically bisected. O. C.
5782. *Prepared in 1851.*
193. The clavicle, longitudinally bisected. O. C. 5783.
Prepared in 1851.
194. The left scapula, transversely bisected through the glenoid
cavity. O. C. 5784. *Prepared in 1851.*
195. The upper portion of a similarly bisected scapula, in which
the texture of the coracoid and acromion is exposed in
longitudinal section. O. C. 5785. *Hunterian.*
196. The upper portion of a similarly bisected scapula of a
child. O. C. 5786. *Hunterian.*
197. The upper portion of a similarly bisected scapula of an
infant. O. C. 5787. *Hunterian.*
198. The posterior half of a longitudinally bisected humerus.
O. C. 5788. *Hunterian.*
- 198¹. Longitudinal and transverse sections through the distal
extremity of the humerus.
Presented by Dr. Edward Albert, 1902.
199. A radius, longitudinally bisected. O. C. 5789.
Prepared in 1851.
200. An ulna, longitudinally bisected. O. C. 5790.
Prepared in 1851.
201. The os magnum, bisected. *Purchased.*
202. The three bones of the pollex, longitudinally bisected.
Purchased.
203. The right os innominatum, with the ilium longitudinally
bisected. O. C. 5795. *Hunterian.*
204. The right ilium of a child, longitudinally bisected.
Hunterian.

205. The left os innominatum, longitudinally bisected through the acetabulum. O. C. 5797. *Hunterian.*
206. The left os innominatum, transversely bisected through the acetabulum. O. C. 5798. *Hunterian.*
207. The hinder half of a longitudinally bisected right femur. O. C. 5799. *Hunterian.*
208. The left femur, longitudinally bisected. O. C. 5800. *Hunterian*
209. The proximal part of a left femur, longitudinally bisected. O. C. 5801. *Hunterian.*
210. The proximal part of a left femur, from the fore part of which a section has been obliquely removed, passing through the middle of the head. O. C. 5802. *Hunterian.*
211. A longitudinal section of the upper extremity of the femur, prepared in illustration of a memoir by the donor, "Ueber die innere Architectur der Knochen und ihre Bedeutung für die Frage vom Knochenwaebsthum," in Virchow's 'Archiv,' vol. l. p. 389 (1870).
Presented by Dr. Julius Wolff, 1873.
212. Half of the longitudinally bisected proximal end of a femur, from which a great proportion of the animal matter has been removed, leaving the earthy part, and showing the mechanical arrangement of the walls of the cancelli. O. C. 5803. *Presented by Edward Stanley, Esq.*
- 212¹. Longitudinal and transverse sections through the proximal extremity of the femur.
Presented by Dr. Edward Albert, 1902.
213. Two portions of a longitudinally bisected shaft of a femur, similarly prepared to No. 212. O. C. 5804.
Presented by Edward Stanley, Esq.
214. A longitudinal section from the distal end of a femur, similarly prepared, showing with great clearness the delicate and elegant reticular arrangement of the fine columnar and lamellar walls of the cancelli. O. C. 5805.
Presented by Edward Stanley, Esq.

- 214¹. Longitudinal and transverse sections through the distal extremity of the femur.

Presented by Dr. Edward Albert, 1902.

215. The posterior half of a longitudinally bisected left tibia.
O. C. 5806. *Hunterian.*

- 215¹. Longitudinal and transverse sections through the proximal extremity of the tibia.

Presented by Dr. Edward Albert, 1902.

- 215². Longitudinal and transverse sections through the distal extremity of the tibia.

Presented by Dr. Edward Albert, 1902.

216. A fibula, longitudinally bisected. O. C. 5807.

Prepared in 1851.

217. A patella, vertically and transversely bisected.

218. An astragalus, bisected. *Purchased.*

219. A calcaneum, bisected. *Purchased.*

- 219¹. Longitudinal and transverse sections through the calcaneum. *Presented by Dr. Edward Albert, 1902.*

220. A navicular bone, bisected transversely. *Purchased.*

221. A cuboid bone, bisected. *Purchased.*

222. The three bones of the hallux, longitudinally bisected.
Purchased.

Variations of the Human Skeleton in regard to Stature.

223. The articulated skeleton of Charles Byrne, who was exhibited in London as "O'Brian, the Irish Giant," and died in 1783. O. C. 5905.

The following record of the death of the individual to whom this skeleton belonged is extracted from the 'Annual Register Chronicle,' June 1783, vol. xxvi. p. 209:—

"In Cockspur Street, Charing Cross, aged only 22, Mr. Charles Byrne, the famous Irish Giant, whose death is said to have been precipitated by excessive drinking, to which he was always addicted, but more particularly since his late loss of almost all

his property, which he had simply invested in a single bank note of £700.

"Our philosophical readers may not be displeased to know, on the credit of an ingenious correspondent who had opportunity of informing himself, that Mr. Byrne, in August 1780, measured eight feet; that in 1782 he had gained two inches; and after he was dead he measured eight feet four inches.

"Neither his father, mother, brother, nor any other person of his family, was of an extraordinary size."

The above-named heights are evidently exaggerations, as the actual height of the skeleton, in which due allowance appears to be given for the intervertebral substances, is only slightly above seven feet eight inches.

The posterior molars are in place; and the epiphyses of the long bones are united, though the crests of the ilia and posterior borders of the scapulæ are still free. The corresponding limb-bones of the opposite sides present great differences in dimensions. The bones of the cranium are thick and massive. The glabella, supraorbital ridges, mastoid processes, all the muscular ridges and the bones of the face, and especially the lower jaw, are greatly developed; but the alveolar arches and teeth are scarcely larger than those of a man of ordinary stature. The squamosal joins the frontal for more than half an inch on the left side, but does not quite reach it on the right. The frontal region is low and retreating, and the cranial cavity small for the external size of the skull. The pituitary fossa was found to be large.

Height $2358 = 7 \text{ feet } 8\frac{2}{5} \text{ inches}$. Estimated height from Femur + Tibia (Topinard's method), 7 feet 10 inches, 2397 mm.

Clavicle, *r.* 228, *l.* 220; humerus, *r.* 450, *l.* 430; radius, *r.* 334, *l.* 325; hand, *r.* 255, *l.* 256; femur, *r.* 625, *l.* 642; tibia, *r.* 541, *l.* 537; foot, *r.* 325, *l.* 318.

Cranium: C. 593, L. 214, B. 148, Bi. 692, H. 147, Hi. 687, Ca. 1520.

A clever contemporary caricature sketch of O'Brian by Rowlandson hangs in the office of the Conservator of the Museum; and a boot and a slipper which he wore are shown with the skeleton.

Hunterian.

224. The articulated skeleton of a man about seven feet in height, who died in London in 1854, having been known as "Freeman, the American Giant."

Height $2052 = 6 \text{ feet } 8\cdot5 \text{ inches}$. Estimated stature from Femur + Tibia (Topinard), 7 feet 0·9 inches, 2167 mm.

Clavicle, *r.* 170, *l.* 175; humerus, *r.* 413, *l.* 461; radius, *r.* 300, *l.* 298; femur, *r.* 588, *l.* 588; tibia, *r.* 478, *l.* 477.

Cranium: C. 540, L. 191, B. 145, Bi. 759, H. 149, Hi. 780, Ca. 1630.

Purchased.

225. The right os innominatum, with the femur and tibia, of a man of unusually large stature.

The length of the femur is 565. The tibia is approximately 510; but the inner side of the lower half has been lost and is restored in wood. According to the calculation that the length of the femur is to the entire height as 275:1000, this would give a height of 2005, or 6 feet 6½ inches.

226. The right and left femurs of a person of great stature.

Length of the right femur 550, of the left 544.

227. The skeleton of a female child of unusually stunted growth and arrested osseous development, who was exhibited in London in 1824, under the name of "Caroline Crachami, the Sicilian Dwarf," of the reputed age of nine years. O. C. 5906.

Some particulars of her life and of the post mortem examination are given in Sir Everard Home's 'Lectures on Comparative Anatomy,' vol. v. (1828), p. 191, from which the following is extracted:—"The child when I saw it could walk alone, but with no confidence. Its sight was very quick, much attracted by bright objects, delighted with every thing that glittered, mightily pleased with fine clothes, had a shrill voice, and spoke in a low tone; had some taste for music, but could speak few words of English; was very sensible of kindness, and quickly recognized any person who had treated it kindly."

The height of the skeleton is 19·8 inches = 505 millims. Only the deciduous teeth are in place, of which the first upper molars in both jaws have suffered decay. The right lateral upper incisor would appear not to have been developed. The fontanello is not quite closed; and the ossification of the bones of the trunk and extremities is scarcely more advanced than in a child at birth.

With this skeleton are preserved casts of the face, of the arm and hand, and of a foot of the same individual, also the stockings and ring which she wore; and upon the staircase of Room I. is an oil-painting from life, of the natural size, side and front view, by A. Chalon.

Presented by Sir Everard Home, Bart.

II. DENTITION OF MAN.

The dental formula in adult man is :—i. $\frac{2}{2}$, e. $\frac{1}{1}$, p. $\frac{2}{2}$, m. $\frac{3}{3}$, = $\frac{8}{8}$: total 32. The milk-teeth are :—i. $\frac{2}{2}$, c. $\frac{1}{1}$, m. $\frac{2}{2}$, = $\frac{5}{5}$: total 20.

228. The first set or milk-teeth of a child about two years of age, wanting the posterior molars. *Purchased, 1858.*

229. The complete set of first or milk-teeth of a child about six years of age.

230. A preparation of the upper and lower jaws of a child about five years of age, showing the complete milk-dentition, with the germs of the permanent teeth. The roots of the teeth in place and the crowns of the successional teeth are exposed by the removal of the outer alveolar walls.
Purchased, 1862.

231. A similar preparation from a child somewhat more advanced in age.
Purchased, 1862.

231¹. A similar preparation. *Sir Erasmus Wilson, 1883.*

231². Skull of child in which the roots of the teeth are displayed, and also the crowns of the successional teeth.
Presented by James Merryweather, Esq., 1888.

232. A preparation similar to No. 230 from a child about seven years of age, the first permanent molars being in place, as well as the milk-teeth. O. C. 5835.

Prepared for JOHN HUNTER by his pupil WILLIAM LYNN, afterwards President of the Royal College of Surgeons.

Hunterian.

233. The skull of a child about eight years of age, showing the state of the dentition. All the milk-incisors are shed; the milk-molars and canines are retained. The central permanent incisors and the first permanent molars are in place. *Presented by G. W. Mackmurdo, Esq., 1867.*

234. A preparation of the upper and lower jaws of a nearly adult person, showing the teeth *in situ*, with their roots exposed. The posterior molars have not yet risen into place.
Purchased, 1862.

235. A portion of the human skull, including the upper and lower jaws, from the right side of which the teeth have been extracted and are displayed separately. O.C. 5833.
Hunterian.
236. The left side of the upper and lower jaws of an adult, in which the roots of the teeth have been exposed by removing the outer walls of the alveoli. O.C. 5834.
Mus. Brookes.
237. A human premolar tooth, longitudinally bisected. O.C. 5876.
Presented by Sir Everard Home, Bart.

The following twenty-one Hunterian specimens, to No. 258 inclusive, are described and figured in Hunter's work 'On the Natural History of the Human Teeth,' 1771.

238. The left halves of the upper and lower jaws of a fœtus of five months, showing the common alveolar groove which lodged the formative matrices of the teeth. O.C. 5836.
The inner wall of the groove is most developed; rudiments of the partitions appear at the bottom of the anterior alveoli.
Op. cit. pl. viii. figs. 1 & 2.
239. The left halves of the upper and lower jaws of a fœtus of seven months, showing the development of the inner wall to an equality with the outer wall of the alveoli, and the more or less completed partitions of the sockets of the incisors and canines. O.C. 5837.
Op. cit. pl. viii. figs. 3 & 4.
240. The left halves of the upper and lower jaws of a fœtus of eight months, showing the more nearly completed sockets. A large vacuity still remains in the partition between those of the two molars. O.C. 5838.
Op. cit. pl. viii. figs. 5 & 6.
241. The right ramus of the lower jaw of apparently the same fœtus: the calcified germs of the two incisors and the canine are displayed *in situ*; similar germs, with the calcified summits of the pulps, of the two deciduous molars are separately displayed. O.C. 5839.

242. The lower jaw of an infant nine months old. O. C. 5840.

The two mid incisors have cut the gum ; the crowns of the outer incisor, canine, milk-molars, and first true molar may be seen through the openings of the formative sockets, which openings are contracted above the molars.

Op. cit. pl. viii. fig. 7.

243. The left ramus of the lower jaw of an infant of nine months. O. C. 5841.

The mid incisor has cut the gum ; the crowns of the outer incisor, canine, milk-molars, and first true molar are exposed by the removal of the outer alveolar wall ; the calcified summits of the permanent incisors and canine are exposed by the removal of the inner alveolar wall. The dried remains of the gum remain above the formative alveoli of the undeveloped teeth.

244. Part of the right upper jaw of an infant nine months old. O. C. 5842.

The mid incisor is beginning to cut the gum ; the crowns of the outer incisor, canine, two milk-molars, and the calcified summit of the first true molar and of the permanent mid incisor are exposed by removal of the inner wall of the alveoli.

245. The left upper jaw of a young infant. O. C. 5843.

The mid incisor and apparently the second incisor, which is lost, have cut the gum ; the crowns of the canine and milk-molars are seen in their formative sockets. The formative sockets of the permanent incisors are shown, and also that of a canine, or supernumerary tooth, behind them, with the calcified germ of the tooth in an inverted position, the point being directed upwards against the bony palate, and the pulp-cavity opening towards the gum. The maxillo-premaxillary suture remains on the palate and on the inner surface of the nasal passage.

Op. cit. pl. viii. fig. 9.

246. The right upper jaw of apparently the same infant. O. C. 5844.

The two incisors have cut the gum. The germ of a corresponding canine, or supernumerary tooth, is shown in a similar inverted position.

247. A section of the right upper jaw of a young infant. O. C. 5845.

The two incisors have cut the gum ; the crowns of the canine, milk-molars, and first true molars are exposed by the removal of the outer alveolar wall, and the germs of the permanent incisors by the removal of the inner alveolar wall.

248. A section of the lower jaw of a child. O. C. 5846.

It shows the mid incisor and first milk-molar, and the sockets of the intervening outer incisor and canine, from which the teeth have been removed. The formative alveoli of the permanent mid incisor and of the first bicuspid are also shown.

Two views of this preparation are given in the work 'On the Teeth,' pl. ix., in which Hunter's description of fig. 2 is—"The *incisor* of a child is standing in its socket, and the adult *incisor* forming in a distinct socket, underneath"; and of fig. 3—"to show that the bicuspides are formed in distinct sockets of their own, and not in the socket of the grinder, which stands above."

249. The left upper maxillary bone of a child. O. C. 5847.

The two milk-molars are in place: the canine has been removed from its socket, and the premaxillary part of the jaw removed to expose the germ of the permanent canine in its formative socket. The germs of the first bicuspid and first true molar are similarly exposed from the inner side. The crowns of an incisor and canine are separately displayed.

250. A section of the right upper maxillary bone of a child. O. C. 5848.

The two milk-molars are in place. The deciduous incisors and canine have been removed ; behind their sockets the calcified summits of the permanent incisors may be seen through the wide gubernacular openings. The crown of the first true molar may be seen in its formative socket.

251. The left maxillary and left ramus of the mandible of a child, in which the deciduous teeth had been acquired and the first true molar was beginning to rise into place, being more advanced in the lower than the upper jaw. O. C. 5849.

The germs of the successional teeth and of the second true molars are exposed by the removal of the outer walls of their formative alveoli.

These preparations are figured (reversed) in pl. ix. fig. 1, *op. cit.*, with the following description:—"One side of the Upper and Lower-jaw of a subject about eight or nine years of age, where the *Incisores* and *Cuspidati* of the *Fœtus* were shed, and their successors rising in new sockets; shewing likewise the two Grinders of the child, with the *Bicuspidæ* forming underneath. The first adult Grinder was ready to cut the gum; and the Second Grinder in the Lower-jaw is lodged in the root of the coronoid process, and in the Upper-jaw it is in the tubercle."

252. The left maxillary and a considerable proportion of the mandible of a child, at the same stage of dentition as the foregoing. O. C. 5850.

The second milk-molar is in place in the upper jaw; the alveoli of the antecedent milk-teeth have been removed to expose those containing the calcified crowns of the permanent incisors, canine, and first bicuspid. The first true molar is exposed in its socket, and that of the second true molar is shown behind. In the lower jaw the two milk-molars on each side are left standing; the crowns of the four permanent incisors, canines, and anterior bicuspidæ are exposed by the removal of the front walls of their formative sockets. The crowns of the second bicuspidæ seem not to have begun to be calcified.

253. The back part of the left ramus of the same lower jaw. It shows the widely open alveolus of the first true molar, the crown of which is there exposed, and the formative socket of the second true molar. O. C. 5851.

254. The right ramus of the lower jaw of a child. O. C. 5852.

The deciduous series, viz. two incisors, a canine, and two molars, are in place; the formative sockets of the successional teeth and of the first and second true molars are exposed from the inner side. The matrices of the second bicuspid and second true molar had not begun to be calcified.

255. The left rami of four lower jaws of individuals at different periods of life. O. C. 5853.

The youngest shows the five deciduous teeth in place; the next shows the two permanent incisors, the deciduous molars, and first true molar, the second true molar rising into place, and the permanent canine exposed in its formative socket; the

third shows the permanent incisors, canine, bicusps, and first and second true molars in place, all the deciduous teeth having been shed; the fourth shows the full permanent series.

These specimens are the subjects of fig. 2, pl. xvi., *op. cit.*, where they are represented larger than natural, and are thus described:—"Fig. 2. Four Lower-jaws at different periods of life, from the age when the five shedding teeth are completely formed, to that of a complete set. This figure shows four things:—1. The lengthening of the jaw backwards, which is seen by the oblique line made by the four condyles; 2. The gradual rise of the two processes above the line of the teeth; 3. The gradual increase of the teeth in proportion as the jaw lengthens; and 4. The part formed, always keeping the same size."

256. Sections of the right halves of the upper and lower jaws, with the outer alveolar wall removed to expose the implanted roots of the teeth. O. C. 5854.

This specimen is the subject of fig. 1, pl. vi., *op. cit.*, in the description of which Hunter remarks:—"The length of each fang is at once seen with respect to its neighbour, and this kind of articulation" (gomphosis) "pointed out at one view."

257. The left upper maxillary bone, in which the canine is exposed in its socket, the crown not having been protruded beyond the opening of the sockets of the contiguous teeth. O. C. 5855.

This specimen is the subject of fig. 8, pl. viii., *op. cit.*, and is described as follows:—"A sketch of an Upper-jaw where the *Cuspidatus* of that side had been formed high up in the Jaw, and, therefore, never would appear through the Gum."

258. The fore part of a human lower jaw, showing the incisors, canines, and bicusps; with their crowns worn down to a flat surface. O. C. 5856.

The following specimens, illustrative of the structure, development, and succession of the teeth, are arranged on slides, in a glazed frame or case, and are mostly figured in John Hunter's work 'On the Teeth.'

Hunterian.

259. The teeth on this slide (O. C. 5857) are the subjects of plate v. *op. cit.*, where they are described as follows:—

"The sixteen teeth from one side of both jaws, taken out of their sockets to expose the whole of each tooth.

"Row 1.—The teeth of the lower jaw; the five single are similar to those of the upper jaw, but the grinders in this have only two fangs.

"(a. a.) The two incisors.

"(b.) The enspidatus; showing, in the same view, how much longer it is than the others.

"(c. c.) The biuspides.

"(d. d.) The first two grinders, having two fangs.

"(e.) The third grinder, or dens sapientiæ, having also but two fangs.

"Row 2.—The teeth of the upper jaw; the lettered references apply to this as to the first row.

"(a. a.) The two incisors, showing the hollowed inner surface of the body of those teeth.

"(b.) The cuspidatus, showing the same.

"(c. c.) The biuspides, showing the two points on the basis of each; the first of them has a forked fang.

"(d. d.) The first two grinders, having three fangs.

"(e.) The third grinder, or dens sapientiæ, having also three fangs."

260. A slide supporting sections of the teeth of Man, the Horse, and the Elephant, which have been subjected to the action of fire in order to show more clearly the distinction between the enamel and other constituents of the teeth, the minute quantity of animal matter in the enamel not affecting its colour when heated. Most of the specimens are figured in plates xiv. & xv. *op. cit.*, where they are described as follows :—

"(a.) Fig. 17.—An incisor slit down its axis, to show the enamel upon the body of the tooth, covering much more of the convex than of the concave part."

"(b.) Fig. 18.—An incisor worn so much down as to expose the whole end of the bony part, a circle only of enamel remaining."

"(c.) Fig. 16.—A cuspidatus, showing the same circumstance."

"(d.) Fig. 15.—A lateral view of the enamel of a biuspide cut longitudinally."

"(e.) A similar view of the enamel of a molaris."

"(f.) Fig. 14.—Another view of the enamel of a molaris."

"(g.) Fig. 12.—The basis of a molaris whose points were worn down, and the bony part which projected into these points exposed."

"(h.) Fig. 13.—A molaris, whose bony part is wholly exposed, and only a circle of enamel left, covering the sides all round."

"(i.) Fig. 20.—The grinding-surface of a horse's molaris, to show the irregular course of the enamel."

(j.) A section of one of the denticuli of an Asiatic elephant's molar, showing the dentine, enamel, and cement. Only a very small proportion of the dentine or "bony part" appears in this section; it is enclosed in the enamel.

(k.) A horizontal section of the molaris of a horse, to show the course of the enamel. Both the dentine and cement are blackened by the action of fire.

261. (Slide 4.) A series of teeth in longitudinal section, to show the size and shape of their pulp-cavities. O. C. 5859.

Three are canines, two bicuspid, and two molars. There are also two transverse sections of fangs, the crown of a molar not fully developed, and an upper molar with a large concretion of tartar attached to it.

262. (Slide 5.) Longitudinal and transverse sections of human permanent teeth. O. C. 5860.

a, a. The incisors.

b. The canine.

c. A premolar or bicuspid, showing, by the double pulp-cavity, that the apparently single fang consists of two connate fangs.

c'. A premolar, in which the two fangs are distinct at the lower half of the root.

d. A molar, showing, by the double pulp-cavity of one of its apparently single fangs, that this consists of two connate fangs.

(The above are the subjects of figs. 1–5 of pl. xiv. *op. cit.*)

e. A molar, with the pulp-cavity exposed in the crown and one of the fangs broken away.

f. A molar, showing the divisions of the pulp-cavity continued into the diverging fangs.

g. A transverse section of the crown of a molar, showing the part of the pulp-cavity next the grinding-surface.

h. A transverse section of the crown of a molar, showing the part of the pulp-cavity next the fangs. (The two preceding specimens are the subjects of figs. 8 & 9, pl. xiv. *op. cit.*)

i. This specimen is the subject of fig. 7, pl. xiv., where it is thus described :—"A molaris of the lower jaw, with part of its fangs sawed off, to show that the sides of the cavity or canal have grown together, and divided it into two small canals, which are represented by two dark points." In other words, the two seemingly single fangs consist each of two connate fangs.

263. (Slide 6.) A series of the deciduous teeth of a child, "from their being complete to their utmost decay." There is also a deciduous incisor of a horse, with the germ of the permanent incisor about to succeed it. O. C. 5861.

The human teeth are the subjects of figs. 2 & 3, pl. xiv. *op. cit.*

264. (Slide, Div. 7.) "The teeth of one side of both jaws, from a child of five or six years of age." O. C. 5862.

The deciduous incisors are completed, and the crowns of their successors formed. The fang of the deciduous canine is not quite complete; and the crown of the successor is about half-formed. The fangs of the first milk-molars are nearly completed; and the summit of the first upper premolar has begun to be calcified. The fangs of the second milk-molar are half-formed and widely open; the second premolar has not begun to be calcified. The crown of the first true molar is more than half-formed.

These are the subjects of fig. 1, pl. x. *op. cit.*

265. (Slide, Div. 8.) "The teeth of one side of both jaws, from a child of seven years of age." O. C. 5863.

The fang of the first deciduous incisor is partially absorbed, more in the upper than the lower tooth; part of the fang of the succeeding incisor is formed. Of the second incisor a smaller proportion of the fang of the deciduous tooth is absorbed, and of that of the permanent one is developed. The whole of the deciduous canine, and of the crown of the permanent one, are completed. The fangs of the upper milk-molars are more absorbed than those of the lower ones, and the crowns of the upper premolars are proportionally more advanced. The whole of the crown, with the beginning of the root of the first true molar, is now formed. These teeth form the subjects of fig. 2, pl. x. *op. cit.*; and in the description of the plate the author remarks:—"This is an age in which there are more

teeth formed and forming than at any other time of life—forty-four in the whole.”

266. (Slide, Div. 9.) “The teeth from one side of both jaws of a child eight or nine years old, principally to show the progress of the second set and the beginning and decay of the first set.” O. C. 5864.

The first deciduous incisor of the lower jaw has been shed, and the crowns of the second permanent molars have been formed. The fangs of the first true molars are more lengthened, and those of the milk-molars more absorbed.

These teeth form the subjects of fig. 1, pl. xi. : and, according to Hunter's own showing, a greater number of formed and forming teeth coexist in the jaws of a child at the age here exemplified than at that characterized by the teeth in No. 265. As the crowns of the second true molars are always more or less calcified before any of the deciduous incisors are shed, the number of “formed and forming” teeth in the jaws at such period (commonly from seven to eight years of age) is forty-eight, viz. twenty deciduous teeth, twenty permanent successors, and eight superadded true molars.

267. (Slide, Div. 10.) “The teeth from one side of both jaws of a youth about eleven or twelve years old, showing the further progress of the one set towards perfection, and of the other towards decay.” O. C. 5865.

The deciduous incisors and canines have been shed, and the permanent ones have cut the gum. The fang of the canine is not yet complete. The second incisors have not been preserved in this series. The first upper premolar has come into place, and has pushed out its predecessor; the first lower milk-molar and the second in both jaws remain, with their fangs much absorbed. Only the base of the fangs of the premolars is formed; the first true molars have the fangs nearly complete; the enamel seems to have been dissolved away from the summit of the crown by an acid. The crown of the second true molar is complete; that of the third, or “dens sapientiae,” is only beginning to be calcified. The above teeth form the subjects of fig. 2, pl. xi. *op. cit.*

268. (Slide, Div. 11.) The teeth from one side of both jaws of a youth about fourteen years of age. O. C. 5866.

The permanent incisors and canines are in place; but the

deciduous molars have not been shed: their fangs are much absorbed, and those of their successors are half-formed; the fangs of the second true molar are in a similar state; and the crown of the third true molar is more advanced, especially in the upper jaw.

269. (Slide, Div. 12.) The teeth from one side of both jaws of a youth about eighteen years of age. O. C. 5867.

The premolars or bicuspid are complete, and have pushed out the milk-molars, all the deciduous series being now shed. The fangs of the second true molar are complete in the lower jaw, but not in the upper jaw. The third true molar shows a corresponding advance of development in the lower jaw.

270. (Slide, Div. 13.) The calcified summits of the crowns of the deciduous teeth (viz. two incisors, canine, and two molars) "from one side of both jaws of a fœtus of seven or eight months, showing the progress of ossification;" this is greatest in the first incisor, and decreases to the last molar. O. C. 5868.

The specimens are the subjects of fig. 4, pl. ix. *op. cit.*

271. (Slide, Div. 14.) The calcified portions of the crowns of the deciduous teeth, from one side of both jaws, of a fœtus of the ninth month. (Fig. 5, pl. ix. *op. cit.*) O. C. 5869.

272. (Slide, Div. 15.) The deciduous mid-incisors, canines, and molars, with the calcified summits of the crowns of the permanent second incisors and first molars, from one side of both jaws of a child eight or nine months old. O. C. 5870.

These specimens are included in fig. 6, pl. ix. *op. cit.* of the entire series, which are described as "the five temporary teeth in a more advanced state, with the first adult grinder. The adult incisors and one cuspidatus are also begun to be formed;" but, by an error of the press, "years" is given for "months" in the description of the plate. In the text the specimens are rightly ascribed to an infant of eight or nine months.

273. (Slide, Div. 16.) The moieties of longitudinally bisected deciduous and permanent incisors at four stages of their

development, showing "the gradual growth of the body, fangs, and cavity;" the lower row is of the permanent set. (Fig. 2, *a, b, c, d*, pl. xiii. *op. cit.*) O. C. 5871.

274. (Slide, Div. 17.) The moieties of longitudinally bisected deciduous and permanent molars at three stages of growth. The pulp-cavity is relatively larger in the completed deciduous than in the completed permanent molar. (Fig. 2, *e, f, g*, pl. xiii. *op. cit.*) O. C. 5872.

275. (Slide, Div. 18.) Eight specimens of permanent incisors at different stages of development. O. C. 5873.

These are the subjects of fig. 8, pl. xiii. *op. cit.*, where they are described as "showing the gradual growth of a single tooth, from its first formation nearly, to its being almost complete;" some of the specimens, however, are of the first incisor, some of the upper, some of the lower incisors.

276. (Slide, Div. 19.) Six specimens of the first true molar of the lower jaw. O. C. 5874.

"They show the formation of the cavity and fangs of the molares of the lower jaw.

"(*a.*) Shows the common cavity in the body of the tooth.

"(*b.*) Shows the cavity still deeper.

"(*c.*) Shows the bony arch thrown over the mouth of the cavity, and dividing that into two openings, which give origin to the two fangs.

"(*d, e, f.*) Show the progress of these fangs." *Op. cit.* pl. xiii. fig. 1, A, *a, B, C, D, E.*

277. (Slide, Div. 20.) Five specimens of the first true molar of the upper jaw, similarly displayed. O. C. 5875.

"(*g.*) Shows the common cavity of the tooth.

"(*h.*) Shows the slight tucking-in of the mouth of the cavity at three different points, from which three ossifications shoot.

"(*i.*) Shows these ossifications, and the beginning of three fangs.

"(*k, l.*) Show the gradual growth of these fangs." *Op. cit.* pl. xiii. fig. 1, A, *a, F, G, H, I, K*.*

* The foregoing descriptions of the Hunterian specimens illustrating human dentition are reprinted, with slight verbal corrections, from the Catalogue of 1853.

III. SPECIAL OSTEOLOGY OF MAN,

or Illustrations of the Osteological Characters of the various
Races of Mankind.

a 1. *EARLY RACES OF MAN.*

The following specimens, consisting of bones and casts of bones of Prehistoric and early races of Man, have either been presented by Mr. N. C. MACNAMARA or selected by him from the Anthropological Series; to him also we are indebted for the descriptions. They serve to show the low type of the earliest remains of Man, and the changes they underwent before the Historic Period. The original numbers of these specimens have been appended to each description. For measurements and fuller details reference should be made to these either in this Catalogue (where they are inserted in their proper serial order) or in that of the Barnard Davis Collection.

A. PALÆOLITHIC.

The formations included under this term are distinguished by containing the rudest shapes of stone implements made by man, together with the remains of mammals some of which are extinct, while others no longer inhabit the districts where their bones have been found.

"The upper river-terraces rising sometimes 80 or 100 feet above the present level of the rivers, belong to a very ancient period in the history of the excavation of the valleys" *. In some of these river-terraces numerous chipped flint instruments made by man have been found, together with the remains of *Elephas primigenius* and *antiquus*, *Rhinoceros tichorhinus*, *Hippopotamus major*, *Ursus spelæus*, and other extinct mammals. The high river gravels of the Somme, and the valleys of the South-east of England have been specially prolific in these traces of primitive man.

Several of the specimens in our collection have been cast from human remains found in deposits of earth in certain limestone caverns. The earth in these caverns had been deposited from water, and then covered over by layers of stalagmite. In some of these caverns, strata

* 'Class-book of Geology,' by Sir Archibald Geikie, p. 361.

of earth and stalagmite have been superimposed one above the other to the extent of five or six layers. In the deepest, and therefore the most ancient of these layers, the remains of man of a primitive type have been found, together with chipped flint weapons and the bones of extinct animals. In layers of earth above the most ancient strata, human remains have been discovered of a higher type than the more ancient ones, together with more perfectly worked flints, and also bone and horn instruments. Above these again layers containing sun-baked pottery, and the remains of man and existing species of animals are found; these have been preserved by means of the layers of stalagmite which have formed over them, and so afford us a singularly interesting record of some of the beings who in far distant ages inhabited Western Europe.

The stone or flint instruments which were made by man during the Quaternary were preceded, as their skulls are, by those of the Tertiary epoch; some of these more ancient flints have been found in the valley of the Tagus and elsewhere in Europe.

The rough flint weapons of the earlier Palæolithic era have been discovered in such large numbers in the high river gravel at Chelles and St. Acheul, that they are commonly known as 'Chellien' and 'Acheulien' flints.

The flints of the later Palæolithic period are recognized by their more perfect form and the careful way in which they have been chipped. They are known as the 'Magdalénien' stone instruments. Many of them are of lance-like shape, having sharp edges and pointed extremities; they could be fixed in a cleft stick so as to be used as a spear or javelin. The people of this period also made use of bone and horn instruments and weapons; the handles of some of these are engraved with figures representing men and animals then inhabiting Western Europe.

278. Cast of 'The Java' calvaria (*Pithecanthropus erectus*).

This calvaria was discovered in a Tertiary volcanic formation by Dr. Eugène Dubois, who was commissioned by the Dutch Government to examine certain well-known fossil-bearing strata in Java. Together with this calvaria, and within a short distance of it, Dr. Dubois found a femur and two molar teeth. These remains have been submitted for examination to most of the leading Anatomists of Europe; there is no difference of opinion as to the femur being that of a human being of a very low type. With regard to the skull and teeth, doubts have been expressed by eminent anatomists as to their being those of a human being; the calvaria especially much resembling that of anthropoid apes. The cranial capacity of the Java skull is

believed to be about 950 c.e., that of the largest gorilla is 645 c.e., and the capacity of the Neanderthal human skull is 1220 c.e., while that of an average male Englishman of the present day is 1540 c.e.

278¹ & 278⁴. Casts of the Spy calvaria.

The calvaria from which these casts were taken were found, with other human bones, resting on a bed of calcareous rock; they were covered over by four well-defined beds of debris and clay. In the strata immediately above the one in which the human remains were discovered, the bones of the *Rhinoceros tichorinus*, Mammoth, and Hyæna were found, together with flint weapons of the Moustérien type. These remains of Palæolithic man were unearthed with the greatest care from a terrace of rock in front of the Spy cave, a place overlooking the river Orneau in Belgium. The No. 1 Spy calvaria has prominent supraorbital ridges, low, narrow, and retreating forehead, and other characters of the Java and Neanderthal crania. No. 2 Spy cranium is less simian in character. They are both of them dolichocephalic, having a cranial index of 70 and 74 respectively.—For a description and plan of the Spy Cave and the locality in which the human remains were found, see Prof. G. de Mortillet's 'Formation de la Nation Française,' p. 284.

278². A cast of the Neanderthal calvaria.

This calvaria, with other parts of the human skeleton, was found in a limestone cave near Hochdal, between Düsseldorf and Elberfeld. The cave is some 60 feet above the bottom of the valley; it is lofty enough to admit a man. The floor was covered with 4 or 5 feet of earth, in which the skeleton was found. A similar cave near by yielded remains of the elephant, rhinoceros, cave-bear, and other extinct forms of mammals. The low receding and narrow forehead, closed sutures, largely developed occipital region, and other features, place this calvaria among those belonging to the early Palæolithic period. The cranial index of this dolichocephalic calvaria is 72, and its probable capacity about 1220 c.e.—See description and figures of this skull in Prof. Huxley's 'Evidence as to Man's Place in Nature,' p. 136.

College Catalogue, No. 544.

278³. Cast of the Sligo calvaria.

The original of this calvaria is in the Natural History Collection of the British Museum. The exact position or

geological relations of the locality in which this remarkable calvaria was found have not been preserved. But the form of the cranium, consolidation of sutures, prominent supraorbital ridges, low and narrow forehead, are characteristic of human beings of the Palæolithic period in Europe.

278⁵. A cast of the Tilbury skull.

The original from which this cast was taken is in the Natural History Collection of the British Museum. This portion of a skull and other parts of a human skeleton were found in the gravel at Tilbury Docks, at a depth of 34 feet, and were submitted to R. Owen, who described them as being those of a Palæolithic man (*Proc. Roy. Soc.* vol. xxxvi. p. 136). The prominent supraorbital ridges, simple or closed sutures, and other characters confirm his opinion as to this specimen being that of a Palæolithic human being, but of a somewhat higher type than the Neanderthal, and other skulls above referred to. This improvement in type is evident from the more fully developed frontal region of this skull, permitting of increase in the size of the anterior lobes of the brain.

278⁶. Cast of the Eguisheim calvaria.

The fragments of this human cranium were discovered in a river-deposit at Eguisheim near Colmar (Lower Rhine). In conjunction with this portion of a human skull, bones of the mammoth, elephant, and other extinct animals were found. The human remains and those of the animals referred to were not only close to one another, but were also in precisely the same state of fossilization. The simple, almost closed sutures of this calvaria, and its other characters place it among those of Palæolithic man.—*See* Prof. Boyd Dawkins's 'Early Man in Britain,' p. 167,

278⁷. The Gibraltar cranium.

A mutilated cranium, remarkable for the low retreating forehead, prominent supraorbital ridges, and peculiar conformation of the maxillæ. From a quarry behind "Forbes Battery," in the brecciated talus under the North Front of the Rock of Gibraltar.

See Broca, 'Crânes et Ossements humaines des Cavernes de Gibraltar,' *Bulletin de la Soc. d'Anthropol. de Paris*, 1869, 2^e sér. t. vi. pp. 146-148. Reprinted in *Mémoires d'Anthropologie*, t. ii. p. 370, fig. 55 (p. 377).

College Catalogue. No. 371.

278⁸. Cast of the Malarnaud lower jaw.

The bone from which this cast was taken was found in a bed of clay which constituted the floor of a cave in the valley of the Arize (Ariège). In strata superimposed above the lowest bed of clay in which this mandible was found, and separated from it by layers of stalagmite, the bones of the *Ursus spelæus*, rhinoceros, lion, and panther were discovered. The inferior border of this jaw where the prominence of the chin should be recedes and is of a simian character. The sockets of the anterior and posterior molars are of the same size.—See Prof. G. de Mortillet's 'Formation de la Nation Française,' p. 282.

278⁹. Cast of the Naulette lower jaw.

The original bone from which this cast was moulded was found in a cave near Dinant, in a layer of clay which also contained the remains of the mammoth, rhinoceros, and other extinct animals. The entrance to the Naulette cave is situated about 28 feet above the existing bed of the river Lesse, its floor was covered to the depth of 11 metres by clay soil, which is separated into layers by seven deposits of stalagmite. It was under five of these stalagmite floors that this human jaw was found with other bones of the skeleton. The absence of the mental prominence and other features of this mandible are simian in character.—See Proc. of the Geologists' Assoc. vol. xv. p. 251 (E. T. Newton, F.R.S., on *Palæolithic Man*).

278¹⁰. Cast of a lower jaw belonging to one of the Spy skulls.

The original mandible from which this cast was made was found with the Spy skulls. In its general outline and character it resembles the lower jaw of one of the anthropoid apes more closely than it does that of the existing inhabitants of Western Europe.

A cast of the Tilbury lower jaw (mounted with 278⁵).

The original from which this was taken was found with the Tilbury skull above described. Like the cranium, this mandible is less simian in character than the remains of the men who lived in Western Europe during the earlier Palæolithic period.

278¹¹ & 278¹³. The femurs of the Spy and Tilbury skeletons suggest that the primitive people of Western Europe were a small and extremely muscular race. Their

stature did not probably exceed 5 feet to 5 feet 2 inches. In these skeletons the lower articulation of the femur is prolonged backwards to such an extent, as to suggest the idea that this race of men walked with their knee-joints somewhat bent.

278¹² & 278¹⁴. The tibiae of these skeletons are ape-like in character, being flattened from side to side, while the upper articular surfaces are such as to correspond with those of the lower extremity of the femur.

The bones of their arms, like those of the lower extremities, indicate great muscular development in the individuals to which they belonged.

B. NEOLITHIC.

In this division we find from its earlier to the later period a gradual, but distinct improvement in the workmanship of the stone implements used by man. Many of the stone axe-heads are ground to a fine polish, and the lance- and arrow-heads are beautifully formed. The remains of the Irish elk, and of the reindeer, the wild ox, grizzly bear, beaver, and wild boar, are found with human remains of this period over the whole of Europe including our Islands. Beyond this, as Sir A. Geikie observes, "as tribe after tribe of human beings migrated into Europe from some region in Asia, they brought with them the animals they had domesticated—the hog, horse, sheep, goat, short-horn, and dog." The remains of these creatures are found in the river-gravels, cave-floors, peat-bogs, raised beaches, and other geological formations of this period. From the form of their skulls and other remains, there is evidence to show that the descendants of the early Iberian (Palæolithic) race of human beings spread over Europe throughout the Neolithic period. In addition to the Iberians we recognize during the Neolithic period the advent into Western Europe of the, so-called, Cro-Magnon stock. These people were a tall, powerful race, having capacious skulls which were of the dolichocephalic type like the Iberians. But the latter were a short race of people, who seem neither to have buried or to have paid any respect to their dead. On the other hand, the Cro-Magnon race built the long dolmens in which to bury their chiefs, and in which to perform various religious ceremonies in connection with their belief in the immortality of the souls of the departed. From evidence of this kind it seems probable that these tall, long-skulled people passed from the East into

Europe during the Neolithic period, probably intermarrying with the Iberians.

Among our collection of Neolithic skulls will be found some crania of a totally different race from those above referred to. These are the skulls of people who inhabited some of the islands of Denmark during the Neolithic period. Their remains are also found in Holland, the North of France, the North of England and Ireland. They were a tall, short-skulled or brachycephalic race, having a cranial index of 80 and upwards. The characteristic features of their skulls are those of the Mongolian race of Northern Asia; they inhabited the part of Europe above referred to before the Bronze age.

279. The Engis cranium.

A cast of this cranium was presented to the Museum by Sir Charles Lyell; its cranial index is 70, and its capacity large. This cranium was found in the Engis cave near Liège in a mass of breccia, together with the remains of extinct, and of some existing mammals; worked flint implements of the early Neolithic type, and coarse earthenware were discovered close to these human remains. The form of the cranium, the pottery, and the character of the flint weapons lead us to place this specimen among those belonging to the early Neolithic or post-Glacial period of Europe. Sir Charles Lyell describes, and has a drawing of this skull in his work on the Antiquity of Man, p. 80. Prof. Huxley also in his 'Man's Place in Nature,' p. 120, gives an account of the Engis skull; he states that "it is quite safe to assume that this skull takes us, at least, the further side of the vague biological limit which separates the present geological epoch from that which immediately preceded it."

College Catalogue, No. 545.

279¹, 279², 279³. Casts of the Cro-Magnon skulls.

The originals from which these casts were taken were found together with other human bones buried in the upper strata of a natural cave near Les Eyzies (Dordogne). In the strata below this sepulchre the remains of the Palæolithic inhabitants of this cave were discovered, but the Cro-Magnon skeletons were found in a distinctly Neolithic formation. As in the case of the Mentone, so also in this sepulchre, there were three skeletons: first, that of a powerful, tall old man 6 feet high, with a cranial index of 73·76 and cranial capacity of 1590 c.c.; second, a female with a cranial index of 71·72; and third, a younger man with a cranial index of 74·75. The fore-

heads of these people were well developed, and so was the occipital region; the bones of their faces indicated a well-shaped nose, the upper part of the face being broad as compared with its length, with a well-formed chin and lower jaw.—*See* Prof. Boyd Dawkins's 'Cave Hunting,' p. 225; Prof. G. de Mortillet's 'Formation de la Nation Française,' p. 311.

College Catalogue, Nos. 351, 352, 353.

279⁴. Skull found in the Rodmarton Dolmen.

This long-chambered dolmen is situated some six miles to the south-west of Cirencester; its length is about 180 feet and breadth 70 feet; the height near the east end is 8 feet. Some 25 feet from the eastern end of the dolmen upright stones were found, with a slanting stone resting against them, and from the remains of charcoal and the bones of numerous animals, it seems probable it was here that certain funeral rites took place, and sacrifices to the dead were eaten. Near the centre of the tumulus there was a chamber which was entered from the south by a passage cut in the stones, like a port-hole, through which access to the chamber could be made in a creeping posture; outside this a narrow gallery formed of upright stones led to the outside of the tumulus. The chamber, which was full of rubble, contained bits of coarse pottery. In another chamber opposite, and 30 feet distant from the one above described, also formed by upright stones, the skeletons of thirteen people, deposited in a crouched position, were found together with some rude pottery, an axe of green stone ground and polished, two finely-chipped flint leaf-shaped arrow-heads of the early Neolithic type, and lastly a few charred bones. All the skulls are dolichocephalic, four of them being deeply cleft through the whole of the frontal bone.—*See* description and fig., 'Crania Britannica,' pl. lix. Barnard Davis Cat., p. 8, No. 1210 (revised No. 29).

279⁵. The Muskham cranium was discovered in the valley of the River Trent.

Prof. Huxley was of opinion that this cranium belonged to an adult male, although small enough for a female; it closely resembles and is probably the cranium of one of the Iberian inhabitants of Britain. *See* 'Prehistoric Remains of Caithness,' p. 123. With the human remains bones of existing species of animals were found, and it may be assigned to the Neolithic period. Cranial index 77.5.

College Catalogue, No. 289.

279⁶. A Welsh mutilated cranium from the Dolmen at Porth-y-Ddarfarch, Anglesea.

This cranium is described and figured by Prof. Huxley in the 'Prehistoric Remains of Caithness,' p. 123. It belongs to the same period and race of people as the preceding cranium.

College Catalogue, No. 339.

279⁷. The Nore cranium.

This cast is taken from a cranium found in the bed of the river Nore, in Queen's County, Ireland; cranial index 73·8. Professor Huxley refers to this cranium in his work on the 'Prehistoric Remains of Caithness,' p. 123; he states that it is a good example of the "river-bed" crania of the inhabitants of our islands in the Neolithic Period.

College Catalogue, No. 347.

279⁸. The Möen cranium.

A cast of this brachycephalic cranium taken from "a gallery-grave" on the Island of Möen, Denmark. Many of the skeletons found in these graves are those of a tall, broad-skulled race of men who inhabited parts of the North of Europe, and of England and Ireland during the Stone age. This cranium is described and figured in Nilsson's work on the Primitive Inhabitants of Scandinavia, edited by Lubbock (1868), p. 121, pl. xii. figs. 230, 231; also *Memoirs Anthropol. Soc. London*, vol. i. p. 510.

College Catalogue, No. 551.

279⁹. The Newbiggin skull.

This fine brachycephalic skull was found in a complex flagged cist near Kirkwall (Orkneys). The cranial index is 83.—*See* fig. and description, 'Crania Britannica,' pl. xxi.

Barnard Davis Cat., p. 11, No. 376 (revised No. 162).

279¹⁰ & 279¹¹. The Meudon skulls.

These casts were taken from skulls found in the famous long Dolmen of Meudon, south of the river Seine (near Versailles), in which two hundred skeletons were found. Two small (Neolithic) stone axes, and two vases of sun-dried pottery were discovered in this dolmen. The point of interest in these human remains is, that previously to the Bronze age we find that men of the long- and broad-skulled races were buried together. It is

probable that this brachycephalic skull belonged to one of the same race of people as those found in the Island of Mœn, the dimensions of the skull and its other features point to this conclusion. See description and drawings of these skulls in the *Memoirs Anthropol. Soc. London*, vol. i. pp. 135, 492.

Barnard Davis Cat., p. 71, Nos. 558, 559 (revised Nos. 226, 227).

C. BRONZE.

The Bronze succeeded the Neolithic epoch, and is characterized among the inhabitants of Europe by the introduction, and subsequent substitution, of Bronze instruments and weapons for those of stone, bone, and horn. Throughout this period the Palæolithic and Neolithic races continued to spread, and to flourish over the whole of Europe. In the Bronze age, however, we have clear evidence of the migration into Western Europe of a race of men who had previously to that epoch been unknown in this part of the world. These new comers spread over France and into our Islands; they probably intermarried with the pre-existing inhabitants, and it was from the mingling of the descendants of the Palæolithic, the Neolithic, and Bronze-age people that the Ancient British stock was formed.

The collection of skulls in our Museum affords us specimens of the crania of the Bronze-age race. They were Brachycephalic, broad-skulled, and were a dark, *small* people, who were in the habit of burning the bodies of their dead; their skulls are consequently less numerous than we might otherwise have expected. Cinerary urns containing the ashes of the bodies of these people, and the round Barrows in which their remains were deposited cover the Wiltshire hills, and are common in many other parts of Great Britain, Central Europe, and parts of Asia. The deep nasal notch, receding external margin of the orbits, prominent cheek-bones, with the rounded contour of these crania, are characteristic features of the skulls of the short brachycephalic race,—the makers and traders in Bronze instruments of prehistoric times in Europe. They were the people who built and dwelt in the numerous Lake-villages of Switzerland and other parts of Europe, including those found in various parts of Great Britain. Their original racial home was probably the South-east of Asia, where alluvial tin is found in great abundance. They appear to have learnt how to mix tin and copper ores in such proportions as to form bronze, which from its hardness and toughness was invaluable to the inhabitants of Europe, who, up to the close of the Bronze period, were unacquainted with the properties of iron. Together with bronze instruments, numerous articles made of Jade, Nephrite, and Chloromelanite,

minerals which are not indigenous to Europe but are found in abundance in the East of Asia, have been discovered with the remains of the Lake-dwellers.

280. The Codford skull.

A Brachycephalic skull found in one of the numerous oblong Barrows which cover the country around Stonehenge. It is a typical Mongoloid cranium, with deep depression at the root of the nose, and having a cranial index of 85.3. The skull is that of a man belonging to the Bronze period in England. It is described and figured in the '*Crania Britannica*,' pl. xiv., and was discovered at Codford, near Heytesbury, S. Wilts. Dr. Thurnam has collected and measured 25 skulls from the round Barrows in various parts of Great Britain; their mean cranial index is 80, "not one skull, properly speaking, being dolichocephalic," *Memoirs Anthropol. Soc. London*, vol. iii. p. 48. The skulls of these people are comparatively rare, as they were in the habit of burning the bodies of their dead.

College Catalogue, No. 297.

280¹. The Green-Gate-Hill skull.

This skull formed part of one of two skeletons which were found in the Green-Gate-Hill Barrow, Yorkshire. The skeletons in this Barrow were, as was usual at this period, placed in the sitting posture with the knees drawn up towards the chin. In the same barrow burnt human bones were discovered, indicating the practice of cremation, probably of the slaves of the Chief whose bones were found in this barrow. The cranial index of this skull is 80. The abrupt prominence of the nasal bones rising from the deep depression below the marked supraorbital ridges is characteristic of the Mongoloid type of skull.—*See* '*Crania Britannica*,' pls. iii. & iv.

Barnard Davis Cat., No. 97 (revised No. 21), p. 4.

280². Sunderland cranium.

This cranium was found in a cist (in North Sunderland) which also contained three cinerary urns. The cranium was that of a person not more than ten years of age, the permanent canines, the second premolar and second molar teeth not having been cut. The cranial index is 81; and the general characters of the cranium indicate that it belonged to one of the short, broad-skulled race of people who migrated into Britain during the Bronze period.

B. Davis Cat., No. 1118 (revised No. 28), p. 6.

280³. The Dorset cranium.

A small Brachycephalic cranium of the same type as the preceding Bronze-age skulls, and having a cranial index of 87·6. It was found in a railway-cutting in Dorset.

B. Davis Cat. No. 220 (revised No. 25), p. 4.

280⁴. Orcadian skull.

A Brachycephalic skull (cranial index 80) found in a flagged cist in the parish of Rindall, Island of Pomona.

B. Davis Cat. No. 583 (revised No. 164), p. 13.

D. ANCIENT BRITISH.

In Western Europe the Bronze was succeeded by the Iron period; the use of this latter metal gradually superseding Bronze. It is not probable that Iron was extensively employed by the inhabitants of England before the year B.C. 1000 to 700, and in Ireland not until near the commencement of the present era.

The collection of skulls and casts in our Museum affords us good examples of the form of the crania of the inhabitants of our islands before the occupation of England by the Romans. These skulls indicate the continued existence in Great Britain of the races who spread over Western Europe during the Palæolithic, Neolithic, and Bronze periods. In addition, from these crania we learn that these long- and broad-skulled people had intermarried and a cross-breed had thus been formed, for the cranial index of many of their descendants ranges from 76 to 79. (The cranial index of the Dolichocephalic race being below 75, and the Brachycephalic above 80.)

Some of the crania of the ancient Britons not only indicate the race of men to which they belonged, but they are also remarkable for their capacity. The Linton Heath skull, for example, has a cranial capacity of 1780 c.c., much above that of the average Englishman of the present day. This fact may possibly be accounted for by these remains being those of an ancient British chief, a man elected to this position on account of his valour and strength, and whose body after death would have been carefully interred, and his burial-place held in honour by succeeding generations.

281. The Gristhorpe skull.

The original skull from which this cast was taken was discovered in a Barrow at Gristhorpe, N. Riding, Yorkshire. Within this barrow was a coffin hollowed out of a split oak tree, in which was the skeleton of a man some 6 feet 2 inches

in height ; together with these human remains a bronze dagger was found. This massive skull, with its high cheek-bones, deep nasal arch, and brachycephalic form, is characteristic of the type of skull before referred to as having existed from the Stone period onwards in the islands of Denmark, and the north of Europe. Cranial index 83·6.

B. Davis Cat. No. 123 (revised No. 23), p. 3.

281¹. The Linton Heath skull (Cambridgeshire).

One of many human skulls found in this locality, most of them were so brittle that when touched they crumbled to pieces. The skull is of the same type as the above, and belongs to the same period ; its cranial index is 80·7.

College Catalogue, No. 318. See pl. xlix., 'Crania Britannica,' and description.

281². The Witney skull (Brighthampton, Oxon).

The skull of an ancient Briton belonging to the large Brachycephalic race ; having a cranial index of 81·1.

College Catalogue, No. 322.

281³. A Dolichocephalic skull from Witney, Oxon, having a cranial index of 75·2.

This skull, taken from the same locality as the Witney Brachycephalic cranium, demonstrates the fact that the broad- and long-skulled races lived together in Britain during early historic times.

College Catalogue, No. 321.

281⁴. The Linton Heath skull.

This ancient British skull belongs to one of the "East Angle" stock ; it is a fine specimen of one of the Dolichocephalic aboriginal inhabitants of that part of England. The cranial index is 75·3.

B. Davis Cat. No. 672 (revised No. 62), p. 25. See 'Crania Britannica,' pl. xlv.

281⁵. The Kirkhill skull.

This Brachycephalic "ancient Scottish" skull was found in a "rude cist" on the Kirkhill, St. Andrews. Cranial index 81·3.

B. Davis Cat. No. 761 (revised No. 171), p. 16.

- 281⁶. A Brachycephalic skull found in a cist, at St. Andrews.

It demonstrates well the form of the cranium, and prominent cheek-bones, with deep depression at root of the nose, characteristic of the broad-skulled race of Northern Europe in pre-historic times. Cranial index 83·5.

B. Davis Cat. No. 762 (revised No. 172), p. 16.

- 281⁷. A Brachycephalic skull found near the above locality, and probably of about the same period.

Cranial index 82. Cranial capacity 1400 c.c.

College Catalogue, No. 342.

- 281⁸. From the same place as the above, a Dolichocephalic cranium having a cranial index of 74·8.

Cranial capacity 1325 c.c.

College Catalogue, No. 344.

- 281⁹. A cranium found in the peat beneath the roots of an old tree at Ridlington, Norfolk.

Cranial index 71·1; capacity 1500 c.c.

College Catalogue, No. 290.

- 281¹⁰. The cast of a fine Brachycephalic cranium from the bed of the Blackwater River, in Armagh.

This cranium is of the same type as that of the Linton and other crania found in England and the North of Europe before the dawn of the historic period in this part of the world. Cranial index 83·1.

College Catalogue, No. 350.

- 281¹¹. The cast of a skull found at a depth of seven feet below the Round Tower of Drumbo, Co. Down.

This skull is of the same type as the above, indicating the presence of the tall Brachycephalic race in Ireland in pre-historic times. Cranial index 85.

B. Davis Cat. No. 176 (revised No. 190), p. 64.

- 281¹² & 281¹³. Two casts of "Ancient Hibernian" crania belonging to the tall Brachycephalic type, with a cranial index of upwards of 80.

B. Davis Cat. Nos. 770 and 771 (revised Nos. 166, 186), p. 13.

- 281¹⁴. A Dolichocephalic skull found near Sligo Abbey.
 Cranial index 73·3.
 B. Davis Cat. No. 821 (revised No. 197), p. 66.
- 281¹⁵. A Dolichocephalic cranium from the island of Aranmore, Galway.
 Cranial index 74·3.
 B. Davis Cat. No. 843 (revised No. 209), p. 68.

E. ROMAN.

From a craniological point of view there is no evidence to lead us to think that the occupation of England by the Romans modified the racial character of the inhabitants of this country. Two of the crania of Romans of the 1st and 3rd centuries are sufficient to demonstrate the type of skull of the conquerors of England who came from the banks of the Tiber.

282. The Kingsholm skull (Gloucester) was unearthed from nine feet below the surface of the ground.

Many Roman remains have been found in the vicinity of Kingsholm; and, in connection with these human bones, coins were discovered, which indicate that the skeleton was buried in the site in which it was found during the first or second century of the Christian era. (*See 'Crania Britannica,'* pl. xxxvi., with description.) The erect, short square outline of the face, aquiline nose level with the glabella, together with the broad and square low forehead, are characteristic features of the Romans of this period. Cranial index 75·3.

B. Davis Cat. No. 170 (revised No. 35), p. 18.

- 282¹. The Bartlow Hills skull (Essex).

This cranium was found in one of the remarkable Roman sepulchral tumuli on the hills situated on the Cambridgeshire border of Essex. One of these tumuli was forty-five feet high, and in it were found numerous funeral vessels of glass and pottery, bronze and silver ornaments all of Roman workmanship, with cinerary urns containing human remains. The practice of burning the bodies of the dead had completely fallen into disuse at the end of the 4th century in Western Europe. This skull is that of a female, and, from the coins found near, her remains must have been buried some time between the years 267 and 337 A.D.

The skull has delicate proportions, the depressed lower border of orbits curved somewhat over the small cheeks. The fine teeth, full smooth glabella, and forehead tending to squareness, are well recognized features in the skulls of Roman females of the period mentioned above. Cranial index 79·4. See 'Crania Britannica,' pl. xxx.

B. Davis Cat. No. 168 (revised No. 33), p. 18.

F. ANGLO-SAXON.

Subsequent to the decline of the power of the Romans, England was overrun by Scandinavians, Danes, Saxons, Engles, and Frisians, all of whom were more or less pure descendants of the original Teutonic race of Northern Europe. They were a tall, fair Dolichocephalic people, the Frisians and Jutes probably less so than the other nations mentioned, they having mixed with the tall, fair Brachycephalic inhabitants of the Palæolithic and Neolithic people from the islands of Denmark and the North Sea. These Teutonic tribes not only overran England and Scotland, but in consequence of the determined resistance by the inhabitants which they encountered, were forced in self-defence to exterminate the Ancient Britons from a large area of the country. As time went on we learn, from a study of the form of their skulls, that the Teutons and the descendants of the British inhabitants of our Island who had been spared intermarried, and the Anglo-Saxon race was formed; the Teutonic element predominating largely throughout a great part of England and Scotland. As the authors of the 'Crania Britannica' state, the tendency of the Anglo-Saxon skull is towards the Dolichocephalic type. "The eye at once perceives that this is the conformation so generally repeated in modern English skulls. Its permanence as a character of race is at once unquestionable, and impressive." 'Crania Britannica,' description of Anglo-Saxon skulls, pls. xxxix. & xl.

283. The Malton cranium found in a cutting of the Driffield Railway, Yorkshire, with an Anglo-Saxon iron sword 2 ft. 8 in. long laid by the side of the skeleton.

Cranial index 77·4.

B. Davis Cat. No. 581 (revised No. 63), p. 26.

283¹. The Kemp Town skull.

This skull was discovered in a tumulus at Brighton. Beside the skeleton were found a sword and spear-head, bear's tusks.

and bone pins made of the metatarsals of a small horse. Cranial index 77·9.

B. Davis Cat. No. 54 (revised No. 64), p. 26.

283². The skull of an Anglo-Saxon young woman.

Cranial index 74·6. 'Crania Britannica,' pl. xlvii., and description.

B. Davis Cat. No. 587 (revised No. 74), p. 32.

283³. A skull found in a 'tumulary cemetery' near York, believed to be that of one of the early Saxon Christians of the seventh or eighth century.

Cranial index 78·6. Capacity 1500 c.c.

College Catalogue, No. 316.

283⁴. The skull of an "East-Angle."

B. Davis Cat. No. 42 (revised No. 56), p. 24.

283⁵. The skull of an "East-Angle."

B. Davis Cat. No. 44 (revised No. 58), p. 24.

1. EUROPE*.

A. THE BRITISH ISLES.

a. ENGLAND.

α. Ancient British, or presumably ancient, though of uncertain date.

288. The greater part of the skeleton of an adult male, found beneath a bed of peat, which lay below a sand-hill on the sea-coast near Leasowe Castle, in Cheshire.

The skeleton, and the circumstances under which it was discovered, are described by Mr. Busk in the 'Transactions of the Ethnological Society of London,' vol. iv., p. 101.

* In consequence of the uncertainty which still prevails with regard to the classification and mutual relations of the races of Man, it has been thought best, in this Catalogue, to adhere to an almost purely geographical arrangement.

The teeth are much worn. The coronal and sagittal sutures are completely obliterated, the lambdoidal nearly so.

Clavicle 143, humerus 340, radius 255, femur 462.

Cranium: C. 545, L. 190, B. 148, Bi. 779.

Presented by General the Hon. Sir Edward Cust, 1864.

289. A calvaria, found at Muskham, in the valley of the Trent: ♂.

See Huxley, "Notes upon Human Remains from the Valley of the Trent," in 'The Geologist' for June 1862. The skull is also described and figured in Laing and Huxley's 'Prehistoric Remains of Caithness,' 1866, p. 120, figs. 48-51.

C. 507, L. 178, B. 138, Bi. 775, H. 135, Hi. 758, Ca. 1300.

The plane of the foramen magnum is remarkably oblique, the basilar angle (Broca) being 42° .

Presented by Francis Drake, Esq., 1867.

290. A cranium, found in the peat beneath the roots of an old tree, while making a ditch at Ridlington, Norfolk.

This specimen is mentioned in the sketch of the Geology of Norfolk in White's 'Gazetteer,' and (with the two following) was formerly in the possession of Mr. J. Gunn.

Metopic.

C. 518, L. 187, B. 133, Bi. 711, H. 140, Hi. 749, BN. 99, BA. 92, Ai. 929, Nh. 49, Nw. 22, Ni. 449, Ow. 39, Oh. 30, Oi. 769, Ca. 1500.

Presented by George Busk, Esq., 1865.

291. A cranium, found in digging a ditch near Wayford Bridge, in Norfolk, at a depth of four feet, in peat: ♀?

C. 523, L. 188, B. 126, Bi. 670, H. 125, Hi. 665, BN. 97, BA. 95, Ai. 979, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 32, Oi. 865, Ca. 1200.

Presented by George Busk, Esq., 1868.

- 291¹. A cranium, dredged from the bed of the River Orwell, Ipswich, from four feet of peat covered with five feet of mud.

The cranium is weathered by exposure on the deck of the dredger, where it also had some grease dropped on it.

C. 530, L. 188, B. 140, Bi. 745, H. 133, Hi. 707, BN. 101, Ow. 37, Oh. 29, Oi. 784, Ca. 1570.

Presented by Mrs. N. F. Layard, 1901.

292. A skull from Hickling, Norfolk.

Lower jaw presented by Mr. Gunn, Oct. 11th, 1879.

"Found, with the entire skeleton, at a depth of about eight feet, in clearing out a drain-ditch; the skeleton lay in a slanting semivertical position:" ♂.

C. 518, L. 182, B. 138, Bi. 758, H. 134, Hi. 736, BN. 102, BA. 97, Ai. 951, Nh. 49, Nw. 24, Ni. 490, Ow. 40, Oh. 33, Oi. 825, Ca. 1500.

Presented by George Busk, Esq., 1868.

293. The cranium of a young person, from a peat-bog in Northamptonshire, wanting the greater part of the base.

The basilar suture is not closed; and the posterior molars are not in place.

C. 515, L. 178, B. 144, Bi. 809.

Presented by George Busk, Esq., 1868.

294. The frontal and parietal bones of a cranium, from a peat-bog in Northamptonshire.

"From J. Prestwich, Esq., Dec. 1866."

Presented by George Busk, Esq., 1868.

295. A calvaria, found at a depth of sixteen feet below the surface, Southern Outfall Works, Thames.

The deposit in which it was found is thus described:—Vegetable soil 1' 2", yellow clay 3' 6", peat 2' 5", blue clay 8' 0", silt 3' 0" (in this the skull was found), peat 0' 9", peat and clay mixed 0' 5", peat 1' 0", peat and clay 0' 7", running sand 1' 3", Thames ballast 30' 0".

L. 182, B. 144, Bi. 791.

Presented by George Busk, Esq., 1865.

- 295¹. A cranium, found in blue clay sixteen feet below the surface when excavating near Waterloo Station: ♂.

C. 510, L. 179, B. 143, Bi. 799, H. 132, Hi. 737, BN. 99, BA. 94, Ai. 949, Nh. 48, Nw. 28, Ni. 583, Ow. 39, Oh. 31, Oi. 795, Ca. 1545.

Presented by the Directors of the London & South-Western Railway, 1904.

296. A calvaria, found in 1809, at a depth of thirty-six feet, in Carnon Stream Work, Cornwall.

The frontal suture is persistent.

C. 523, L. 183, B. 137, Bi. 749.

297. An ancient British skull, found, in 1852, in a barrow at Codford, near Heytesbury, Wilts: ♂.

Described and figured in Davis and Thurnam's 'Crania Britannica,' no. xxix.

C. 503, L. 170, B. 145, Bi. 853, Il. 130, Hi. 765, BN. 95, BA. 90, Ai. 947, Nh. 48, Nw. 22, Ni. 458, Ow. 41, Oh. 31, Oi. 756, Ca. 1300.

Presented by J. Y. Akerman, Esq., 1857.

- 297¹. An ancient British cranium, found at a depth of twenty-seven feet while excavating for the Manchester Ship Canal.

It was imbedded in a layer of fine sharp sand, over which was a layer of blue silt 3 ft. 6 in. in thickness, covered by red clay 6 ft. in thickness and surface soil of 1 ft. It probably belonged to a young male.

C. 501, L. 175, B. 140, Bi. 800, Il. 132, Hi. 754, BN. 96, BA. 95, Ai. 990, Nh. 50, Nw. 22, Ni. 440, Ow. 37, Oh. 35, Oi. 946.

Presented by J. Aberneathy, Esq., 1890.

β. Roman and Romano-British.

Owing to the impossibility of distinguishing these in many cases, the remains of the Roman invaders of Britain are classed with the inhabitants of the island who lived under their rule.

298. The greater part of the skeleton of a man, disinterred by the donor at Frilford, near Abingdon, Berks, May 27th, 1870.

The following note from Professor Rolleston accompanied the specimen:—"Found in a grave running from N.N.W. to S.S.E., about 2' 4" deep. Abundant charcoal was found in the grave, close to the bones; large stones were also close to the skeleton. Flints and shards were found in the grave. The interment was such a one as those described by me in the 'Archæologia,' vol. xlii.* (p. 6 of separate issue of Memoir), as 'Roman or Romano-British Interments, without leaden but in most cases probably with wooden coffins, and in semioriented graves.' The skull is one of the type very frequent in Romano-

* "Researches and Excavations carried on in an Ancient Cemetery at Frilford, near Abingdon, Berks, in the years 1867-68," *Archæologia*, vol. xlii. p. 417.

British times, and supposed by me (*l. c.*, p. 38) to belong to the 'Cimbrie' type of Retzius."

Clavicle 155; humerus, r. 322, l. 312; radius 239; femur, r. 441, l. 433; tibia 354.

The sagittal suture is completely, and the coronal and lambdoidal sutures are in great part obliterated.

Cranium: C. 552, L. 196, B. 145, Bi. 740, H. 132, Hi. 673, BN. 102, BA. 96, Ai. 941, Nh. 48, Nw. 22, Ni. 458, Oh. 40, Ow. 34, Oi. 850, Ca. 1700.

Presented by Professor Rolleston, 1875.

299. The greater part of the skeleton of a woman, disinterred by the donor at Frilford, Jan. 20th, 1869.

"Taken from a grave 35" deep and running from N.N.W. to S.S.E. by S.E. Nails were found in the neighbourhood of the body, which was in all probability that of a Romano-British woman."

Clavicle 132, humerus 283, radius 213, femur 408.

Cranium: C. 512, L. 175, B. 145, Bi. 829, H. 120, Hi. 686, Ca. 1390.

Presented by Professor Rolleston, 1875

300. A skull, taken, in 1857, from a tumular cemetery on White-Horse Hill, Berkshire: ♂.

For a description of the cemetery in which it was found, and reasons for supposing that it belonged to a late period of the Roman occupation (fourth or fifth century), see Davis and Thurnam's 'Crania Britannica,' part li.

All the calvarial sutures are united.

C. 548, L. 193, B. 145, Bi. 751, H. 131, Hi. 679, BN. 103, BA. 93, Ai. 903, Nh. 51, Nw. 22, Ni. 431, Ow. 40, Oh. 35, Oi. 875, Ca. 1575.

Presented by Dr. J. Thurnam, 1858.

301. An adult metopie skull, from the same cemetery: ♀.

C. 492, L. 172, B. 129, Bi. 750, H. 120, Hi. 698, BN. 91, BA. 85, Ai. 934, Nh. 47, Nw. 24, Ni. 511, Ow. 36, Oh. 32, Oi. 889.

Presented by Dr. J. Thurnam, 1858.

302. The skull of a young person, from the same cemetery: ♀?

The basilar suture is not consolidated. All the permanent teeth are in place, except the posterior molars.

C. 515, L. 184, B. 141, Bi. 766, H. 130, Hi. 707, Ca. 1220.

Presented by Dr. J. Thurnam, 1858.

303. A skull, presented as "Skull of an Ancient Roman, Blandford, Dorset:" ♂.

There is a circular exostosis on the right parietal bone.

C. 500, L. 178, B. 133, Bi. 747, H. 126, Hi. 708, BN. 100, BA. 97, Ai. 970, Nh. 50, Nw. 25, Ni. 500, Oh. 41, Ow. 34, Oi. 829, Ca. 1290.

Presented by J. Y. Akerman, Esq.

304. A mutilated cranium, from the same place: ♂.

C. 525, L. 185, B. 142, Bi. 768, H. 124, Hi. 670.

Presented by J. Y. Akerman, Esq.

305. A mutilated cranium, from the same place.

C. 507, L. 179, B. 132, Bi. 737.

Presented by J. Y. Akerman, Esq.

306. A metopic cranium, marked "From the camp at Spettisbury, near Blandford, Dorset, 1857:" ♂.

C. 543, L. 193, B. 149, Bi. 772, H. 142, Hi. 736, BN. 98, BA. 95, Ai. 969, Nh. 54, Nw. 26, Ni. 481, Ow. 40, Oh. 34, Oi. 850, Ca. 1790.

307. A cranium, with the same inscription: ♂?

Very large, probably hydrocephalic, the cranial bones being disproportionate to those of the face.

C. 558, L. 196, B. 156, Bi. 796, H. 136, Hi. 694, BN. 110, BA. 104, Ai. 945, Nh. 50, Nw. 23, Ni. 460, Ow. 41, Oh. 33, Oi. 805, Ca. 1730.

308. A skull, said to be that of "a Roman, from Jordans, near Weymouth:" ♂.

It has a very large epactal bone.

C. 528, L. 184, B. 147, Bi. 799, H. 139, Hi. 755, BN. 99, BA. 93, Ai. 939, Nh. 55, Nw. 25, Ni. 455, Ow. 38, Oh. 34, Oi. 895, Ca. 1600.

Presented by J. Macmeikan, Esq., 1860.

The following seven specimens were sent to the Museum in 1861 as "Roman skulls dug up in Cannon Street, in the city of London, 1861." They present a general resemblance, being all long, low, and rather broad; having the glabella, supraorbital prominences, mastoid processes, and muscular ridges little developed, the facial bones small, and the orbits large and high.

309. A skull, dug up in Cannon Street in 1861 : ♂ .

C. 538, L. 188, B. 145, Bi. 771, H. 125, Hi. 665, BN. 100,
BA. 97, Ai. 970, Nh. 55, Nw. 25, Ni. 455, Ow. 40, Oh. 35,
Oi. 875, Ca. 1475.

310. A skull, dug up in Cannon Street in 1861 : ♂ .

C. 525, L. 183, B. 140, Bi. 765, H. 120, Hi. 656, BN. 95.
BA. 90, Ai. 947, Nh. 52, Nw. 26, Ni. 500, Ow. 38, Oh. 38,
Oi. 1000, Ca. 1370.

311. A skull, dug up in Cannon Street in 1861 : ♂ ?

C. 525, L. 190, B. 138, Bi. 726, H. 123, Hi. 647, BN. 97,
BA. 94, Ai. 969, Nh. 47, Nw. 23, Ni. 489, Ow. 36, Oh. 33,
Oi. 917, Ca. 1380.

312. A cranium, dug up in Cannon Street in 1861 : ♂ .

C. 503, L. 177, B. 135, Bi. 763, H. 132, Hi. 746, BN. 101,
BA. 92, Ai. 911, Nh. 53, Nw. 23, Ni. 434, Ow. 39, Oh. 34,
Oi. 872, Ca. 1370.

313. A cranium, dug up in Cannon Street in 1861 : ♂ .

C. 528, L. 188, B. 143, Bi. 761, H. 132, Hi. 702, BN. 96,
BA. 92, Ai. 958, Nh. 48, Nw. 22, Ni. 458, Ow. 37, Oh. 32,
Oi. 865, Ca. 1530.

314. A cranium, dug up in Cannon Street in 1861 : ♀ .

C. 495, L. 172, B. 137, Bi. 797, H. 124, Hi. 721, BN. 88,
BA. 78, Ai. 886, Nh. 46, Nw. 20, Ni. 435, Ow. 35, Oh. 32,
Oi. 914, Ca. 1270.

315. A cranium, dug up in Cannon Street in 1861 : ♀ .

C. 492, L. 172, B. 127, Bi. 738, H. 121, Hi. 703, BN. 95,
BA. 93, Ai. 979, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 33,
Oi. 846, Ca. 1190.

315¹. A cranium, dug up in making excavations at Bevis Marks,
Houndsditch.

Found in the Roman clay along with some slabs bearing
Roman inscriptions which were removed to the City Library,
Oct. 1884. The cranium is somewhat distorted on the left side
and bulging posteriorly on the right side.

C. 516, L. 178, B. 141, Bi. 792, H. 131, Hi. 736, BN. 99,
BA. 100, Ai. 1010, Nh. 48, Nw. 25, Ni. 521, Ow. 36, Oh. 31,
Oi. 861, Ca. 1400.

Purchased, 1885.

- 315². A cranium, dug up at London Wall while excavating for foundations.

Found among quantities of Roman pottery about 22 feet below the present surface-level.

C. 525, L. 186, B. 144, Bi. 774, H. 135, Hi. 726, BN. 102, BA. 92, Ai. 902, Nh. 56, Nw. 25, Ni. 446, Ow. 42, Oh. 38, Oi. 905, Ca. 1535.

Purchased, 1885.

- 315³. A cranium, dug up at the same place.

C. 525, L. 187, B. 139, Bi. 743, H. 141, Hi. 754, BN. 104, BA. 97, Ai. 933, Nh. 54, Nw. 24, Ni. 444, Ow. 40, Oh. 34, Oi. 850, Ca. 1620.

Purchased, 1885.

- 315⁴. A cranium, dug up at the same place.

C. 528, L. 186, B. 140, Bi. 753, H. 132, Hi. 710, BN. 103, BA. 93, Ai. 903, Nh. 53, Nw. 23, Ni. 434, Ow. 39, Oh. 33, Oi. 846, Ca. 1510.

Purchased, 1885.

- 315⁵. A cranium, dug up at the same place.

C. 518, L. 181, B. 144, Bi. 796, H. 134, Hi. 740, BN. 97, BA. 89, Ai. 918, Nh. 50, Nw. 25, Ni. 500, Ow. 38, Oh. 36, Oi. 947.

Purchased, 1885.

- 315⁶. A calvaria, from the same place.

C. 526, L. 181, B. 143, Bi. 790.

Purchased, 1885.

γ. Anglo-Saxon Period.

- [316] A skull, found in a tumular cemetery near York, referred 283³. by the donor to the early Saxon Christians of the seventh or eighth century : ♂. O. C. 5712.

See Dr. Thurnam's Memoir, communicated to the Yorkshire Philosophical Society, of which an abstract will be found in O. C. p. 881.

C. 525, L. 188, B. 148, Bi. 787, H. 133, Hi. 707, BN. 99, BA. 96, Ai. 970, Nh. 51, Nw. 23, Ni. 451, Ow. 38, Oh. 35, Oi. 921, Ca. 1500.

Presented by Dr. John Thurnam, 1848.

316¹. A mutilated skull.

316². A mutilated skull.

L. 177, H. 134, Hi. 757, BN. 107, BA. 97, Ai. 907, Ow. 42, Oh. 31, Oi. 738.

316³. A mutilated skull.

316⁴. A mutilated skull.

316⁵. A mutilated skull.

316⁶. A mutilated cranium.

L. 186, B. 140, Bi. 753, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 33, Oi. 868.

316⁷. A mutilated cranium.

316⁸. Various bones.

316⁹. Various bones.

The above nine specimens of Bronze age, from Yorkshire, were presented by the Rev. Canon Greenwell, 1894.

317. The skull of an Anglo-Saxon, discovered in 1858 in a tumulus on Wye Hill, on the left of the high road from Wye to Dover, with an iron spear-head and a small knife.

It is figured and described in Davis and Thurnam's 'Crania Britannica,' pl. xlv. The right lower canine is retained within the alveolus.

C. 540, L. 196, B. 144, Bi. 735, H. 146, Hi. 745.

Presented by C. Roach Smith, Esq.

317¹. A skull and right femur, dug up in the parish of Ash, near Sandwich, Kent.

Body interred at full length on the back. No weapon was found with it. But in the earth removed with the body was a gold coin of the Emperor Honorius. The body was probably interred about the year 400 A.D.

C. 540, L. 193, B. 143, Bi. 741, H. 135, Hi. 699, BN. 106, BA. 102, Ai. 962, Nh. 52, Nw. 23, Ni. 442, Ow. 41, Oh. 35, Oi. 854, Ca. 1650.

Presented by Dr. Wall, 1894.

[318] A skull, found with about fifty others, in 1853, in an Anglo-Saxon cemetery at Linton Heath, Cambridgeshire: ♂.

Figured and described in 'Crania Britannica,' pl. xlix.

Many of the others found with it were in such an extremely brittle condition that they crumbled on being touched.

C. 553, L. 192, B. 155, Bi. 807, H. 142, Hi. 740, BN. 102, BA. 95, Ai. 931, Nh. 47, Nw. 23, Ni. 489, Ow. 39, Oh. 33, Oi. 846, Ca. 1780.

Presented by the Hon. Richard C. Neville, 1853.

318¹. A cranium, found in an early Saxon chalk-coffin at the site of Chertsey Abbey. Supposed date, A.D. 1230.

C. 531, L. 181, B. 150, Bi. 829, Nh. 52, Nw. 29, Ni. 558, Ow. 39, Oh. 34, Oi. 872.

318². A calvaria, from the same place.

C. 522, L. 172, B. 155, Bi. 901.

318³. A calvaria, from the same place.

C. 541, L. 181, B. 156, Bi. 862.

318⁴. A calvaria, from the same place.

C. 523, L. 174, B. 153, Bi. 879.

318⁵. A skull, from the same place.

C. 524, L. 190, B. 138, Bi. 726, H. 138, Hi. 726, BN. 105, BA. 97, Ai. 924, Nh. 49, Nw. 24, Ni. 490, Ow. 36, Oh. 31, Oi. 861.

318⁶. A skull, from the same place.

C. 538, L. 190, B. 139, Bi. 732, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 33, Oi. 892.

318⁷. A calvaria.

C. 523, L. 172, B. 147, Bi. 855, H. 126, Hi. 733, BN. 92.

318⁸. Two humeri, one femur and a tibia : from the same place.

*The above eight specimens presented by
J. Y. Akerman, Esq.*

319. A skull, probably from the same cemetery as No. 318 : ♀.

C. 478, L. 170, B. 127, Bi. 747, H. 124, Hi. 729, BN. 94, BA. 89, Ai. 947, Nh. 46, Nw. 23, Ni. 500, Ow. 39, Oh. 35, Oi. 897.

Presented by the Hon. Richard C. Neville.

320. A mutilated cranium, having a remarkably low and narrow forehead, a mandible, and a left femur and tibia.

These are described by the donor as "Bones of a Saxon, from the cemetery at Bartlow, in Essex, found in February 1853. This was the body of a warrior; he lay on his shield, of which the iron boss was found under the skull, and an iron knife was at his side. Part of the frontal bone of a child lay near the feet."

Presented by the Hon. Richard C. Neville.

- [321] A skull, with the cervical vertebræ (wanting the atlas), 281³. found in 1857 in an Anglo-Saxon cemetery at Bright-hampton, near Witney, Oxon : ♀.

See 'Archæologia,' vol. xxxvii. p. 391, and 'Crania Britan-nica,' where a skull from the same cemetery is described and figured (pl. xlviii.).

C. 528, L. 190, B. 143, Bi. 753, H. 129, Hi. 679, BN. 95, BA. 96, Ai. 1011, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 31, Oi. 838.

Presented by J. Y. Akerman, Esq.

- [322] A skull, with the cervical vertebræ preserved, from the 281². same cemetery : ♀ ?

C. 504, L. 175, B. 142, Bi. 811, Nh. 50, Nw. 22, Ni. 440, Ow. 37, Oh. 36, Oi. 973.

Presented by J. Y. Akerman, Esq.

- 322¹. A mandible, from the same cemetery, stained green by contact with a bronze fibula on the breast.

323. A skull, showing considerable posthumous distortion, found in 1875 in a Saxon cemetery at Bishopstone, near Aylesbury : ♀.

Presented by the Rev. Charles Lowndes, 1875.

324. A mutilated calvaria, from the same locality : ♂.

C. 545, L. 195, B. 145, Bi. 744.

Presented by the Rev. Charles Lowndes, 1877.

δ. Of Uncertain Date, or Modern.

325. A mutilated calvaria, found in the chalk at Lewisham, showing signs of posthumous distortion.

Presented by George Busk, Esq., 1865.

- 325¹. The cranium of a male, from Ancaster, near Grantham.

C. 536, L. 186, B. 144, Bi. 774, H. 135, Hi. 726, BN. 101, BA. 99, Ai. 980, Nh. 51, Nw. 26, Ni. 510, Ow. 39, Oh. 34, Oi. 872, Ca. 1565.

Presented by Frank Newcombe, Esq., 1877.

326. A skull, found in digging a drain near Whitehall Stairs, May 23rd, 1823: ♂. O.C. 5713.

There were two other skulls and many loose bones found in the same spot.

C. 515, L. 182, B. 140, Bi. 769, H. 130, Hi. 714, BN. 102, BA. 99, Ai. 971, Nh. 54, Nw. 22, Ni. 407, Ow. 37, Oh. 32, Oi. 865, Ca. 1410.

Presented by William Lynn, Esq., 1823.

- 326¹. A cranium found in 1873 at the junction of King Street with Rose Lane, Norwich, during the construction of an upper sewer under the direction of Mr. Morcent. The sewer, which was about 10 feet deep, was situated about midway up the incline of the valley of the Wensum, in black sandy soil supposed to have been about 7 feet deep and not disturbed: ♂.

C. 532, L. 190, B. 146, Bi. 768, H. 128, Hi. 674, BN. 96, BA. 94, Ai. 979, Nh. 42, Nw. 25, Ni. 595, Ow. 36, Oh. 30, Oi. 833, Ca. 1515.

Presented by John Gunn, Esq., 1875.

- 326². A skull, found on the site of a long disused churchyard where the church of St. Olave formerly stood, Norwich: ♂.

C. 488, L. 170, B. 134, Bi. 788, H. 136, Hi. 800, BN. 100, BA. 95, Ai. 950, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 31, Oi. 838, Ca. 1350.

Presented by William Kemp, Esq., 1879.

- 326³. A cranium, dredged from the bed of the Thames between Battersea and Vauxhall Bridge, 1863: ♂.

C. 549, L. 198, B. 140, Bi. 707, H. 142, Hi. 717, BN. 104, BA. 102, Ai. 981, Nh. 52, Nw. 23, Ni. 442, Ow. 37, Oh. 32, Oi. 865, Ca. 1730.

- 326⁴. A cranium, dredged from the bed of the Thames 200 yards south of Chelsea Bridge: ♂.

C. 520, L. 184, B. 142, Bi. 772, H. 134, Hi. 728, BN. 109,

BA. 103, Ai. 945, Nh. 53, Nw. 21, Ni. 396, Ow. 38, Oh. 35,
Oi. 921, Ca. 1550.

- 326⁵. A cranium, dredged from the bed of the Thames, London,
1866: ♂.

C. 527, L. 184, B. 145, Bi. 788, H. 135, Hi. 734, BN. 105,
BA. 100, Ai. 952, Nh. 57, Nw. 24, Ni. 421, Ow. 39, Oh. 34,
Oi. 872, Ca. 1620.

- 326⁶. A cranium, dredged from the Thames near Somerset
House, 1865: ♂.

C. 525, L. 186, B. 141, Bi. 758, H. 130, Hi. 699, BN. 105,
BA. 96, Ai. 914, Nh. 56, Nw. 25, Ni. 446, Ow. 40, Oh. 35,
Oi. 875, Ca. 1470.

*The above four were presented by
F. Buckland, Esq., 1880.*

- 326⁷. A cranium, found at a depth of seven or eight feet in
digging the foundation for the Board School, Fountain
St., Wandsworth Rd.

L. 174, H. 131, Hi. 753, BN. 100, BA. 91, Ai. 910, Nh. 52,
Nw. 22, Ni. 423, Ow. 38, Oh. 35, Oi. 921.

Presented by H. W. Jackson, Esq., 1881.

- 326⁸. A cranium, found in a railway-cutting at the Minories.

C. 495, L. 167, B. 145, Bi. 868, H. 137, Hi. 820, BN. 100,
BA. 92, Ai. 920, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 30,
Oi. 789, Ca. 1450.

Purchased, 1882.

- 326⁹. A skull, found in a railway-cutting at the Minories.

C. 520, L. 183, B. 140, Bi. 765, H. 131, Hi. 716, BN. 95,
BA. 88, Ai. 926, Nh. 56, Nw. 24, Ni. 429, Ow. 39, Oh. 33,
Oi. 846, Ca. 1355.

Purchased, 1882.

- 326¹⁰. A skull, found when excavating near Waterloo Station :
♂.

It was found above No. 295¹.

C. 486, L. 177, B. 127, Bi. 718, H. 125, Hi. 706, BN. 93,
BA. 93, Ai. 949, Nh. 56, Nw. 26, Ni. 464, Ow. 40, Oh. 38,
Oi. 950, Ca. 1205.

*Presented by the Directors of the London and
South-Western Railway.*

327. A skull, dug up near St. Michael's Church, St. Alban's: ♂.

It has two supernumerary upper incisor teeth, placed behind the others.

C. 543, L. 193, B. 145, Bi. 751, H. 136, Hi. 705, BN. 102, BA. 108, Ai. 1059, Nh. 58, Nw. 22, Ni. 379, Ow. 39, Oh. 36, Oi. 923, Ca. 1600.

Presented by the Rev. John G. Hale, 1860.

328. A skull, found in 1878, with a number of others, three feet below the surface, in a field adjoining Coldham Common, Cambridge.

The basilar suture is not completely consolidated, and the third molars are not yet in place. It is remarkably low in proportion to its length; in conformity with this condition, the ascending ramus of the mandible has little height, as was the case with several others from the same locality.

C. 520, L. 186, B. 140, Bi. 753, H. 116, Hi. 624, BN. 101, BA. 95, Ai. 941, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 34, Oi. 919.

Presented by E. T. Newton, Esq., 1878.

329. The skull of an English sailor.

It has a remarkably low and retreating frontal, and a very depressed bregmatic region.

C. 540, L. 191, B. 143, Bi. 749, H. 123, Hi. 644, BN. 102, BA. 103, Ai. 1010, Nh. 54, Nw. 25, Ni. 463, Ow. 40, Oh. 35, Oi. 875, Ca. 1460.

Presented by George Busk, Esq., 1869.

330. The skull of an Englishman aged 54.

The upper part of the cranium is unsymmetrically developed, being prominent on the right and flattened on the left side.

C. 545, L. 195, B. 142, Bi. 728, H. 145, Hi. 744, BN. 103, BA. 96, Ai. 932, Nh. 52, Nw. 25, Ni. 482, Ow. 41, Oh. 36, Oi. 878, Ca. 1730.

Prepared in 1864.

- 330¹. The skeleton, wanting the hands and feet, of an Englishman aged 44.

Height 4 feet 11 inches = 1480.

Clavicle, *r.* 138, *l.* 141; humerus, *r.* 304, *l.* 297; radius, *r.* 215, *l.* 218; femur, *r.* 405, *l.* 410; tibia, *r.* 339, *l.* 340.

Cranium: C. 546, L. 190, B. 152, Bi. 800, H. 138, Hi. 726, BN. 96, Nh. 49, Nw. 20, Ni. 408, Ow. 38, Oh. 37, Oi. 974, Ca. 1755.

Prepared in 1881.

331. The skull of an Englishman about 20 years of age.

The basilar suture is closed; but the third molars are not fully in place, that of the right side of the lower jaw being still within the alveolus.

C. 507, L. 179, B. 140, Bi. 782, H. 135, Hi. 754, BN. 98, BA. 97, Ai. 990, Nh. 46, Nw. 21, Ni. 457, Ow. 36, Oh. 31, Oi. 861, Ca. 1425.

Prepared in 1869.

331¹. The skull of an Englishman aged 26, died Oct. 1879.

C. 487, L. 169, B. 138, Bi. 817, H. 122, Hi. 722, BN. 96, BA. 93, Ai. 969, Nh. 49, Nw. 25, Ni. 510, Ow. 41, Oh. 34, Oi. 829, Ca. 1220.

331². The skull and pelvis of an Englishman aged 36.

C. 517, L. 186, B. 137, Bi. 737, H. 135, Hi. 726, BN. 103, BA. 98, Ai. 951, Nh. 49, Nw. 26, Ni. 531, Ow. 39, Oh. 32, Oi. 821, Ca. 1585.

Prepared in 1882.

331³. The skull and pelvis of an Englishman aged 67.

The skull is atrophied.

C. 521, L. 187, B. 136, Bi. 727, H. 131, Hi. 701, BN. 101, BA. 95, Ai. 941, Nh. 54, Nw. 24, Ni. 444, Ow. 40, Oh. 33, Oi. 825, Ca. 1472.

Prepared in 1882.

332. The skull of an Englishwoman aged 27.

This specimen and the next exhibit very well the characters of the feminine skull, when contrasted with the preceding specimens.

C. 512, L. 180, B. 140, Bi. 778, H. 134, Hi. 774, BN. 97, BA. 94, Ai. 969, Nh. 44, Nw. 21, Ni. 477, Ow. 34, Oh. 31, Oi. 912, Ca. 1410.

The pelvis of the same person is No. 161.

Prepared in 1875.

333. The skull of an Englishwoman aged 27.

C. 485, L. 173, B. 131, Bi. 757, H. 121, Hi. 699, BN. 87, BA. 82, Ai. 943, Nh. 50, Nw. 22, Ni. 440, Ow. 36, Oh. 33, Oi. 917, Ca. 1170.

The stylo-hyals, not yet united by bone to the tympano-hyal processes, are preserved.

Prepared in 1870.

- 333¹. The skull of an Englishwoman: the last molars are not yet in place and the basilar suture is not closed.

C. 507, L. 174, B. 143, Bi. 822, H. 125, Hi. 718, BN. 91, BA. 83, Ai. 912, Nh. 48, Nw. 23, Ni. 479, Ow. 39, Oh. 35, Oi. 897, Ca. 1575.

Presented by E. W. Cooke, Esq., R.A., 1880.

334. The skull of an Englishwoman aged 70.

But one tooth remains, the right lower canine. The calvarial sutures are all partially consolidated.

C. 508, L. 178, B. 138, Bi. 775, H. 126, Hi. 708, BN. 96, Nh. 49, Nw. 20, Ni. 408, Ow. 35, Oh. 36, Oi. 1029, Ca. 1200.

Prepared in 1877.

335. The skull of an Englishman aged 61.

Charles Nichols, formerly a clerk, and subsequently a comic lecturer, a man of fair education and considerable dramatic and musical talent. He died in June 1877, having in his will left his head to the Museum.

Consolidation has commenced at the lower extremities of the coronal, the posterior end of the sagittal, and the upper part of the lambdoidal sutures.

C. 516, L. 179, B. 140, Bi. 782, H. 135, Hi. 754, BN. 98, BA. 87, Ai. 888, Nh. 52, Nw. 21, Ni. 404, Ow. 38, Oh. 37, Oi. 974, Ca. 1610.

Bequeathed by Mr. C. Nichols, 1877.

336. The articulated skeleton of an Englishman, said to be that of the notorious Jonathan Wilde, who was executed at Tyburn, 24th of May, 1725.

Jonathan Wilde, the infamous thief-catcher, who had for many years screened from justice such criminals as obeyed his orders, and caused numbers of others to be hanged, received sentence of death, at the Old Bailey, on May 15th, 1725, having been convicted of receiving stolen goods, and taking a reward of the owners for returning them without discovering the robbers.

The skeleton was accompanied by a coffin-plate, bearing the inscription—"Mr. Jonathan Wilde, Died May 24, 1725, In y^e 42nd year of his age;" and a letter from the donor, dated "22 Burton Crescent, June 18th, 1847," stated that it had been in the possession of himself and his predecessors for upwards of fifty years.

Height 1632 = 5 feet 4.2 inches.

Clavicle 147, humerus 328, radius 236, femur 447, tibia 345.
 Cranium : C. 520, L. 185, B. 134, Bi. 724, H. 135, Hi. 730,
 BN. 104, BA. 191, Ai. 971, Nh. 49, Nw. 24, Ni. 490, Ow. 42,
 Oh. 34, Oi. 810, Ca. 1425.

Presented by Frederick Fowler, Esq., 1847.

337. The cranium of Eugene Aram, who was executed for murder at York in August 1759, and gibbeted in Knaresborough Forest.

Eugene Aram was born in Yorkshire about 1710, was well educated, and began life as a city clerk in London, but afterwards set up a school at Knaresborough. In 1745 he conspired with two others to defraud certain of his neighbours of plate and goods; and the confederates meeting in St. Robert's Cave to divide their spoil, appear to have had a disagreement, which resulted in the murder of one of them, named Clark, whose body was buried in the cave. He was supposed to have absconded; but the accidental discovery of his skeleton in 1758, and the evidence of the other confederate, led to the conviction of Eugene Aram, who in the meanwhile had occupied the post of usher in a school at Lynn, in Norfolk. His defence at the trial was considered very remarkable for the ingenuity and erudition which it displayed.

The authenticity of the skull is thoroughly well attested, having been obtained from the gibbet by the grandfather of the donor, Dr. Hutchinson, a surgeon in practice at Knaresborough at the time of the execution (see letters, dated December 9th and 15th, 1869, Museum Letter-book, vol. ii. pp. 38, 39); and its condition tends to confirm this history, as it has evidently never been macerated. The end of the right mastoid process has been cut off, probably in severing the head from the body. It was exhibited at the Meeting of the British Association at Newcastle, in 1838 (see Report of Transactions of Sections, p. 125).

The cranium is small, and almost feminine in appearance; but the mastoid processes are long, and the glabella well developed. There are two large symmetrical Wormian bones in the lambdoidal suture. The sagittal suture is partially obliterated. There is a considerable postcoronal depression.

C. 515, L. 185, B. 140, Bi. 757, H. 130, Hi. 703, BN. 102, BA. 99, Ai. 971, Nh. 53, Nw. 22, Ni. 415, Ow. 38, Oh. 34, Oi. 895, Ca. 1400.

*Presented by the Rev. John Walker,
 Bradwell Rectory, Great Yarmouth, 1869.*

- 337¹. The skull of an Englishman who was hanged for murdering his wife and three children.

C. 550, L. 198, B. 140, Bi. 707, H. 139, Hi. 702, BN. 113, BA. 106, Ai. 938, Nh. 51, Nw. 24, Ni. 471, Ow. 38, Oh. 33, Oi. 868, Ca. 1712.

Presented by Isaac Massey, M.D., 1883.

338. The partially articulated skeleton of an Englishman aged 31, being that of John Thurtell, a London solicitor, executed at Hertford, January 9th, 1824, for the murder of Mr. Weare.

The body was removed to St. Bartholomew's Hospital for dissection; and the skeleton was preserved by Mr. Wormald, then Demonstrator of Anatomy.

The skull is massive and heavy, and has remarkably large mastoid processes, indicating great muscular development.

Clavicle 162, humerus 345, radius 248; femur, *r.* 491, *l.* 500; tibia, *r.* 403, *l.* 405.

Cranium: C. 535, L. 191, B. 146, Bi. 764, H. 143, Hi. 749, BN. 107, BA. 103, Ai. 963, Nh. 52, Nw. 24, Ni. 461, Ow. 39, Oh. 34, Oi. 872, Ca. 1640.

Presented by Mrs. Wormald, 1874.

- 338¹. The skull of a boy aged 14.

C. 495, L. 178, B. 136, Bi. 764, H. 126, Hi. 708, BN. 93, BA. 83, Ai. 892, Nh. 47, Nw. 19, Ni. 404, Ow. 33, Oh. 35, Oi. 1061, Ca. 1355.

Purchased, 1890.

b. WALES.

- [339] A mutilated calvaria, from a remarkable tumulus at 279⁶. Porth-y-Ddarfarch (Towyn-y-Capel), Anglesea.

An account of the discovery of this and the two following specimens by the Hon. W. O. Stanley, entitled "Towyn-y-Capel and the ruined Chapel of St. Brido, on the West Coast of Holyhead Island, with notices of the curious interments there discovered," is published in the third volume of the 'Archæological Journal of the Archæological Institute,' 1846. The skull is described and figured by Professor Huxley in 'Prehistoric Remains of Caithness,' 1866.

C. 495, L. 179, B. 130, Bi. 726.

Presented by Hon. W. O. Stanley, 1854.

340. A still more imperfect calvaria, from the same tumulus.

C. 485, L. 171, B. 130, Bi. 760.

Presented by Hon. W. O. Stanley, 1854.

341. The frontal and facial portion of a skull, from the same tumulus.

Presented by Hon. W. O. Stanley, 1854.

c. SCOTLAND.

[342] A skull, found among the ruins of an ancient Culdee 281⁷. Monastery at St. Andrews, 1860 : ♀.

C. 505, L. 173, B. 142, Bi. 821, H. 127, Hi. 734, BN. 99, BA. 98, Ai. 990, Nh. 43, Nw. 20, Ni. 465, Ow. 40, Oh. 31, Oi. 775, Ca. 1400.

Crania found at the same place and time are described in "Observations upon Sixteen Ancient Human Skulls found in Excavations made on the Kirkhill, St. Andrews, 1860," by Dr. J. Barnard Davis, Edin. New Phil. Journ. vol. xiv. (1861) p. 191.

Presented by George Busk, Esq., 1866.

343. A cranium, from the same place : ♀.

The teeth are much worn. The lower part of the coronal and hinder part of the sagittal sutures are consolidated.

C. 490, L. 173, B. 134, Bi. 775, H. 122, Hi. 705, BN. 90, BA. 89, Ai. 989, Nh. 50, Nw. 26, Ni. 520, Ow. 38, Oh. 34, Oi. 895, Ca. 1160.

Presented by George Busk, Esq., 1866.

[344] A mutilated cranium, from the same place.

281⁸. Slightly platybasic. The basilar suture is still open.

C. 530, L. 187, B. 140, Bi. 749, H. 118, Hi. 631, Ca. 1325.

Presented by George Busk, Esq., 1866.

345 & 345¹. A remarkably depressed or tapeinocephalic cranium, and a femur, supposed to belong to the same individual : ♂.

These were purchased by the donor at the sale by Messrs. Sotheby and Co., on March 22nd, 1865, of "a collection of Fossils and Minerals &c. formed during the last century by the Hon. Archibald Fraser, of Lovat," and described in the catalogue as "Skull and thigh-bone of Lord Darnley."

The internal evidence afforded by both bones conclusively negatives their authenticity. Darnley, at the time of his death

in 1567, was about 22 years old; and the bones are those of a man considerably more advanced in life and of great muscular development. The almost complete absence of frontal elevation, which is one of the most striking features in the skull, finds no corroboration in any of the known portraits and descriptions of the young Earl; and the femur could not be that of a person invariably described as "tall," or "long," as, calculating at the usual ratio of 27·5 to 100, it would give a height of only 5 feet 2·2 inches.

C. 533, L. 185, B. 145, Bi. 784, H. 119, Hi. 643, BN. 106, BA. 98, Ai. 925, Nh. 55, Nw. 23, Ni. 418, Ow. 40, Oh. 40, Oi. 1000, Ca. 1350.

Length of femur 434.

Presented by J. W. Belt, Esq., 1869.

- 345². A left femur resembling the previous cranium in character, and inscribed: "Thigh bone of Lord Darnley, husband of Mary Queen of Scots, murdered and blown up Feb. 10th, 1567."

Said to have been purchased with the above inscription at a sale at Sotheby & Wilkinson's with two other bones, "Thigh bone of Little John, Robin Hood's companion, and shin bone of Humphrey, Duke of Gloster," by Mr. T. M. Grimshaw (25 Gt. Ormond Street, Bloomsbury), from whom this femur was purchased July 1st, 1880.

It is that of a very tall man and is probably the real thigh bone belonging to the cranium (345), 345¹ having been accidentally substituted. Length 533 mm.

346. The skull of a man, described as that of "a Highlander or Celtic Scot." O. C. 5731.

C. 513, L. 178, B. 142, Bi. 798, H. 137, Hi. 770, BN. 94, BA. 95, Ai. 1011, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 29, Oi. 806, Ca. 1520.

*From the Collection of George Langstaff, Esq.
Purchased, 1835.*

- 346¹. The skeleton (nearly complete) of a ♀?

Clavicle, *r.* 136, *l.* 140; humerus, *r.* 325, *l.* 318; radius, *r.* 241, *l.* 238; femur, *r.* 445, *l.* 442; tibia, *r.* 367, *l.* 367.

Cranium: C. 496, L. 176, B. 132, Bi. 750, H. 132, Hi. 750, BN. 96, BA. 95, Ai. 990, Nh. 49, Nw. 22, Ni. 449, Ow. 36, Oh. 30, Oi. 833, Ca. 1290.

- 346². The skull of a ♀. This and the preceding specimen were dug up with other bones in an old British dwelling at Skerrabrœ, in the Parish of Sandwich, Orkney, by the late Mr. W. Watt.

See "On the Dwellings of the Prehistoric Races in Orkney," by William Traill, M.D., Proceedings of the Scottish Antiquarian Society, April 1868, where the tumulus in which they were found is fully described. These specimens are described by Dr. Garson in the 'Journal of the Anthropological Institute,' 1883.

C. 512, L. 184, B. 133, Bi. 723, H. 129, Hi. 701, BN. 97, BA. 89, Ai. 918, Nh. 48, Nw. 23, Ni. 479, Ow. 36, Oh. 32, Oi. 889, Ca. 1485.

Presented by C. S. Clouston, Esq., M.B., 1880.

d. *IRELAND.*

- [347] A cast of a mutilated cranium, from the bed of the river 279⁷. Nore, at Borris, in Queen's County : ♂.

Described and figured by Professor Huxley in 'Prehistoric Remains of Caithness,' 1866, figs. 60 & 61.

C. 562, L. 199, B. 147, Bi. 739, H. 138, Hi. 693.

Presented by Professor Huxley, 1866.

348. The cast of a cranium found with the above.

C. 538, L. 191, B. 142, Bi. 743.

Presented by Professor Huxley, 1866.

349. The cast of a mutilated cranium from the bed of the Blackwater River, in Armagh, "strikingly similar to the Muskham cranium (No. 289) in its general characters."

C. 520, L. 181, B. 142, Bi. 785.

Presented by Professor Huxley, 1866.

- [350] The cast of another cranium from the same locality.

281¹⁰. C. 542, L. 186, B. 153, Bi. 823.

Presented by Professor Huxley, 1866.

B. FRANCE.

a. *Ancient.*

The following (Nos. 351 to 355 inclusive) are casts from remains of prehistoric inhabitants of Périgord, discovered in 1868 by M. Lartet at Cro-Magnon, Vallée de la Vézère, described by Broca and Pruner Bey in 'Reliquiæ Aquitanicæ' and 'Bull. Soc. d'Anthrop. de Paris,' 2 sér. t. iii. (1868), and by Quatrefages and Hamy in 'Crania Ethnica.' The originals are in the Muséum d'Histoire Naturelle at Paris.

[351] Cast of skull, with humerus, ulna, carinated femur, platy-279¹. enemic tibia, and fibula. Marked "No. 1, ♂."

Figured in Quatrefages and Hamy's 'Crania Ethnica,' plates iii., iv., and v. Described at p. 45.

[352] Cast of cranium, marked "No. 2, ♀."
279². 'Crania Ethnica,' p. 81, figs. 80 & 81.

[353] Cast of calvaria, with portion of lower jaw and tibia,
279³. marked "No. 3, ♂."

'Crania Ethnica,' p. 50.

*Presented by the "Professeurs Administrateurs
du Musée d'Histoire Naturelle à Paris," per
M. de Quatrefages, 1873.*

354. The cast of the right ramus of a mandible found by M. Boucher de Perthes in the gravel at Moulin-Quignon, near Abbeville, March 28, 1863.

See "An Account of the Proceedings of the late Conference held in France to inquire into the circumstances attending the asserted discovery of a Human Jaw in the gravel at Moulin-Quignon, near Abbeville; including the Procès-Verbaux of the Sitzings of the Conference, with notes thereon," by H. Falconer, G. Busk, and W. B. Carpenter, 'Natural History Review,' July 1863, p. 423. Also Dr. H. Falconer "On the Evidence in the case of the controverted Human Jaw and Flint Implements at Moulin-Quignon," 'Palæontological Memoirs,' vol. ii. p. 601 (1868).

Presented by the same, 1873.

355. The cast of a portion of a mandible found at Moulin-Quignon in 1864. *Presented by the same, 1873.*

356. A cranium from a Gallo-Roman cemetery at St. Acheul, near Amiens, in the brick-earth above the flint-bearing beds of the Somme valley: ♂.

In each orbit is a coin of the Emperor Magnentius, struck at Ambianum (Amiens). The adjacent bone is deeply stained with copper. Coffin-nails and angle-irons were found with the human remains in the cemetery, some of which are deposited in a drawer in the Museum.

C. 543, L. 194, B. 142, Bi. 732, H. 138, Hi. 711, BN. 107, BA. 100, Ai. 935, Nh. 56, Nw. 26, Ni. 464, Ow. 35, Oh. 34, Oi. 971, Ca. 1650.

Presented by Henry Christy, Esq., 1865.

357. A calvaria from the same cemetery: ♂.

C. 550, L. 193, B. 145, Bi. 751, H. 138, Hi. 715, Ca. 1625.

Presented by Henry Christy, Esq., 1865.

358. A skull obtained from a Gallo-Roman cemetery at St. Acheul, by Sir John Lubbock, Bart.: ♂.

C. 508, L. 181, B. 134, Bi. 740, H. 126, Hi. 696, BN. 97, BA. 97, Ai. 1000, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 29, Oi. 784, Ca. 1260.

Presented by George Busk, Esq., 1868.

- 358¹. The cranium of a Gallo-Roman from St. Acheul: ♂.

C. 530, L. 185, B. 144, Bi. 778, H. 131, Hi. 708, BN. 96, BA. 86, Ai. 986, Nh. 49, Nw. 22, Ni. 449, Ow. 36, Oh. 33, Oi. 917.

Anthropol. Soc., No. 48.

- 358². The mutilated cranium of a Gallo-Roman from St. Acheul.

C. 545, L. 194, B. 141, Bi. 727, H. 129, Hi. 665, BN. 98, BA. 90, Ai. 918, Nh. 54, Nw. 22, Ni. 407, Ow. 37, Oh. 36, Oi. 973.

Anthropol. Soc., No. 205.

b. *Modern.*

"The following twelve specimens (Nos. 359 to 370, excluding 363¹ and 365¹) were extracted from the Catacombs at Paris, and are therefore probably French. In the first six the frontal suture is persistent *; and in most of them the high, broad, rather short, subspherical form of the cranium prevails."—O. C. p. 883.

359. A metopic cranium. O. C. 5719. ♂.

C. 530, L. 180, B. 150, Bi. 833, BN. 95, BA. 95, Ai. 1000, Nh. 50, Nw. 30, Ni. 600, Ow. 40, Oh. 32, Oi. 800.

Presented by Dr. W. E. Leach, 1827.

360. A metopic cranium. O. C. 5720. ♂.

The outer alveolar plate has been removed from the teeth in place, showing the great length of the root of the canine, and that the first premolar has its outer root double, while in the second it is single.

C. 523, L. 180, B. 146, Bi. 811, H. 135, Hi. 750, BN. 100, BA. 94, Ai. 940, Nh. 54, Nw. 24, Ni. 444, Ow. 43, Oh. 36, Oi. 837, Ca. 1500.

Presented by Dr. Leach, 1827.

361. A metopic cranium, wanting the occipital bone. O. C. 5721. ♂.

BN. 96, BA. 90, Ai. 938, Nh. 53, Nw. 24, Ni. 453, Ow. 37, Oh. 33, Oi. 892.

Presented by Dr. Leach, 1827.

362. A metopic cranium. O. C. 5722. ♀.

C. 493, L. 167, B. 145, Bi. 863, H. 122, Hi. 731, BN. 95, BA. 93, Ai. 979, Nh. 51, Nw. 22, Ni. 431, Ow. 35, Oh. 32, Oi. 914, Ca. 1385.

Presented by Dr. Leach, 1827.

* These were probably selected on that account. In the edition of the Catalogue of 1831 the following passage occurs.—"It was a curious remark made by Dr. Leach, and others who have examined that immense collection of crania and other bones in the catacombs at Paris, that the number of adult skulls in which the frontal suture remained unobliterated was so considerable that, from a calculation made on the spot, he estimated the proportion to be at least one in eleven."

Regalia has observed 141 cases of metopism in 1545 Italian crania in the National Museum of Anthropology at Florence—almost exactly the same proportion as that mentioned above. (*Archiv. per Antropologia*, vol. viii. p. 465, 1878.)

363. A metopic cranium. O. C. 5723. ♀.

C. 520, L. 184, B. 136, Bi. 739, H. 127, Hi. 690, BN. 90,
Nh. 52, Nw. 20, Ni. 386, Ow. 36, Oh. 35, Oi. 972, Ca. 1410.

Presented by Dr. Leach, 1827.

- 363¹. The cranium of a Frenchman, aged 34 years, born at Yvetot.

C. 535, L. 193, B. 139, Bi. 720, H. 135, Hi. 699, BN. 97,
BA. 93, Ai. 959, Nh. 54, Nw. 26, Ni. 481, Ow. 36, Oh. 34,
Oi. 944.

Anthropol. Soc., No. 215.

364. A metopic cranium. O. C. 5724. ♂?

C. 500, L. 175, B. 137, Bi. 783, H. 126, Hi. 720, BN. 96,
Nh. 52, Nw. 26, Ni. 500, Ow. 39, Oh. 35, Oi. 897, Ca. 1150.

Presented by Dr. Leach, 1827.

365. A cranium. O. C. 5725. ♂.

C. 518, L. 180, B. 147, Bi. 817, H. 140, Hi. 778, BN. 98,
BA. 87, Ai. 888, Nh. 51, Nw. 21, Ni. 412, Ow. 37, Oh. 34,
Oi. 919, Ca. 1650.

Presented by Dr. Leach, 1827.

- 365¹. The cranium of a Belgian, from Brussels. (Metopic.)

C. 541, L. 188, B. 143, Bi. 761, H. 125, Hi. 665, BN. 103,
Nh. 58, Nw. 24, Ni. 414, Ow. 38, Oh. 35, Oi. 921, Ca. 1550.

Anthropol. Soc., No. 161.

- 365². The cranium of a Fleming, from Ghent: ♂.

C. 527, L. 183, B. 150, Bi. 820, H. 131, Hi. 716, BN. 100,
Ow. 38, Oh. 36, Oi. 947, Ca. 1660.

Anthropol. Soc., No. 179.

366. A cranium. O. C. 5726. ♂?

C. 512, L. 178, B. 138, Bi. 775, H. 134, Hi. 753, BN. 92,
Nh. 48, Nw. 23, Ni. 479, Oh. 35, Ow. 33, Oi. 943, Ca. 1450.

Presented by Dr. Leach.

367. A cranium. O. C. 5727.

C. 512, L. 185, B. 133, Bi. 719, H. 132, Hi. 714, BN. 104,
BA. 98, Ai. 942, Nh. 50, Nw. 26, Ni. 520, Ow. 40, Oh. 30,
Oi. 750, Ca. 1360.

Presented by Dr. Leach, 1827.

368. A cranium. O. C. 5728.

The basioccipital presents a median articular surface for the atlas, on the anterior border of the foramen magnum.

C. 515, L. 180, B. 142, Bi. 789, H. 129, Hi. 717, BN. 93, BA. 89, Ai. 957, Nh. 48, Nw. 23, Ni. 479, Ow. 38, Oh. 33, Oi. 868, Ca. 1375.

Presented by Dr. Leach, 1827.

369. A cranium. O. C. 5729.

C. 492, L. 179, B. 131, Bi. 732, H. 120, Hi. 670, BN. 96, BA. 93, Ai. 969, Nh. 45, Nw. 23, Ni. 511, Ow. 38, Oh. 31, Oi. 816, Ca. 1200.

Presented by Dr. Leach, 1827.

370. A cranium. O. C. 5730.

C. 487, L. 178, B. 130, Bi. 730, H. 123, Hi. 691, BN. 95, BA. 86, Ai. 905, Nh. 48, Nw. 20, Ni. 417, Ow. 37, Oh. 36, Oi. 973, Ca. 1220.

Presented by Dr. Leach, 1827.

370¹. The cast of a cranium said to be that of René Descartes (born at La Haye, in Touraine, March 31st, 1596; died at Stockholm, February 11th, 1650). The original is in the Paris Museum. See 'Journal de Zoologie,' Nov. 1st, 1872.

Presented by Professor Gervais, 1872.

370² to 370³¹. Thirty crania of Parisians, from a cemetery several centuries old. Many of them had marks upon them made by Broca, referring to measurements in his register now in the possession of the Anthropological Society of Paris.

Presented Aug. 1880 by Dr. Topinard, Directeur du Laboratoire d'Anthropologie de l'Ecole des Hautes Etudes, Paris.

370². C. 510, L. 172, B. 152, Bi. 884, H. 135, Hi. 785, BN. 97, BA. 92, Ai. 948, Nh. 54, Nw. 27, Ni. 500, Ow. 40, Oh. 35, Oi. 875, Ca. 1534.

370³. C. 518, L. 177, B. 149, Bi. 842, H. 123, Hi. 695, BN. 95, BA. 95, Ai. 1000, Nh. 52, Nw. 25, Ni. 481, Ow. 39, Oh. 34, Oi. 872, Ca. 1505.

370⁴. C. 515, L. 179, B. 140, Bi. 782, H. 126, Hi. 704, BN. 97, BA. 89, Ai. 918, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 34, Oi. 872, Ca. 1293.

- 370⁵. C. 519, L. 180, B. 143, Bi. 794, H. 138, Hi. 767, BN. 100, BA. 92, Ai. 920, Nh. 49, Nw. 22, Ni. 449, Ow. 39, Oh. 33, Oi. 846, Ca. 1593.
- 370⁶. C. 544, L. 185, B. 152, Bi. 822, H. 132, Hi. 714, BN. 100, BA. 95, Ai. 950, Nh. 51, Nw. 24, Ni. 471, Ow. 43, Oh. 35, Oi. 814, Ca. 1720.
- 370⁷. C. 508, L. 181, B. 136, Bi. 751, H. 123, Hi. 680, BN. 99, BA. 93, Ai. 939, Nh. 52, Nw. 23, Ni. 442, Ow. 39, Oh. 34, Oi. 872, Ca. 1360.
- 370⁸. C. 516, L. 175, B. 148, Bi. 846, H. 132, Hi. 754, BN. 99, Nh. 51, Nw. 23, Ni. 451, Ow. 38, Oh. 33, Oi. 868, Ca. 1550.
- 370⁹. C. 505, L. 178, B. 140, Bi. 787, H. 121, Hi. 680, BN. 97, BA. 92, Ai. 948, Nh. 46, Nw. 21, Ni. 457, Ow. 38, Oh. 32, Oi. 842, Ca. 1350.
- 370¹⁰. C. 517, L. 179, B. 144, Bi. 804, H. 137, Hi. 765, BN. 97, BA. 94, Ai. 969, Nh. 47, Nw. 22, Ni. 468, Ow. 34, Oh. 31, Oi. 912, Ca. 1540.
- 370¹¹. C. 505, L. 172, B. 145, Bi. 843, H. 134, Hi. 779, BN. 94, BA. 90, Ai. 957, Nh. 52, Nw. 21, Ni. 404, Ow. 39, Oh. 33, Oi. 846, Ca. 1545.
- 370¹². C. 532, L. 184, B. 146, Bi. 793, H. 137, Hi. 745, BN. 106, BA. 96, Ai. 906, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 33, Oi. 868, Ca. 1610.
- 370¹³. C. 509, L. 170, B. 147, Bi. 865, H. 127, Hi. 747, BN. 100, BA. 98, Ai. 980, Nh. 46, Nw. 21, Ni. 457, Ow. 37, Oh. 34, Oi. 919, Ca. 1530.
- 370¹⁴. C. 520, L. 181, B. 147, Bi. 812, H. 136, Hi. 751, BN. 106, BA. 101, Ai. 953, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 31, Oi. 816, Ca. 1485.
- 370¹⁵. C. 521, L. 179, B. 145, Bi. 810, H. 130, Hi. 726, BN. 101, BA. 96, Ai. 950, Nh. 50, Nw. 24, Ni. 480, Ow. 38, Oh. 32, Oi. 842, Ca. 1436.
- 370¹⁶. C. 492, L. 163, B. 144, Bi. 883, H. 130, Hi. 798, BN. 93, BA. 92, Ai. 989, Nh. 52, Nw. 22, Ni. 423, Ow. 37, Oh. 32, Oi. 865, Ca. 1340.
- 370¹⁷. C. 507, L. 173, B. 142, Bi. 821, Nh. 56, Nw. 26, Ni. 464, Ow. 39, Oh. 35, Oi. 897.
- 370¹⁸. C. 515, L. 182, B. 141, Bi. 775, H. 127, Hi. 698, BN. 99, BA. 93, Ai. 939, Nh. 46, Nw. 23, Ni. 500, Ow. 36, Oh. 33, Oi. 917, Ca. 1460.

- 370¹⁹. C. 535, L. 179, B. 153, Bi. 855, H. 140, Hi. 782, BN. 103, BA. 93, Ai. 903, Nh. 51, Nw. 23, Ni. 451, Ow. 41, Oh. 37, Oi. 902, Ca. 1610.
- 370²⁰. C. 533, L. 190, B. 143, Bi. 753, H. 133, Hi. 700, BN. 104, BA. 97, Ai. 933, Nh. 53, Nw. 25, Ni. 472, Ow. 38, Oh. 33, Oi. 868, Ca. 1585.
- 370²¹. C. 509, L. 173, B. 147, Bi. 850, H. 125, Hi. 723, BN. 96, BA. 94, Ai. 979, Nh. 50, Nw. 23, Ni. 460, Ow. 36, Oh. 31, Oi. 861, Ca. 1445.
- 370²². C. 530, L. 180, B. 153, Bi. 850, H. 129, Hi. 717, BN. 97, BA. 94, Ai. 969, Nh. 49, Nw. 24, Ni. 490, Ow. 38, Oh. 30, Oi. 789.
- 370²³. C. 510, L. 177, B. 141, Bi. 797, H. 136, Hi. 768, BN. 103, BA. 92, Ai. 893, Nh. 50, Nw. 24, Ni. 480, Ow. 38, Oh. 33, Oi. 868, Ca. 1480.
- 370²⁴. C. 489, L. 172, B. 131, Bi. 762, H. 126, Hi. 733, BN. 102, BA. 92, Ai. 902, Nh. 55, Nw. 23, Ni. 418, Ow. 38, Oh. 35, Oi. 921, Ca. 1265.
- 370²⁵. C. 501, L. 177, B. 134, Bi. 757, H. 122, Hi. 689, BN. 98, BA. 95, Ai. 969, Nh. 43, Nw. 22, Ni. 512, Ow. 36, Oh. 32, Oi. 889, Ca. 1335.
- 370²⁶. C. 516, L. 177, B. 147, Bi. 831, H. 132, Hi. 746, BN. 96, BA. 89, Ai. 927, Nh. 52, Nw. 22, Ni. 423, Ow. 40, Oh. 34, Oi. 850, Ca. 1620.
- 370²⁷. C. 486, L. 171, B. 131, Bi. 766, H. 126, Hi. 737, BN. 96, BA. 84, Ai. 875, Nh. 44, Nw. 22, Ni. 500, Ow. 37, Oh. 33, Oi. 892, Ca. 1255.
- 370²⁸. C. 491, L. 174, B. 131, Bi. 753, H. 131, Hi. 753, BN. 97, BA. 95, Ai. 979, Nh. 50, Nw. 25, Ni. 500, Ow. 38, Oh. 31, Oi. 816, Ca. 1275.
- 370²⁹. C. 490, L. 173, B. 132, Bi. 763, H. 121, Hi. 699, BN. 92, BA. 88, Ai. 957, Nh. 54, Nw. 21, Ni. 477, Ow. 34, Oh. 33, Oi. 971, Ca. 1222.
- 370³⁰. C. 500, L. 171, B. 143, Bi. 836, H. 137, Hi. 801, BN. 95, BA. 94, Ai. 989, Nh. 48, Nw. 23, Ni. 479, Ow. 36, Oh. 31, Oi. 861, Ca. 1610.
- 370³¹. C. 504, L. 175, B. 141, Bi. 806, H. 134, Hi. 766, BN. 98, BA. 94, Ai. 959, Nh. 52, Nw. 21, Ni. 404, Ow. 36, Oh. 36, Oi. 1000, Ca. 1485.

C. THE SPANISH PENINSULA.

a. *Ancient.*

- [371] A mutilated cranium, remarkable for the low retreating forehead, prominent supraorbital ridges, and peculiar conformation of the maxillæ.

From a quarry behind "Forbes Battery," in the brecciated talus under the North Front of the Rock of Gibraltar.

See Broca, "Crânes et Ossements humains des Cavernes de Gibraltar," 'Bullet. de la Soc. d'Anthropol. de Paris,' 18 Fév., 1869, 2^e ser. t. vi. pp. 146-148. Reprinted in 'Mémoires d'Anthropologie,' t. ii. p. 370, fig. 55 (p. 377).

Presented by George Busk, Esq., 1868.

372. A cranium found by Captain Brome in the Genista Cave, Gibraltar : ♂.

See "On the Caves of Gibraltar in which Human Remains and Works of Art have been found," by G. Busk, in 'Transactions of the International Congress of Prehistoric Archaeology,' 1868 (Norwich meeting). This cranium is described at p. 162, and figured in pl. vii. figs. 1, 2, 3, and 4.

C. 522, L. 185, B. 140, Bi. 757, H. 142, Hi. 768, Ca. 1600.

Presented by George Busk, Esq., 1868.

373. A cranium from the same locality : ♂.

Described and figured in the memoir cited above, pl. vii. figs. 5, 6, 7, and 8.

C. 525, L. 186, B. 141, Bi. 758, H. 140, Hi. 753, Ca. 1630.

Presented by George Busk, Esq., 1868.

- 373¹. The cranium of a young person from the Genista Cave No. 3 A.

C. 500, L. 182, B. 138, Bi. 758, H. 131, Hi. 720, BN. 88.

Presented by George Busk, Esq., 1885.

374. A cranium found by Sir James Cochrane in the "Judge's Cave," Gibraltar : ♂?

See Busk, *loc. cit.* p. 147, figs. 9, 10, and 11.

The upper margin of the left squamosal contains two distinct ossifications. The right side is normal.

C. 468, L. 170, B. 137, Bi. 806, H. 133, Hi. 782, Ca. 1270.

Presented by George Busk, Esq., 1868.

- 374¹. The cranium of a Basque, from Guipuscoa : ♂.

The squamosal touches the frontal on the left side.

C. 550, L. 197, B. 146, Bi. 741, H. 132, Hi. 670, BN. 105, BA. 94, Ai. 895, Nh. 57, Nw. 23, Ni. 404, Ow. 37, Oh. 33, Oi. 892, Ca. 1740.

Anthropol. Soc., No. 245.

- 374². The cranium of a Basque, from Guipuscoa : ♀.

C. 515, L. 184, B. 136, Bi. 739, H. 121, Hi. 658, BN. 101, BA. 96, Ai. 950, Nh. 53, Nw. 25, Ni. 472, Ow. 38, Oh. 33, Oi. 868, Ca. 1370.

Anthropol. Soc., No. 246.

- 374³. The skull of a Portuguese male, from Madeira.

C. 505, L. 182, B. 138, Bi. 758, H. 131, Hi. 720, BN. 99, BA. 95, Ai. 960, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 29, Oi. 784, Ca. 1465.

J. H. Spitzly Collection, 1901.

D. ITALY.

a. *Ancient*.

375. A mutilated cranium from Fasano (ancient *Gnathia*), Bari : ♂.

BN. 97, BA. 92, Ai. 948, Nh. 53, Nw. 23, Ni. 434, Ow. 41, Oh. 36, Oi. 878.

Nicolucci Collection *. *Purchased*, 1870.

- 375¹. Portions of a skeleton from the Grotta di Pollera.

Consisting of imperfect calvaria, facial bones, clavicle, imperfect humerus, tibia, femur, calcaneum and astragalus.

Found in a Cist formed of four large stones and a covering stone 12 feet beneath the surface under two thick stalagmite layers which had to be broken through to reach it. Above the Cist were found rude pottery, a stone celt, and bones of goat, *Ursus spelæus*, *Felis*, and *Bos*.

Presented by A. J. Wall, Esq., F.R.C.S., 1887.

- 375². The imperfect skull of an ancient Etruscan : ♂.

- 375³. The skull of an ancient Etruscan dug up in a field about

* A collection of 38 ancient and 114 modern Italian, and 4 ancient and 10 modern Greek skulls, purchased in 1870 from Dr. GIUSTINIANO NICOLUCCI, of Isola di Sora (Terra di Lavoro), Italy. The localities are given on the authority of Dr. Nicolucci.

6 miles S.W. of Chiusi, the ancient *Clusium*; with it were found some fragments of *black* pottery.

C. 513, L. 178, B. 147, Bi. 826, Nh. 54, Nw. 22, Ni. 407, Ow. 37, Oh. 33, Oi. 892.

Presented by A. J. Wall, Esq., 1888.

376. A cranium from Rugge (ancient *Rudie*), near Lecce, Province of Otranto: ♂.

C. 534, L. 193, B. 142, Bi. 736, H. 140, Hi. 725.

Nicolucci Collection. Purchased, 1870.

377. A skull from Ceglie (ancient *Cælium*), Province of Otranto: ♀.

The squamosals of both sides join the frontal bone.

C. 500, L. 179, B. 135, Bi. 755, H. 122, Hi. 682, BN. 94, BA. 92, Ai. 979, Nh. 50, Nw. 20, Ni. 400, Ow. 39, Oh. 38, Oi. 974.

Nicolucci Collection. Purchased, 1870.

“The above three skulls (375, 376, and 377) belong to the *Iapigi*, and are the only known examples of the race” (*G. Nicolucci*).

378. A skull from Capua, Terra di Lavoro. From a tomb of the first or second century B.C.

C. 527, L. 190, B. 140, Bi. 737, H. 135, Hi. 711, BN. 103, Nh. 51, Nw. 24, Ni. 471, Ow. 36, Oh. 35, Oi. 972.

Nicolucci Collection. Purchased, 1870.

379. A cranium from Cassino, Terra di Lavoro. From a tomb of the sixth century of the Christian era. ♂.

C. 503, L. 175, B. 138, Bi. 789, H. 130, Hi. 743, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 32, Oi. 842.

Nicolucci Collection. Purchased, 1870.

380. A mutilated cranium from Cassino. From a tomb of the sixth century of the Christian era. ♀.

C. 515, L. 184, B. 138, Bi. 750.

Nicolucci Collection. Purchased, 1870.

The fifteen following specimens (Nos. 381 to 395 inclusive) were collected in the ancient necropolis of Aquinum. They are not older than two centuries before, nor more modern than two centuries after, the Christian era.

381. A skull from Aquino (ancient *Aquinum*), Terra di Lavoro:
♀?

The right squamosal touches the frontal.

C. 505, L. 174, B. 145, Bi. 833, H. 127, Hi. 730, BN. 85,
BA. 88, Ai. 1035, Nh. 45, Nw. 23, Ni. 511, Ow. 36, Oh. 31,
Oi. 861, Ca. 1400.

Nicolucci Collection. Purchased, 1870.

382. A skull from Aquino : ♀?

C. 507, L. 174, B. 147, Bi. 845, H. 132, Hi. 759, BN. 94,
BA. 89, Ai. 947, Nh. 47, Nw. 26, Ni. 553, Ow. 37, Oh. 31,
Oi. 838, Ca. 1475.

Nicolucci Collection. Purchased, 1870.

383. A skull from Aquino : ♂?

C. 510, L. 168, B. 150, Bi. 893, H. 127, Hi. 756, BN. 93,
BA. 87, Ai. 935, Nh. 54, Nw. 25, Ni. 462, Ow. 39, Oh. 37,
Oi. 949.

Nicolucci Collection. Purchased, 1870.

384. A skull from Aquino : ♂.

C. 525, L. 186, B. 137, Bi. 737, H. 148, Hi. 796, BN. 106,
BA. 98, Ai. 925, Nh. 52, Nw. 24, Ni. 462, Ow. 40, Oh. 34,
Oi. 850, Ca. 1570.

Nicolucci Collection. Purchased, 1870.

385. A calvaria from Aquino.

C. 492, L. 165, B. 140, Bi. 848, H. 121, Hi. 733.

Nicolucci Collection. Purchased, 1870.

386. A skull from Aquino : ♂.

C. 556, L. 196, B. 146, Bi. 745, H. 148, Hi. 755, BN. 111,
BA. 104, Ai. 937, Nh. 56, Nw. 27, Ni. 482, Ow. 41, Oh. 37,
Oi. 902.

Nicolucci Collection. Purchased, 1870.

387. A skull from Aquino : ♂.

C. 556, L. 197, B. 155, Bi. 787, H. 144, Hi. 731, BN. 108,
BA. 105, Ai. 972, Nh. 53, Nw. 25, Ni. 472, Ow. 41, Oh. 36,
Oi. 878, Ca. 1670.

Nicolucci Collection. Purchased, 1870.

388. A skull from Aquino : ♀.

C. 503, L. 178, B. 143, Bi. 803, H. 136, Hi. 764, BN. 99,

BA. 93, Ai. 939, Nh. 48, Nw. 21, Ni. 438, Ow. 38, Oh. 32,
Oi. 842, Ca. 1320.

Nicolucci Collection. Purchased, 1870.

389. A skull from Aquino : ♂.

C. 535, L. 190, B. 145, Bi. 763, H. 140, Hi. 737, BN. 106,
BA. 103, Ai. 972, Nh. 51, Nw. 23, Ni. 451, Ow. 41, Oh. 34,
Oi. 829, Ca. 1480.

Nicolucci Collection. Purchased, 1870.

390. A calvarium from Aquino : ♂.

Metopic.

C. 508, L. 180, B. 138, Bi. 767.

Nicolucci Collection. Purchased, 1870.

391. A skull from Aquino : ♂?

C. 505, L. 178, B. 141, Bi. 792, H. 129, Hi. 725, BN. 94,
BA. 90, Ai. 957, Nh. 50, Nw. 21, Ni. 420, Ow. 38, Oh. 34,
Oi. 895, Ca. 1375.

Nicolucci Collection. Purchased, 1870.

392. A calvarium from Aquino : ♀.

C. 513, L. 180, B. 140, Bi. 778, H. 130, Hi. 722, Ca. 1390.

Nicolucci Collection. Purchased, 1870.

393. The cranium of an aged person from Aquino : ♂.

The calvarial sutures are all obliterated ; the teeth are lost,
and the alveoli absorbed.

C. 520, L. 182, B. 142, Bi. 780, H. 127, Hi. 698.

Nicolucci Collection. Purchased, 1870.

394. A skull from Aquino : ♀.

The left squamosal articulates with the frontal.

C. 504, L. 180, B. 132, Bi. 733, H. 131, Hi. 728, BN. 104,
BA. 96, Ai. 923, Nh. 49, Nw. 23, Ni. 469, Ow. 37, Oh. 33,
Oi. 892, Ca. 1310.

Nicolucci Collection. Purchased, 1870.

395. A skull from Aquino : ♂.

C. 525, L. 179, B. 151, Bi. 844, H. 131, Hi. 732, BN. 101,
BA. 97, Ai. 960, Nh. 52, Nw. 24, Ni. 462, Ow. 40, Oh. 36,
Oi. 900, Ca. 1520.

Nicolucci Collection. Purchased, 1870.

396. A mutilated skull from a tomb of the third century of the Christian era, on the Via Latina, Isola di Sora (Prov. di Terra di Lavoro).

C. 515, L. 178, B. 141, Bi. 792.

Nicolucci Collection. Purchased, 1870.

397. A eranium from a tomb of the third century, on the Via Latina, Isola di Sora : ♀.

The right squamosal touches the frontal.

C. 507, L. 177, B. 140, Bi. 791, H. 130, Hi. 734.

Nicolucci Collection. Purchased, 1870.

398. A mutilated skull from a tomb of the third century, on the Via Latina, Isola di Sora : ♂.

C. 520, L. 179, B. 144, Bi. 804.

Nicolucci Collection. Purchased, 1870.

399. A eranium from a tomb on the Via Latina, Isola di Sora : ♂.

C. 525, L. 183, B. 145, Bi. 792.

Nicolucci Collection. Purchased, 1870.

400. A cranium from a tomb of the ninth century after Christ, at Bamo, Province of Frosinone : ♀?

C. 480, L. 167, B. 130, Bi. 778, Nh. 43, Nw. 22, Ni. 512, Ow. 36, Oh. 30, Oi. 833, Ca. 1230.

Nicolucci Collection. Purchased, 1870.

401. The mutilated skull of a child about 7 years of age, from a tomb anterior to the Christian era, at Arpino (*Arpinum*), Terra di Lavoro.

The milk-teeth and first permanent molars are in place.

L. 169, B. 125, Bi. 740.

Nicolucci Collection. Purchased, 1870.

402. A skull from Ostia : ♂.

C. 525, L. 182, B. 148, Bi. 813, H. 133, Hi. 731, BN. 103, BA. 98, Ai. 951, Nh. 49, Nw. 21, Ni. 429, Ow. 38, Oh. 32, Oi. 842.

Nicolucci Collection. Purchased, 1870.

403. A skull from Rome (*Via Latina*): ♂.

C. 532, L. 184, B. 149, Bi. 810, H. 135, Hi. 734, BN. 93,
BA. 88, Ai. 946, Nh. 51, Nw. 24, Ni. 471, Ow. 38, Oh. 32,
Oi. 842, Ca. 1600.

Nicolucci Collection. Purchased, 1870.

404. A skull from Rome (*Via Latina*): ♂.

C. 530, L. 182, B. 148, Bi. 813, H. 135, Hi. 742, BN. 102,
BA. 93, Ai. 912, Nh. 51, Nw. 25, Ni. 490, Ow. 38, Oh. 35,
Oi. 921, Ca. 1590.

Nicolucci Collection. Purchased, 1870.

405. A skull from Rome (*Via Appia*): ♂.

C. 530, L. 183, B. 148, Bi. 809, H. 138, Hi. 754, BN. 108,
BA. 99, Ai. 917, Nh. 56, Nw. 23, Ni. 411, Ow. 41, Oh. 37,
Oi. 902, Ca. 1575.

Nicolucci Collection. Purchased, 1870.

406. A cranium from a tomb in the ancient *Alba Fucensis*: ♀.

C. 502, L. 175, B. 135, Bi. 771, H. 125, Hi. 714, BN. 103,
BA. 99, Ai. 961, Nh. 47, Nw. 23, Ni. 489, Oh. 36, Ow. 33,
Oi. 917, Ca. 1270.

Nicolucci Collection. Purchased, 1870.

407. A skull from a tomb of the fourth century of the Christian era at Falerone (ancient *Valeria Picena*), Province of Ascoli: ♂.

C. 533, L. 180, B. 153, Bi. 850, H. 143, Hi. 794, BN. 105,
BA. 98, Ai. 933, Nh. 58, Nw. 27, Ni. 466, Ow. 38, Oh. 34,
Oi. 895, Ca. 1700.

Nicolucci Collection. Purchased, 1870.

408. The skull of a child from a tomb of the fourth century at Falerone (*Valeria Picena*).

The permanent incisors are in place; but the posterior milk-molars have not been shed.

C. 508, L. 177, B. 143, Bi. 808, H. 124, Hi. 701, Nh. 52,
Nw. 22, Ni. 423, Ow. 38, Oh. 37, Oi. 974.

Nicolucci Collection. Purchased, 1870.

409. A cranium from Terracina, Province of Velletri; from a sepulture anterior to the Christian era: ♂.

C. 545, L. 185, B. 153, Bi. 827, H. 133, Hi. 719, BN. 100,
BA. 91, Ai. 910, Ow. 41, Oh. 36, Oi. 878, Ca. 1690.

Nicolucci Collection. Purchased, 1870.

410. A cranium from Ancona : ♂ .

C. 513, L. 180, B. 140, Bi. 778, H. 132, Hi. 733, BN. 99, BA. 93, Ai. 939, Nh. 51, Nw. 23, Ni. 451, Ow. 39, Oh. 34, Oi. 872, Ca. 1475.

Nicolucci Collection. Purchased, 1870.

411. A cast of a skull found in a tomb anterior to the Christian era, at Modena : ♂ .

C. 558, L. 201, B. 147, Bi. 731.

Nicolucci Collection. Purchased, 1870.

412. A skull from an ancient tomb in the *Agra Canavesano*, near Turin, a region inhabited by the Salassi, a people of Celtic origin : ♂ .

"From Professor Garbeglietti."

C. 492, L. 173, B. 132, Bi. 763, H. 130, Hi. 751, BN. 98, BA. 94, Ai. 959, Nh. 48, Nw. 21, Ni. 438, Ow. 38, Oh. 33, Oi. 868, Ca. 1270.

Nicolucci Collection. Purchased, 1870.

b. *Modern.*

413. The skull of a child from Lecce, Province of Otranto.

All the milk-teeth are in place, with the first permanent molars.

C. 457, L. 165, B. 123, Bi. 745, H. 122, Hi. 739, BN. 81, BA. 74, Ai. 913, Nh. 39, Nw. 19, Ni. 487, Ow. 34, Oh. 29, Oi. 853.

Nicolucci Collection. Purchased, 1870.

414. The skull of an aged person from Lecce : ♀ .

The teeth have nearly all been lost during life, and the coronal and sagittal sutures are partially ossified.

C. 455, L. 177, B. 128, Bi. 723, H. 129, Hi. 729, BN. 93, Nh. 47, Nw. 24, Ni. 511, Ow. 36, Oh. 30, Oi. 833, Ca. 1205.

Nicolucci Collection. Purchased, 1870.

415. A skull from Lecce : ♂ .

Metopic.

C. 520, L. 182, B. 140, Bi. 769, H. 129, Hi. 709, BN. 99, BA. 97, Ai. 980, Nh. 49, Nw. 22, Ni. 449, Ow. 40, Oh. 32, Oi. 800, Ca. 1440.

Nicolucci Collection. Purchased, 1870.

416. A skull from Lecce : ♂.

The calvarial sutures are almost obliterated.

C. 518, L. 183, B. 142, Bi. 776, H. 138, Hi. 754, BN. 110, BA. 108, Ai. 982, Nh. 54, Nw. 27, Ni. 500, Ow. 38, Oh. 33, Oi. 868, Ca. 1420.

Nicolucci Collection. Purchased, 1870.

417. A skull from Lecce : ♀.

C. 457, L. 158, B. 130, Bi. 823, H. 119, Hi. 753, BN. 84, BA. 82, Ai. 976, Nh. 50, Nw. 21, Ni. 420, Ow. 35, Oh. 32, Oi. 914, Ca. 1050.

Nicolucci Collection. Purchased, 1870.

418. A skull from Naples : ♀.

Metopic.

C. 474, L. 168, B. 124, Bi. 738, H. 118, Hi. 702, BN. 99, BA. 101, Ai. 1020, Nh. 45, Nw. 19, Ni. 422, Ow. 37, Oh. 32, Oi. 865, Ca. 1090.

Nicolucci Collection. Purchased, 1870.

419. A skull from Naples : ♂.

A thick-walled heavy cranium, presenting a moderate degree of platybasia or plastic deformation. The sagittal suture is completely obliterated, and the coronal and lambdoidal sutures very simple.

C. 523, L. 183, B. 142, Bi. 776, H. 134, Hi. 732, BN. 106, BA. 111, Ai. 1047, Nh. 50, Nw. 26, Ni. 520, Ow. 39, Oh. 33, Oi. 846, Ca. 1450.

Nicolucci Collection. Purchased, 1870.

420. A skull from Naples : ♂.

Metopic.

C. 500, L. 170, B. 145, Bi. 853, H. 129, Hi. 759, BN. 93, BA. 91, Ai. 978, Nh. 49, Nw. 20, Ni. 408, Ow. 38, Oh. 31, Oi. 816, Ca. 1250.

Nicolucci Collection. Purchased, 1870.

421. A skull of a young person from Naples : ♂.

The basilar suture is still open, and the third molars are coming into place.

C. 515, L. 186, B. 139, Bi. 747, H. 139, Hi. 747, BN. 106, BA. 95, Ai. 896, Nh. 49, Nw. 27, Ni. 551, Ow. 40, Oh. 31, Oi. 775.

Nicolucci Collection. Purchased, 1870.

422. A skull from Benevento : ♂.

C. 520, L. 187, B. 140, Bi. 749, H. 145, Hi. 775, BN. 107, BA. 100, Ai. 935, Nh. 54, Nw. 25, Ni. 463, Ow. 41, Oh. 32, Oi. 780, Ca. 1520.

Nicolucci Collection. Purchased, 1870.

423. A skull from Benevento : ♀?

The mastoid and styloid processes are much developed; but all the other characters are feminine. The left squamosal articulates with the frontal by a broad process; the right approaches very near to it.

C. 482, L. 167, B. 135, Bi. 808, H. 127, Hi. 760, BN. 92, BA. 87, Ai. 946, Nh. 45, Nw. 20, Ni. 444, Ow. 36, Oh. 37, Oi. 1028, Ca. 1245.

Nicolucci Collection. Purchased, 1870.

424. A cranium from Fondi, Terra di Lavoro : ♂.

C. 482, L. 174, B. 124, Bi. 713, H. 132, Hi. 759, BN. 99, BA. 95, Ai. 960, Nh. 48, Nw. 24, Ni. 500, Ow. 39, Oh. 31, Oi. 795, Ca. 1150.

Nicolucci Collection. Purchased, 1870.

425. A cranium from Fondi : ♂.

C. 522, L. 179, B. 145, Bi. 810, H. 142, Hi. 793, BN. 103, BA. 104, Ai. 1010, Nh. 54, Nw. 26, Ni. 481, Ow. 40, Oh. 36, Oi. 900, Ca. 1640.

Nicolucci Collection. Purchased, 1870.

426. A cranium from Fondi : ♂.

C. 507, L. 177, B. 137, Bi. 774, H. 134, Hi. 757, BN. 102, BA. 97, Ai. 951, Nh. 52, Nw. 26, Ni. 500, Ow. 37, Oh. 33, Oi. 892, Ca. 1330.

Nicolucci Collection. Purchased, 1870.

427. A skull from Cassino, Terra di Lavoro : ♂.

C. 520, L. 181, B. 145, Bi. 801, H. 129, Hi. 713, BN. 107, BA. 102, Ai. 953, Nh. 54, Nw. 22, Ni. 407, Ow. 41, Oh. 34, Oi. 829, Ca. 1530.

Nicolucci Collection. Purchased, 1870.

428. A cranium from Pontecorvo, Terra di Lavoro : ♀.

C. 497, L. 174, B. 141, Bi. 810, H. 126, Hi. 724, BN. 92, BA. 88, Ai. 957, Nh. 48, Nw. 22, Ni. 458, Ow. 37, Oh. 32, Oi. 865, Ca. 1250.

Nicolucci Collection. Purchased, 1870.

429. A cranium from Isoletta, Terra di Lavoro : ♂.

C. 484, L. 166, B. 139, Bi. 837, H. 135, Hi. 813, BN. 105,
BA. 96, Ai. 914, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 33,
Oi. 868, Ca. 1320.

Nicolucci Collection. Purchased, 1870.

430. A skull from Isoletta : ♂.

C. 505, L. 179, B. 140, Bi. 782, H. 128, Hi. 715, BN. 98,
BA. 99, Ai. 1010, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 35,
Oi. 921, Ca. 1425.

Nicolucci Collection. Purchased, 1870.

431. A cranium from Ceprano, Province of Frosinone : ♂.

C. 532, L. 190, B. 148, Bi. 779, H. 136, Hi. 716, BN. 101,
BA. 97, Ai. 960, Nh. 46, Nw. 25, Ni. 543, Ow. 41, Oh. 32,
Oi. 780, Ca. 1630.

Nicolucci Collection. Purchased, 1870.

432. A cranium from Ceprano : ♂.

Metopie.

C. 515, L. 180, B. 143, Bi. 794, H. 130, Hi. 722, BN. 109,
BA. 105, Ai. 963, Nh. 57, Nw. 28, Ni. 491, Ow. 40, Oh. 36,
Oi. 900, Ca. 1425.

Nicolucci Collection. Purchased, 1870.

433. A cranium from Ceprano : ♂.

C. 515, L. 172, B. 147, Bi. 855, H. 134, Hi. 779, BN. 97,
BA. 92, Ai. 948, Nh. 55, Nw. 24, Ni. 436, Ow. 37, Oh. 35,
Oi. 946, Ca. 1440.

Nicolucci Collection. Purchased, 1870.

434. The skull of a young person from Isola di Sora, Terra di Lavoro.

The basilar suture is open ; and the last molars are not in place. The right upper premolars are both misplaced, being side by side and rotated on their axes.

C. 465, L. 158, B. 135, Bi. 854, H. 140, Hi. 886, BN. 98,
BA. 92, Ai. 939, Nh. 44, Nw. 21, Ni. 477, Ow. 34, Oh. 30,
Oi. 882.

Nicolucci Collection. Purchased, 1870.

435. A skull from Isola di Sora : ♂.

C. 512, L. 174, B. 150, Bi. 862, H. 138, Hi. 793, BN. 100,
BA. 93, Ai. 930, Nh. 55, Nw. 23, Ni. 418, Ow. 38, Oh. 35,
Oi. 921, Ca. 1475.

Nicolucci Collection. Purchased, 1870.

436. A skull from Isola di Sora : ♂ ?

C. 482, L. 165, B. 139, Bi. 842, H. 127, Hi. 770, BN. 97, BA. 94, Ai. 969, Nh. 44, Nw. 22, Ni. 500, Ow. 40, Oh. 30, Oi. 750, Ca. 1280.

Nicolucci Collection. Purchased, 1870.

437. A skull from Isola di Sora : ♂ .

The right squamosal just touches the frontal.

C. 548, L. 190, B. 153, Bi. 805, H. 135, Hi. 711, BN. 100, BA. 93, Ai. 930, Nh. 51, Nw. 26, Ni. 510, Ow. 39, Oh. 36, Oi. 923, Ca. 1720.

Nicolucci Collection. Purchased, 1870.

438. A cranium from Isola di Sora : ♂ .

C. 525, L. 178, B. 147, Bi. 826, H. 137, Hi. 770, BN. 102, BA. 96, Ai. 941, Nh. 55, Nw. 23, Ni. 418, Ow. 40, Oh. 34, Oi. 850, Ca. 1600.

Nicolucci Collection. Purchased, 1870.

439. A skull from Isola di Sora : ♂ .

There is a large Wormian bone in the right fronto-parietal suture ; and the posterior external angle of the left parietal appears to have ossified from a separate centre.

C. 526, L. 183, B. 145, Bi. 792, H. 140, Hi. 765, BN. 97, BA. 92, Ai. 948, Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 32, Oi. 821, Ca. 1590.

Nicolucci Collection. Purchased, 1870.

440. The skull of a child from Isola di Sora.

The permanent incisors are in place ; but the upper milk-molars are still retained.

C. 485, L. 170, B. 140, Bi. 824, H. 130, Hi. 765, BN. 93, BA. 91, Ai. 978, Nh. 43, Nw. 20, Ni. 465, Ow. 35, Oh. 29, Oi. 829.


Nicolucci Collection. Purchased, 1870.

441. A cranium from Isola di Sora : ♀ .

It is metopie, and has a considerable bregmatic depression.

C. 498, L. 175, B. 137, Bi. 783, H. 120, Hi. 686, BN. 94, BA. 88, Ai. 936, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 35, Oi. 921, Ca. 1220.

Nicolucci Collection. Purchased, 1870.



442. A skull from Isola di Sora : ♂.

C. 507, L. 167, B. 150, Bi. 898, H. 134, Hi. 802, BN. 94,
BA. 98, Ai. 1043, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 32,
Oi. 842, Ca. 1475.

Nicolucci Collection. Purchased, 1870.

443. A skull from Isola di Sora : ♂.

The left squamosal just touches the frontal.

C. 498, L. 168, B. 143, Bi. 851, H. 130, Hi. 774, BN. 90,
BA. 87, Ai. 967, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 31,
Oi. 838, Ca. 1330.

Nicolucci Collection. Purchased, 1870.

444. A skull from Isola di Sora : ♂.

It has a large, median, nearly symmetrical, lozenge-shaped independent ossification at the bregma.

C. 512, L. 172, B. 144, Bi. 837, H. 135, Hi. 785, BN. 101,
BA. 96, Ai. 950, Nh. 51, Nw. 22, Ni. 431, Ow. 37, Oh. 30,
Oi. 811, Ca. 1420.

Nicolucci Collection. Purchased, 1870.

445. A cranium from Isola di Sora : ♀.

C. 492, L. 165, B. 144, Bi. 873, H. 129, Hi. 782, BN. 98,
BA. 93, Ai. 949, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 29,
Oi. 784, Ca. 1320.

Nicolucci Collection. Purchased, 1870.

446. A cranium from Isola di Sora : ♂.

C. 525, L. 182, B. 148, Bi. 813, H. 132, Hi. 725, BN. 97,
BA. 90, Ai. 928, Nh. 47, Nw. 23, Ni. 489, Ow. 38, Oh. 34,
Oi. 895, Ca. 1590.

Nicolucci Collection. Purchased, 1870.

447. A skull from Isola di Sora.

C. 465, L. 158, B. 133, Bi. 842, H. 122, Hi. 772, BN. 95,
BA. 97, Ai. 1021, Nh. 49, Nw. 23, Ni. 469, Ow. 37, Oh. 32,
Oi. 865, Ca. 1140.

Nicolucci Collection. Purchased, 1870.

448. A cranium from Isola di Sora : ♂.

Metopic.

C. 515, L. 182, B. 140, Bi. 769, H. 134, Hi. 736, BN. 104,
BA. 103, Ai. 990, Nh. 53, Nw. 23, Ni. 434, Ow. 40, Oh. 31,
Oi. 775, Ca. 1390.

Nicolucci Collection. Purchased, 1870.

449. A skull from Isola di Sora : ♂.

C. 530, L. 183, B. 153, Bi. 836, II. 147, Hi. 803, BN. 99, BA. 88, Ai. 889, Nh. 52, Nw. 24, Ni. 462, Ow. 40, Oh. 34, Oi. 850, Ca. 1750.

Nicolucci Collection. Purchased, 1870.

450. The cranium of an old person from Isola di Sora : ♀.

All the teeth have been lost during life. The coronal suture is partially obliterated.

C. 518, L. 184, B. 143, Bi. 777, H. 133, Hi. 723, Ca. 1520.

Nicolucci Collection. Purchased, 1870.

451. A skull from Isola di Sora : ♂.

The occiput is flattened, as if from pressure in infancy. The sagittal and lambdoidal sutures are almost obliterated.

C. 522, L. 173, B. 157, Bi. 908, H. 142, Hi. 821, BN. 102, BA. 97, Ai. 951, Nh. 49, Nw. 25, Ni. 510, Ow. 39, Oh. 32, Oi. 821, Ca. 1680.

Nicolucci Collection. Purchased, 1870.

452. A cranium from Isola di Sora : ♀.

C. 502, L. 181, B. 134, Bi. 740, H. 130, Hi. 718, BN. 95, BA. 91, Ai. 958, Nh. 49, Nw. 21, Ni. 429, Ow. 39, Oh. 35, Oi. 897, Ca. 1330.

Nicolucci Collection. Purchased, 1870.

453. A cranium from Isola di Sora : ♂.

C. 518, L. 180, B. 146, Bi. 811, H. 133, Hi. 739, BN. 104, BA. 97, Ai. 933, Nh. 49, Nw. 27, Ni. 551, Ow. 39, Oh. 33, Oi. 846, Ca. 1430.

Nicolucci Collection. Purchased, 1870.

454. A cranium from Arpino, Terra di Lavoro : ♂.

C. 538, L. 189, B. 145, Bi. 767, II. 140, Hi. 741, BN. 111, BA. 103, Ai. 928, Nh. 55, Nw. 24, Ni. 436, Ow. 44, Oh. 36, Oi. 818, Ca. 1635.

Nicolucci Collection. Purchased, 1870.

455. A cranium from Arpino : ♂.

C. 540, L. 188, B. 155, Bi. 824, II. 129, Hi. 686, BN. 103, BA. 105, Ai. 1019, Nh. 55, Nw. 26, Ni. 473, Ow. 41, Oh. 37, Oi. 902, Ca. 1670.

Nicolucci Collection. Purchased, 1870.

456. A skull from Arpino: ♂.

C. 497, L. 175, B. 137, Bi. 783, H. 132, Hi. 754, BN. 104,
Nh. 53, Nw. 27, Ni. 509, Ow. 43, Oh. 34, Oi. 791, Ca. 1220.

Nicolucci Collection. Purchased, 1870.

457. A skull from Arpino: ♂.

C. 528, L. 188, B. 142, Bi. 755, H. 143, Hi. 761, BN. 108,
BA. 99, Ai. 917, Nh. 56, Nw. 23, Ni. 411, Ow. 40, Oh. 34,
Oi. 850, Ca. 1600.

Nicolucci Collection. Purchased, 1870.

458. A cranium from Arpino: ♂.

C. 503, L. 170, B. 144, Bi. 847, H. 132, Hi. 776, BN. 103,
BA. 98, Ai. 951, Nh. 53, Nw. 25, Ni. 472, Ow. 40, Oh. 31,
Oi. 775, Ca. 1370.

Nicolucci Collection. Purchased, 1870.

459. A skull of an aged person from Arpino: ♀.

All the teeth have been lost; but the calvarial sutures are
only partially closed.

C. 502, L. 176, B. 142, Bi. 807, H. 126, Hi. 716, BN. 92,
Nh. 49, Nw. 24, Ni. 490, Ow. 34, Oh. 33, Oi. 971, Ca. 1400.

Nicolucci Collection. Purchased, 1870.

460. A skull from Arpino: ♂.

C. 510, L. 179, B. 141, Bi. 788, H. 124, Hi. 693, BN. 96,
BA. 96, Ai. 1000, Nh. 52, Nw. 25, Ni. 481, Ow. 38, Oh. 34,
Oi. 895, Ca. 1350.

Nicolucci Collection. Purchased, 1870.

461. A cranium from Arpino.

C. 495, L. 173, B. 143, Bi. 827, H. 124, Hi. 717, BN. 93,
BA. 90, Ai. 968, Nh. 49, Nw. 22, Ni. 449, Ow. 36, Oh. 32,
Oi. 889, Ca. 1300.

Nicolucci Collection. Purchased, 1870.

462. A cranium from Arpino: ♂.

C. 515, L. 174, B. 150, Bi. 862, H. 134, Hi. 770, BN. 95,
BA. 90, Ai. 947, Nh. 53, Nw. 22, Ni. 415, Ow. 40, Oh. 34,
Oi. 850, Ca. 1560.

Nicolucci Collection. Purchased, 1870.

463. A cranium from Arpino: ♂.

C. 525, L. 185, B. 145, Bi. 784, H. 136, Hi. 735, BN. 102,

BA. 96, Ai. 941, Nh. 58, Nw. 28, Ni. 483, Ow. 40, Oh. 38, Oi. 950, Ca. 1525.

Nicolucci Collection. Purchased, 1870.

464. The skull of a young person from Sora, Terra di Lavoro : ♀.

The basilar suture is not closed. All the permanent teeth are in place, except the third molars.

C. 465, L. 163, B. 132, Bi. 810, H. 125, Hi. 767, BN. 89, BA. 86, Ai. 966, Nh. 42, Nw. 20, Ni. 476, Ow. 36, Oh. 30, Oi. 833.

Nicolucci Collection. Purchased, 1870.

465. A cranium from Sora : ♂.

The stylohyals are strongly ossified and ankylosed to the skull, forming a "styloid process" on the right side two inches in length. That of the left side has been broken off.

C. 512, L. 171, B. 147, Bi. 860, H. 134, Hi. 784, BN. 102, BA. 99, Ai. 971, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 29, Oi. 744, Ca. 1400.

Nicolucci Collection. Purchased, 1870.

466. A cranium from Castelluccio : ♂.

The basal portion is broken away.

C. 523, L. 182, B. 147, Bi. 808, Nh. 54, Nw. 24, Ni. 444, Ow. 39, Oh. 33, Oi. 846, Ca. 1680 (approximately).

Nicolucci Collection. Purchased, 1870.

467. The cranium of a child from Castelluccio.

The milk-molars and first permanent molars are in place.

C. 470, L. 163, B. 135, Bi. 828, H. 123, Hi. 755, BN. 82, BA. 76, Ai. 927, Nh. 39, Nw. 20, Ni. 513, Ow. 34, Oh. 31, Oi. 912.

Nicolucci Collection. Purchased, 1870.

468. A cranium from Atina, Terra di Lavoro : ♂.

C. 498, L. 170, B. 142, Bi. 835, H. 131, Hi. 771, BN. 95, BA. 91, Ai. 958, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 34, Oi. 919, Ca. 1400.

Nicolucci Collection. Purchased, 1870.

469. A cranium from Alvito, Terra di Lavoro : ♂.

A Wormian bone is developed in the right side of the coronal suture.

C. 533, L. 190, B. 144, Bi. 758, H. 140, Hi. 737, BN. 101, Nh. 53, Nw. 24, Ni. 453, Ow. 40, Oh. 30, Oi. 750, Ca. 1620.

Nicolucci Collection. Purchased, 1870.

470. A skull from Pescosolido, Terra di Lavoro: ♂.

C. 523, L. 183, B. 145, Bi. 792, H. 125, Hi. 683, BN. 99, BA. 94, Ai. 949, Nh. 55, Nw. 23, Ni. 418, Ow. 40, Oh. 37, Oi. 925, Ca. 1460.

Nicolucci Collection. Purchased, 1870.

471. A skull from Pescosolido: ♂.

C. 485, L. 164, B. 144, Bi. 878, H. 127, Hi. 774, BN. 95, BA. 98, Ai. 1032, Nh. 48, Nw. 24, Ni. 500, Ow. 39, Oh. 33, Oi. 846, Ca. 1260.

Nicolucci Collection. Purchased, 1870.

472. A cranium from Santo Padre, Terra di Lavoro: ♂.

C. 515, L. 181, B. 143, Bi. 790, H. 124, Hi. 685, BN. 101, BA. 100, Ai. 990, Nh. 53, Nw. 24, Ni. 453, Ow. 40, Oh. 35, Oi. 875, Ca. 1490.

Nicolucci Collection. Purchased, 1870.

473. A cranium from Bamo, Province of Frosinone: ♂.

C. 523, L. 178, B. 149, Bi. 837, H. 125, Hi. 702, Ca. 1405.

Nicolucci Collection. Purchased, 1870.

474. A skull from Rome: ♂.

C. 520, L. 180, B. 144, Bi. 800, H. 137, Hi. 761, BN. 106, BA. 101, Ai. 953, Nh. 53, Nw. 24, Ni. 453, Ow. 39, Oh. 34, Oi. 872, Ca. 1530.

Nicolucci Collection. Purchased, 1870.

475. A skull from Rome: ♂.

Marked "Cranio romano odierno, Prof. Carlo Maggiorano."

The region of the opisthion is remarkably flattened, giving a nearly horizontal direction to the plane of the occipital foramen (which is of very small size), and a basilar angle of 30°*.

C. 533, L. 183, B. 149, Bi. 814, H. 128, Hi. 699, BN. 96, BA. 99, Ai. 1031, Nh. 56, Nw. 26, Ni. 464, Ow. 38, Oh. 33, Oi. 868, Ca. 1500.

Nicolucci Collection. Purchased, 1870.

* The angle NBY, Broca, 'Instructions craniologiques' (1875), p. 92.

476. A skull from Rome: ♂.

This forms a great contrast to the last in the prominence of the region of the opisthion, the basilar angle being only 7°.

C. 523, L. 181, B. 147, Bi. 812, H. 130, Hi. 718, BN. 95, BA. 95, Ai. 1000, Nh. 50, Nw. 24, Ni. 480, Ow. 40, Oh. 36, Oi. 900, Ca. 1620.

Nicolucci Collection. Purchased, 1870.

477. A skull from Rome: ♂.

"Trasteverino dell' età di 40 anni."

C. 520, L. 182, B. 145, Bi. 797, H. 124, Hi. 681, BN. 96, BA. 98, Ai. 1021, Nh. 51, Nw. 25, Ni. 490, Ow. 38, Oh. 32, Oi. 842, Ca. 1525.

Nicolucci Collection. Purchased, 1870.

[478. Transferred to Pathological Series, No. 1238 A.]

479. A skull from Rome: ♂.

C. 525, L. 183, B. 146, Bi. 798, H. 140, Hi. 765, BN. 107, BA. 98, Ai. 916, Nh. 53, Nw. 26, Ni. 491, Ow. 39, Oh. 34, Oi. 872, Ca. 1500.

Nicolucci Collection. Purchased, 1870.

480. A cranium from Ferentino, Province of Frosinone: ♂.

The calvarial sutures are almost obliterated.

C. 515, L. 184, B. 138, Bi. 750, H. 135, Hi. 734, BN. 99, BA. 103, Ai. 1040, Nh. 49, Nw. 24, Ni. 490, Ow. 39, Oh. 29, Oi. 744, Ca. 1600.

Nicolucci Collection. Purchased, 1870.

481. A cranium from Ferentino: ♀.

C. 472, L. 164, B. 132, Bi. 805, H. 120, Hi. 732, BN. 96, BA. 96, Ai. 1000, Nh. 46, Nw. 23, Ni. 500, Ow. 37, Oh. 30, Oi. 811, Ca. 1060.

Nicolucci Collection. Purchased, 1870.

482. A cranium from Ferentino: ♀.

C. 520, L. 186, B. 144, Bi. 774, H. 129, Hi. 694, BN. 98, BA. 92, Ai. 939, Nh. 53, Nw. 23, Ni. 434, Ow. 38, Oh. 34, Oi. 895, Ca. 1420.

Nicolucci Collection. Purchased, 1870.

483. A cranium from Balsorano, Abruzzo: ♂.

The calvarial sutures are almost obliterated.

C. 530, L. 183, B. 148, Bi. 809, H. 137, Hi. 749, BN. 101,

BA. 94, Ai. 931, Nh. 51, Nw. 25, Ni. 490, Ow. 40, Oh. 32, Oi. 800, Ca. 1550.

Nicolucci Collection. Purchased, 1870.

484. A cranium from S. Giovanni in Valle Roveto, Abruzzo : ♂.

The teeth have been lost during life; and the calvarial sutures are consolidated.

C. 508, L. 182, B. 134, Bi. 736, H. 129, Hi. 709, BN. 100, BA. 53, Ai. 23, Ni. 434, Ow. 39, Oh. 32, Oi. 821, Ca. 1400.

Nicolucci Collection. Purchased, 1870.

485. The cranium of a child from S. Giovanni in Valle Roveto.

The milk-teeth and first true molars are in place. The frontal suture is not closed. Besides the epipteric bones on both sides, there is a separate ossification along the whole of the left squamoso-parietal suture.

C. 505, L. 178, B. 142, Bi. 798, H. 127, Hi. 713, BN. 88, BA. 83, Ai. 943, Nh. 44, Nw. 21, Ni. 477, Ow. 35, Oh. 32, Oi. 914.

Nicolucci Collection. Purchased, 1870.

486. A cranium from S. Giovanni in Valle Roveto : ♀.

C. 477, L. 166, B. 137, Bi. 825, H. 130, Hi. 783, BN. 92, BA. 87, Ai. 946, Nh. 47, Nw. 22, Ni. 468, Ow. 38, Oh. 34, Oi. 895, Ca. 1250.

Nicolucci Collection. Purchased, 1870.

487. A cranium from Capistrello, Abruzzo : ♂.

A very heavy cranium. The calvarial sutures are nearly consolidated.

C. 527, L. 180, B. 153, Bi. 850, H. 137, Hi. 761, BN. 99, BA. 92, Ai. 929, Nh. 55, Nw. 23, Ni. 418, Ow. 38, Oh. 35, Oi. 921, Ca. 1590.

Nicolucci Collection. Purchased, 1870.

488. A skull from Capistrello : ♀.

Metopic, with bregmatic depression and occipital flattening.

C. 508, L. 172, B. 148, Bi. 860, H. 129, Hi. 750, BN. 99, BA. 93, Ai. 939, Nh. 50, Nw. 21, Ni. 420, Ow. 40, Oh. 34, Oi. 850, Ca. 1435.

Nicolucci Collection. Purchased, 1870.

489. A skull from Avezzano, Abruzzo : ♀.

C. 495, L. 168, B. 146, Bi. 869, H. 125, Hi. 744, BN. 93,

BA. 88, Ai. 946, Nh. 48, Nw. 26, Ni. 542, Ow. 35, Oh. 30,
Oi. 857, Ca. 1370.

Nicolucci Collection. Purchased, 1870.

490. A cranium from Avezzano: ♂.

C. 493, L. 168, B. 141, Bi. 839, H. 130, Hi. 774, BN. 91,
BA. 89, Ai. 978, Nh. 52, Nw. 23, Ni. 442, Ow. 37, Oh. 32,
Oi. 865, Ca. 1360.

Nicolucci Collection. Purchased, 1870.

491. A cranium from Luco, Abruzzo: ♂.

The sagittal and coronal sutures are nearly obliterated.

C. 517, L. 182, B. 144, Bi. 791, H. 137, Hi. 753, BN. 101,
BA. 97, Ai. 960, Nh. 53, Nw. 25, Ni. 472, Ow. 40, Oh. 32,
Oi. 800, Ca. 1500.

Nicolucci Collection. Purchased, 1870.

492. A cranium of a young person from Luco: ♀.

The basilar suture is open. All the permanent teeth, except
the posterior molars, are in place. There is a considerable post-
bregmatic transverse depression.

C. 482, L. 165, B. 138, Bi. 836, H. 135, Hi. 818, BN. 104,
BA. 95, Ai. 913, Nh. 52, Nw. 23, Ni. 442, Ow. 38, Oh. 35,
Oi. 921.

Nicolucci Collection. Purchased, 1870.

493. A cranium from Luco: ♂.

A partially healed horizontal incision, apparently from a
sabre-blow, extends nearly across the frontal bone.

C. 493, L. 176, B. 133, Bi. 756, H. 140, Hi. 795, BN. 100,
BA. 93, Ai. 930, Nh. 46, Nw. 24, Ni. 522, Ow. 39, Oh. 32,
Oi. 820, Ca. 1250.

Nicolucci Collection. Purchased, 1870.

494. A cranium from Luco: ♀.

C. 507, L. 180, B. 137, Bi. 761, H. 125, Hi. 694, BN. 100,
Nh. 43, Nw. 26, Ni. 605, Ow. 37, Oh. 34, Oi. 919, Ca. 1340.

Nicolucci Collection. Purchased, 1870.

495. A cranium from Luco: ♂.

The calvarial sutures are nearly obliterated.

C. 505, L. 175, B. 140, Bi. 800, H. 137, Hi. 783, BN. 100,
BA. 93, Ai. 930, Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 31,
Oi. 795, Ca. 1355.

Nicolucci Collection. Purchased, 1870.

496. A cranium from Alba Fucense, Abruzzo : ♂ .

C. 515, L. 180, B. 140, Bi. 778, H. 132, Hi. 733, BN. 100, BA. 109, Ai. 1090, Nh. 55, Nw. 22, Ni. 400, Ow. 40, Oh. 34, Oi. 850, Ca. 1480.

Nicolucci Collection. Purchased, 1870.

497. A cranium from Ortucchio, Abruzzo : ♂ .

C. 510, L. 178, B. 143, Bi. 803, H. 134, Hi. 753, BN. 94, BA. 98, Ai. 1043, Nh. 50, Nw. 27, Ni. 540, Ow. 40, Oh. 31, Oi. 775, Ca. 1410.

Nicolucci Collection. Purchased, 1870.

498. A cranium from Trasacco, Abruzzo : ♂ .

C. 507, L. 177, B. 144, Bi. 814, H. 130, Hi. 734, BN. 105, BA. 105, Ai. 1000, Nh. 49, Nw. 27, Ni. 551, Ow. 40, Oh. 31, Oi. 775, Ca. 1380.

Nicolucci Collection. Purchased, 1870.

499. A cranium from Paterno, Abruzzo : ♀ .

C. 500, L. 178, B. 137, Bi. 770, H. 130, Hi. 730, BN. 96, BA. 93, Ai. 969, Nh. 52, Nw. 24, Ni. 462, Ow. 36, Oh. 34, Oi. 944, Ca. 1375.

Nicolucci Collection. Purchased, 1870.

500. A skull from Tagliacozzo, Abruzzo : ♀ .

C. 492, L. 176, B. 132, Bi. 750, H. 122, Hi. 693, BN. 94, BA. 88, Ai. 936, Nh. 46, Nw. 22, Ni. 478, Ow. 35, Oh. 33, Oi. 943, Ca. 1290.

Nicolucci Collection. Purchased, 1870.

501. A skull from Popoli, Abruzzo : ♀ .

C. 507, L. 178, B. 142, Bi. 798, H. 121, Hi. 680, BN. 93, BA. 88, Ai. 946, Nh. 51, Nw. 21, Ni. 412, Ow. 40, Oh. 36, Oi. 900, Ca. 1330.

Nicolucci Collection. Purchased, 1870.

502. A cranium from Aquila, Abruzzo : ♂ .

It is flattened posteriorly, apparently from compression in infancy.

C. 500, L. 167, B. 150, Bi. 898, H. 135, Hi. 808, BN. 100, BA. 90, Ai. 900, Nh. 52, Nw. 24, Ni. 462, Ow. 36, Oh. 34, Oi. 944, Ca. 1400.

Nicolucci Collection. Purchased, 1870.

503. A cranium from Aquila: ♀.

All the teeth have been lost during life.

C. 483, L. 169, B. 134, Bi. 793, H. 126, Hi. 746, BN. 95, Nh. 44, Nw. 24, Ni. 545, Ow. 36, Oh. 33, Oi. 917, Ca. 1160.

Nicolucci Collection. Purchased, 1870.

504. A skull from Aquila: ♂.

Though all the true molars are in place, the second left lower milk-molar is retained and occupies the place of the permanent premolar, which appears not to have been developed. The sagittal suture is almost entirely obliterated, though the coronal and lambdoidal sutures are free.

C. 528, L. 192, B. 144, Bi. 750, H. 138, Hi. 719, BN. 103, BA. 93, Ai. 903, Nh. 50, Nw. 22, Ni. 440, Ow. 39, Oh. 35, Oi. 897, Ca. 1525.

Nicolucci Collection. Purchased, 1870.

505. A cranium from Aquila.

The teeth have nearly all been lost during life; but the right canino is retained in the alveolus, and displaced inwards. The contiguous premolar is also displaced, and rotated on its axis.

C. 480, L. 170, B. 135, Bi. 794, H. 127, Hi. 747, BN. 95, Nh. 50, Nw. 27, Ni. 540, Ow. 39, Oh. 33, Oi. 846, Ca. 1170.

Nicolucci Collection. Purchased, 1870.

506. A skull from Chieti, Abruzzo: ♂.

Metopic, though the sagittal suture is partly closed.

C. 523, L. 188, B. 138, Bi. 734, H. 128, Hi. 681, BN. 102, BA. 99, Ai. 971, Nh. 52, Nw. 20, Ni. 385, Ow. 37, Oh. 34, Oi. 919, Ca. 1450.

Nicolucci Collection. Purchased, 1870.

507. A cranium from Torviglia, Provincia di Genova: ♀.

Marked "Montanaro Ligure. Garbiglietti. Vero tipo dei Monte Liguri." This and the next are remarkable for their low vertical (basibregmatic) diameter (H). The elevated position of the basion and consequent shortness of the basinasal line (BN) causes the high alveolar index. The squamosals and frontals in both nearly meet at the pterion, a small epiptoric being interposed.

C. 519, L. 179, B. 146, Bi. 816, H. 115, Hi. 642, BN. 86, BA. 92, Ai. 1070, Nh. 47, Nw. 23, Ni. 489, Ow. 38, Oh. 34, Oi. 895, Ca. 1445.

Nicolucci Collection. Purchased, 1870.

508. A skull of a peasant from Porto Maurizio, Liguria.

Marked "Montanaro Ligure in sui 70 anni. Garbiglietti."
All the upper teeth have been lost during life, though the lower incisors and premolars remain.

C. 500, L. 171, B. 144, Bi. 842, H. 112, Hi. 655, BN. 85, Nh. 54, Nw. 23, Ni. 426, Ow. 36, Oh. 37, Oi. 1028, Ca. 1280.

Nicolucci Collection. Purchased, 1873.

509. A skull from Liguria, Provincia di Genova: ♂.

Marked "Montanaro Ligure in sui 50 anni. Garbiglietti."
The atlas is firmly ankylosed to the occipital bone. The calvarial sutures are very complex; and there is an oblong Wormian bone at the anterior extremity of the sagittal suture. As will be seen by the indices, this skull is of a totally different form from the two which precede it.

C. 527, L. 186, B. 142, Bi. 763, H. 143, Hi. 769, BN. 106, BA. 106, Ai. 1000, Nh. 53, Nw. 24, Ni. 452, Ow. 40, Oh. 38, Oi. 950, Ca. 1570.

Nicolucci Collection. Purchased, 1870.

510. A skull of a native of Parma: ♂.

C. 535, L. 178, B. 153, Bi. 860, H. 136, Hi. 764, BN. 104, BA. 98, Ai. 942, Nh. 55, Nw. 25, Ni. 455, Ow. 40, Oh. 36, Oi. 900, Ca. 1550.

Nicolucci Collection. Purchased, 1870.

511. The skull of a male native of Modena.

A metopic skull, with commencing obliteration of the sutures.

C. 510, L. 184, B. 135, Bi. 734, H. 127, Hi. 690, BN. 100, BA. 94, Ai. 940, Nh. 52, Nw. 23, Ni. 442, Ow. 39, Oh. 33, Oi. 846, Ca. 1310.

Nicolucci Collection. Purchased, 1870.

The six following specimens (but more especially Nos. 514 and 515) exhibit very well the characteristic differences of the skull in the two sexes.

512. The skull of a male Modenese, aged 45.

The teeth are very small, and the posterior molars absent in both jaws.

C. 517, L. 173, B. 154, Bi. 890, H. 135, Hi. 780, BN. 97, BA. 87, Ai. 897, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 32, Oi. 821, Ca. 1570.

Nicolucci Collection. Purchased, 1870.

513. The skull of a female native of Modena.

Metopic. The mastoid processes are large for a female.

C. 480, L. 170, B. 132, Bi. 776, H. 117, Hi. 688, BN. 95, BA. 98, Ai. 1032, Nh. 45, Nw. 23, Ni. 511, Ow. 35, Oh. 29, Oi. 829, Ca. 1235.

Nicolucci Collection. Purchased, 1870.

514. The skull of a man of Bologna.

C. 534, L. 186, B. 145, Bi. 780, H. 136, Hi. 731, BN. 110, BA. 105, Ai. 955, Nh. 51, Nw. 26, Ni. 510, Ow. 42, Oh. 36, Oi. 857, Ca. 1520.

Nicolucci Collection. Purchased, 1870.

515. The skull of a woman of Bologna.

Both permanent upper canines are partially embedded in the palate, and the milk-canines occupy their places in the dental arch, although the basilar suture is united and the third molars are coming into place. The posterior lower right milk-molar is also retained; but it is about to be displaced by its successor. The second left lower incisor has a bifurcate root.

C. 487, L. 170, B. 137, Bi. 806, H. 122, Hi. 718, BN. 94, BA. 97, Ai. 1032, Nh. 49, Nw. 22, Ni. 449, Ow. 35, Oh. 33, Oi. 943, Ca. 1225.

Nicolucci Collection. Purchased, 1870.

516. The skull of a Lombard of Pavia: ♂.

"From Professor Garbiglietti. The phrenological system of Vimont has been marked on the left side by Dr. Panizza."

C. 502, L. 171, B. 143, Bi. 836, H. 140, Hi. 819, BN. 101, BA. 97, Ai. 960, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 33, Oi. 868, Ca. 1430.

Nicolucci Collection. Purchased, 1870.

517. A skull from Pavia: ♀.

The right upper canine is embedded in the palate.

C. 487, L. 170, B. 138, Bi. 812, H. 125, Hi. 735, BN. 93, BA. 88, Ai. 946, Nh. 49, Nw. 27, Ni. 551, Ow. 34, Oh. 34, Oi. 1000, Ca. 1300.

Nicolucci Collection. Purchased, 1870.

518. The cranium of a woman of Breschia, Lombardia.

Metopic.

C. 480, L. 167, B. 133, Bi. 796, H. 125, Hi. 749, BN. 92, BA. 86, Ai. 935, Nh. 44, Nw. 21, Ni. 477, Ow. 35, Oh. 34, Oi. 971, Ca. 1290.

Nicolucci Collection. Purchased, 1870.

519. A skull from Turin : ♂.

"Piemontese in sui 45 anni. Garbiglietti."

C. 523, L. 179, B. 150, Bi. 838, H. 140, Hi. 782, BN. 102
BA. 100, Ai. 980, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 32,
Oi. 842, Ca. 1600.

Nicolucci Collection. Purchased, 1870.

520. A mutilated calvaria from Rivarolo, Canavese.

From a tomb of the sixteenth century.

Nicolucci Collection. Purchased, 1870.

521. A skull from S. Romedio, Trentino : ♂.

C. 518, L. 173, B. 152, Bi. 879, H. 132, Hi. 763, BN. 95,
BA. 87, Ai. 916, Nh. 55, Nw. 24, Ni. 436, Ow. 39, Oh. 35,
Oi. 897, Ca. 1430.

Nicolucci Collection. Purchased, 1870.

522. A cranium from S. Romedio, Trentino : ♀.

All the teeth have been lost during life, and the alveolar processes of the maxillæ are completely absorbed.

C. 498, L. 175, B. 140, Bi. 800, H. 130, Hi. 743, BN. 99,
Nh. 45, Nw. 21, Ni. 467, Ow. 41, Oh. 32, Oi. 780, Ca. 1200.

Nicolucci Collection. Purchased, 1870.

523. The skull of a male native of Udine, Provincia di Venezia ; an infantry soldier, aged 22.

C. 503, L. 170, B. 148, Bi. 871, H. 125, Hi. 735, BN. 102,
BA. 97, Ai. 951, Nh. 55, Nw. 24, Ni. 436, Ow. 37, Oh. 34, Oi.
919, Ca. 1430.

Nicolucci Collection. Purchased, 1870.

524. The skull of a male native of Solino, Belluno, Provincia di Venezia ; an infantry soldier, aged 23.

C. 505, L. 175, B. 140, Bi. 800, H. 121, Hi. 691, BN. 99,
BA. 99, Ai. 1000, Nh. 51, Nw. 23, Ni. 451, Ow. 37, Oh. 31,
Oi. 838, Ca. 1360.

Nicolucci Collection. Purchased, 1870.

525. A cranium from Palazzolo, Acreide, Sicily : ♂.

The frontal bone has been broken and a great portion lost.

C. 508, L. 180, B. 146, Bi. 811, H. 136, Hi. 756, BN. 101,
Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 31, Oi. 816, Ca. 1450,

Nicolucci Collection. Purchased, 1870.

526. A cranium from Palermo, Sicily : ♂.

Metopic.

C. 504, L. 172, B. 139, Bi. 808, H. 130, Hi. 756, BN. 97,
BA. 97, Ai. 1000, Nh. 46, Nw. 24, Ni. 522, Ow. 39, Oh. 30,
Oi. 769, Ca. 1400.

Nicolucci Collection, Purchased, 1870.

527. The cranium of a Piedmontese : ♂. O. C. 5718.

C. 526, L. 178, B. 150, Bi. 843, H. 140, Hi. 787, BN. 102,
BA. 93, Ai. 912, Nh. 49, Nw. 21, Ni. 429, Ow. 38, Oh. 34, Oi.
895, Ca. 1625.

*From the Collection of John Flint South, Esq.
Purchased, 1835.*

- 527¹. The cranium of a Sardinian, from the north of Sardinia
near Castel Sardo.

C. 509, L. 185, B. 129, Bi. 697, H. 131, Hi. 708, BN. 98,
BA. 94, Ai. 959, Nh. 54, Nw. 23, Ni. 426, Ow. 38, Oh. 36,
Oi. 947, Ca. 1425.

*Presented by Signor Riccardo Magnelli, of the Museum of
Natural History, Florence, 1880.*

E. GREECE AND THE ANCIENT GREEK COLONIES.

a. *Ancient.*

528. A skull from an ancient tomb at Cuma (Eolic colony) * :

♂.

C. 557, L. 203, B. 145, Bi. 714, H. 140, Hi. 690, BN. 110
BA. 110, Ai. 1000, Nh. 55, Nw. 31, Ni. 564, Ow. 40, Oh. 32,
Oi. 800, Ca. 1600.

Nicolucci Collection (1). Purchased, 1870.

529. A skull from an ancient tomb at Cuma : ♀.

C. 525, L. 188, B. 139, Bi. 739, H. 129, Hi. 686, BN. 105,
BA. 102, Ai. 971, Nh. 53, Nw. 25, Ni. 472, Ow. 39, Oh. 35,
Oi. 897.

Nicolucci Collection. Purchased, 1870.

530. A cranium from an ancient Greek tomb at Nola (Chalcidic
colony) : ♀ ?

C. 502, L. 175, B. 142, Bi. 811, H. 117, Hi. 669, BN. 97,

* This and the three following are classed as Greek on the authority of
Dr. Nicolucci.

BA. 101, Ai. 1041, Nh. 57, Nw. 23, Ni. 404, Ow. 38, Oh. 38,
Oi. 1000, Ca. 1250.

Nicolucci Collection. Purchased, 1870.

531. A cranium from a very rich Greek tomb at Ruvo (Magna Græcia): ♂.

C. 493, L. 175, B. 130, Bi. 743, H. 139, Hi. 794, BN. 96,
BA. 92, Ai. 958, Nh. 52, Nw. 24, Ni. 462, Ow. 39, Oh. 30,
Oi. 769, Ca. 1310.

Nicolucci Collection. Purchased, 1870.

- 531¹. A skull from the Island of Antiparos, one of the Cyclades, found with relics which appear to have belonged to a period before the 16th Century B.C. See 'Athenæum,' 3rd May, 1884.

C. 510, L. 178, B. 144, Bi. 809, H. 141, Hi. 792, BN. 101,
BA. 88, Ai. 871, Nh. 51, Nw. 26, Ni. 510, Ow. 39, Oh. 33,
Oi. 846, Ca. 1450.

Presented by Theodore Bent, Esq., 1884.

- 531². An imperfect calvaria and several bones from the same place.

C. 542, L. 190, B. 145, Bi. 763.

Presented by T. Bent, Esq., 1884.

b. *Modern.*

532. A skull from Corfu: ♂.

Marked "Cranio di un Coreirese del villaggio Europidu. Dono del Prof. Zaviziano."

C. 538, L. 195, B. 140, Bi. 718, H. 139, Hi. 713, BN. 106,
BA. 103, Ai. 972, Nh. 54, Nw. 23, Ni. 426, Ow. 39, Oh. 37,
Oi. 949, Ca. 1650.

Nicolucci Collection. Purchased, 1870.

533. A skull from Corfu: ♂.

"Nativo del villaggio Castellanos. Dono del Prof. Zaviziano."

C. 517, L. 186, B. 137, Bi. 737, H. 137, Hi. 737, BN. 107,
BA. 102, Ai. 953, Nh. 55, Nw. 25, Ni. 455, Ow. 37, Oh. 30,
Oi. 811, Ca. 1450.

Nicolucci Collection. Purchased, 1870.

534. A cranium from Corfu: ♀.

Metopic.

C. 500, L. 179, B. 134, Bi. 749, H. 125, Hi. 698, BN. 91,

BA. 89, Ai. 978, Nh. 45, Nw. 22, Ni. 489, Ow. 36, Oh. 31, Oi. 861, Ca. 1230.

Nicolucci Collection. Purchased, 1870.

535. A cranium from Zante : ♂ ?

Metopic, but with partial consolidation from advancing age of all the calvarial sutures.

C. 505, L. 175, B. 142, Bi. 811, H. 136, Hi. 777, BN. 100, BA. 94, Ai. 940, Nh. 51, Nw. 24, Ni. 471, Ow. 37, Oh. 34, Oi. 919, Ca. 1450.

Nicolucci Collection. Purchased, 1870.

536. The skull of a native of the island of Paxo.

“Dono del Prof. Zaviziano.”

The teeth have all been lost during life; and the calvarial sutures are nearly obliterated.

C. 490, L. 173, B. 135, Bi. 780, H. 140, Hi. 809, BN. 104, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 34, Oi. 872, Ca. 1290.

Nicolucci Collection. Purchased, 1870.

537. A skull from Tripolitza, Morea : ♂.

C. 515, L. 174, B. 148, Bi. 851, H. 134, Hi. 770, BN. 99, BA. 94, Ai. 949, Nh. 55, Nw. 29, Ni. 527, Ow. 37, Oh. 35, Oi. 946, Ca. 1580.

Nicolucci Collection. Purchased, 1870.

538. A skull from Tripolitza : ♂.

C. 520, L. 181, B. 147, Bi. 812, H. 134, Hi. 740, BN. 102, BA. 101, Ai. 990, Nh. 55, Nw. 27, Ni. 491, Ow. 36, Oh. 33, Oi. 717, Ca. 1500.

Nicolucci Collection. Purchased, 1870.

539. The cranium of an Epirote from Arta (Epirus) : ♂.

From Prof. Zaviziano. The occipital region is remarkably and unsymmetrically flattened, from pressure in infancy.

C. 522, L. 175, B. 158, Bi. 903, H. 140, Hi. 800, BN. 98, BA. 91, Ai. 929, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 37, Oi. 974, Ca. 1650.

Nicolucci Collection. Purchased, 1870.

540. The skull of an Epirote from Arta : ♂.

C. 527, L. 180, B. 153, Bi. 850, H. 139, Hi. 772, BN. 100, Nh. 49, Nw. 26, Ni. 531, Ow. 40, Oh. 33, Oi. 825, Ca. 1630.

Nicolucci Collection. Purchased, 1870.

541. A skull of a native of the Acroceraunian Mountains, Albania: ♀.

“Giovane di anni 24 di religione greca, nata su’ monti Acrocerauni. Dono del Prof. Zaviziano.”

C. 468, L. 156, B. 140, Bi. 897, H. 126, Hi. 808, BN. 88, BA. 89, Ai. 1011, Nh. 42, Nw. 22, Ni. 524, Ow. 36, Oh. 29, Oi. 806, Ca. 1255.

Nicolucci Collection. Purchased, 1870.

542. The cranium of a modern Greek. O. C. 5716. ♂?

C. 512, L. 183, B. 134, Bi. 732, H. 140, Hi. 765, BN. 107, BA. 104, Ai. 972, Nh. 52, Nw. 25, Ni. 481, Ow. 39, Oh. 30, Oi. 769, Ca. 1450.

Presented by Dr. John Davy.

543. The cranium of a Greek. O. C. 5717. ♂.

C. 509, L. 178, B. 140, Bi. 787, H. 129, Hi. 725, BN. 98, Nh. 50, Nw. 24, Ni. 480, Ow. 41, Oh. 37, Oi. 902, Ca. 1550.

Presented by Dr. John Davy.

F. CENTRAL EUROPE.

(The Netherlands, Germany, and Switzerland.)

- [544] 278² A cast of the upper part of a cranium discovered (with other bones of the skeleton) in a limestone-cave in the Neanderthal, near Hochdal, between Düsseldorf and Elberfeld, in the year 1857.

See Prof. Schaafhausen, in Müller's Archiv, 1858, p. 543; Busk, in Nat. Hist. Review, 1861, p. 155, and elsewhere, under the name of “the Neanderthal skull.” The original is now in the museum at Bonn.

C. 560; L. glabello-occipital 201, ophryo-occipital 190; B. 151, Bi. 795.

Presented by Professor Huxley, 1862.

- 544¹. A cranium from a Dutch cemetery of the 17th Century at Nagapatam, South India.

B. 136, Nh. 51, Nw. 26, Ni. 510, Ow. 42, Oh. 34, Oi. 810.

- 544². A cranium from the same place.

C. 505, L. 181, B. 122, Bi. 674, H. 131, Hi. 724, BN. 98, BA. 97, Ai. 990, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 33, Oi. 868.

- 544³. A cranium from the same place.

C. 467, L. 166, B. 131, Bi. 789, H. 128, Hi. 771, BN. 96, BA. 99, Ai. 1031, Nh. 46, Nw. 24, Ni. 522, Ow. 35, Oh. 29, Oi. 829, Ca. 1150.

The above three specimens presented by Dr. John Shortt, Deputy Surgeon-General, 1882.

- 544⁴. The skull of a Dutchman (metopic), from Surinam.

C. 505, L. 177, B. 139, Bi. 785, H. 132, Hi. 746, BN. 103, BA. 97, Ai. 942, Nh. 48, Nw. 25, Ni. 521, Ow. 40, Oh. 33, Oi. 825, Ca. 1390.

J. H. Spitzly Collection.

- [545] A cast of the "Engis skull," discovered and described by
279 Dr. Schmerling.

The original is in the museum at Liège. The circumstances under which it was found, its probable antiquity, and its characters are discussed in Lyell's 'Antiquity of Man,' Huxley's 'Man's Place in Nature,' and many other works on the same subject.

C. 530, L. 191, B. 137, Bi. 717.

Presented by Sir Charles Lyell, Bart., 1868.

546. A skull from the ancient cemetery at Hallstatt, near Ischl, in the Austrian Tyrol : ♂.

The weapons and implements found in this cemetery prove it to belong to the period when bronze was being superseded by iron or steel for cutting-purposes in that part of Europe. See Von Sacken's 'Grabfeld von Hallstatt in Oberösterreich und dessen Altenthümer,' 4to, Wien, 1868.

C. 523, L. 181, B. 150, Bi. 829, H. 138, Hi. 762.

Presented by Sir John Lubbock, Bart., and John Evans, Esq., 1869.

- 546¹. A cast of the macrocephalic cranium found in Csongrád in Hungary, described in an illustrated memoir by the donor.

Presented by Prof. Joseph von Lenhossek, 1879.

- 546². The skull of a male Bohemian. "Jozef Hovarka,"
21 years old, born at Kobili, Bohemia.
C. 500, L. 170, B. 142, Bi. 835, H. 129, Hi. 759, BN. 100,
BA. 98, Ai. 980, Nh. 48, Nw. 21, Ni. 438, Ow. 36, Oh. 34,
Oi. 944.
Anthropol. Soc., No. 187.
- 546³. The skull of a male Bohemian. "Tabada Takab," born
at Wastrědek, Bohemia.
C. 530, L. 186, B. 144, Bi. 774, H. 121, Hi. 651, BN. 99,
BA. 99, Ai. 1000, Nh. 54, Nw. 22, Ni. 407, Ow. 37, Oh. 32,
Oi. 865, Ca. 1420.
Anthropol. Soc., No. 184.
- 546⁴. The cranium of a male Bohemian. "Vala Hynek,"
33 years old, from Postlez, Southern Bohemia. One of
the prisoners from the famine rebellion in Bak, 1866.
C. 510, L. 172, B. 148, Bi. 860, H. 138, Hi. 802, BN. 104,
BA. 102, Ai. 981, Nh. 53, Nw. 24, Ni. 453, Ow. 41, Oh. 33,
Oi. 805, Ca. 1520.
Anthropol. Soc., No. 188.
- 546⁵. The cranium of a Bohemian. "Anskey Wenzel," 31
years old, from Berunitz.
C. 478, L. 158, B. 145, Bi. 918, H. 129, Hi. 816, BN. 90,
BA. 92, Ai. 1022, Nh. 51, Nw. 22, Ni. 431, Ow. 36, Oh. 34,
Oi. 944, Ca. 1315.
Anthropol. Soc., No. 186.
- 546⁶. The skull of a Tyrolese : ♂.
C. 505, L. 173, B. 145, Bi. 838, H. 129, Hi. 746, BN. 95,
BA. 98, Ai. 1032, Nh. 50, Nw. 23, Ni. 460, Ow. 40, Oh. 33,
Oi. 825, Ca. 1420.
Anthropol. Soc., No. 146.
- 546⁷. The skull of a male Slavian from Carniola. "Krotelz
Johan," 30 years old, from Perloka, Tschernembl, Krain.
C. 508, L. 172, B. 140, Bi. 814, H. 139, Hi. 808, BN. 106,
BA. 100, Ai. 943, Nh. 47, Nw. 23, Ni. 489, Ow. 39, Oh. 33,
Oi. 846, Ca. 1480.
Anthropol. Soc., No. 185.
- 546⁸. The skull of a Tazygian from Austria : ♂.
C. 525, L. 177, B. 150, Bi. 847, H. 130, Hi. 734, BN. 99,
BA. 94, Ai. 949, Nh. 50, Nw. 27, Ni. 540, Ow. 37, Oh. 34,
Oi. 919, Ca. 1550.
Anthropol. Soc., No. 59.

G. THE DANUBIAN PROVINCES.

547. The cranium of a Servian soldier. O. C. 5714.

C. 498, L. 168, B. 144, Bi. 857, H. 130, Hi. 774, BN. 99,
Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 35, Oi. 897, Ca. 1330.

Presented by J. W. Gutch, Esq.

548. The mutilated cranium of a Servian soldier. O. C. 5715.

B. 152, H. 139.

Presented by J. W. Gutch, Esq.

549. The cranium of a Bulgarian peasant.

A waggon-driver of the Servian army, killed in the Turco-Servian war, August 1876, between Nissa and Alexenatz.

C. 500, L. 177, B. 134, Bi. 757, H. 140, Hi. 791, BN. 99,
BA. 94, Ai. 949, Nh. 46, Nw. 25, Ni. 543, Ow. 39, Oh. 32,
Oi. 820, Ca. 1315.

Presented by Armand Leslie, Esq., 1877.

- 549¹. The skull of a Saxon from Transylvania : ♂.

C. 514, L. 174, B. 147, Bi. 865, H. 131, Hi. 753, BN. 99,
BA. 95, Ai. 960, Nh. 55, Nw. 21, Ni. 382, Ow. 36, Oh. 34,
Oi. 944, Ca. 1510.

Anthropol. Soc., No. 145.

- 549². The skull of a Wend from Transylvania : ♂.

C. 510, L. 175, B. 141, Bi. 806, H. 121, Hi. 737, BN. 102,
BA. 91, Ai. 892, Nh. 53, Nw. 22, Ni. 415, Ow. 38, Oh. 34,
Oi. 895, Ca. 1410.

Anthropol. Soc., No. 147.

- 549³. The skull of an Armenian from Transylvania : ♂.

C. 515, L. 175, B. 145, Bi. 829, H. 129, Hi. 737, BN. 98,
BA. 94, Ai. 959, Nh. 55, Nw. 27, Ni. 491, Ow. 37, Oh. 39,
Oi. 1054, Ca. 1560.

Anthropol. Soc., No. 20.

- 549⁴. The skull of a Masure from Transylvania. : ♀.

C. 488, L. 164, B. 146, Bi. 890, H. 127, Hi. 774, BN. 91,
BA. 97, Ai. 1066, Nh. 41, Nw. 23, Ni. 561, Ow. 38, Oh. 29,
Oi. 763, Ca. 1380.

Anthropol. Soc., No. 70.

H. SCANDINAVIA.

550. A cast of an ancient cranium from Bohuslän, being "the type of a class of skulls called 'dolichocephalic' by the donor." O. C. 5709.

It is figured in Nilsson's 'Primitive Inhabitants of Scandinavia,' edited by Lubbock (1868), pl. xv. figs. 253, 254, & 255, and referred to at p. 116 as found in 1843 in a shell-bed at Stångenäs, in the parish of Bro. The original is in the museum at Lund.

C. 560, L. 198, B. 146, Bi. 737.

Presented by Professor Retzius.

- [551] 279^s A cast of the cranium of an ancient inhabitant of Scandinavia, "being the type of a class of skulls called 'brachycephalic' by the donor." O. C. 5708.

It appears to be that figured in Nilsson's 'Primitive Inhabitants of Scandinavia,' edited by Lubbock (1868), pl. xii. figs. 230, 231, & 232, as "brachycephalous cranium from a gallery-grave on Möen," and referred to at p. 121 of the work.

C. 507, L. 172, B. 145, Bi. 843

Presented by Professor Retzius.

552. A cast of a cranium from a gallery-grave in the island of Möen, Denmark. O. C. 5710.

"It is concluded to have belonged to an individual inhumed at a period prior to a knowledge of the working or use of metals in Denmark." Figured by Nilsson, in the work cited above, pl. xiii. fig. 240, by Retzius, 'Ethnol. Schriften,' pl. iii. fig. 2, and measured by Virchow as No. 39 in the 'Archiv für Anthropol.' iv. 1870, pp. 69 & 85.

Original in the Physiological Museum, Copenhagen, 1879.

C. 487, L. 172, B. 133, Bi. 773, H. 140, Hi. 814, BN. 105, BA. 106, Ai. 1010, Nh. 45, Nw. 22, Ni. 489, Ow. 35, Oh. 28, Oi. 800.

Presented by Professor Eschricht.

553. The skull of a Lapp. O. C. 5711. ♂.

Inscribed "Lapp from Lycksele, Umca, Lappmark. Presented by Dr. Lindström, 1840." The man probably died in hospital or under medical treatment, as the calvaria has been

removed in the recent state, apparently for the purpose of examining the brain. The skull is metopie, and has numerous small Wormian bones in the lambdoidal suture.

C. 530, L. 181, B. 149, Bi. 823, H. 135, Hi. 746, BN. 100, BA. 95, Ai. 950, Nh. 49, Nw. 24, Ni. 490, Ow. 41, Oh. 32, Oi. 780, Ca. 1600.

Presented by Professor Eschricht.

The following seven specimens of crania and bones of ancient pagan Lapps (excluding Nos. 554¹ and 554²) were collected by Mr. A. G. Nordvi, who, in a letter dated "Christiania, May 15th, 1878," says of them:—

"These skulls were found by myself at Mortensuæs, 70° 7' by 46° 47', near the head of the Varangerfjord, in East Finmark, Norway. The graves in which they were found are situated in places where tolerably large flat stones abound. They have a depth of about two yards by a width of one yard or more, and are covered by many layers of flat stones. The fact that the graves are situated in such airy, dry localities—their bottom consisting only of loose, flat stones—explains why the skulls, in spite of their great age, are so well preserved in some instances, viz. where they have not been crushed by the falling-in of the stones composing the sepulchres. This latter is very often the case; and in the course of thirty-eight years, during which I have collected Lappish antiquities, I have met with but very few graves containing tolerably good skulls."

554. The skull and almost complete skeleton of a male Lapp from East Finmark.

Clavicle 135, humerus 302, radius 234, femur 399, tibia 320.

Cranium: C. 543, L. 189, B. 160, Bi. 847, H. 141, Hi. 746, BN. 104, BA. 104, Ai. 1000, Nh. 49, Nw. 25, Ni. 510, Ow. 39, Oh. 32, Oi. 821, Ca. 1800.

Purchased, 1878.

554¹. The articulated skeleton of an ancient male Lapp from a tomb.

Height, 5 ft. 2 in. = 1568.

Clavicle, *r.* 132, *l.* 141; humerus, *r.* 304, *l.* 301; radius, *r.* 228, *l.* 226; femur, *r.* 408, *l.* 407; tibia, *r.* 315, *l.* 315.

Cranium: C. 523, L. 176, B. 152, Bi. 864, H. 130, Hi. 739, BN. 97, BA. 100, Ai. 1031, Nh. 50, Nw. 22, Ni. 440, Ow. 40, Oh. 34, Oi. 850, Ca. 1720.

Purchased, 1886.

- 554². The articulated skeleton of a female Lapp from an ancient tomb.

Height, 4 ft. 10 in. = 1467.

Clavicle, *r.* 138, *l.* 130; humerus, *r.* 282, *l.* 278; radius, *r.* 209, *l.* 205; femur, *r.* 389, *l.* 391; tibia, *r.* 303, *l.* 300.

Cranium: C. 482, L. 167, B. 136, Bi. 814, H. 122, Hi. 731, BN. 94, BA. 89, Ai. 947, Nh. 48, Nw. 21, Ni. 438, Ow. 38, Oh. 35, Oi. 921, Ca. 1342.

Purchased, 1886.

555. The skull of a Lapp from East Finmark: ♂.

C. 530, L. 185, B. 151, Bi. 816, H. 124, Hi. 670, BN. 96, BA. 95, Ai. 990, Nh. 54, Nw. 23, Ni. 426, Ow. 38, Oh. 35, Oi. 921, Ca. 1475.

Purchased, 1878.

556. The skull of a Lapp from East Finmark: ♂.

An imperfect pelvis and some long bones accompanied the skull*.

C. 510, L. 175, B. 143, Bi. 817, H. 138, Hi. 789, BN. 106, BA. 104, Ai. 981, Nh. 50, Nw. 21, Ni. 420, Ow. 39, Oh. 34, Oi. 872, Ca. 1400.

Purchased, 1878.

557. The skull and some bones of a Lapp from East Finmark: ♀?

The atlas articulates with the left paroccipital process. There is a large epactal bone in the supraoccipital.

C. 495, L. 175, B. 134, Bi. 766, H. 124, Hi. 709, BN. 94, BA. 95, Ai. 1011, Nh. 48, Nw. 22, Ni. 458, Ow. 38, Oh. 32, Oi. 842, Ca. 1330.

Purchased, 1878.

558. The skull of a Lapp from East Finmark: ♀.

A female pelvis and some long bones are with this skull.

C. 493, L. 172, B. 140, Bi. 814, H. 128, Hi. 744, BN. 95, BA. 95, Ai. 1000, Nh. 46, Nw. 22, Ni. 478, Ow. 37, Oh. 30, Oi. 811, Ca. 1300.

Purchased, 1878.

* Except in the case of No. 554, it is not quite certain that the bones which are placed with these skulls belong to the same individuals, though they are from the same locality.

559. The imperfect cranium of a Lapp from East Finmark : ♀.

C. 492, L. 171, B. 137, Bi. 801, H. 116, Hi. 678, BN. 98, BA. 94, Ai. 959, Nh. 46, Nw. 22, Ni. 478, Ow. 38, Oh. 34, Oi. 895.

Purchased, 1878.

560. The imperfect skull of a Lapp child.

The milk-teeth have been acquired, and the first two molars are coming into place. As in the last specimen, the cranium has been injured, probably by pressure after death. The basi-occipital is wanting.

Purchased, 1878.

560¹ to 560³¹. Skulls, crania, and bones from Danish graves, Yorkshire. *Presented by the Rev. Canon Greenwell,*

1899.

560¹. Skull, clavicle, humerus, radius, ulna, pelvis, femora, patella, tibiæ, fibula.

The skull is metopic.

C. 530, L. 187, B. 140, Bi. 749, H. 141, Hi. 754, BN. 97, BA. 93, Ai. 959, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 31, Oi. 816, Ca. 1725.

560². Skull, humeri, ulnæ, radius, femora, tibiæ, fibula.

C. 493, L. 175, B. 134, Bi. 766, H. 127, Hi. 726, BN. 99, BA. 96, Ai. 970, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 34, Oi. 919, Ca. 1400.

560³. Skull, clavicles, scapulæ, humeri, ulna, radii, pelvis, femora, patellæ, tibiæ, fibula.

Left upper canine in palate, left second lower milk premolar retained.

C. 525, L. 182, B. 142, Bi. 780, H. 132, Hi. 725, BN. 100, BA. 100, Ai. 1000, Nh. 47, Nw. 22, Ni. 468, Ow. 39, Oh. 33, Oi. 846.

560⁴. Skull, clavicles, humeri, radius, femora, tibiæ, fibula.

C. 513, L. 176, B. 141, Bi. 801, H. 132, Hi. 750, BN. 99, BA. 91, Ai. 919.

560⁵. Skull (imperfect), humerus, four femora, four tibiæ.

Upper jaw very narrow, high arched palate.

C. 525, L. 185, B. 140, Bi. 757.

560⁶. Skull (imperfect), humerus, femora, tibiæ.

C. 508, L. 184, H. 132, Hi. 717, BN. 98, Ow. 36, Oh. 32, Oi. 889.

- 560⁷. Skull (imperfect). Metopic.
- 560⁸. Imperfect skull, left canine in palate, second milk premolar retained in lower jaw.
- 560⁹. Imperfect skull, right second milk premolar (?) in palate.
- 560¹⁰. Imperfect skull, humerus, ulna, pelvis, femora, patella, tibia, fibula.
- 560¹¹. Imperfect skull (metopic), scapula, innominate, femur, patella, tibia.
- 560¹². Imperfect skull, humeri, femur, tibia.
- 560¹³. Imperfect skull (metopic), humerus, three femora, four tibiæ.
- 560¹⁴. Imperfect skull (metopic), humerus, femora.
- 560¹⁵. Imperfect skull, humerus, ulna, three femora, tibia.
- 560¹⁶. Imperfect skull, two femora, three tibiæ.
- 560¹⁷. Imperfect skull, three humeri, ulna, radius.
- 560¹⁸. Imperfect skull, humeri, radius, femur, tibia.
- 560¹⁹. Imperfect skull.
- 560²⁰. Imperfect skull.
- 560²¹. Imperfect skull.
- 560²². Imperfect skull.
- 560²³. Imperfect skull.
- 560²⁴. Imperfect skull.
- 560²⁵. Imperfect cranium, pelvis, femur, patella, tibia.
- 560²⁶. Imperfect cranium, humerus, pelvis, femur, tibia.
- 560²⁷. Imperfect cranium, femora.
- 560²⁸. Imperfect cranium.
- 560²⁹. Imperfect cranium.
- 560³⁰. Imperfect cranium.
- 560³¹. Scapula and pelvis (imperfect).

I. RUSSIA.

561. The skull of a male Finn, a native of Christinestad, aged 32.

A sailor, who died on board the Seamen's Hospital-ship 'Dreadnought.' The skull is metopic.

C. 550, L. 196, B. 146, Bi. 745, H. 141, Hi. 719, BN. 107, BA. 104, Ai. 972, Nh. 54, Nw. 26, Ni. 481, Ow. 38, Oh. 32, Oi. 842, Ca. 1610.

Presented by George Busk, Esq., 1865.

562. The eranium of a Russian soldier.

From the battlefield of Inkermann, Crimea, 1854.

The sagittal suture is completely obliterated.

C. 517, L. 182, B. 145, Bi. 797, H. 137, Hi. 753, BN. 101, BA. 96, Ai. 950, Nh. 50, Nw. 23, Ni. 460, Ow. 36, Oh. 31, Oi. 861, Ca. 1520.

Presented by B. Waterhouse Hawkins, Esq., 1862.

- 562¹. The eranium of a Russian soldier from a battlefield in the Crimea, 1854.

C. 499, L. 172, B. 143, Bi. 831, H. 129, Hi. 750, BN. 101, BA. 97, Ai. 960, Nh. 50, Nw. 25, Ni. 500, Ow. 36, Oh. 33, Oi. 917, Ca. 1392.

Presented by Frank Buckland, Esq., 1880.

563. The eranium of a Russian soldier.

From a man killed at the battle of the Alma, Crimea, 1854.

C. 500, L. 175, B. 140, Bi. 800, H. 138, Hi. 789, BN. 99, BA. 97, Ai. 980, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 31, Oi. 838, Ca. 1510.

Presented, 1870.

564. A skull from a grave in the catacombs of Panticapœum (Kerteh), Crimea: ♂.

C. 520, L. 174, B. 136, Bi. 782.

Presented by Commander J. Buchan Telfer, R.N., 1876.

565. An artificially deformed eranium, taken by the donor from an ancient tomb at Mtzhetha, near Tiflis, Georgia, January 1873.

Described and figured in the 'Journal of the Anthropological

Institute, vol. iv. p. 57, pl. iv. It belonged to one of the people spoken of by Hippocrates as "Macrocephali." The deformity is produced by compressing-bandages passing round the forehead and occiput, shortening and narrowing the head, and abnormally elevating the vertex. See K. E. von Baer, "Die Macrocephalen im Boden der Krym und Oesterreichs," Mém. Acad. St. Pétersbourg, ii. (1860).

C. 447, L. 157, B. 130, Bi. 828, H. 165, Hi. 1051.

Presented by Commander J. Buchan Telfer, R.N., 1876.

565¹. A metopic eranium from near Tiflis: from a young person.
(*Anthropol. Soc.*, No. 190.)

565². A metopic cranium, mutilated, from near Tiflis.
(*Jour. Anthropol. Instit.* vol. iv. pp. 57-60.)
(*Anthropol. Soc.*, No. 200.)

2. NORTH AFRICA.

A. THE CANARY ISLANDS.

566. The skeleton of a male Guanche made from a desiccated body from one of the ancient sepulchres in the island of Teneriffe.

A photograph was taken of the dried body before the skeleton was prepared.

Clavicle, *r.* 138, *l.* 139; humerus, *r.* 286, *l.* 276; radius, *r.* 222, *l.* 222; femur, *r.* 398, *l.* 402; tibia, *r.* 321, *l.* 327.

Cranium: C. 516, L. 182, B. 138, Bi. 758, H. 131, Hi. 720, BN. 99, BA. 93, Ai. 939, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 32, Oi. 865, Ca. 1360.

British Museum. Purchased.

567. The skull of a Guanche from the island of Gran Canaria: ♂. O. C. 5568.

C. 545, L. 191, B. 143, Bi. 749, H. 140, Hi. 733, BN. 104, BA. 98, Ai. 942, Nh. 55, Nw. 25, Ni. 455, Ow. 40, Oh. 35, Oi. 875, Ca. 1625.

Presented by Sir George Grey, 1846.

568. The skull of a Guanche from Teneriffe: ♂.

Sent to the donor direct from the island.

C. 540, L. 190, B. 146, Bi. 768, H. 140, Hi. 737, BN. 100,

BA. 97, Ai. 970, Nh. 52, Nw. 25, Ni. 481, Ow. 42, Oh. 34, Oi. 810, Ca. 1600.

Presented by F. Le Gros Clark, Esq., 1875.

569. The skull of a Guanche from Teneriffe : ♂.

C. 522, L. 189, B. 140, Bi. 741, H. 133, Hi. 704, BN. 99, BA. 97, Ai. 980, Nh. 45, Nw. 25, Ni. 556, Ow. 39, Oh. 30, Oi. 769, Ca. 1470.

Presented by Archibald Hamilton, Esq., 1870.

569¹. The skull of a Guanche from a cave in Teneriffe : ♂.

Right styloid much enlarged.

C. 545, L. 192, B. 145, Bi. 755, H. 128, Hi. 667, BN. 102, BA. 94, Ai. 922, Nh. 56, Nw. 25, Ni. 446, Ow. 40, Oh. 35, Oi. 875, Ca. 1700.

Presented by J. Lowe, Esq., 1893.

570. The cranium of a Guanche from Teneriffe : ♂.

This and the two following were brought to the donor, from an ancient sepulchre in Teneriffe, by Miss Haig.

C. 525, L. 186, B. 146, Bi. 785, H. 134, Hi. 720, BN. 99, BA. 98, Ai. 990, Nh. 51, Nw. 23, Ni. 451, Ow. 43, Oh. 32, Oi. 744, Ca. 1450.

Presented by Sir John Lubbock, Bart., 1868.

571. The cranium of a Guanche from Teneriffe : ♂.

C. 505, L. 178, B. 140, Bi. 787, H. 132, Hi. 742, BN. 102, BA. 101, Ai. 990, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 29, Oi. 763, Ca. 1425.

Presented by Sir John Lubbock, Bart., 1868.

572. The cranium of a young Guanche from Teneriffe.

The basilar suture is open. All the permanent teeth have been acquired, but the last molars are not fully developed.

C. 482, L. 170, B. 132, Bi. 776, H. 122, Hi. 718, BN. 92, BA. 88, Ai. 957, Nh. 47, Nw. 20, Ni. 426, Ow. 34, Oh. 34, Oi. 1000.

Presented by Sir John Lubbock, Bart., 1868.

573. The imperfect skeleton of a male Guanche from Teneriffe.

It was sent to the Museum in a dried state, as found, wrapped in the remains of a goat's skin; but many of the bones (the

sternum, clavicles, right humerus, nine of the ribs, and the second, third, and fourth dorsal vertebræ) had been lost.

Humerus *l.* 326, radius *l.* 239, femur 450, tibia 372.

Cranium: C. 503, L. 180, B. 137, Bi. 761, H. 130, Hi. 722, BN. 104, BA. 98, Ai. 942, Nh. 43, Nw. 21, Ni. 488, Ow. 38, Oh. 31, Oi. 816, Ca. 1380.

*Presented by Charles H. Hamilton, Esq.,
of Santa Cruz, Teneriffe, 1876.*

- 573¹. Three mandibles, three right femurs, humerus &c., found in the Guanche cave at La Paz in Puerto Orotava, Canary Islands.

Presented by Percy Rendall, Esq., M.D., 1890.

- 573². Fragments of bones from the Guanche cave at Ycod in Teneriffe.

Presented by Percy Rendall, Esq., M.D., 1890.

- 573³. The cranium of a female Guanche, aged 35, from Puerto de la Madera, Tacaronti, Teneriffe.

C. 512, L. 180, B. 144, Bi. 800, H. 127, Hi. 706, BN. 98, BA. 93, Ai. 949, Nh. 50, Nw. 22, Ni. 440, Ow. 37, Oh. 33, Oi. 892, Ca. 1410.

Anthropol. Soc., No. 183.

- 573⁴. The cranium of a Guanche, aged 35, from the same place.

C. 512, L. 179, B. 144, Bi. 804, H. 124, Hi. 693, BN. 91, BA. 90, Ai. 989, Nh. 43, Nw. 24, Ni. 558, Ow. 36, Oh. 30, Oi. 833, Ca. 1420.

Anthropol. Soc., No. 221.

- 573⁵. The skull of a Guanche.

C. 502, L. 174, B. 140, Bi. 805, H. 122, Hi. 701, BN. 96, BA. 92, Ai. 958, Nh. 50, Nw. 22, Ni. 440, Ow. 39, Oh. 32, Oi. 821, Ca. 1470.

Presented by A. Q. Silcock, Esq., 1903.

B. ALGIERS AND TUNIS.

574. A cranium from a native burial-ground at Constantine: ♂.

This and the three following were collected by Henry Christy, Esq., in 1863.

The squamosal meets the frontal on the right side.

C. 510, L. 183, B. 130, Bi. 710, H. 140, Hi. 765, BN. 108,

BA. 103, Ai. 954, Nh. 53, Nw. 25, Ni. 472, Ow. 41, Oh. 33,
Oi. 805, Ca. 1430.

Presented by George Busk, Esq., 1864.

575. A cranium from a native burial-ground at Constantine : ♂.

C. 532, L. 190, B. 142, Bi. 747, H. 141, Hi. 742, BN. 104,
BA. 100, Ai. 962, Nh. 53, Nw. 24, Ni. 453, Ow. 40, Oh. 33,
Oi. 825, Ca. 1530.

Presented by George Busk, Esq., 1864.

576. A skull from a native burial-ground at Constantine : ♀.

Metopic.

C. 490, L. 174, B. 132, Bi. 759, H. 130, Hi. 747, BN. 98,
BA. 95, Ai. 969, Nh. 56, Nw. 23, Ni. 411, Ow. 38, Oh. 36,
Oi. 947, Ca. 1330.

Presented by George Busk, Esq., 1864.

577. A mutilated calvaria from a native burial-ground at Constantine : ♂.

C. 509, L. 183, B. 137, Bi. 749.

Presented by George Busk, Esq., 1864.

577^{1*}. A skull from Algeria.

C. 497, L. 170, B. 145, Bi. 853, H. 139, Hi. 818, BN. 100,
Nh. 51, Nw. 24, Ni. 471, Ow. 38, Oh. 33, Oi. 868, Ca. 1450.

*Presented by Lt.-Col. Sir R. H. Charles,
J.M.S., K.C.V.O., 1906.*

578. The cranium of an Arab : ♂.

Obtained by Mr. Fitton "from a Marabout Tomb of the
Beni Urgine Tribe, near Bona, Algeria."

C. 487, L. 175, B. 126, Bi. 720, H. 134, Hi. 766, BN. 101,
BA. 97, Ai. 960, Nh. 52, Nw. 27, Ni. 519, Ow. 39, Oh. 33,
Oi. 846, Ca. 1335.

Presented by Professor Huxley, 1866.

579. The cranium of an Arab : ♀.

From the same locality as the last.

A remarkably small, but perfectly adult, cranium.

C. 469, L. 167, B. 129, Bi. 772, H. 120, Hi. 719, BN. 93,
BA. 91, Ai. 978, Nh. 42, Nw. 23, Ni. 548, Ow. 37, Oh. 30,
Oi. 811, Ca. 1110.

Presented by Professor Huxley, 1866.

The three following specimens were taken from an ancient tomb on the site of Carthage, by Alexander Henry Baxter, Surgeon R.N., of H.M. Ship 'Beacon.' They have not the appearance of great antiquity; and all have deep incisions in various parts, apparently sabre-cuts inflicted during life, which makes it probable that they belong to men slain in battle or victims of a massacre.

580. A cranium from Carthage : ♂.

Metopic.

C. 524, L. 185, B. 140, Bi. 757, H. 135, Hi. 730, BN. 104, BA. 97, Ai. 933, Nh. 54, Nw. 24, Ni. 444, Ow. 36, Oh. 33, Oi. 917, Ca. 1560.

Presented by Mrs. A. H. Baxter, 1869.

581. A cranium from Carthage : ♂.

C. 497, L. 168, B. 144, Bi. 857, H. 132, Hi. 786, BN. 100, BA. 98, Ai. 980, Nh. 49, Nw. 26, Ni. 531, Ow. 42, Oh. 34, Oi. 810, Ca. 1460.

Presented by Mrs. A. H. Baxter, 1869.

582. A cranium from Carthage : ♂.

The basilar suture has scarcely united; but the last molars have been acquired.

C. 503, L. 175, B. 141, Bi. 806, H. 140, Hi. 800, BN. 105, BA. 104, Ai. 990, Nh. 46, Nw. 23, Ni. 500, Ow. 39, Oh. 33, Oi. 846, Ca. 1410.

Presented by Mrs. A. H. Baxter, 1869.

C. EGYPT.

583. The articulated skeleton of an ancient Egyptian : male.

Prepared from a mummy obtained from Thebes, and belonging apparently to the XXVIIIth Dynasty (4th century B.C.), if not even later. The coverings, inscriptions, &c. are fully described by Dr. S. Birch, "On a Mummy opened at Stafford House on the 15th of July, 1875," 'Transactions of the Society of Biblical Archæology,' vol. v. 1877, p. 122; see also *ibid.* vol. iv. 1876, p. 251.

The mummy was prepared without bitumen; and the ethmoid bones were intact, showing that the brain had not been extracted through the nostrils in the manner described by Herodotus, and as is generally the case with mummies from Thebes. When divested of their wrappings, the soft tissues of the body were

all dry and perfectly friable, separating from the bones and crumbling at a touch. The hair that remained upon the scalp was fine, soft, and wavy, probably originally white or grey, but now stained of a yellowish-brown colour, much the same hue, in fact, as that of the dried flesh and bones and the cloths in which they were enveloped. The bones were very light and brittle, having lost much of their animal matter, and could only be made firm enough to bear the wires necessary for articulation by impregnation with gelatine. The skeleton is that of a man of short stature and considerably advanced in age. Some of the teeth have been lost during life; and the others are very much worn—the incisors almost down to the roots, as is often the case with Egyptians, probably owing to the admixture of sandy particles with their food. The left ulna has been fractured near its lower end, at some period long before death, and has reunited with scarcely any displacement. Some chronic inflammatory disease, probably of a rheumatic nature, has affected the anterior surfaces of the bodies of the two lower lumbar vertebrae and the articulation between them, leading to an irregular deposit of new bone, which has met in front of the articulation, causing partial ankylosis. There is also a thickening of the middle of the tenth right rib, which may possibly be the effect of injury.

Height of skeleton 5 feet 2·9 inches=1598; clavicle 170; humerus, *r.* 331, *l.* 327; radius 252; femur, *r.* 441, *l.* 437; tibia, 352.

Cranium: C. 533, L. 193, B. 139, Bi. 720, H. 137, Hi. 710, BN. 104, Nh. 53, Nw. 24, Ni. 453, Ow. 42, Oh. 33, Oi. 786, Ca. 1530.

Presented by the Duke of Sutherland, K.G., 1875.

583¹. The skeleton of an ancient Egyptian (male) not articulated.

Prepared in 1879 from a specimen described in the Catalogue of Vascular and Miscellaneous Preparations in a dried state (1831) as No. 739. “An Egyptian human mummy partly unwrapped; taken out of one of the sepulchres at Thebes, by the late Captain Hayes.” On completing the unwrapping in 1879, it was found to be covered merely with the ordinary cloth, and without any ornaments of any kind. The brain had been extracted through the nostrils, the viscera removed through an aperture in the left flank, and the whole of the thoracic and abdominal cavities filled with bitumen.

There was none of the substance however in the brain-cavity or about the head.

Clavicle, *r.* 161, *l.* 163; humerus, *r.* 321, *l.* 316; radius, *r.* 245, *l.* 243; femur, *r.* 424, *l.* 428; tibia, *r.* 336, *l.* 335.

Cranium: C. 498, L. 179, R. 134, Bi. 749, H. 134, Hi. 749, BN. 105, BA. 102, Ai. 971, Nh. 45, Nw. 25, Ni. 556, Ow. 36, Oh. 27, Oi. 750, Ca. 1330.

Presented by Sir David Dundas, Bart., 1812.

583². The skeleton of a male Egyptian mummy.

It was wrapped in simple cloths without bitumen or ornaments. Hair cut short, cranium very much broken.

Clavicle, *r.* 154, *l.* 154; humerus, *r.* 353, *l.* 350; radius, *r.* 278, *l.* 277; femur, *r.* 490, *l.* 485.

Cranium: C. 498, L. 176, B. 133, Bi. 756, H. 131, Hi. 744, BN. 96, BA. 88, Ai. 917, Nh. 52, Nw. 24, Ni. 462, Ca. 1350.

Purchased, 1879.

583³. The imperfect skeleton of a mummy.

Humerus, *r.* 294; femur, *r.* 395, *l.* 395; tibia, *l.* 344.

Cranium: C. 507, L. 178, B. 133, Bi. 747, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 35, Oi. 921.

1889.

583⁴. The mummy of Ra-nefer, a High Official under Seneferu, beginning of the IVth Dynasty, about 4000 B.C.

From his tomb at Meedum, Egypt.

Presented by Dr. Flinders Petrie, 1892.

The following 14 imperfect skeletons and 12 skulls of ancient Egyptians, belong to the IVth Dynasty, not later than 4000 B.C.

Presented by Dr. Flinders Petrie, 1892.

583⁵. Skeleton.

Clavicle, *r.* 163; humerus, *r.* 324, *l.* 326; radius, *r.* 259, *l.* 257; femur, *r.* 463, *l.* 469; tibia, *r.* 402.

Cranium: C. 505, L. 177, B. 140, Bi. 791, H. 139, Hi. 785, BN. 102, BA. 89, Ai. 873, Nh. 51, Nw. 24, Ni. 471, Ow. 36, Oh. 34, Oi. 944, Ca. 1480.

583⁶. Skeleton.

Clavicle, *r.* 130, *l.* 133; humerus, 298; radius, *r.* 259, *l.* 257; femur, *r.* 463, *l.* 469; tibia, *r.* 345, *l.* 349.

Cranium: C. 518, L. 183, B. 139, Bi. 760, H. 136, Hi. 743, BN. 105, BA. 105, Ai. 1000, Nh. 53, Nw. 24, Ni. 453, Ow. 38, Oh. 33, Oi. 868, Ca. 1550.

583⁷. Skeleton.

Clavicle, *r.* 143, *l.* 146; humerus, *r.* 319, *l.* 317; radius, *r.* 261, *l.* 253; femur, *r.* 455, *l.* 450; tibia, *r.* 387, *l.* 386.

Cranium: C. 520, L. 181, B. 140, Bi. 773, H. 141, Hi. 779, BN. 100, BA. 96, Ai. 960, Nh. 54, Nw. 24, Ni. 444, Ow. 38, Oh. 35, Oi. 921, Ca. 1480.

583⁸. Skeleton.

Clavicle, *r.* 150, *l.* 149; humerus, *r.* 310, *l.* 303; radius, 250; femur, *r.* 435, *l.* 437; tibia, *r.* 369, *l.* 365.

Cranium: C. 504, L. 177, B. 137, Bi. 774, H. 138, Hi. 780, BN. 102, Ca. 1380.

583⁹. Articulated skeleton.

Clavicle, *r.* 157, *l.* 155; humerus, *r.* 317, *l.* 319; radius, *r.* 251, *l.* 246; femur, *r.* 462, *l.* 467; tibia, *r.* 385, *l.* 386.

Cranium: C. 523, L. 184, B. 142, Bi. 772, H. 136, Hi. 739, BN. 107, BA. 106, Ai. 991, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 34, Oi. 895, Ca. 1530.

583¹⁰. Skeleton.

Clavicle, *r.* 153, *l.* 159; humerus, *r.* 314, *l.* 308; radius, *r.* 253; femur, *l.* 449; tibia 360.

583¹¹. Skeleton.

Clavicle, *r.* 137, *l.* 145; humerus, *r.* 342, *l.* 334; radius, *l.* 253.

583¹². Skeleton.583¹³. Skeleton.

Humerus, *r.* 293; radius, *r.* 223, *l.* 222; femur, *r.* 419, *l.* 414.

583¹⁴. Skeleton.

Clavicle, *r.* 150, *l.* 155; humerus, *r.* 338, *l.* 324; tibia, *r.* 384, *l.* 381.

Cranium: C. 494, L. 170, B. 134, Bi. 788, H. 141, Hi. 829, BN. 110, BA. 101, Ai. 918, Nh. 53, Nw. 22, Ni. 415, Ow. 37, Oh. 34, Oi. 919.

583¹⁵. Skeleton.

C. 525, L. 189, B. 139, Bi. 735, H. 136, Hi. 720, BN. 102, Ow. 35, Oh. 31, Oi. 886, Ca. 1480.

583¹⁶. Skeleton.

Clavicle, *r.* 117, *l.* 125; humerus, *r.* 287, *l.* 281; radius, *l.* 220; femur, 429; tibia, *r.* 355, *l.* 359.

583¹⁷. Skeleton.

Clavicle, 130; humerus, *r.* 297, *l.* 290; radius, *r.* 230, *l.* 229; femur, *r.* 426, *l.* 430; tibia, *r.* 342, *l.* 345.

Cranium: C. 490, L. 173, B. 131, Bi. 757, H. 131, Hi. 757, BN. 90, BA. 94, Ai. 1044, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 34, Oi. 919, Ca. 1250.

583¹⁸. Skeleton (young).

Clavicle, *r.* 112, *l.* 107; humerus, *r.* 259, *l.* 257; radius, *r.* 212, *l.* 205; femur, *r.* 395, *l.* 401; tibia, *r.* 354, *l.* 352.

583¹⁹. Skull.

C. 518, L. 194, B. 148, Bi. 763, H. 139, Hi. 716, BN. 101, BA. 102, Ai. 1010, Nh. 46, Nw. 29, Ni. 630, Ow. 37, Oh. 32, Oi. 865, Ca. 1480.

583²⁰. Skull.

C. 518, L. 182, B. 135, Bi. 742, H. 135, Hi. 742, BN. 103, BA. 101, Ai. 981, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 31, Oi. 816, Ca. 1480.

583²¹. Skull.583²². Skull (imperfect).583²³. Skull.

C. 505, L. 177, B. 135, Bi. 763, H. 133, Hi. 751, BN. 96, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 32, Oi. 842, Ca. 1420.

583²⁴. Skull.583²⁵. Skull.583²⁶. Skull.583²⁷. Skull.

} Imperfect.

583²⁸. Skull.

C. 510, L. 178, B. 135, Bi. 753, H. 131, Hi. 736, BN. 102, BA. 96, Ai. 941.

583²⁹. Skull (imperfect).

583³⁰. Skull (imperfect).

583³¹. Skeleton (imperfect) of an Egyptian of the VIth Dynasty, 3000 B.C.

R. scapula and humerus transferred to Pathology, No. 911 B.

Clavicle, *r.* 151, *l.* 157; humerus, *r.* 261, *l.* 335; radius, *r.* 264, *l.* 260; femur, *r.* 462, *l.* 467; tibia, *r.* 392, *l.* 393.

Cranium: C. 507, L. 182, B. 138, Bi. 758, H. 133, Hi. 731, BN. 102, BA. 98, Ai. 961, Nh. 49, Nw. 25, Ni. 510, Ow. 40, Oh. 35, Oi. 875, Ca. 1445.

Presented by J. Willoughby Fraser, Esq., 1895.

583³². Skull.

C. 529, L. 186, B. 140, Bi. 753, H. 130, Hi. 699, BN. 98, BA. 92, Ai. 939, Nh. 54, Nw. 26, Ni. 481, Ow. 39, Oh. 36, Oi. 923, Ca. 1525.

583³³. Skull.

C. 526, L. 185, B. 145, Bi. 784, H. 126, Hi. 681, BN. 91, BA. 81, Ai. 890, Nh. 48, Nw. 21, Ni. 438, Ow. 37, Oh. 31, Oi. 838, Ca. 1620.

583³⁴. Skull.

C. 524, L. 189, B. 135, Bi. 714, H. 131, Hi. 693 BN. 105, BA. 94, Ai. 895, Nh. 53, Nw. 27, Ni. 509, Ow. 39, Oh. 35, Oi. 897, Ca. 1550.

583³⁵. Skull.

C. 483, L. 168, B. 135, Bi. 804, H. 137, Hi. 815, BN. 99, BA. 92, Ai. 929, Nh. 54, Nw. 24, Ni. 444, Ow. 36 Oh. 32, Oi. 889, Ca. 1300.

583³⁶. Skull.

C. 493, L. 177, B. 132, Bi. 746, H. 124, Hi. 701, BN. 97, BA. 93, Ai. 959, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 30, Oi. 833, Ca. 1250.

583³⁷. Skull.

C. 528, L. 183, B. 144, Bi. 787, H. 119, Hi. 650, BN. 97, BA. 92, Ai. 948, Nh. 45, Nw. 22, Ni. 489, Ow. 41, Oh. 36, Oi. 878, Ca. 1430.

583³⁸. Skull.

C. 525, L. 186, B. 141, Bi. 758, H. 129, Hi. 694, BN. 96,
BA. 93, Ai. 969, Nh. 53, Nw. 23, Ni. 434, Ow. 41, Oh. 37,
Oi. 902, Ca. 1520.

583³⁹. Skull (young).

C. 490, L. 176, B. 131, Bi. 744, H. 120, Hi. 682, BN. 83,
BA. 74, Ai. 892, Nh. 40, Nw. 19, Ni. 475, Ow. 33, Oh. 32,
Oi. 970, Ca. 1380.

583⁴⁰. Skull (young).

C. 500, L. 179, B. 131, Bi. 732, H. 125, Hi. 698, BN. 83,
BA. 73, Ai. 880, Nh. 37, Nw. 18, Ni. 486, Ow. 31, Oh. 31,
Oi. 1000, Ca. 1420.

583⁴¹. Skull (young).

This, and the preceding nine skulls, belong to the XXIIInd
Dynasty.

Presented by Dr. Flinders Petrie, 1892.

The ten following specimens were brought by the donor from Thebes, February 1874. As they were purchased from the Arabs who frequent the tombs of the ancient necropolis on the west bank of the river, the exact localities or dates at which they were buried could not be traced; but they were all genuine ancient mummy heads, and were mostly still enveloped in their wrapping. They all, in the injury to the ethmoid bones, confirm the statement of Herodotus, in his description of the method of embalming practised by the Ancient Egyptians, that, "in the first place, with an iron hook they draw out the brain through the nostrils, and fill up the vacuum by injecting drugs."

584. The skull of an ancient Egyptian from Thebes : ♂.

C. 525, L. 194, B. 135, Bi. 696, H. 137, Hi. 706, BN. 106,
BA. 99, Ai. 934, Nh. 55, Nw. 26, Ni. 473, Ow. 40, Oh. 34,
Oi. 850, Ca. 1590.

Presented by Professor Flower, 1874.

585. The skull of an ancient Egyptian from Thebes : ♂.

The teeth are much worn, and the cranial sutures partially consolidated.

C. 512, L. 185, B. 140, Bi. 757, H. 135, Hi. 730, BN. 100,

BA. 97, Ai. 970, Nh. 54, Nw. 30, Ni. 556, Ow. 40, Oh. 30, Oi. 750, Ca. 1390.

Presented by Professor Flower, 1874.

586. The skull of an ancient Egyptian from Thebes : ♂.

C. 516, L. 180, B. 142, Bi. 789, H. 130, Hi. 722, BN. 100, BA. 90, Ai. 900, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 31, Oi. 795, Ca. 1380.

Presented by Professor Flower, 1874.

587. The skull of an ancient Egyptian from Thebes : ♂.

C. 508, L. 178, B. 140, Bi. 787, H. 129, Hi. 725, BN. 97, BA. 87, Ai. 897, Nh. 51, Nw. 26, Ni. 510, Ow. 41, Oh. 31, Oi. 756, Ca. 1475.

Presented by Professor Flower, 1874.

588. The skull of an ancient Egyptian from Thebes : ♂.

C. 515, L. 183, B. 138, Bi. 754, H. 137, Hi. 749, BN. 96, BA. 98, Ai. 1021, Nh. 48, Nw. 26, Ni. 542, Ow. 37, Oh. 34, Oi. 919.

Presented by Professor Flower, 1874.

589. The skull of an ancient Egyptian from Thebes : ♀.

A large but thin-walled and feminine-looking skull. Metopie.

C. 517, L. 182, B. 141, Bi. 775, H. 130, Hi. 714, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 38, Oi. 1000, Ca. 1390.

Presented by Professor Flower, 1874.

590. The skull of an ancient Egyptian from Thebes : ♀.

From an old person. The sagittal suture is completely, and the frontal partially consolidated. The bones of the calvaria and face are greatly atrophied.

C. 494, L. 180, B. 126, Bi. 700, H. 125, Hi. 694, BN. 94, Ow. 40, Oh. 32, Oi. 800, Ca. 1200.

Presented by Professor Flower, 1874.

591. The skull of an ancient Egyptian from Thebes : ♀.

C. 490, L. 179, B. 127, Bi. 709, H. 125, Hi. 698, BN. 94, BA. 91, Ai. 968, Nh. 47, Nw. 24, Ni. 511, Ow. 40, Oh. 32, Oi. 800, Ca. 1220.

Presented by Professor Flower, 1874.

592. The skull of an ancient Egyptian from Thebes : ♀.

C. 496, L. 182, B. 130, Bi. 714, H. 133, Hi. 731, BN. 101,

BA. 99, Ai. 980, Nh. 49, Nw. 24, Ni. 490, Ow. 38, Oh. 34,
Oi. 895, Ca. 1350.

Presented by Professor Flower, 1874.

593. The skull of an ancient Egyptian child from Thebes.

All the milk-teeth are in place.

C. 450, L. 160, B. 125, Bi. 781.

Presented by Professor Flower, 1874.

593¹. The skull of an Egyptian from Thebes, ♂, from a mummy prepared with bitumen which nearly filled the cranial cavity. The head was shaved. It was received into the Museum in its original wrappings. Obtained by the donor from the Arabs, 1879. Cervical vertebræ preserved.

C. 573, L. 183, B. 139, Bi. 760, H. 139, Hi. 760, BN. 103,
BA. 97, Ai. 942, Nh. 49, Nw. 27, Ni. 551, Ow. 38, Oh. 33,
Oi. 868, Ca. 1450.

Presented by William Samuel Tuke, Esq., 1879.

593². The skull from an Egyptian mummy obtained at Thebes, 1879. Brought to Museum in original wrappings but without bitumen. Hair cut short, beard and whiskers (also short) prove that it was a male.

C. 513, L. 188, B. 137, Bi. 720, H. 139, Hi. 739, BN. 104,
BA. 102, Ai. 981, Nh. 45, Nw. 27, Ni. 600, Ow. 39, Oh. 29,
Oi. 744, Ca. 1415.

Purchased, 1879.

594. The skull of an ancient Egyptian, taken from a mummy :
♀. O. C. 5565.

C. 490, L. 172, B. 137, Bi. 797, H. 131, Hi. 762, BN. 92,
BA. 89, Ai. 967, Nh. 46, Nw. 22, Ni. 478, Ow. 37, Oh. 32,
Oi. 865, Ca. 1290.

Purchased from Dr. Vesalius Pettigrew, 1853.

595. The preserved head of an ancient Egyptian female from Thebes.

It was obtained from an Arab at Medoenet Habou in 1875. The original appearance of the face is reproduced in some composition, covered with cloth, on which the eyes, eyebrows, &c. are painted. The covering has been stripped from the upper

part of the scalp ; but much of the hair remains. A necklace of blue beads encircles the throat.

L. 188, B. 143, Bi. 761 (approximate).

Presented by Admiral Sir Erasmus Ommaney, 1875.

596. The left foot of an Egyptian mummy in its wrappings, from Thebes.

It preserves its natural conformation, undistorted by shoes. The second toe is slightly longer than the first.

Presented by Admiral Sir Erasmus Ommaney, 1875.

- 596 A. The hand of an Egyptian mummy from Thebes.

Presented by Admiral Sir Erasmus Ommaney, 1875.

597. The cranium of an ancient Egyptian from Thebes : ♂.

This skull, though that of a mummy, was not prepared with bitumen, and, as in many of the following, has the ethmoid bones intact, showing that the brain could not have been extracted in the manner described above.

C. 510, L. 183, B. 137, Bi. 749, H. 131, Hi. 716, BN. 101, BA. 100, Ai. 990, Nh. 49, Nw. 25, Ni. 510, Ow. 40, Oh. 31, Oi. 775, Ca. 1370.

Presented by Lady Franklin, 1854.

598. The calvaria of an ancient Egyptian from Thebes : ♂.

Inscribed "May 2nd, 1830."

C. 500, L. 178, B. 132, Bi. 742.

Presented by Lady Franklin, 1854.

599. The skull of an ancient Egyptian : ♀.

Taken from a mummy found by the donor in a tomb within the precincts of the Rameseum at Thebes.

C. 493, L. 173, B. 135, Bi. 780, H. 132, Hi. 763, BN. 98, BA. 92, Ai. 939, Nh. 50, Nw. 26, Ni. 520, Oh. 41, Ow. 36, Oi. 878.

Presented by Joseph Bonomi, Esq.

600. The skull of an ancient Egyptian, taken from a mummy brought from Thebes by Mr. Bonomi : ♀. O. C. 5564.

Metopic.

C. 485, L. 173, B. 130, Bi. 751, H. 128, Hi. 740, BN. 96, BA. 92, Ai. 958, Nh. 51, Nw. 26, Ni. 510, Ow. 40, Oh. 36, Oi. 900, Ca. 1180.

Presented by C. H. Rogers Harrison, Esq., 1848.

- 600¹. The skull with the six upper cervicals of an Egyptian mummy bitumenized and with the ethmoid broken to extract the brain: male. Height 5 feet = 1530 mm.

This, according to Dr. Bireh who examined the wrappings, was a priest named Har (called a God beloved) holding other offices—of the period of the XXIInd Dynasty, about 900 B.C. The penis, elongated and compressed, with serotum pressed to its under side and wrapped in the same bandages, is preserved in the drawer and marked 600^{1a}.

C. 525, L. 189, B. 139, Bi. 735, H. 132, Hi. 698, BN. 105, BA. 102, Ai. 971, Nh. 54, Nw. 25, Ni. 463, Ow. 38, Oh. 34, Oi. 895, Ca. 1560.

Presented by Charles Park, Esq., 1881.

- 600². A male skull from Thebes, with six upper cervicals.

C. 518, L. 183, B. 147, Bi. 803, H. 137, Hi. 749, BN. 98, BA. 97, Ai. 990, Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 35, Oi. 897, Ca. 1745.

- 600³. A female skull, with six upper cervicals. The face is broken.

C. 487, L. 173, B. 131, Bi. 757, H. 127, Hi. 734, Ca. 1220.

- 600⁴. An old female skull.

C. 484, L. 171, B. 128, Bi. 749, H. 127, Hi. 743, BN. 97, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 33, Oi. 868, Ca. 1245.

- 600⁵. A calvaria.

C. 494, L. 184, B. 123, Bi. 668, H. 126, Hi. 685, BN. 95, Ca. 1235.

The above four are certainly ancient Egyptian mummies. They had their original wrappings on when received.

The next are probably of later date. They were loosely wrapped in mummy-cloth, but were not mummies properly speaking as the cloth had undoubtedly been put round them after they were cleaned and dried.

- 600⁶. A skull—male.

C. 526, L. 188, B. 142, Bi. 755, H. 134, Hi. 713, BN. 105, BA. 101, Ai. 962, Nh. 54, Nw. 30, Ni. 556, Ow. 38, Oh. 33, Oi. 868, Ca. 1476.

- 600⁷. A young skull. The basal suture is not united and the last molars are not in place.

C. 506, L. 182, B. 135, Bi. 742, H. 138, Hi. 758, BN. 97, BA. 90, Ai. 928, Nh. 46, Nw. 22, Ni. 478, Ow. 35, Oh. 34, Oi. 971, Ca. 1535.

*The above six specimens were presented by
Captain Richard Burton, 1881.*

- 600⁸. An ancient Egyptian cranium supposed to be from Thebes.

Presented by G. W. Davis, Esq., 1894.

601. The skull of an ancient Egyptian: ♀.

From a mummy found in a baked-clay coffin at Koum Ombos, Upper Egypt, in 1877.

C. 497, L. 178, B. 134, Bi. 753, H. 133, Hi. 747, BN. 102, BA. 97, Ai. 951, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 36, Oi. 873, Ca. 1350.

Presented by W. S. A. Griffith, Esq., 1878.

602. The skull of an ancient Egyptian, taken from a mummy:

♂. O. C. 5566.

C. 517, L. 185, B. 142, Bi. 768, H. 141, Hi. 762, BN. 102, BA. 97, Ai. 951, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 33, Oi. 846, Ca. 1600.

Presented by Dr. B. C. Henderson, 1822.

603. The bitumenized head of a female mummy.

"A priestess of Isis." From the necropolis of Memphis at Sakkara. The long hair remains; and the face has been gilded.

Presented by W. Lockhart, Esq., 1870.

604. The skull of an ancient Egyptian of Memphis: ♂.

From a mummy found by the donor in a tomb close to the larger pyramid of Sakkara in 1871.

Most of the teeth have been lost during life; and the frontal and sagittal sutures are partially consolidated. There is an unusually large Wormian bone in the right side of the lambdoidal suture, and another at the posterior end of the sagittal. The left squamosal joins the frontal. On the right side there is an interposed epipteric bone.

C. 498, L. 179, B. 139, Bi. 777, H. 134, Hi. 749, BN. 100, Nh. 53, Nw. 22, Ni. 415, Ow. 40, Oh. 34, Oi. 850, Ca. 1340.

Presented by Edward A. Goodall Esq., 1873.

605. Cranium from the ancient Necropolis at Sakkara : ♀.

Obtained at the same time and from the same locality as the last.

C. 490, L. 172, B. 135, Bi. 785, H. 118, Hi. 686, BN. 94, BA. 94, Ai. 1000, Nh. 49, Nw. 22, Ni. 449, Ow. 36, Oh. 34, Oi. 944, Ca. 1280.

Presented by E. A. Goodall, Esq., 1878.

605¹. A skull from Sakkara, B.C. 3500.

C. 521, L. 185, B. 139, Bi. 751, H. 134, Hi. 724, BN. 102, BA. 104, Ai. 1020, Nh. 57, Nw. 27, Ni. 474, Ow. 35, Oh. 32, Oi. 914, Ca. 1575.

Dr. F. M. Sandwith, 1901.

The following eight specimens are referred to in the 'Journal of the Anthropological Institute,' vol. viii. (1879), in the following communications :—R. F. Burton, "Stones and Bones from Egypt and Midian;" C. Cartor Blake, "Notes on Skulls brought by Captain Burton from the East;" Prof. Owen, "Observations on the Collection of Skulls sent by Captain Burton to the British Museum, Sept. 1878."

606. A cranium from the Eastern Necropolis, Sakkara : ♂.

Obtained in 1878. See Journ. Anthropol. Inst. vol. viii. p. 320 (M).

C. 507, L. 179, B. 139, Bi. 777, H. 130, Hi. 726, BN. 99, BA. 98, Ai. 990, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 33, Oi. 868, Ca. 1420.

Purchased, 1879.

607. A cranium from the Eastern Necropolis, Sakkara : ♂.

Obtained in 1878. *Loc. cit.* p. 324 (F).

C. 512, L. 180, B. 142, Bi. 789, H. 129, Hi. 717, BN. 106, BA. 98, Ai. 925, Nh. 55, Nw. 27, Ni. 481, Ow. 40, Oh. 35, Oi. 875, Ca. 1400.

Purchased, 1879.

608. The skull of an ancient Egyptian : ♀.

Obtained by Captain R. F. Burton, at the Tomb of Numbers, Pyramids of Ghizeh, Nov. 11, 1877. In this skull as in those from Thebes, the brain has been extracted through the ethmoid bone. *Loc. cit.* p. 318 and p. 320 (N).

C. 490, L. 171, B. 138, Bi. 807, H. 133, Hi. 778, BN. 98, BA. 94, Ai. 959, Nh. 46, Nw. 20, Ni. 435, Ow. 36, Oh. 34, Oi. 944, Ca. 1350.

Purchased, 1879.

609. The mutilated cranium of an ancient Egyptian.

This was from the head of a mummy prepared in the same manner as the last, with which it was obtained. *Loc. cit.* p. 320 (q).

C. 508, L. 182, B. 135, Bi. 742, Ow. 37, Oh. 32, Oi. 865.

Purchased, 1879.

610. A mutilated cranium from the Necropolis of Ghizeh: ♀.

Obtained from the same locality and at the same time as the last two. *Loc. cit.* p. 319 (p).

C. 514, L. 183, B. 138, Bi. 754, H. 122, Hi. 667, BN. 98, Ow. 38, Oh. 31, Oi. 816, Ca. 1375.

Purchased, 1879.

611. The skull of an ancient Egyptian: ♂.

Obtained at the Pyramids of Ghizeh by Captain Burton, April 29, 1878. *Loc. cit.* pp. 318 and 324 (n). The brain has been extracted through the ethmoid bone.

It has a very large independent ossification in the right side of the supraoccipital, bounded above by the lambdoidal suture.

C. 520, L. 185, B. 140, Bi. 757, H. 140, Hi. 757, BN. 103, BA. 91, Ai. 883, Nh. 54, Nw. 24, Ni. 444, Ow. 41, Oh. 37, Oi. 902, Ca. 1575.

Purchased, 1879.

612. The calvaria of an ancient Egyptian: ♀.

Obtained with the last. *Loc. cit.* p. 319 (o). It has been prepared with bitumen. Metopie.

C. 498, L. 179, B. 131, Bi. 732, H. 132, Hi. 737.

Purchased, 1879.

613. A cranium from the Necropolis of Ghizeh: ♂.

Obtained at the same time with the two last. *Loc. cit.* pp. 318 and 324 (e).

C. 505, L. 179, B. 137, Bi. 765, H. 134, Hi. 749, BN. 98, BA. 95, Ai. 969, Nh. 54, Nw. 23, Ni. 426, Ow. 39, Oh. 34, Oi. 872, Ca. 1455.

Purchased, 1879.

The following ninety-one crania are from tombs near the Pyramids of Ghizeh. No further information as to the exact

locality or circumstances under which they were found could be obtained. They are divided here into three classes.

I. Mummy heads, which had been carefully embalmed by the process which included extraction of the brain through the nostrils as shown by the hole through the ethmoid bone. These are probably of the better class of people.

613¹. C. 514, L. 185, B. 143, Bi. 773, H. 139, Hi. 751, BN. 96, BA. 93, Ai. 969, Nh. 46, Nw. 24, Ni. 522, Ow. 35, Oh. 28, Oi. 800, Ca. 1490. ♂.

613². C. 525, L. 187, B. 147, Bi. 786, H. 147, Hi. 786, BN. 109, BA. 96, Ai. 881, Nh. 54, Nw. 25, Ni. 463, Ow. 42, Oh. 37, Oi. 881, Ca. 1615. ♂.

613³. C. 514, L. 184, B. 139, Bi. 755, H. 141, Hi. 766, BN. 103, BA. 90, Ai. 874, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 34, Oi. 872, Ca. 1560. ♂.

613⁴. C. 518, L. 184, B. 141, Bi. 766, H. 140, Hi. 761, BN. 104, BA. 100, Ai. 962, Nh. 50, Nw. 24, Ni. 480, Ow. 35, Oh. 31, Oi. 886, Ca. 1630. ♂.

613⁵. C. 513, L. 186, B. 137, Bi. 737, H. 141, Hi. 758, BN. 102, BA. 94, Ai. 922, Nh. 53, Nw. 25, Ni. 472, Ow. 37, Oh. 33, Oi. 892, Ca. 1580. ♂.

613⁶. C. 512, L. 179, B. 143, Bi. 799, H. 131, Hi. 732, BN. 99, BA. 88, Ai. 889, Nh. 48, Nw. 24, Ni. 500, Ow. 35, Oh. 30, Oi. 857, Ca. 1438. ♂.

613⁷. C. 504, L. 180, B. 135, Bi. 750, H. 138, Hi. 767, BN. 106, BA. 101, Ai. 953, Nh. 51, Nw. 25, Ni. 490, Ow. 36, Oh. 33, Oi. 917, Ca. 1510. ♂.

613⁸. C. 520, L. 188, B. 142, Bi. 755, H. 137, Hi. 729, BN. 102, BA. 90, Ai. 882, Nh. 53, Nw. 23, Ni. 434, Ow. 36, Oh. 31, Oi. 861, Ca. 1545. ♂.

613⁹. C. 522, L. 189, B. 144, Bi. 762, H. 127, Hi. 672, BN. 97, BA. 100, Ai. 1031, Nh. 50, Nw. 23, Ni. 460, Ow. 39, Oh. 35, Oi. 897, Ca. 1555. ♂.

613¹⁰. C. 476, L. 171, B. 130, Bi. 760, H. 128, Hi. 749, BN. 97, BA. 91, Ai. 938, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 34, Oi. 895, Ca. 1168. ♂.

613¹¹. C. 528, L. 191, B. 141, Bi. 738, H. 137, Hi. 717, BN. 104, BA. 102, Ai. 981, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 31, Oi. 838, Ca. 1573. ♂.

- 613¹². C. 518, L. 186, B. 141, Bi. 758, H. 136, Hi. 731, BN. 104, BA. 98, Ai. 942, Nh. 51, Nw. 24, Ni. 471, Ow. 40, Oh. 31, Oi. 775, Ca. 1535. ♂.
- 613¹³. C. 525, L. 191, B. 140, Bi. 733, H. 129, Hi. 675, BN. 102, BA. 98, Ai. 961, Nh. 50, Nw. 24, Ni. 480, Ow. 41, Oh. 34, Oi. 829, Ca. 1452. ♂.
- 613¹⁴. C. 498, L. 177, B. 139, Bi. 785, H. 139, Hi. 785, BN. 98, BA. 87, Ai. 888, Nh. 50, Nw. 27, Ni. 540, Ow. 40, Oh. 33, Oi. 825, Ca. 1440. ♂.
- 613¹⁵. C. 512, L. 179, B. 144, Bi. 804, H. 140, Hi. 782, BN. 100, BA. 1000, Ai. 100, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 33, Oi. 868. ♂.
- 613¹⁶. C. 503, L. 177, B. 144, Bi. 814, H. 125, Hi. 706, BN. 87, BA. 81, Ai. 931, Nh. 50, Ow. 38, Oh. 33, Oi. 868. ♂.
- 613¹⁷. C. 520, L. 181, B. 135, Bi. 746, H. 135, Hi. 746, BN. 100, BA. 89, Ai. 890, Nh. 50, Ow. 41, Oh. 35, Oi. 854. ♂.
- 613¹⁸. C. 487, L. 174, B. 136, Bi. 782, H. 128, Hi. 736, BN. 97, BA. 90, Ai. 928, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 32, Oi. 821, Ca. 1350. ♂.
- 613¹⁹. C. 518, L. 182, B. 145, Bi. 797, H. 142, Hi. 780, BN. 108, BA. 96, Ai. 889, Nh. 56, Nw. 25, Ni. 446, Ow. 39, Oh. 36, Oi. 923, Ca. 1595. ♂.
- 613²⁰. C. 514, L. 183, B. 143, Bi. 781, H. 136, Hi. 743, BN. 100, Ca. 1490. ♂.
- 613²¹. C. 498, L. 175, B. 140, Bi. 800. ♂.
- 613²². C. 536, L. 189, B. 149, Bi. 788, H. 141, Hi. 746, BN. 101. ♂.
- 613²³. C. 493, L. 173, B. 138, Bi. 798, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 32, Oi. 865.
- 613²⁴. C. 519, L. 187, B. 137, Bi. 733, H. 134, Hi. 717, BN. 101, BA. 97, Ai. 960, Nh. 50, Nw. 23, Ni. 460, Ow. 39, Oh. 32, Oi. 821, Ca. 1435.
- 613²⁵. C. 503, L. 180, B. 134, Bi. 744, H. 134, Hi. 744, BN. 103, BA. 92, Ai. 893, Nh. 50, Nw. 25, Ni. 500, Ow. 38, Oh. 34, Oi. 895, Ca. 1440.
- 613²⁶. C. 487, L. 172, B. 132, Bi. 767, H. 133, Hi. 773, BN. 94, BA. 86, Ai. 915, Nh. 48, Nw. 21, Ni. 438, Ow. 36, Oh. 31, Oi. 861, Ca. 1165.
- 613²⁷. C. 504, L. 179, B. 135, Bi. 754, H. 126, Hi. 704, BN. 99, BA. 96, Ai. 970, Nh. 47, Nw. 20, Ni. 426, Ow. 40, Oh. 36, Oi. 900, Ca. 1345.

- 613²⁹. C. 482, L. 175, B. 127, Bi. 726, H. 126, Hi. 720, BN. 97, BA. 92, Ai. 948, Nh. 52, Nw. 26, Ni. 500, Ow. 40, Oh. 33, Oi. 825, Ca. 1250.
- 613³⁰. C. 492, L. 172, B. 139, Bi. 808, H. 132, Hi. 767, BN. 96, BA. 96, Ai. 1000, Nh. 45, Nw. 24, Ni. 533, Ow. 35, Oh. 30, Oi. 857, Ca. 1350.
- 613³⁰. C. 510, L. 180, B. 139, Bi. 772, Nh. 48, Nw. 25, Ni. 521, Ow. 41, Oh. 34, Oi. 829, Ca. 1330. ♀.
Vertex removed to Pathological Series (No. 23 v).
- 613³¹. C. 515, L. 181, B. 132, Bi. 729, H. 129, Hi. 713, BN. 98, Nh. 48, Nw. 29, Ni. 604, Ow. 41, Oh. 31, Oi. 756, Ca. 1350. ♀.
- 613³². C. 470, L. 166, B. 129, Bi. 777, H. 128, Hi. 771, BN. 94, BA. 86, Ai. 915, Nh. 52, Nw. 23, Ni. 442, Ow. 37, Oh. 32, Oi. 865, Ca. 1230. ♀.
- 613³³. C. 470, L. 167, B. 129, Bi. 772, Nh. 46, Nw. 22, Ni. 478, Ow. 35, Oh. 32, Oi. 914.
- 613³⁴. C. 515, L. 186, B. 143, Bi. 769, H. 140, Hi. 753, BN. 101, BA. 92, Ai. 911, Nh. 53, Nw. 21, Ni. 396, Ow. 37, Oh. 35, Oi. 946, Ca. 1555. ♀.
- 613³⁵. C. 510, L. 182, B. 137, Bi. 753, H. 127, Hi. 698, BN. 97, BA. 87, Ai. 897, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 37, Oi. 974, Ca. 1380. ♀.
- 613³⁶. C. 480, L. 168, B. 133, Bi. 792, H. 129, Hi. 768, BN. 98, BA. 89, Ai. 908, Nh. 47, Nw. 24, Ni. 511, Ow. 39, Oh. 30, Oi. 769, Ca. 1255. ♀.
- 613³⁷. C. 492, L. 172, B. 138, Bi. 802, H. 128, Hi. 744, BN. 95, BA. 90, Ai. 947, Nh. 45, Nw. 21, Ni. 467, Ow. 38, Oh. 35, Oi. 921, Ca. 1270. ♀.
- 613³⁸. C. 498, L. 175, B. 138, Bi. 789, H. 133, Hi. 760, BN. 93, BA. 92, Ai. 989, Ow. 38, Oh. 33, Oi. 868, Ca. 1380. ♀.
- 613³⁹. C. 510, L. 181, B. 133, Bi. 735.
- 613⁴⁰. C. 505, L. 173, B. 143, Bi. 827, H. 133, Hi. 769, BN. 93, BA. 92, Ai. 989, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 33, Oi. 868, Ca. 1555. ♀.
- 613⁴¹. C. 512, L. 182, B. 138, Bi. 758, H. 130, Hi. 714, BN. 97, BA. 92, Ai. 948, Nh. 52, Nw. 25, Ni. 481, Ow. 40, Oh. 34, Oi. 850, Ca. 1425. ♀.
- 613⁴². C. 500, L. 176, B. 138, Bi. 784, H. 128, Hi. 727, BN. 98, BA. 95, Ai. 969.

- 613⁴³. C. 495, L. 172, B. 140, Bi. 814, BA. 63, Ow. 37, Oh. 32, Oi. 865. ♀.
- 613⁴⁴. C. 527, L. 190, B. 142, Bi. 747, H. 131, Hi. 689, BN. 101, BA. 91, Ai. 901, Nh. 51, Nw. 23, Ni. 451, Ow. 40, Oh. 34, Oi. 850, Ca. 1490. ♀.
- 613⁴⁵. C. 480, L. 167, B. 133, Bi. 796, H. 128, Hi. 766, BN. 94, BA. 84, Ai. 894, Nh. 48, Ow. 37, Oh. 34, Oi. 919, Ca. 1245. ♀.
- 613⁴⁶. C. 508, L. 176, B. 139, Bi. 790, H. 123, Hi. 699, BN. 89, BA. 88, Ai. 989, Nh. 45, Nw. 22, Ni. 489, Ow. 39, Oh. 31, Oi. 795, Ca. 1385. ♀.
- 613⁴⁷. C. 500, L. 173, B. 135, Bi. 780, H. 133, Hi. 769, BN. 98, BA. 91, Ai. 929. ♀.
- 613⁴⁸. C. 510, L. 184, B. 137, Bi. 745, H. 132, Hi. 717, BN. 97, BA. 89, Ai. 918, Nh. 49, Nw. 23, Ni. 469, Ow. 40, Oh. 31, Oi. 775, Ca. 1430. ♀.
- 613⁴⁹. C. 492, L. 172, B. 137, Bi. 797, H. 128, Hi. 744, BN. 96, Ca. 1305. ♀.
- 613⁵⁰. C. 487, L. 170, B. 138, Bi. 812, Nh. 43, Nw. 21, Ni. 488, Ow. 34, Oh. 33, Oi. 971. (Young.)
- 613⁵¹. C. 482, L. 168, B. 133, Bi. 792, H. 125, Hi. 744, BN. 84, BA. 77, Ai. 917, Nh. 34. (Young.)
- 613⁵². C. 480, L. 170, B. 128, Bi. 753, Nh. 43, Nw. 21, Ni. 488, Ow. 32, Oh. 31, Oi. 969. (Young.)
- 613⁵³. Cranium, very imperfect. (Young.)
- 613⁵⁴. Cranium. C. 478, L. 170, B. 134, Bi. 788, Nh. 46, Nw. 19, Ni. 413. (Young.)

II. Heads which had every appearance of having been embalmed but in which the ethmoid bone is not broken, therefore less carefully prepared, and may be either of a different class or a later period than the last.

- 613⁵⁵. C. 500, L. 179, B. 138, Bi. 771, H. 130, Hi. 726, BN. 99, BA. 93, Ai. 939, Nh. 55, Nw. 25, Ni. 455, Ow. 41, Oh. 35, Oi. 854, Ca. 1480. ♂.
- 613⁵⁶. C. 517, L. 184, B. 138, Bi. 750, H. 136, Hi. 739, BN. 105, BA. 98, Ai. 933, Nh. 52, Nw. 25, Ni. 481, Ow. 40, Oh. 34, Oi. 850, Ca. 1505. ♂.

- 613⁵⁷. C. 525, L. 187, B. 137, Bi. 733, H. 134, Hi. 717, BN. 104, BA. 95, Ai. 913, Nh. 52, Nw. 25, Ni. 481, Ow. 40, Oh. 34, Oi. 850. ♂.
- 613⁵⁸. C. 518, L. 186, B. 139, Bi. 747, H. 136, Hi. 731, BN. 106, BA. 99, Ai. 934, Nh. 51, Nw. 26, Ni. 510, Ow. 42, Oh. 34, Oi. 810, Ca. 1500. ♂.
- 613⁵⁹. C. 513, L. 182, B. 139, Bi. 764, H. 133, Hi. 731, BN. 104, Ow. 40, Oh. 39, Oi. 975, Ca. 1440. ♂.
- 613⁶⁰. Metopic.
C. 532, L. 183, B. 149, Bi. 814, H. 139, Hi. 760, BN. 92, BA. 89, Ai. 967, Nh. 53, Nw. 23, Ni. 434, Ow. 41, Oh. 33, Oi. 805, Ca. 1740. ♂.
- 613⁶¹. C. 500, L. 176, B. 139, Bi. 790, H. 129, Hi. 733, BN. 104, BA. 102, Ai. 981, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 35, Oi. 921, Ca. 1400. ♂.
- 613⁶². C. 525, L. 186, B. 142, Bi. 763, H. 139, Hi. 747, BN. 104, BA. 102, Ai. 981, Nh. 48, Ow. 37, Oh. 31, Oi. 838, Ca. 1465. ♂.
- 613⁶³. C. 495, L. 172, B. 133, Bi. 767, H. 132, Hi. 767, BN. 103, BA. 93, Ai. 903, Nh. 48, Nw. 24, Ni. 500, Ow. 41, Oh. 34, Oi. 829, Ca. 1355. ♂.
- 613⁶⁴. C. 542, L. 199, B. 137, Bi. 688, H. 135, Hi. 678, BN. 110, Ow. 43, Oh. 32, Oi. 744, Ca. 1570. ♂.
- 613⁶⁵. C. 575, L. 180, B. 139, Bi. 772. ♂.
- 613⁶⁶. C. 487, L. 169, B. 135, Bi. 799, H. 127, Hi. 751, BN. 91, BA. 86, Ai. 945, Nh. 26, Ow. 39, Oh. 31, Oi. 795, Ca. 1290. ♂.
- 613⁶⁷. C. 505, L. 183, B. 135, Bi. 738, H. 130, Hi. 710, BN. 99, Ow. 37, Oh. 32, Oi. 865, Ca. 1315. ♀.
- 613⁶⁸. C. 510, L. 176, B. 144, Bi. 818, H. 127, Hi. 722, BN. 97, BA. 99, Ai. 1021, Nh. 55, Nw. 24, Ni. 436, Ow. 40, Oh. 35, Oi. 875, Ca. 1530. ♀.
- 613⁶⁹. C. 480, L. 171, B. 135, Bi. 789, H. 130, Hi. 760, BN. 95, BA. 89, Ai. 937, Nh. 48, Nw. 21, Ni. 438, Ow. 38, Oh. 34, Oi. 895, Ca. 1260. ♀.
- 613⁷⁰. C. 510, L. 185, B. 134, Bi. 724, H. 130, Hi. 703, BN. 99, Nh. 49, Nw. 25, Ni. 510, Ow. 39, Oh. 35, Oi. 897, Ca. 1315. ♀.
- 613⁷¹. C. 490, L. 165, B. 139, Bi. 842, H. 126, Hi. 764, BN. 95, BA. 91, Ai. 958, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 33, Oi. 892, Ca. 1330. ♀.

613⁷². C. 500, L. 171, B. 131, Bi. 766, H. 137, Hi. 801, BN. 94, Nh. 48, Nw. 24, Ni. 500, Ow. 48, Oh. 35, Oi. 729, Ca. 1455. ♀.

613⁷³. Cranium. }
 613⁷⁴. Skull. } Young.
 613⁷⁵. Cranium. }

III. Heads which showed no decided evidence of embalmment and which may be ancient Egyptian or probably later inhabitants of the same district.

613⁷⁶. C. 500, L. 178, B. 135, Bi. 758, H. 136, Hi. 764, BN. 110, BA. 101, Ai. 918, Nh. 25, Ow. 39, Oh. 34, Oi. 872, Ca. 1345. ♂.

613⁷⁷. C. 500, L. 178, B. 138, Bi. 775, H. 146, Hi. 787, BN. 98, Nh. 53, Nw. 26, Ni. 491, Ow. 37, Oh. 32, Oi. 865, Ca. 1435. ♂.

613⁷⁸. C. 508, L. 179, B. 135, Bi. 754, H. 133, Hi. 743, BN. 102, BA. 97, Ai. 951, Nh. 55, Nw. 22, Ni. 400, Ow. 38, Oh. 34, Oi. 895, Ca. 1465. ♂.

613⁷⁹. C. 540, L. 192, B. 142, Bi. 740, H. 133, Hi. 693, BN. 106, BA. 99, Ai. 934, Nh. 55, Nw. 28, Ni. 509, Ow. 39, Oh. 32, Oi. 821, Ca. 1565. ♂.

613⁸⁰. C. 530, L. 185, B. 146, Bi. 789, H. 134, Hi. 724, BN. 102, BA. 99, Ai. 971, Nh. 56, Nw. 26, Ni. 464, Ow. 40, Oh. 37, Oi. 925, Ca. 1625. ♂.

613⁸¹. C. 520, L. 187, B. 137, Bi. 733, H. 134, Hi. 717, BN. 98, BA. 95, Ai. 969, Nh. 50, Nw. 22, Ni. 440, Ow. 38, Oh. 34, Oi. 895, Ca. 1530. ♂.

613⁸². C. 530, L. 192, B. 135, Bi. 703, H. 141, Hi. 734, BN. 105, BA. 101, Ai. 962, Nh. 52, Nw. 27, Ni. 519, Ow. 37, Oh. 31, Oi. 838, Ca. 1550. ♂.

613⁸³. C. 520, L. 189, B. 132, Bi. 698, H. 129, Hi. 683, BN. 99, Ca. 1400. ♂ ?

613⁸⁴. C. 510, L. 178, B. 142, Bi. 798, H. 135, Hi. 758, BN. 97, BA. 90, Ai. 928, Nh. 52, Nw. 25, Ni. 481, Ow. 37, Oh. 35, Oi. 946, Ca. 1490. ♀.

613⁸⁵. C. 500, L. 180, B. 134, Bi. 744, H. 123, Hi. 683, BN. 91, BA. 90, Ai. 989, Nh. 46, Nw. 21, Ni. 457, Ow. 36, Oh. 30, Oi. 833, Ca. 1315. ♀.

613⁸⁶. C. 485, L. 171, B. 137, Bi. 801, H. 128, Hi. 749, BN. 93, BA. 91, Ai. 929, Nh. 49, Nw. 24, Ni. 490, Ow. 35, Oh. 33, Oi. 943, Ca. 1295. ♀.

613⁸⁷. C. 485, L. 172, B. 134, Bi. 779, H. 129, Hi. 750, BN. 97, BA. 92, Ai. 948, Nh. 48, Nw. 23, Ni. 479, Ow. 36, Oh. 31, Oi. 861, Ca. 1285. ♀.

613⁸⁸. C. 490, L. 179, B. 130, Bi. 726, H. 130, Hi. 726, BN. 93, Ca. 1285. ♀.

613⁸⁹. C. 486, L. 173, B. 136, Bi. 786, H. 134, Hi. 775, BN. 93, BA. 86, Ai. 925, Nh. 44, Nw. 22, Ni. 500, Ow. 35, Oh. 33, Oi. 943. (Young.)

613⁹⁰. C. 500, L. 177, B. 137, Bi. 774, H. 132, Hi. 746, BN. 97, BA. 93, Ai. 959, Nh. 48, Nw. 22, Ni. 458, Ow. 35, Oh. 36, Oi. 1029. (Young.)

613⁹¹. Cranium of young.

Presented by Captain R. Burton, 1882.

614. The skull of an ancient Egyptian taken from a mummy: ♂.

As in the mummy of Horseisi in the Museum (Dried Preps. No. 738), oval pieces of some white porcellaneous material were placed in the eyes, one of which remains. The teeth are much worn; and the calvarial sutures are partially obliterated.

C. 510, L. 183, B. 138, Bi. 754, H. 133, Hi. 727, BN. 101, BA. 93, Ai. 921, Nh. 49, Nw. 24, Ni. 490, Ow. 39, Oh. 34, Oi. 872, Ca. 1380.

Purchased, 1873.

615. A cranium of an Egyptian mummy: ♀. O. C. 5567.

“Taken out of the old quarries of the Mokattam Mountains, from whence the stones were hewn from which the pyramids of Memphis are constructed.”

C. 492, L. 178, B. 127, Bi. 713, H. 136, Hi. 764, BN. 100, BA. 94, Ai. 940, Nh. 47, Nw. 25, Ni. 532, Ow. 39, Oh. 32, Oi. 821, Ca. 1230.

Presented by Sir John Bowring, 1838.

615¹. The cranium of an Egyptian mummy, obtained at Thebes, not bitumenized and with no hole through the ethmoid: ♂.

C. 513, L. 184, B. 130, Bi. 707, Nh. 52, Nw. 26, Ni. 500, Ow. 37, Oh. 31, Oi. 838, Ca. 1455.

Purchased, 1882.

- 615². The cranium of an Egyptian mummy : ♀.

C. 515, L. 184, B. 129, Bi. 701, Ow. 37, Oh. 34, Oi. 919.

Purchased, 1882.

- 615³. The cranium of a child, 4 or 5 years old, from a bitumenized mummy.

Purchased, 1882.

- 615⁴. A cranium, belonging to the XVIIIth Dynasty, 1300 B.C.

C. 495, L. 179, B. 132, Bi. 737, H. 137, Hi. 765, BN. 98, BA. 95, Ai. 969, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 31, Oi. 838, Ca. 1385.

Presented by Dr. Flinders Petrie, 1891.

- 615⁵. The head of an Egyptian mummy probably belonging to one of the last Dynasties. The hair of the head and beard is well preserved.

1899.

- 615⁶. Fragments of bones from the prehistoric Cemetery of El Amrah, Upper Egypt.

Presented by Prof. G. Elliot Smith, 1903.

616. A skull taken by the donor from a tomb near the great Pyramid of Ghizeh : ♂.

Metopic.

C. 501, L. 175, B. 140, Bi. 800, H. 130, Hi. 743, BN. 106, BA. 95, Ai. 896, Nh. 53, Nw. 27, Ni. 509, Ow. 39, Oh. 34, Oi. 872.

Presented by Edwin S. Solly, Esq., 1869.

- 616^{1*}. The skull of an Egyptian mummy.

Presented by Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

- 616^{2*}. The skull of an Egyptian.

C. 489, L. 169, B. 144, Bi. 852, H. 143, Hi. 846, BN. 102, BA. 100, Ai. 980, Nh. 50, Nw. 22, Ni. 440, Ow. 37, Oh. 34, Oi. 919, Ca. 1435.

Presented by Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

617. The skull of an Arab : ♀.

Obtained by Dr. Michael Foster in 1860 from a native burial-ground on an island in the straits of Jubal, Gulf of Suez.

C. 494, L. 177, B. 134, Bi. 757, H. 127, Hi. 718, BN. 98, BA. 96, Ai. 980, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 30, Oi. 789, Ca. 1275.

Presented by George Busk, Esq., 1869.

3. ASIA.

A. TURKEY, SYRIA, AND ARABIA.

618. A cranium from a Mussulman tomb in the cemetery at Scutari, Constantinople: ♂.

Obtained by Morrison Knight, Esq., Staff Civil Surgeon, Crimean War.

C. 509, L. 171, B. 153, Bi. 895, H. 147, Hi. 860, BN. 94, BA. 96, Ai. 1021, Nh. 54, Nw. 23, Ni. 426, Ow. 38, Oh. 38, Oi. 1000, Ca. 1640.

Presented by Edward Stanley, Esq., 1856.

619. A cranium of an Asiatic Turk: ♂. O. C. 5563.

C. 530, L. 178, B. 152, Bi. 854, H. 136, Hi. 764, BN. 100, BA. 88, Ai. 880, Nh. 52, Nw. 25, Ni. 481, Ow. 41, Oh. 36, Oi. 878, Ca. 1640.

Purchased.

- 619^{1*}. The skull of Haji Umar, a Mongol from Kokand, Turkestan. Male, aged 70, by occupation a traveller. A Remark from Mecca.

C. 498, L. 179, B. 131, Bi. 732, H. 135, Hi. 754, BN. 101, BA. 96, Ai. 950, Nh. 51, Nw. 22, Ni. 431, Ow. 37, Oh. 31, Oi. 838, Ca. 1320.

Presented by Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

- 619^{2*}. The skull of Haji Uhdosh Hak, a male, aged 50, from Turkestan. Occupation, a traveller. A Remark from Mecca.

C. 504, L. 173, B. 141, Bi. 815, H. 140, Hi. 809, BN. 106, Nh. 52, Nw. 23, Ni. 442, Ow. 39, Oh. 32, Oi. 821, Ca. 1450.

Presented by Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

- 619^{3*}. The skull of Haji Naiz, a male, aged 50, from Yarkand. Cultivator.

C. 507, L. 175, B. 142, Bi. 811, H. 137, Hi. 783, BN. 103, BA. 104, Ai. 1010, Nh. 49, Nw. 26, Ni. 531, Ow. 37, Oh. 35, Oi. 946, Ca. 1445.

Presented by Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

620. A cranium brought by the donor from the monastery of Santa Saba, near Bethlehem: ♂.

"It belonged to one of a large number of Christians said to have been massacred by the Saracens in the eighth century, the skulls of whom are collected in a charnel house adjoining the chapel of the monastery."

The right upper canine is retained in the alveolus.

C. 507, L. 182, B. 134, Bi. 736, H. 137, Hi. 753, BN. 104, BA. 96, Ai. 923, Nh. 50, Nw. 29, Ni. 580, Ow. 40, Oh. 31, Oi. 775, Ca. 1410.

Presented by Admiral Sir Erasmus Ommaney, 1862.

- 620¹. An aged edentulous cranium, ♂, of a Maronite from Ghosta Cap Ghagir—Mission Hüber 1880. (Lat. 34°.)

C. 505, L. 175, B. 139, Bi. 794, H. 137, Hi. 783, BN. 105, Nh. 25, Ow. 39, Oh. 31, Oi. 795, Ca. 1355.

Presented by the "Professeurs Administrateurs du Musée d'Histoire Naturelle à Paris," per Dr. Hamy, 1880.

- 620². A cranium from Iksal, Palestine: ♂.

C. 545, L. 193, B. 147, Bi. 762, H. 156, Hi. 808, BN. 114, BA. 113, Ai. 991, Nh. 57, Nw. 27, Ni. 474, Ow. 42, Oh. 38, Oi. 905, Ca. 1880.

Anthropol. Soc., No. 63.

- 620³. A calvaria (mutilated) from Iksal, Palestine.

Anthropol. Soc., No. 241.

- 620⁴. A cranium from Athlit, Palestine: ♂.

C. 500, L. 179, B. 130, Bi. 726, H. 127, Hi. 709, BN. 94, BA. 87, Ai. 926, Nh. 45, Nw. 22, Ni. 489, Ow. 37, Oh. 32, Oi. 865, Ca. 1405.

Anthropol. Soc., No. 64.

- 620⁵. A cranium from Athlit, Palestine: ♂.

Parietals show considerable inflammatory action.

C. 510, L. 181, B. 137, Bi. 757, H. 140, Hi. 773, BN. 106, BA. 101, Ai. 953, Nh. 52, Nw. 23, Ni. 442, Ow. 38, Oh. 32, Oi. 842, Ca. 1640.

Anthropol. Soc., No. 66.

- 620⁶. A cranium from Athlit, Palestine: ♂.

Sagittal suture entirely obliterated. Metopie.

C. 545, L. 197, B. 132, Bi. 670, H. 139, Hi. 706, BN. 108,

BA. 95, Ai. 880, Nh. 53, Nw. 23, Ni. 434, Ow. 39, Oh. 32,
Oi. 821, Ca. 1515.

Anthropol. Soc., No. 67.

620⁷. A cranium from Palestine : ♂.

(*Jour. Anthropol. Inst.*, vol. iv. pp. 14, 18.)

C. 527, L. 189, B. 134, Bi. 709, H. 139, Hi. 735, BN. 104,
BA. 98, Ai. 942, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 32,
Oi. 842, Ca. 1515.

Anthropol. Soc., No. 62.

620⁸. A cranium from Palestine : ♂.

C. 505, L. 180, B. 137, Bi. 761, H. 129, Hi. 717, BN. 97,
BA. 93, Ai. 959, Nh. 47, Nw. 23, Ni. 489, Ow. 38, Oh. 33,
Oi. 868, Ca. 1505.

Anthropol. Soc., No. 99.

620⁹. A mutilated cranium from Deir-es-Sinne, Siloam,
Palestine : ♂?

(*Jour. Anthropol. Inst.*, vol. ii. p. 54.)

L. 156, H. 129, Hi. 827, BN. 97, BA. 95, Ai. 979, Nh. 50,
Nw. 27, Ni. 540, Ow. 38, Oh. 32, Oi. 842.

Anthropol. Soc., No. 143.

620¹⁰. A cranium, ♂, from Deir Mar Musa el Habashi, Palestine.

(*Jour. Anthropol. Inst.*, vol. i. p. 418.)

C. 507, L. 182, B. 134, Bi. 736, H. 139, Hi. 764, BN. 106,
BA. 93, Ai. 877, Nh. 52, Nw. 24, Ni. 462, Ow. 37, Oh. 33,
Oi. 892, Ca. 1475.

Anthropol. Soc., No. 175.

620¹¹. A calvaria (mutilated) from Deir Mar Musa el Habashi,
Palestine.

(*Jour. Anthropol. Inst.*, vol. i. p. 418.)

C. 511, L. 168, B. 150, Bi. 893, H. 138, Hi. 821.

Anthropol. Soc., No. 68.

The three following specimens were brought to England by
the Rev. William Wright, long a Missionary at Damascus. See
"Observations on the Collection of Skulls sent by Capt. Burton

to the British Museum, September 1878," by Prof. Owen, 'Journal of the Anthropological Institute,' vol. viii. (1879) p. 323.

621. A mutilated cranium from Palmyra: ♂.

Loc. cit. (A).

Nh. 53, Nw. 26, Ni. 491, Ow. 41, Oh. 36, Oi. 878.

Purchased, 1879.

622. A cranium from Palmyra: ♀.

Loc. cit. (B).

C. 474, L. 170, B. 126, Bi. 741, H. 118, Hi. 694, BN. 93, BA. 92, Ai. 989, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 32, Oi. 842, Ca. 1145.

Purchased, 1879.

623. The cranium of a child from Palmyra.

Loc. cit. (C). The milk-dentition only was in place. The basioccipital, the nasals, and the left malar bones are lost.

C. 436, L. 157, B. 119, Bi. 758, Nh. 34, Nw. 18, Ni. 529, Ow. 33, Oh. 29, Oi. 879.

Purchased, 1879.

623¹. A cranium from Palmyra, "Cotesworth (1)": ♀.

C. 503, L. 177, B. 136, Bi. 768, H. 121, Hi. 684, BN. 95, BA. 91, Ai. 958, Nh. 50, Nw. 21, Ni. 420, Ow. 36, Oh. 32, Oi. 889, Ca. 1280.

Anthropol. Soc., No. 225.

623². A cranium from Palmyra, "Cotesworth (2)": ♂.

C. 546, L. 198, B. 145, Bi. 732, H. 137, Hi. 692, BN. 104, BA. 99, Ai. 952, Nh. 47, Nw. 26, Ni. 553, Ow. 38, Oh. 32, Oi. 842, Ca. 1735.

Anthropol. Soc., No. 224.

623³. A cranium from Palmyra (mutilated): ♂.

(*Jour. Anthropol. Inst.*, vol. i. p. 312, No. 2.)

C. 550, L. 203, B. 145, Bi. 714, H. 135, Hi. 665, BN. 105, BA. 98, Ai. 933, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 32, Oi. 842, Ca. 1740.

Anthropol. Soc., No. 65.

623⁴. A calvaria from Palmyra, mutilated.

Anthropol. Soc., No. 223.

623⁵. A calvaria from Palmyra, mutilated.

Anthropol. Soc., No. 243.

- 623⁶. A brachycephalic cranium artificially compressed posteriorly, from Bassu's Tower, at Shakkah.

Described in *Journal of Anthropological Inst.* vol. ii. p. 55, by C. Carter Blake, also in Burton and Drake's 'Unexplored Syria,' p. 356.

C. 495, L. 169, B. 144, Bi. 852, H. 136, Hi. 805, BN. 99, BA. 94, Ai. 949, Nh. 51, Nw. 23, Ni. 451, Ow. 37, Oh. 36, Oi. 973, Ca. 1440.

Purchased, 1883.

- 623⁷. A skull from the Deir Mar Musa el Habashi.

The specimen described as No. 5 in *Journal Anthropological Inst.* vol. i. pp. 330-420 (Burton & Carter Blake); also Burton & Drake, 'Unexplored Syria,' p. 279. When this specimen came it had much of the dried skin on it and the mouth was stuffed with wool.

C. 505, L. 178, B. 133, Bi. 747, H. 122, Hi. 685, BN. 99, Nh. 47, Nw. 25, Ni. 532, Ow. 36, Oh. 34, Oi. 944, Ca. 1385.

Purchased, 1883.

- 623^{8*}. A skull from Syria.

C. 502, L. 171, B. 142, Bi. 830, H. 140, Hi. 819, Nh. 52, Nw. 24, Ni. 462, Ow. 37, Oh. 33, Oi. 892.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

624. A cranium from an ancient tomb at Sinai: ♂?

"Probably that of a Monk."

C. 502, L. 182, B. 134, Bi. 736, H. 134, Hi. 736, BN. 103, Nh. 47, Ow. 36, Oh. 32, Oi. 889, Ca. 1300.

*Presented by the Sinai Survey Expedition, per
the Rev F. W. Holland, 1872.*

625. A calvaria, found with others of similar form buried in a "jorf," or bed of alluvial deposit in Sinai.

It is almost scaphocephalic in form, but without sagittal synostosis.

C. 485, L. 181, B. 119, Bi. 657, H. 121, Hi. 669, Ca. 1100.

*Presented by the Sinai Survey Expedition, per
the Rev. F. W. Holland, 1870.*

- 625¹. A cranium, from Yabrud (mutilated): ♀.

C. 467, L. 170, B. 128, Bi. 753, H. 128, Hi. 753, BA. 102.

Anthropol. Soc., No. 226.

The three following specimens from South Midian were collected by Captain R. F. Burton in 1878. See 'Journal of the Anthropological Institute,' vol. viii. (1879).

626. A cranium found upon the shore at Sharm Dumayghah, 30 miles north of El-Wijh : ♂.

Captain Burton adds, "it evidently belonged to some adjoining cemetery of the Bedawin," *loc. cit.* p. 319 and p. 320 (e).

C. 530, L. 195, B. 134, Bi. 687, H. 144, Hi. 738, BN. 113, BA. 109, Ai. 965, Nh. 55, Nw. 24, Ni. 436, Ow. 43, Oh. 37, Oi. 860, Ca. 1550.

Purchased, 1879.

627. A cranium from "the graves lying behind the classical temple or shrine on the southern bank of the Wady El-Hamz, the boundary between Egypt and the Hejaz."

Described and figured by Mr. Busk, "Notes on a Skull termed 'Nabathean,'" *loc. cit.* p. 321, pl. ix.; see also p. 320 (r).

C. 517, L. 190, B. 135, Bi. 711, H. 130, Hi. 684, BN. 103, BA. 105, Ai. 1019, Nh. 52, Nw. 26, Ni. 500, Ow. 38, Oh. 33, Oi. 868, Ca. 1330.

Purchased, 1879.

628. The cranium of a young person from the same locality.

Loc. cit. p. 321 (κ). The basilar suture is still open. All the permanent teeth are in place, except the third molars. The general characters are very similar to those of the last.

C. 483, L. 178, B. 125, Bi. 702, H. 125, Hi. 702, BN. 98, BA. 93, Ai. 949, Nh. 47, Nw. 23, Ni. 489, Ow. 36, Oh. 31, Oi. 861.

Purchased, 1879.

629. The skull of an Arab : ♂. O. C. 5562.

The upper part of the supraoccipital forms a detached "epactal" bone.

C. 510, L. 180, B. 143, Bi. 794, H. 133, Hi. 739, BN. 96, BA. 93, Ai. 969, Nh. 51, Nw. 25, Ni. 490, Ow. 38, Oh. 31, Oi. 816, Ca. 1470.

Astley-Cooper Collection. Purchased, 1843.

- 629^{1*}. The skull of an Arab.

Metopic.

C. 510 L. 169, B. 150, Bi. 888, H. 127, Hi. 751, BN. 100,

BA. 101, Ai. 1010, Nh. 53, Nw. 26, Ni. 491, Ow. 40, Oh. 35, Oi. 875.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

629^{2*}. The skull of an Arab.

C. 490, L. 173, B. 137, Bi. 792, H. 132, Hi. 763, BN. 102, BA. 100, Ai. 980, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 29, Oi. 784, Ca. 1345.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

B. INDIA.

630. A skull described as that of a male Afghan. O.C. 5540.

It more resembles, especially in its facial characters, the skull of one of the Mongolian races than that of a true Afghan.

C. 485, L. 165, B. 137, Bi. 830, H. 134, Hi. 812, BN. 109, BA. 111, Ai. 1018, Nh. 50, Nw. 27, Ni. 540, Ow. 39, Oh. 35, Oi. 897, Ca. 1230.

Purchased from Mr. George Evans, 1840.

^{1*} 630. The skull of Jalal, a male Mussulman from Kashmere, aged 13. A labourer.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O.*

630¹. The skeleton of Mitra Mussa Khan, aged about 30 years, a native of Cabul, who died in the Campbell Hospital, Calcutta, on the 15th of December, 1880.

Spine of seventh cervical vertebra bifurcated.

C. 505, L. 170, B. 144, Bi. 847, H. 129, Hi. 759, BN. 97, BA. 90, Ai. 928, Nh. 48, Nw. 23, Ni. 479, Ow. 39, Oh. 34, Oi. 872, Ca. 1390.

*Presented by Dr. S. Coull Mackenzie,
Surgeon-Major, Bengal Army, 1881.*

630². The skull of a man obtained at Gar Kueh, or Gah Kuch, reported to be that of a Yasinese, a tribe speaking the Bawieshki dialect.

C. 518, L. 185, B. 136, Bi. 735, H. 128, Hi. 692, BN. 98, BA. 87, Ai. 888, Nh. 50, Nw. 28, Ni. 560, Ow. 40, Oh. 37, Oi. 925, Ca. 1405.

630³. A skull, apparently ♀, from the same place.

C. 485, L. 174, B. 127, Bi. 730, H. 123, Hi. 707, BN. 99, BA. 91, Ai. 919, Nh. 47, Nw. 23, Ni. 489, Oh. 35, Ca. 1210.

630⁴. A cranium, from the same place.

C. 500, L. 179, B. 135, Bi. 754, H. 130, Hi. 726, BN. 97, BA. 89, Ai. 918, Nh. 50, Nw. 23, Ni. 460, Ow. 37, Oh. 35, Oi. 946, Ca. 1455.

Presented by Surgeon G. M. Giles, F.R.C.S., I.M.S., 1886.

630⁵. A cranium obtained from a grave at Parpish in a Khovar speaking district, Nov. 19th, 1885.

C. 510, L. 177, B. 139, Bi. 785, H. 127, Hi. 718, BN. 96, Ow. 39, Oh. 37, Oi. 949, Ca. 1405.

Presented by Surgeon G. M. Giles, 1886.

630⁶. A mutilated skull, ♂, obtained by the donor in his journey through Chitral on a diplomatic and scientific mission from Gilgit to that place in 1885. It lies S.E. of the Hindu-Kush mountain-range in about 36° N. lat. and 74° E. long. *Presented by Surgeon G. M. Giles, 1886.*

630⁷. The skull of an Afghan.

C. 499, L. 167, B. 143, Bi. 856, H. 140, Hi. 838, BN. 110, BA. 111, Ai. 1009, Nh. 48, Nw. 25, Ni. 521, Ow. 40, Oh. 35, Oi. 875, Ca. 1360.

1900.

630^{1*}. The skull of Sarfarz Gul, a male Afghan, aged 35. A coolie.

C. 488, L. 174, B. 132, Bi. 759, H. 127, Hi. 730, BN. 107, BA. 106, Ai. 991, Nh. 53, Nw. 23, Ni. 434, Ow. 37, Oh. 32, Oi. 865, Ca. 1360.

630^{2*}. The cranium of Sardar Khan, a male Afghan of Ghazni, aged 40. A merchant.

C. 498, L. 172, B. 137, Bi. 797, H. 133, Hi. 773, BN. 104, BA. 99, Ai. 952, Nh. 54, Nw. 26, Ni. 481, Ow. 39, Oh. 35, Oi. 897, Ca. 1330.

630^{3*}. The skull of Mir Ahmed, a male Afghan of Uternanzo, aged 86. Occupation, Zaminder.

C. 473, L. 169, B. 124, Bi. 734, H. 124, Hi. 734, BN. 100, Nh. 44, Nw. 26, Ni. 591, Ow. 37, Oh. 33, Oi. 892, Ca. 1080.

- 630^{4*}. The skull of Ahmed Khan, a male Pathan, aged 35.
Occupation, cultivator.

C. 528, L. 191, B. 130, Bi. 681, H. 133, Hi. 696, BN. 104,
BA. 104, Ai. 1000, Nh. 53, Nw. 25, Ni. 472, Ow. 38, Oh. 32,
Oi. 842, Ca. 1690.

*The above four specimens presented by
Lt.-Col. Sir R. H. Charles, K.C.V.O., 1906.*

631. The cranium of a Pathan Mussulman: ♂. O. C. 5561.

From an insane individual, imprisoned on account of homicide, and confined in the lunatic asylum at Calcutta.

C. 484, L. 169, B. 136, Bi. 805, H. 127, Hi. 751, BN. 100,
BA. 100, Ai. 1000, Nh. 50, Nw. 25, Ni. 500, Ow. 40, Oh. 36,
Oi. 900, Ca. 1275.

Purchased from Mr. George Evans, 1840.

- 631^{A1*}. The articulated skeleton of male Punjabi.

C. 537, L. 191, B. 136, Bi. 712, H. 142, Hi. 734, BN. 116,
BA. 111, Ai. 957, Nh. 54, Nw. 29, Ni. 537, Ow. 40, Oh. 34,
Oi. 850, Ca. 1435.

- 631^{B1*}. The articulated skeleton of female Punjabi.

C. 487, L. 175, B. 125, Bi. 714, H. 130, Hi. 743, BN. 97,
BA. 99, Ai. 1021, Nh. 48, Nw. 22, Ni. 458, Ow. 36, Oh. 31,
Oi. 861, Ca. 1345.

*The above two specimens presented by
Lt.-Col. Sir R. H. Charles, K.C.V.O., 1906.*

- 631¹. The skeleton (complete except for the sternum) of a male Punjabi Mahomedan, aged 40 years, who died in the Lahore C. jail, 1879.

C. 510, L. 188, B. 129, Bi. 686, H. 128, Hi. 681, BN. 99,
BA. 100, Ai. 1010, Nh. 51, Nw. 26, Ni. 510, Ow. 40, Oh. 29,
Oi. 725, Ca. 1285.

*Presented by Arthur Stephen, Esq., and
H. W. Bellew, Esq., C.S.I., 1880.*

- 631². The skeleton of Protap Singh, a Sikh, a native of Lahore, aged about 40 years, who died in the Campbell Hospital Calcutta, 1880.

C. 493, L. 172, B. 132, Bi. 767, H. 140, Hi. 814, BN. 101,

BA. 95, Ai. 941, Nh. 57, Nw. 26, Ni. 456, Ow. 39, Oh. 38,
Oi. 974, Ca. 1410.

*Presented by Dr. S. Coull Mackenzie, Surgeon Major,
Bengal Army, 1881.*

631^{1*}. The skull of Pir Mahammad. Male aged 50. Peshwari.
Oeeupation, shopkeeper.

C. 507, L. 176, B. 133, Bi. 784, H. 134, Hi. 761, BN. 104,
BA. 96, Ai. 923, Nh. 56, Nw. 26, Ni. 464, Ow. 40, Oh. 35,
Oi. 875, Ca. 1350.

631^{2*}. The skull of Akhtar Bobad. Male aged 45. Peshwari.
Oeeupation, coolie.

C. 525, L. 193, B. 137, Bi. 710, H. 135, Hi. 699, BN. 111,
BA. 100, Ai. 990, Nh. 57, Nw. 26, Ni. 456, Ow. 37, Oh. 36,
Oi. 973, Ca. 1440.

631^{3*}. A eranium from Peshwar, of a man aged 30. A
beggar.

C. 515, L. 184, B. 135, Bi. 734, H. 133, Hi. 723, BN. 108,
BA. 101, Ai. 935, Nh. 56, Nw. 26, Ni. 464, Ow. 39, Oh. 37,
Oi. 949, Ca. 1475.

631^{4*}. A eranium from Peshwar, of a man aged 36. A
beggar.

C. 512, L. 185, B. 134, Bi. 724, H. 132, Hi. 714, BN. 106,
BA. 102, Ai. 962, Nh. 54, Nw. 25, Ni. 463, Ow. 39, Oh. 36,
Oi. 923, Ca. 1430.

631^{5*}. The skull of Nooro, a woman aged 60, from Peshwar,
probably a Hindu. A beggar.

There is symmetrical atrophy of the parietal bones.

C. 481, L. 171, B. 133, Bi. 778, H. 116, Hi. 678, BN. 91,
BA. 90, Ai. 989, Nh. 41, Ow. 37, Oh. 33, Oi. 892, Ca. 1070.

631^{6*}. The skull of Devi Ditta. A Hindu male aged 60, from
Dera Naiak, Punjab. A beggar.

C. 522, L. 189, B. 131, Bi. 693, H. 135, Hi. 714, BN. 103,
BA. 98, Ai. 951, Nh. 51, Nw. 30, Ni. 588, Ow. 39, Oh. 32,
Oi. 821, Ca. 1430.

631^{7*}. The skull of She-rali. A male Pathan, aged 30, from the Punjab. A mullah.

C. 499, L. 176, B. 135, Bi. 767, H. 128, Hi. 727, BN. 95, BA. 94, Ai. 989, Nh. 50, Nw. 24, Ni. 480, Ow. 36, Oh. 34, Oi. 944, Ca. 1510.

631^{8*}. The skull of Rajgull. A male Pathan, aged 33, from the Punjab.

C. 521, L. 187, B. 139, Bi. 743, H. 139, Hi. 743, BN. 101, BA. 94, Ai. 931, Nh. 59, Nw. 23, Ni. 390, Ow. 38, Oh. 39, Oi. 1026, Ca. 1570.

631^{9*}. The skull of Yaqub, a Pathan Mussulman, aged 40. A cultivator.

C. 500, L. 169, B. 147, Bi. 870, H. 135, Hi. 799, BN. 102, Nh. 55, Nw. 23, Ni. 418, Ow. 39, Oh. 37, Oi. 949.

631^{10*}. The skull of Gulrang, a Pathan Mussulman from Kahat, aged 42.

C. 533, L. 190, B. 143, Bi. 753, H. 142, Hi. 747, BN. 112, BA. 107, Ai. 955, Nh. 48, Nw. 26, Ni. 542, Ow. 39, Oh. 37, Oi. 949, Ca. 1630.

631^{11*}. The skull of Ata Khan, a Pathan from the Punjab, aged 60.

Metopic.

C. 518, L. 181, B. 137, Bi. 757, H. 126, Hi. 696, BN. 105, BA. 98, Ai. 933, Nh. 59, Nw. 27, Ni. 458, Ow. 39, Oh. 36, Oi. 923, Ca. 1435.

631^{12*}. The skull of Zur Dona, a Mussulman, wife of a Pathan of Bannon, aged 50.

C. 501, L. 180, B. 133, Bi. 739, H. 130, Hi. 722, BN. 99, BA. 91, Ai. 919, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 32, Oi. 842, Ca. 1320.

631^{13*}. The skull of Sawan Singh, a Hindu Sikh from the Punjab, aged 33. Jat ♂.

C. 524, L. 184, B. 142, Bi. 772, H. 133, Hi. 723, BN. 105, BA. 101, Ai. 962, Nh. 52, Nw. 27, Ni. 519, Ow. 40, Oh. 35, Oi. 875.

- 631^{14*}. The skull of Sunder Singh, a Hindu Sikh from the Punjab, aged 33. Jat ♂.
C. 510, L. 179, B. 135, Bi. 754, H. 135, Hi. 754, BN. 109, BA. 97, Ai. 890, Nh. 52, Nw. 25, Ni. 481, Ow. 39, Oh. 37, Oi. 949, Ca. 1365.
- 631^{15*}. The skull of a Hindu from the Punjab. Male aged 45.
C. 507, L. 183, B. 133, Bi. 727, H. 131, Hi. 716, BN. 105, BA. 98, Ai. 933, Nh. 53, Nw. 25, Ni. 472, Ow. 40, Oh. 35, Oi. 875, Ca. 1360.
- 631^{16*}. The skull of Abinash, a Hindu male, aged 40. Punjab.
C. 473, L. 171, B. 129, Bi. 754, H. 128, Hi. 749, BN. 95, Nh. 49, Nw. 22, Ni. 449, Ow. 35, Oh. 32, Oi. 914, Ca. 1210.
- 631^{17*}. The cranium of a Hindu, from the Punjab. Male aged 40.
C. 504, L. 183, B. 134, Bi. 732, H. 136, Hi. 743, BN. 101, Nh. 49, Nw. 28, Ni. 571, Ow. 39, Oh. 34, Oi. 872, Ca. 1330.
- 631^{18*}. The skull of a Hindu from the Punjab. Male aged 80. Metopic.
C. 507, L. 180, B. 133, Bi. 739, H. 130, Hi. 722, BN. 103, Nh. 48, Nw. 26, Ni. 542, Ow. 34, Oh. 29, Oi. 853, Ca. 1335.
- 631^{19*}. The cranium of Gopi Nauth, a Hindu from the Punjab. Male aged 18.
C. 501, L. 186, B. 126, Bi. 677, H. 134, Hi. 720, BN. 102, BA. 101, Ai. 990, Nh. 46, Nw. 25, Ni. 543, Ow. 37, Oh. 33, Oi. 892, Ca. 1430.
- 631^{20*}. The skull of a Hindu from the Punjab. Male aged 30. Metopic.
C. 490, L. 181, B. 129, Bi. 713, H. 126, Hi. 696, BN. 95, BA. 88, Ai. 926, Nh. 44, Ow. 36, Ca. 1280.
- 631^{21*}. The skull of a Hindu from the Punjab. Male aged 55.
C. 482, L. 174, B. 125, Bi. 718, H. 135, Hi. 776, BN. 104, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 31, Oi. 838, Ca. 1235.
- 631^{22*}. The skull of a Hindu from the Punjab. A beggar woman, aged 50.
C. 468, L. 164, B. 131, Bi. 799, H. 128, Hi. 780, BN. 95, BA. 93, Ai. 979, Nh. 47, Nw. 24, Ni. 511, Ow. 37, Oh. 35, Oi. 946, Ca. 1215.

631^{23*}. The cranium of Amira, a Mahomedan from the Punjab.

Male aged 30.

C. 480, L. 176, B. 125, Bi. 710, H. 123, Hi. 699, BN. 97,
BA. 97, Ai. 1000, Nh. 44, Nw. 26, Ni. 591, Ow. 35, Oh. 32,
Oi. 914, Ca. 1160.

631^{24*}. The skull of Shair Dill, a Mahomedan from the Punjab.

Male aged 25.

C. 500, L. 178, B. 134, Bi. 753, H. 135, Hi. 758, BN. 103,
BA. 93, Ai. 903, Nh. 53, Nw. 23, Ni. 434, Ow. 36, Oh. 36,
Oi. 1000.

631^{25*}. The skull of Nandoo, a Mahomedan from the Punjab, a
sweeper. Male aged 45.

C. 495, L. 182, B. 125, Bi. 687, H. 128, Hi. 703, BN. 109,
BA. 104, Ai. 954, Nh. 53, Nw. 28, Ni. 528, Ow. 37, Oh. 31,
Oi. 838, Ca. 1270.

631^{26*}. The cranium of Iman Din, a Mahomedan from the
Punjab. Male aged 40.

C. 504, L. 184, B. 131, Bi. 712, H. 129, Hi. 701, BN. 106,
BA. 97, Ai. 915, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 32,
Oi. 865, Ca. 1360.

631^{27*}. The skull of a Mahomedan from the Punjab. Male
aged 43.

C. 465, L. 170, B. 123, Bi. 724, H. 122, Hi. 718, BN. 99,
BA. 96, Ai. 970, Nh. 45, Nw. 27, Ni. 600, Ow. 38, Oh. 33,
Oi. 868, Ca. 1045.

631^{28*}. The skull of Charag Din, a Mahomedan from the
Punjab. Male aged 30.

C. 513, L. 189, B. 132, Bi. 698, H. 133, Hi. 704, BN. 106,
BA. 104, Ai. 981, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 32,
Oi. 842, Ca. 1395.

631^{29*}. The skull of Karim Buse, a Mahomedan from the
Punjab. Male aged 50. A cultivator.

C. 515, L. 186, B. 129, Bi. 694, H. 130, Hi. 699, BN. 102,
BA. 103, Ai. 1010, Nh. 43, Nw. 26, Ni. 605, Ow. 35, Oh. 32,
Oi. 914, Ca. 1410.

- 631^{30*}. The skull of Muttā, a Mahomedan from the Punjab.
Male aged 18. A beggar.
C. 493, L. 183, B. 121, Bi. 661, H. 131, Hi. 716, BN. 100,
BA. 82, Ai. 820, Nh. 47, Nw. 19, Ni. 404, Ow. 36, Oh. 36,
Oi. 1000, Ca. 1310.
- 631^{31*}. The skull of Shamira, a Mahomedan from the Punjab.
Male aged 60. A singer.
C. 510, L. 184, B. 134, Bi. 728, H. 138, Hi. 750, BN. 102,
Nh. 55, Nw. 22, Ni. 400, Ow. 39, Oh. 38, Oi. 974.
- 631^{32*}. The skull of Miran Buse, a Mahomedan from the Punjab. Male aged 20. A beggar.
C. 498, L. 185, B. 125, Bi. 676, H. 130, Hi. 703, BN. 104,
BA. 97, Ai. 933, Nh. 51, Nw. 26, Ni. 510, Ow. 38, Oh. 33,
Oi. 868, Ca. 1320.
- 631^{33*}. The skull of Jamaldin, a Mahomedan from the Punjab.
Male aged 20. A cultivator.
C. 508, L. 183, B. 138, Bi. 754, H. 135, Hi. 738, BN. 102,
BA. 101, Ai. 990, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 31,
Oi. 816, Ca. 1465.
- 631^{34*}. The skull of Jamma, a Mahomedan from the Punjab.
Male aged 25. A labourer.
C. 524, L. 197, B. 130, Bi. 660, H. 129, Hi. 655, BN. 103,
BA. 98, Ai. 951, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 33,
Oi. 892, Ca. 1510.
- 631^{35*}. The cranium of Hazari Shah, a Mahomedan from the Punjab. Male aged 26. A cultivator.
C. 514, L. 188, B. 133, Bi. 707, H. 133, Hi. 707, BN. 108,
BA. 106, Ai. 981, Nh. 54, Nw. 24, Ni. 444, Ow. 39, Oh. 35,
Oi. 897, Ca. 1390.
- 631^{36*}. The cranium of Faquir, a Mahomedan from the Punjab.
Male aged 70.
C. 509, L. 186, B. 136, Bi. 731, H. 135, Hi. 726, BN. 104,
BA. 104, Ai. 1000, Nh. 49, Nw. 27, Ni. 551, Ow. 39, Oh. 33,
Oi. 846, Ca. 1280.
- 631^{37*}. The skull of Mongoo, a Mahomedan from the Punjab.
Male aged 19.
C. 506, L. 184, B. 134, Bi. 728, H. 131, Hi. 712, BN. 104,
BA. 97, Ai. 933, Nh. 49, Nw. 25, Ni. 510, Ow. 36, Oh. 34,
Oi. 944.

- 631^{38*}. The skull of Kaloo, a Mahomedan from the Punjab.
Male aged 29. A weaver.

C. 530, L. 191, B. 134, Bi. 702, H. 143, Hi. 749, BN. 114,
BA. 102, Ai. 895, Nh. 59, Nw. 25, Ni. 424, Ow. 41, Oh. 38,
Oi. 927, Ca. 1630.

- 631^{39*}. The skull of Roora, a Mahomedan from the Punjab.
Male aged 50.

C. 488, L. 175, B. 130, Bi. 743, H. 140, Hi. 800, BN. 106,
BA. 100, Ai. 943, Nh. 57, Nw. 24, Ni. 421, Ow. 37, Oh. 34,
Oi. 919, Ca. 1225.

- 631^{40*}. The skull of a Mahomedan from the Punjab. Male
aged 35.

C. 507, L. 185, B. 135, Bi. 730, H. 129, Hi. 697, BN. 104,
BA. 98, Ai. 942, Nh. 55, Nw. 28, Ni. 509, Ow. 37, Oh. 35,
Oi. 946, Ca. 1355.

- 631^{41*}. The skull of a Mahomedan from the Punjab. Male
aged 35.

Metopic.

C. 500, L. 179, B. 130, Bi. 726, H. 133, Hi. 743, BN. 101,
BA. 98, Ai. 970, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 35,
Oi. 921, Ca. 1320.

- 631^{42*}. The skull of Karim, a Mahomedan from the Punjab.
Male aged 38. A labourer.

C. 478, L. 176, B. 124, Bi. 705, H. 125, Hi. 710, BN. 93,
BA. 89, Ai. 957, Nh. 49, Nw. 26, Ni. 531, Ow. 35, Oh. 33,
Oi. 943, Ca. 1165.

- 631^{43*}. The cranium of a Mahomedan from the Punjab. Male
aged 35.

C. 488, L. 173, B. 124, Bi. 697, H. 137, Hi. 770, BN. 105,
BA. 99, Ai. 943, Nh. 50, Nw. 26, Ni. 520, Ow. 39, Oh. 32,
Oi. 821, Ca. 1210.

- 631^{44*}. The skull of Mossa, a Mahomedan from the Punjab.
Male aged 30. A washerman.

C. 498, L. 184, B. 131, Bi. 712, H. 131, Hi. 712, BN. 102,
BA. 97, Ai. 951, Nh. 50, Nw. 27, Ni. 540, Ow. 39, Oh. 32,
Oi. 889.

- 631^{45*}. The cranium of a Mahomedan from the Punjab. Male aged 30.

C. 516, L. 188, B. 134, Bi. 713, H. 134, Hi. 713, BN. 112, Nh. 53, Nw. 25, Ni. 472, Ow. 37, Oh. 32, Oi. 865, Ca. 1450.

- 631^{46*}. The skull of Fatima, a woman of Jallandhar. Mahomedan aged 18. A tailor.

C. 484, L. 178, B. 126, Bi. 708, H. 130, Hi. 730, BN. 93, BA. 87, Ai. 935, Nh. 47, Nw. 21, Ni. 447, Ow. 35, Oh. 35, Oi. 1000, Ca. 1240.

- 631^{47*}. The cranium of Bagam, a Mahomedan woman from the Punjab, aged 45.

C. 447, L. 161, B. 119, Bi. 739, H. 123, Hi. 764, BN. 93, BA. 86, Ai. 925, Nh. 43, Nw. 23, Ni. 535, Ow. 36, Oh. 32, Oi. 889, Ca. 970.

- 631^{48*}. The cranium of a Mahomedan woman from the Punjab, aged 20.

C. 475, L. 174, B. 121, Bi. 695, H. 124, Hi. 713, BN. 95, BA. 94, Ai. 989, Nh. 42, Nw. 25, Ni. 595, Ow. 37, Oh. 31, Oi. 838.

- 631^{49*}. The cranium of Amiro, a Mahomedan woman from the Punjab, aged 60.

C. 489, L. 174, B. 134, Bi. 770, H. 139, Hi. 799, BN. 103, BA. 99, Ai. 961, Nh. 53, Nw. 24, Ni. 453, Ow. 36, Oh. 32, Oi. 889.

- 631^{50*}. The skull of Kader Bukhoh, a Koak from the Punjab, aged 25.

C. 504, L. 180, B. 136, Bi. 756, H. 135, Hi. 750, BN. 103, BA. 96, Ai. 932, Nh. 46, Nw. 22, Ni. 478, Ow. 38, Oh. 30, Oi. 789, Ca. 1550.

- 631^{51*}. The skull of Fazlan, an aboriginal female from the Punjab, aged 30. A sweeper.

C. 483, L. 173, B. 129, Bi. 746, H. 125, Hi. 723, BN. 98, BA. 89, Ai. 908, Nh. 45, Nw. 24, Ni. 533, Ow. 38, Oh. 37, Oi. 974, Ca. 1155.

- 631^{52*}. The skull of Jamai, an aboriginal female from the Punjab, aged 26. A sweeper.

Metopic.

C. 487, L. 175, B. 123, Bi. 703, BN. 96, BA. 91, Ai. 948, Nh. 48, Nw. 23, Ni. 479, Ow. 38, Oh. 37, Oi. 974.

631^{53*}. The eranium of Shara, a male Bhat from the Punjab, aged 35. A caste of genealogists and family bards.

C. 468, L. 168, B. 122, Bi. 726, H. 122, Hi. 726, BN. 95, BA. 92, Ai. 968, Nh. 51, Nw. 24, Ni. 471, Ow. 36, Oh. 32, Oi. 889, Ca. 1070.

631^{54*}. The eranium of a low-caste Punjabi.

C. 470, L. 172, B. 122, Bi. 709, H. 125, Hi. 727, BN. 96, BA. 91, Ai. 948, Nh. 43, Nw. 24, Ni. 558, Ow. 36, Oh. 33, Oi. 917, Ca. 1060.

631^{55*}. The eranium of a low-caste Punjabi.

C. 471, L. 163, B. 132, Bi. 810, H. 126, Hi. 773, BN. 95, Nh. 47, Ow. 40, Oh. 34, Oi. 850, Ca. 1075.

631^{56*}. The eranium of a low-caste Punjabi.

C. 510, L. 185, B. 130, Bi. 703, H. 138, Hi. 746, BN. 103, BA. 98, Ai. 951, Nh. 49, Nw. 27, Ni. 551, Ow. 38, Oh. 33, Oi. 868, Ca. 1435.

631^{57*}. The imperfect eranium of a low-caste Punjabi.

C. 511, L. 190, B. 130, Bi. 684, H. 135, Hi. 711, BN. 109.

631^{58*}. The eranium of a low-caste Punjabi.

C. 512, L. 191, B. 126, Bi. 660, H. 132, Hi. 691, BN. 110, BA. 103, Ai. 936, Nh. 52, Nw. 25, Ni. 481, Ow. 39, Oh. 33, Oi. 846, Ca. 1350.

631^{59*}. The skull of a low-caste Punjabi.

C. 500, L. 183, B. 130, Bi. 710, H. 133, Hi. 727, BN. 104, BA. 95, Ai. 913, Nh. 49, Nw. 28, Ni. 571, Ow. 37, Oh. 33, Oi. 892, Ca. 1360.

631^{60*}. The skull of a low-caste Punjabi.

C. 498, L. 178, B. 133, Bi. 747, H. 141, Hi. 792, BN. 101, BA. 96, Ai. 950, Nh. 48, Nw. 26, Ni. 542, Ow. 36, Oh. 32, Oi. 889, Ca. 1365.

631^{61*}. The eranium of a low-caste Punjabi.

C. 505, L. 188, B. 127, Bi. 676, H. 129, Hi. 686, BN. 100, BA. 101, Ai. 1010, Nh. 52, Nw. 27, Ni. 519, Ow. 39, Oh. 39, Oi. 1000, Ca. 1310.

631^{62*}. The eranium of a low-caste Punjabi.

C. 491, L. 182, B. 119, Bi. 654, H. 134, Hi. 736, BN. 102, BA. 95, Ai. 931, Nh. 51, Nw. 23, Ni. 451, Ow. 38, Oh. 32, Oi. 842, Ca. 1285.

631^{63*}. The cranium of a low-caste Punjabi.

C. 505, L. 184, B. 127, Bi. 690, H. 142, Hi. 772, BN. 109, BA. 111, Ai. 1018, Nh. 49, Nw. 27, Ni. 551, Ow. 37, Oh. 29, Oi. 784, Ca. 1310.

631^{64*}. The skull of a low-caste Punjabi.

C. 509, L. 185, B. 132, Bi. 714, H. 145, Hi. 784, BN. 108, BA. 98, Ai. 907, Nh. 52, Nw. 27, Ni. 519, Ow. 38, Oh. 33, Oi. 868, Ca. 1415.

631^{65*}. The skull of a low-caste Punjabi.

C. 493, L. 182, B. 125, Bi. 687, H. 130, Hi. 714, BN. 100, BA. 93, Ai. 930, Nh. 52, Nw. 24, Ni. 462, Ow. 37, Oh. 33, Oi. 892, Ca. 1325.

631^{66*}. The cranium of a low-caste Punjabi.

C. 505, L. 186, B. 129, Bi. 694, H. 134, Hi. 720, BN. 104, BA. 96, Ai. 923, Nh. 51, Nw. 23, Ni. 451, Ow. 38, Oh. 34, Oi. 895, Ca. 1380.

631^{67*}. The skull of a low-caste Punjabi.

C. 523, L. 194, B. 131, Bi. 675, H. 131, Hi. 675, BN. 107, BA. 101, Ai. 944, Nh. 56, Nw. 25, Ni. 446, Ow. 39, Oh. 33, Oi. 846, Ca. 1460.

631^{68*}. The cranium of a low-caste Punjabi.

C. 511, L. 182, B. 134, Bi. 736, H. 133, Hi. 731, BN. 107, BA. 97, Ai. 907, Nh. 52, Nw. 25, Ni. 481, Ow. 40, Oh. 32, Oi. 800, Ca. 1410.

631^{69*}. The cranium of a low-caste Punjabi.

C. 491, L. 182, B. 123, Bi. 676, H. 131, Hi. 720, BN. 105, BA. 99, Ai. 943, Nh. 48, Nw. 23, Ni. 479, Ow. 37, Oh. 30, Oi. 811, Ca. 1365.

631^{70*}. The cranium of a low-caste Punjabi.

C. 499, L. 180, B. 130, Bi. 722, H. 124, Hi. 689, BN. 101, BA. 98, Ai. 970, Nh. 45, Nw. 25, Ni. 556, Ow. 36, Oh. 34, Oi. 944, Ca. 1305.

631^{71*}. The skull of a low-caste Punjabi.

C. 486, L. 177, B. 135, Bi. 763, H. 129, Hi. 729, BN. 91, BA. 90, Ai. 989, Nh. 44, Nw. 24, Ni. 545, Ow. 36, Oh. 31, Oi. 861, Ca. 1270.

631 ^{72*}. The skull of a low-caste Punjabi.

C. 487, L. 172, B. 130, Bi. 756, H. 134, Hi. 779, BN. 97,
BA. 95, Ai. 979, Nh. 50, Nw. 24, Ni. 480, Ow. 37, Oh. 33,
Oi. 892, Ca. 1255.

631 ^{73*}. A cranium from the Punjab.

Metopic.

C. 498, L. 170, B. 142, Bi. 835, H. 128, Hi. 753, BN. 96,
BA. 97, Ai. 1010, Nh. 51, Nw. 29, Ni. 569, Ow. 36, Oh. 34,
Oi. 944, Ca. 1310.

631 ^{74*}. A skull from the Punjab.

C. 494, L. 182, B. 127, Bi. 698, H. 133, Hi. 731, BN. 101,
BA. 94, Ai. 931, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 31,
Oi. 816, Ca. 1310.

631 ^{75*}. A skull from the Punjab.

C. 517, L. 189, B. 133. Bi. 704, H. 137, Hi. 725, BN. 102,
BA. 99, Ai. 971, Nh. 53, Ow. 36, Oh. 33, Oi. 917, Ca. 1480.

631 ^{76*}. A skull from the Punjab.

C. 505, L. 187, B. 124, Bi. 663, H. 136, Hi. 727, BN. 103,
BA. 96, Ai. 932, Nh. 54, Nw. 24, Ni. 444, Ow. 38, Oh. 33,
Oi. 868, Ca. 1345.

631 ^{77*}. A skull from the Punjab.

Metopic.

C. 508, L. 184, B. 133. Bi. 723, H. 132, Hi. 717, BN. 104,
BA. 88, Ai. 846, Nh. 56, Nw. 25, Ni. 446, Ow. 37, Oh. 37,
Oi. 1000, Ca. 1435.

631 ^{78*}. The cranium of a Hindu from the Punjab.

Metopic.

C. 518, L. 185, B. 134, Bi. 724, H. 128, Hi. 692, BN. 97,
BA. 91, Ai. 938, Nh. 48, Nw. 25, Ni. 521, Ow. 37, Oh. 34,
Oi. 919, Ca. 1440.

631 ^{79*}. The skull of Gihāsita, a male Hindu Rajpoot from the Punjab, aged 35. A shopkeeper.

C. 510, L. 183, B. 135, Bi. 738, H. 125, Hi. 683, BN. 97,
BA. 96, Ai. 990, Nh. 50, Nw. 25, Ni. 500, Ow. 35, Oh. 34,
Oi. 971, Ca. 1375.

- 631^{80*}. The skull of Mir Din, a Mussulman Rajpoot from the Punjab. Male aged 25. Tribe, Bhate.

C. 510, L. 186, B. 127, Bi. 683, H. 133, Hi. 715, BN. 103, BA. 99, Ai. 961, Nh. 50, Nw. 22, Ni. 440, Ow. 38, Oh. 35, Oi. 921, Ca. 1345.

- 631^{81*}. The skull of Rohim Khan, a Mussulman Rajpoot from the Punjab. Male aged 44. A cultivator.

C. 517, L. 189, B. 134, Bi. 709, H. 131, Hi. 693, BN. 109, BA. 105, Ai. 963, Nh. 53, Nw. 26, Ni. 491, Ow. 43, Oh. 39, Oi. 907, Ca. 1375.

- 631^{82*}. The skull of Kamini, a Mussulman Rajpoot from the Punjab. Female aged 60.

C. 504, L. 179, B. 137, Bi. 765, H. 132, Hi. 737, BN. 99, Nh. 51, Nw. 25, Ni. 490, Ow. 38, Oh. 37, Oi. 974.

- 631^{83*}. The skull of Devi Ditta, a Hindu Brahmin from the Punjab. Male aged 60. A cultivator.

C. 520, L. 188, B. 134, Bi. 713, H. 134, Hi. 713, BN. 108, BA. 97, Ai. 898, Nh. 57, Nw. 24, Ni. 421, Ow. 40, Oh. 37, Oi. 925, Ca. 1480.

- 631^{84*}. The skull of a Hindu Brahmin from the Punjab. Male aged 45. Occupation, bania.

Metopic.

C. 518, L. 190, B. 130, Bi. 684, H. 138, Hi. 726, BN. 103, BA. 92, Ai. 893, Nh. 54, Nw. 22, Ni. 407, Ow. 37, Oh. 32, Oi. 865, Ca. 1485.

- 631^{85*}. The skull of Mathura Paharia, a Hindu Brahmin from the hill country, Punjab. Male aged 30.

C. 501, L. 185, B. 125, Bi. 676, H. 130, Hi. 703, BN. 95, BA. 89, Ai. 937, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 34, Oi. 895, Ca. 1390.

- 631^{86*}. The skull of Lachmi, a Hindu Brahmin from the Punjab. Female aged 40. A cook.

C. 465, L. 165, B. 129, Bi. 782, H. 120, Hi. 727, BN. 94, BA. 95, Ai. 1011, Nh. 44, Nw. 24, Ni. 545, Ow. 35, Oh. 33, Oi. 943.

- 631^{87*}. The skull of Gujral, a Hindu Mussulman from the Punjab. Male aged 60. A bania.

C. 494, L. 178, B. 124, Bi. 697, H. 133, Hi. 747, BN. 106, BA. 93, Ai. 877, Nh. 50, Nw. 26, Ni. 520, Ow. 37, Oh. 30, Oi. 811, Ca. 1355.

- 631^{88*}. The skull of Kakri, a male Hindu from the Punjab, aged 60. Caste, Khatree.

C. 494, L. 180, B. 131, Bi. 728, H. 127, Hi. 706, BN. 99, BA. 95, Ai. 960, Nh. 47, Nw. 28, Ni. 596, Ow. 37, Oh. 31, Oi. 838, Ca. 1285.

- 631^{89*}. The skull of Ram Lal, a male Hindu from the Punjab, aged 30. Caste, Khatree.

C. 518, L. 189, B. 134, Bi. 709, H. 138, Hi. 730, BN. 109, BA. 103, Ai. 945, Nh. 54, Nw. 25, Ni. 463, Ow. 38, Oh. 32, Oi. 842, Ca. 1500.

- 631^{90*}. The skull of Makha, a male Hindu from the Punjab, aged 44. A beggar of the Khatree caste.

The atlas is ankylosed to the skull.

C. 502, L. 184, B. 127, Bi. 690, BN. 100, BA. 101, Ai. 1010, Nh. 52, Nw. 26, Ni. 500, Ow. 38, Oh. 32, Oi. 842.

- 631^{91*}. The skull of Munshi, a male Hindu from the Punjab, aged 55. Caste, Khatree. A bania.

C. 485, L. 176, B. 121, Bi. 688, H. 135, Hi. 767, BN. 108, BA. 96, Ai. 889, Nh. 55, Nw. 27, Ni. 491, Ow. 37, Oh. 34, Oi. 919, Ca. 1245.

- 631^{92*}. The skull of Ishwari, a female Hindu from the Punjab, aged 18. Caste, Khatree.

C. 500, L. 186, B. 129, Bi. 694, H. 134, Hi. 720, BN. 110, BA. 99, Ai. 900, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 29, Oi. 784, Ca. 1245.

- 631^{93*}. The skull of Jinda Shah, a Mussulman from the Punjab. Male aged 26. A Syad beggar.

C. 497, L. 177, B. 137, Bi. 774, H. 135, Hi. 763, BN. 95, BA. 99, Ai. 1042, Nh. 45, Nw. 25, Ni. 556, Ow. 38, Oh. 31, Oi. 816.

631^{94*}. The skull of Ali Ahmed, a Mussulman from the Punjab. Male aged 50. Tribe, Syad.

C. 518, L. 189, B. 133, Bi. 704, H. 139, Hi. 735, BN. 102, BA. 93, Ai. 912, Nh. 54, Nw. 28, Ni. 519, Ow. 38, Oh. 37, Oi. 974.

631^{95*}. The cranium of a low-caste Punjabi, a male Hindu aged 40.

C. 505, L. 186, B. 129, Bi. 694, H. 138, Hi. 742, BN. 102, BA. 99, Ai. 971, Nh. 52, Nw. 25, Ni. 481, Ow. 38, Oh. 35, Oi. 921, Ca. 1485.

631^{96*}. The cranium of Sbadi, a male Hindu from the Punjab, aged 46. Caste, Mali. A gardener.

C. 506, L. 182, B. 130, Bi. 714, H. 134, Hi. 736, BN. 101, Nh. 51, Nw. 29, Ni. 569, Ow. 39, Oh. 31, Oi. 795.

631^{97*}. The skull of Atwari, a female Hindu from the Punjab, aged 35. A coolie.

C. 463, L. 169, B. 118, Bi. 698, H. 121, Hi. 716, BN. 95, BA. 100, Ai. 1053, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 34, Oi. 919.

631^{98*}. The skull of Ramdhan, a male Hindu from the Punjab, aged 30. A carpenter. Low-caste Sudra.

C. 485, L. 167, B. 131, Bi. 784, H. 134, Hi. 802, BN. 99, BA. 96, Ai. 970, Nh. 47, Nw. 26, Ni. 553, Ow. 38, Oh. 31, Oi. 816, Ca. 1335.

631^{99*}. The skull of Khedua, a male Hindu from the Punjab, aged 45.

C. 508, L. 177, B. 133, Bi. 751, H. 133, Hi. 751, BN. 97, BA. 101, Ai. 1041, Nh. 53, Nw. 27, Ni. 509, Ow. 41, Oh. 30, Oi. 732, Ca. 1380.

631^{100*}. The skull of a male Hindu from the Punjab, aged 40.

C. 512, L. 185, B. 136, Bi. 735, H. 131, Hi. 708, BN. 100, BA. 97, Ai. 970, Nh. 54, Nw. 24, Ni. 444, Ow. 36, Oh. 32, Oi. 889, Ca. 1445.

631^{101*}. The skull of Gopal Singh, a male Hindu from the Punjab, aged 80.

C. 508, L. 185, B. 131, Bi. 708, H. 133, Hi. 719, BN. 105, Nh. 55, Nw. 25, Ni. 455, Ow. 41, Oh. 36, Oi. 873, Ca. 1310.

*The above 101 specimens were presented by
Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.*

632. The cranium of a Mussulman from the Province of Delhi :
♂. O. C. 5560.

C. 512, L. 189, B. 125, Bi. 661, H. 132, Hi. 698, BN. 102,
Nh. 52, Nw. 25, Ni. 481, Ow. 38, Oh. 34, Oi. 895, Ca. 1330.

Presented by Dr. G. M. Paterson §, 1823.

632¹. The cranium of a Hindu from Lucknow.

C. 502, L. 184, B. 128, Bi. 696, H. 138, Hi. 750, BN. 100,
BA. 91, Ai. 910, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 35,
Oi. 921, Ca. 1385.

Anthropol. Soc., No. 197.

632^{1*}. The skull of a female from Benares, aged 70.

C. 493, L. 179, B. 127, Bi. 709, H. 131, Hi. 732, BN. 96,
BA. 91, Ai. 948, Nh. 45, Nw. 22, Ni. 489, Ow. 36, Oh. 30,
Oi. 833, Ca. 1330.

632^{2*}. The skull of Nanak Chand, male aged 30, from the
North-West Provinces. Caste, Khatrec.

C. 501, L. 185, B. 129, Bi. 697, H. 138, Hi. 746, BN. 105,
BA. 104, Ai. 990, Nh. 51, Ow. 37, Oh. 34, Oi. 919, Ca. 1285.

632^{3*}. The cranium of Mirza Maghal Beg, a male Pathan
Mussulman aged 80, from Delhi. A clerk.

C. 489, L. 175, B. 131, Bi. 749, H. 133, Hi. 760, BN. 103,
Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 33, Oi. 868, Ca. 1330.

632^{4*}. The skull of Chattoo, a male Hindu from Meerut, aged
25. Caste, Thakur. A beggar.

C. 494, L. 175, B. 137, Bi. 783, H. 129, Hi. 737, BN. 97,
BA. 98, Ai. 1010, Nh. 47, Nw. 24, N. 511, Ow. 38, Oh. 33,
Oi. 868, Ca. 1405.

632^{5*}. The skull of a Hindu from the North-West Provinces.

C. 525, L. 190, B. 137, Bi. 721, H. 138, Hi. 726, BN. 105,
BA. 94, Ai. 895, Nh. 58, Nw. 22, Ni. 379, Ow. 39, Oh. 35,
Oi. 897, Ca. 1500.

§ Author of "An Essay on the Construction of the Asiatic Cranium,"
Trans. Phrenological Society of Edinburgh, vol. i.

632^{6*}. The skull of a Hindu from the North-West Provinces.

C. 498, L. 178, B. 126, Bi. 708, H. 132, Hi. 742, BN. 101,
BA. 98, Ai. 970, Nh. 57, Nw. 23, Ni. 404, Ow. 40, Oh. 37,
Oi. 925, Ca. 1280.

632^{7*}. The cranium of a child from the North-West Provinces.

632^{8*}. The cranium of a child from the North-West Provinces.

632^{9*}. The cranium of a child from the North-West Provinces.

632^{10*}. The cranium of a child from the North-West Provinces.

632^{11*}. The cranium of a child from the North-West Provinces.

632^{12*}. A cranium from the North-West Provinces.

C. 483, L. 171, B. 133, Bi. 778, H. 137, Hi. 801, BN. 99,
BA. 84, Ai. 849, Nh. 45, Nw. 23, Ni. 511, Ow. 38, Oh. 31,
Oi. 816, Ca. 1320.

632^{13*}. A cranium from the North-West Provinces.

C. 464, L. 168, B. 124, Bi. 738, H. 131, Hi. 780, BN. 99,
BA. 99, Ai. 1000, Nh. 46, Nw. 24, Ni. 522, Ow. 38, Oh. 32,
Oi. 842, Ca. 1100.

632^{14*}. A cranium from the North-West Provinces.

C. 475, L. 171, B. 126, Bi. 737, H. 124, Hi. 725, BN. 96,
BA. 90, Ai. 938, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 30,
Oi. 811, Ca. 1140.

632^{15*}. A cranium from the North-West Provinces.

C. 469, L. 169, B. 125, Bi. 740, H. 120, Hi. 710, BN. 94,
BA. 94, Ai. 1000, Nh. 40, Nw. 24, Ni. 600, Ow. 36, Oh. 29,
Oi. 806, Ca. 1095.

632^{16*}. A cranium from the North-West Provinces.

C. 498, L. 175, B. 138, Bi. 789, H. 132, Hi. 754, BN. 97,
BA. 91, Ai. 938, Nh. 43, Nw. 22, Ni. 512, Ow. 35, Oh. 30,
Oi. 857, Ca. 1200.

632^{17*}. The cranium of a child from the North-West Provinces.

632^{18*}. A cranium from the North-West Provinces.

C. 462, L. 171, B. 115, Bi. 673, H. 122, Hi. 713, BN. 97,
BA. 93, Ai. 959, Nh. 40, Nw. 25, Ni. 625, Ow. 36, Oh. 34,
Oi. 944, Ca. 1010.

632^{19*}. A cranium from the North-West Provinces.

C. 481, L. 173, B. 128, Bi. 740, H. 129, Hi. 746, BN. 98,
BA. 91, Ai. 929, Nh. 48, Nw. 23, Ni. 479, Ow. 39, Oh. 33,
Oi. 846, Ca. 1235.

632^{20*}. A cranium from the North-West Provinces.

C. 488, L. 167, B. 130, Bi. 778, H. 130, Hi. 778, BN. 104,
BA. 105, Ai. 1010, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 32,
Oi. 842, Ca. 1230.

632^{21*}. A skull from the North-West Provinces.

Metopic.

C. 490, L. 174, B. 135, Bi. 776, H. 135, Hi. 776, BN. 93,
BA. 92, Ai. 989, Nh. 46, Nw. 24, Ni. 522, Ow. 38, Oh. 29,
Oi. 763, Ca. 1365.

632^{22*}. A cranium from the North-West Provinces.

C. 490, L. 177, B. 127, Bi. 718, H. 131, Hi. 740, BN. 108,
BA. 102, Ai. 944, Nh. 47, Nw. 26, Ni. 553, Ow. 36, Oh. 31,
Oi. 861, Ca. 1145.

632^{23*}. A cranium from the North-West Provinces.

C. 488, L. 177, B. 130, Bi. 734, H. 129, Hi. 729, BN. 100,
BA. 93, Ai. 930, Nh. 47, Nw. 23, Ni. 489, Ow. 37, Oh. 32,
Oi. 865, Ca. 1240.

632^{24*}. A cranium from the North-West Provinces.

C. 523, L. 189, B. 133, Bi. 704, H. 129, Hi. 683, BN. 109,
BA. 103, Ai. 945, Nh. 55, Nw. 23, Ni. 418, Ow. 41, Oh. 35,
Oi. 854, Ca. 1415.

632^{25*}. A cranium from the North-West Provinces.

C. 507, L. 180, B. 134, Bi. 744, H. 130, Hi. 722, BN. 96
Nh. 43, Nw. 26, Ni. 605, Ow. 39, Oh. 34, Oi. 872, Ca. 1320.

632^{26*}. A cranium from the North-West Provinces.

C. 472, L. 163, B. 126, Bi. 750, H. 130, Hi. 774, BN. 100,
BA. 101, Ai. 1010, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 32,
Oi. 842, Ca. 1075.

632^{27*}. A cranium from the North-West Provinces.

C. 528, L. 191, B. 140, Bi. 733, H. 137, Hi. 717, BN. 108
BA. 99, Ai. 917, Nh. 52, Nw. 27, Ni. 519, Ow. 37, Oh. 34,
Oi. 919, Ca. 1500.

632^{28*}. A cranium from the North-West Provinces.

C. 467, L. 170, B. 121, Bi. 712, H. 127, Hi. 747, BN. 97, BA. 96, Ai. 990, Nh. 44, Nw. 23, Ni. 523, Ow. 37, Oh. 32, Oi. 865, Ca. 1035.

632^{29*}. A cranium from the North-West Provinces.

C. 523, L. 190, B. 138, Bi. 726, H. 139, Hi. 732, BN. 108, BA. 98, Ai. 907, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 32, Oi. 842, Ca. 1540.

632^{30*}. A cranium from the North-West Provinces.

C. 483, L. 176, B. 132, Bi. 750, H. 130, Hi. 739, BN. 97, BA. 97, Ai. 1000, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 29, Oi. 784, Ca. 1180.

*The above thirty specimens presented by
Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.*

633. The cranium of a Mussulman from the province of Behar, Hindustan. O. C. 5559.

C. 476, L. 169, B. 132, Bi. 781, H. 132, Hi. 781, BN. 96, BA. 95, Ai. 990, Nh. 45, Nw. 24, Ni. 533, Ow. 38, Oh. 34, Oi. 895, Ca. 1270.

Presented by Dr. George M. Paterson, 1823.

633^{1*}. The skull of a Behari from Patna. Male aged 60. Rajpoot.

C. 499, L. 181, B. 125, Bi. 691, H. 131, Hi. 724, BN. 102, BA. 98, Ai. 961, Nh. 46, Nw. 26, Ni. 565, Ow. 37, Oh. 29, Oi. 784, Ca. 1275.

633^{2*}. The skull of a Behari from Patna. Male aged 45. Rajpoot.

C. 484, L. 178, B. 126, Bi. 708, H. 132, Hi. 742, BN. 95, BA. 92, Ai. 968, Nh. 46, Nw. 23, Ni. 500, Ow. 36, Oh. 29, Oi. 806, Ca. 1235.

633^{3*}. The skull of a Behari from Patna. Male aged 55. Rajpoot.

C. 497, L. 177, B. 136, Bi. 768, H. 128, Hi. 723, BN. 95, BA. 92, Ai. 968, Nh. 45, Nw. 24, Ni. 533, Ow. 36, Oh. 32, Oi. 889, Ca. 1320.

633^{4*}. The skull of a Behari from Patna. Male aged 60.
Rajpoot.

C. 515, L. 181, B. 137, Bi. 757, H. 132, Hi. 729, BN. 106,
BA. 102, Ai. 962, Nh. 53, Nw. 25, Ni. 472, Ow. 39, Oh. 34,
Oi. 872, Ca. 1375.

633^{5*}. The skull of a Behari from Patna. Male aged 60.
Rajpoot.

C. 515, L. 189, B. 136, Bi. 720, H. 136, Hi. 720, BN. 100,
BA. 97, Ai. 970, Nh. 49, Nw. 28, Ni. 571, Ow. 37, Oh. 31,
Oi. 838, Ca. 1365.

633^{6*}. The skull of a Behari from Patna. Female aged 70.
Rajpoot.

C. 477, L. 170, B. 128, Bi. 753, H. 129, Hi. 759, BN. 92,
Nh. 45, Nw. 27, Ni. 600, Ow. 38, Oh. 32, Oi. 842, Ca. 1125.

633^{7*}. The skull of a Behari from Patna. Male aged 70.
Brahmin.

C. 505, L. 188, B. 132, Bi. 702, H. 139, Hi. 739, BN. 103,
Nh. 45, Nw. 23, Ni. 511, Ow. 39, Oh. 32, Oi. 821, Ca. 1350.

633^{8*}. The skull of a Behari from Patna. Male aged 65.
Brahmin.

C. 518, L. 182, B. 140, Bi. 769, H. 138, Hi. 758, BN. 102,
BA. 100, Ai. 980, Nh. 57, Nw. 25, Ni. 439, Ow. 38, Oh. 31,
Oi. 816, Ca. 1510.

633^{9*}. The skull of a Behari from Patna. Female aged 55.
Brahmin.

C. 462, L. 163, B. 126, Bi. 773, H. 123, Hi. 755, BN. 100,
BA. 97, Ai. 970, Nh. 48, Nw. 21, Ni. 438, Ow. 35, Oh. 31,
Oi. 886, Ca. 1150.

633^{10*}. The skull of a Behari from Patna. Female aged 46.
Brahmin.

C. 459, L. 168, B. 119, Bi. 708, H. 123, Hi. 732, BN. 90,
BA. 91, Ai. 1011, Nh. 44, Nw. 22, Ni. 500, Ow. 36, Oh. 32,
Oi. 889, Ca. 1020.

633^{11*}. The skull of a Behari from Patna. Male aged 48.
Caste, Kaistha.

C. 463, L. 169, B. 123, Bi. 728, H. 124, Hi. 734, BN. 93,
BA. 89, Ai. 957, Nh. 50, Nw. 24, Ni. 480, Ow. 35, Oh. 31,
Oi. 886, Ca. 1085.

- 633^{12*}. The skull of a Hindu Behari from Patna. Male aged 65. A carpenter. Low-caste Sudra.

C. 463, L. 157, B. 132, Bi. 841, H. 129, Hi. 822, BN. 96, Nh. 46, Nw. 27, Ni. 587, Ow. 37, Oh. 36, Oi. 973, Ca. 1140.

- 633^{13*}. The skull of a Hindu Behari from Patna. Male aged 40. Kahar. Low-caste Sudra.

C. 490, L. 175, B. 132, Bi. 754, H. 130, Hi. 743, BN. 99, BA. 98, Ai. 990, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 36, Oi. 947, Ca. 1300.

- 633^{14*}. The skull of a Behari from Patna. Male aged 60. Chamar caste: an aboriginal tribe. The Tanner caste of Behar.

C. 479, L. 170, B. 134, Bi. 788, H. 126, Hi. 741, BN. 94, BA. 93, Ai. 989, Nh. 43, Nw. 24, Ni. 558, Ow. 36, Oh. 28, Oi. 778, Ca. 1070.

- 633^{15*}. The skull of a Behari from Gaya. Male aged 60. Musahar caste. A cultivating caste of Behar.

C. 474, L. 173, B. 121, Bi. 699, H. 130, Hi. 751, BN. 97, BA. 89, Ai. 918, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 34, Oi. 919, Ca. 1130.

- 633^{16*}. The skull of a Behari from Patna. Male aged 35. Dhanuk caste. A cultivating caste of Behar.

C. 451, L. 165, B. 125, Bi. 758, H. 123, Hi. 745, BN. 96, BA. 98, Ai. 1021, Nh. 38, Nw. 23, Ni. 605, Ow. 36, Oh. 29, Oi. 806, Ca. 960.

- 633^{17*}. The skull of a Behari from Patna. Male aged 56. Kurmi caste. A cultivating caste of Behar.

C. 509, L. 184, B. 132, Bi. 717, H. 127, Hi. 690, BN. 97, BA. 94, Ai. 969, Nh. 50, Nw. 26, Ni. 520, Ow. 40, Oh. 33, Oi. 825, Ca. 1340.

- 633^{18*}. The skull of a Behari from Patna. Male aged 55. Babhan caste. Cultivator.

C. 478, L. 171, B. 127, Bi. 743, H. 131, Hi. 766, BN. 103, BA. 95, Ai. 922, Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 35, Oi. 897, Ca. 1210.

- 633^{19*}. The skull of a Behari from Patna. Male aged 68.
Babhan caste. Cultivator.

C. 487, L. 170, B. 133, Bi. 782, H. 136, Hi. 800, BN. 105,
Nh. 50, Nw. 23, Ni. 460, Ow. 39, Oh. 32, Oi. 821, Ca. 1215.

- 633^{20*}. The skull of a Behari from Patna. Male aged 55.
Babhan caste. Cultivator.

C. 482, L. 172, B. 129, Bi. 750, H. 127, Hi. 738, BN. 93,
BA. 95, Ai. 1022, Nh. 44, Nw. 25, Ni. 568, Ow. 37, Oh. 28,
Oi. 757, Ca. 1230.

- 633^{21*}. The skull of Tika, a Mahomedan Jat from Bengal.
Male aged 95. Cultivator.

C. 510, L. 184, B. 127, Bi. 690, BN. 106, Nh. 50, Nw. 27,
Ni. 540, Ow. 38, Oh. 35, Oi. 921.

- 633^{22*}. The skull of Peer Bukish, a Mussulman Jat from
Bengal. Male aged 22. Cultivator.

C. 493, L. 177, B. 133, Bi. 751, H. 130, Hi. 734, BN. 102,
BA. 91, Ai. 892, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 34,
Oi. 919.

- 633^{23*}. The skull of Bootu, a Mussulman Jat from Bengal.
Male aged 45. Cultivator.

C. 497, L. 180, B. 129, Bi. 717, H. 134, Hi. 744, BN. 105,
BA. 99, Ai. 943, Nh. 46, Nw. 24, Ni. 522, Ow. 35, Oh. 30,
Oi. 857.

- 633^{24*}. The skull of Thaker Singh, a Hindu Jat from Bengal.
Male aged 40.

The atlas is ankylosed to the skull.

C. 513, L. 182, B. 141, Bi. 775, BN. 102, Nh. 50, Nw. 24,
Ni. 480, Ow. 38, Oh. 32, Oi. 842, Ca. 1475.

- 633^{25*}. The skull of Lakha, a Hindu Jat from Bengal. Male
aged 60.

C. 486, L. 179, B. 127, Bi. 709, BN. 104, Nh. 48, Nw. 25,
Ni. 521, Ow. 39, Oh. 30, Oi. 769.

- 633^{26*}. The skull of Moola Singh, a Hindu Jat from Bengal.
Male aged 50.

C. 526, L. 188, B. 133, Bi. 707, H. 123, Hi. 654, BN. 94,
BA. 91, Ai. 968, Nh. 52, Nw. 25, Ni. 481, Ow. 39, Oh. 37,
Oi. 949, Ca. 1425.

- 633^{27*}. The skull of a Mussulman Jat from Bengal. Male aged 35.

C. 486, L. 175, B. 130, Bi. 743, H. 124, Hi. 709, BN. 103, BA. 97, Ai. 942, Nh. 51, Nw. 23, Ni. 460, Ow. 38, Oh. 33, Oi. 868, Ca. 1185.

- 633^{28*}. The skull of Jamiat Singh, a Hindu Jat from Bengal. Male aged 60. Cultivator.

C. 497, L. 181, B. 129, Bi. 713, H. 144, Hi. 796, BN. 111, BA. 99, Ai. 892, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 31, Oi. 816, Ca. 1365.

- 633^{29*}. The skull of Thaker Singh, a Hindu Jat from Bengal. Male aged 80.

C. 503, L. 182, B. 133, Bi. 731, H. 128, Hi. 703, BN. 103, BA. 97, Ai. 942, Nh. 57, Nw. 26, Ni. 456, Ow. 40, Oh. 35, Oi. 875, Ca. 1350.

- 633^{30*}. The skull of Bhola Singh, a Hindu Jat from Bengal. Male aged 30.

C. 485, L. 173, B. 124, Bi. 717, H. 130, Hi. 751, BN. 98, BA. 96, Ai. 980, Nh. 51, Nw. 23, Ni. 451, Ow. 38, Oh. 35, Oi. 921, Ca. 1220.

- 633^{31*}. The skull of Jewan Singh, a Hindu Jat from Bengal. Male aged 30.

C. 514, L. 188, B. 133, Bi. 707, H. 132, Hi. 702, BN. 104, BA. 95, Ai. 931, Nh. 52, Nw. 21, Ni. 404, Ow. 39, Oh. 36, Oi. 923, Ca. 1365.

- 633^{32*}. The skull of Baldeb, a Hindu Brahmin from Bengal. Male aged 35.

C. 534, L. 200, B. 130, Bi. 650, H. 138, Hi. 690, BN. 113, BA. 105, Ai. 929, Nh. 50, Nw. 26, Ni. 520, Ow. 39, Oh. 33, Oi. 846, Ca. 1480.

- 633^{33*}. The skull of a male Brahmin aged 80, from Bengal.

The atlas is ankylosed to the skull.

C. 407, L. 168, B. 125, Bi. 744, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 30, Oi. 811, Ca. 1110.

633^{34*}. The skull of Khoda Buse, a Mahomedan Shaikh from Bengal. Male aged 25.

C. 493, L. 178, B. 127, Bi. 713, H. 127, Hi. 713, BN. 100, BA. 97, Ai. 970, Nh. 47, Nw. 22, Ni. 468, Ow. 35, Oh. 32, Oi. 914, Ca. 1150.

633^{35*}. The skull of Bamy, a Mahomedan Shaikh from Bengal, aged 35.

C. 456, L. 153, B. 135, Bi. 882, H. 128, Hi. 837, BN. 95, BA. 92, Ai. 968, Nh. 43, Nw. 24, Ni. 558, Ow. 36, Oh. 32, Oi. 889, Ca. 1110.

633^{36*}. The skull of Soprati, a Mahomedan from Bengal. Male aged 45. Sunni caste.

C. 508, L. 182, B. 134, Bi. 736, H. 141, Hi. 775, BN. 109, BA. 103, Ai. 945, Nh. 47, Nw. 28, Ni. 596, Ow. 40, Oh. 31, Oi. 775, Ca. 1300.

633^{37*}. The skull of Chutu, a Hindu from Bengal. Male aged 25. A weaver in a jute-mill.

C. 482, L. 172, B. 131, Bi. 762, H. 129, Hi. 750, BN. 99, BA. 92, Ai. 929, Nh. 48, Nw. 24, Ni. 500, Ow. 36, Oh. 28, Oi. 778, Ca. 1235.

633^{38*}. The skull of Subnarayan Sing, a Hindu from Bengal. Male aged 50. A servant.

C. 520, L. 189, B. 134, Bi. 709, H. 138, Hi. 730, BN. 101, BA. 94, Ai. 931, Nh. 52, Nw. 24, Ni. 462, Ow. 38, Oh. 34, Oi. 895, Ca. 1485.

633^{39*}. The skull of Pharos, a Hindu from Bengal. Male aged 28.

C. 484, L. 176, B. 123, Bi. 699, H. 125, Hi. 710, BN. 97, BA. 93, Ai. 959, Nh. 51, Ow. 38, Oh. 35, Oi. 921.

633^{40*}. The skull of Soudaming Dasi, a Hindu from Bengal. Female aged 30.

C. 459, L. 161, B. 127, Bi. 789, H. 119, Hi. 739, BN. 88, BA. 89, Ai. 1011, Nh. 48, Nw. 23, Ni. 479, Ow. 37, Oh. 31, Oi. 838, Ca. 1115.

633^{41*}. The skull of Thiakamonee Dasi, a female Bengali aged 21.
Hindu.

C. 465, L. 169, B. 124, Bi. 734, H. 131, Hi. 775, BN. 95,
BA. 94, Ai. 989, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 31,
Oi. 861, Ca. 1110.

633^{42*}. The skull of Kali Poda Sircar, a Hindu from Bengal.
Male aged 21. Caste, Kaistha.

C. 491, L. 175, B. 137, Bi. 783, H. 139, Hi. 794, BN. 96,
BA. 100, Ai. 1042, Nh. 54, Nw. 25, Ni. 463, Ow. 35, Oh. 31,
Oi. 886, Ca. 1450.

633^{43*}. The cranium of Elahi Buse, a Mahomedan from Bengal.
Male aged 16? A coolie.

C. 490, L. 175, B. 136, Bi. 777, H. 132, Hi. 754, BN. 91,
BA. 95, Ai. 1044, Nh. 50, Nw. 22, Ni. 440, Ow. 36, Oh. 32,
Oi. 889.

633^{44*}. The skull of Panchoo, a Mahomedan from Bengal. Male
aged 35. A servant.

C. 508, L. 178, B. 141, Bi. 792, H. 132, Hi. 742, BN. 104,
BA. 99, Ai. 952, Nh. 54, Nw. 28, Ni. 519, Ow. 38, Oh. 33,
Oi. 868, Ca. 1325.

633^{45*}. The skull of Amiran, a Mahomedan from Bengal.
Female aged 35.

C. 469, L. 167, B. 127, Bi. 760, H. 127, Hi. 760, BN. 92,
BA. 94, Ai. 1022, Nh. 42, Nw. 25, Ni. 595, Ow. 36, Oh. 35,
Oi. 972, Ca. 1210.

633^{46*}. The skull of Binode, a Hindu boy aged 10 from Bengal,
of the Sankhara caste.

633^{47*}. The skull of Moochiram, a Hindu from Bengal. Male
aged 40, of the Kamar caste. Blacksmith.

C. 505, L. 179, B. 138, Bi. 771, H. 135, Hi. 754, BN. 98,
BA. 96, Ai. 980, Nh. 48, Nw. 26, Ni. 542, Ow. 40, Oh. 29,
Oi. 725, Ca. 1460.

633^{48*}. The skull of Gour Das, a Hindu from Bengal. Male
age 45, of the Moira caste. Shopkeeper.

C. 503, L. 179, B. 138, Bi. 771, H. 133, Hi. 743, BN. 100,
BA. 97, Ai. 970, Nh. 52, Nw. 24, Ni. 462, Ow. 35, Oh. 33,
Oi. 943, Ca. 1420.

633^{49*}. The skull of Mohes Das, a Hindu from Bengal. Male aged 45, of the Moira caste. Shopkeeper.

C. 496, L. 170, B. 140, Bi. 824, H. 133, Hi. 783, BN. 97, BA. 91, Ai. 938, Nh. 49, Nw. 23, Ni. 469, Ow. 39, Oh. 32, Oi. 821, Ca. 1355.

633^{50*}. The skull of Poshupati Mukhergie, a male Brahmin aged 40, from Kalighat, Bengal. Pure-caste Brahmin.

C. 526, L. 188, B. 140, Bi. 745, H. 142, Hi. 755, BN. 110, BA. 103, Ai. 936, Nh. 53, Nw. 23, Ni. 434, Ow. 39, Oh. 31, Oi. 795, Ca. 1550.

633^{51*}. The skull of Abhoy Charan, a male Brahmin aged 37, from Santipura, Bengal. Pure-caste Brahmin.

C. 517, L. 185, B. 141, Bi. 762, H. 137, Hi. 741, BN. 102, BA. 95, Ai. 931, Nh. 50, Nw. 26, Ni. 520, Ow. 37, Oh. 35, Oi. 946, Ca. 1550.

633^{52*}. The cranium of Sorag Cali Misser, a young male aged 20, from Hat Khola, Bengal. Pure-caste Brahmin.

633^{53*}. The skull of Chintamani, a male aged 25, from Taligunge, Bengal. Caste, Kalu. Maker of oil.

C. 505, L. 186, B. 131, Bi. 704, H. 131, Hi. 704, BN. 104, BA. 111, Ai. 1067, Nh. 50, Nw. 23, Ni. 460, Ow. 37, Oh. 32, Oi. 865, Ca. 1275.

633^{54*}. The skull of Bhut Nath Kundu, a male aged 30, from Behala, Bengal. Caste, Teli. Oil-seller.

C. 460, L. 162, B. 127, Bi. 784, H. 135, Hi. 833, BN. 95, BA. 88, Ai. 926, Nh. 46, Nw. 24, Ni. 522, Ow. 38, Oh. 33, Oi. 868, Ca. 1175.

633^{55*}. The skull of Shoshi Ghosh, a male aged 25, from Barasat, Bengal. Caste, Sadgope. Cultivating class Sudras.

C. 501, L. 180, B. 130, Bi. 722, H. 140, Hi. 778, BN. 103, BA. 98, Ai. 951, Nh. 55, Nw. 25, Ni. 455, Ow. 40, Oh. 33, Oi. 825, Ca. 1375.

633^{56*}. The skull of Beni Madhab, a male aged 30, from Halisaha, Bengal. Caste, Sadgope. Cultivating class Sudras.

C. 480, L. 171, B. 125, Bi. 731, H. 125, Hi. 731, BN. 99, BA. 95, Ai. 960, Nh. 47, Nw. 25, Ni. 532, Ow. 34, Oh. 29, Oi. 853, Ca. 1100.

- 633^{57*}. The skull of Brojo Mohan Dulta, a male aged 60, from Khidirpur, Bengal. Subarna Barnick caste. Mercantile and banker class of Bengal proper.

The atlas is ankylosed to the skull.

C. 478, L. 166, B. 133, Bi. 801, Nh. 53, Nw. 21, Ni. 396, Ow. 36, Oh. 34, Oi. 944, Ca. 1190.

- 633^{58*}. The skull of Chintamani, a male Hindu aged 50, from Bengal. Caste, Uria.

C. 498, L. 179, B. 133, Bi. 743, H. 137, Hi. 765, BN. 103, BA. 100, Ai. 971, Nh. 55, Nw. 26, Ni. 473, Ow. 39, Oh. 35, Oi. 897, Ca. 1400.

- 633^{59*}. The skull of Gourhari Dass, a male Hindu aged 40, from Full Bagan, Bengal. Caste, Uria.

C. 486, L. 180, B. 118, Bi. 656, H. 125, Hi. 694, BN. 97, BA. 96, Ai. 990, Nh. 48, Nw. 26, Ni. 542, Ow. 38, Oh. 33, Oi. 868, Ca. 1200.

- 633^{60*}. The skull of Ram Krista, a male aged 50, from Shami-bazar, Bengal. Caste, Tanti. Low-caste weaver.

C. 489, L. 169, B. 137, Bi. 811, H. 130, Hi. 769, BN. 97, BA. 94, Ai. 969, Nh. 50, Nw. 21, Ni. 420, Ow. 37, Oh. 37, Oi. 1000, Ca. 1350.

- 633^{61*}. The skull of Nando, a male aged 25, from Barasat, Bengal. Caste, Gowallah (the pastoral caste of Bengal). Milkman.

C. 488, L. 174, B. 129, Bi. 741, H. 140, Hi. 805, BN. 103, BA. 101, Ai. 981, Nh. 57, Nw. 24, Ni. 421, Ow. 37, Oh. 35, Oi. 946, Ca. 1350.

- 633^{62*}. The skull of Pana Behary, a male aged 25, from Charasali, Bengal. Caste, Kaibartia. Fisherman.

C. 492, L. 181, B. 126, Bi. 696, H. 123, Hi. 680, BN. 103, BA. 98, Ai. 951, Nh. 53, Nw. 23, Ni. 434, Ow. 39, Oh. 32, Oi. 821, Ca. 1175.

- 633^{63*}. The skull of Bhagabanta, a male aged 30, from Jaun-bazar, Bengal. Caste, Kewat.

C. 475, L. 173, B. 125, Bi. 723, H. 129, Hi. 746, BN. 97, BA. 96, Ai. 990, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 37, Oi. 1000, Ca. 1165.

633^{64*}. The skull of Sita Charan, a male aged 23, from Shampooker, Bengal. Caste, Bagdi.

C. 504, L. 182, B. 132, Bi. 725, H. 134, Hi. 736, BN. 106, BA. 100, Ai. 943, Nh. 47, Nw. 26, Ni. 553, Ow. 39, Oh. 32, Oi. 821, Ca. 1335.

633^{65*}. The skull of Gobind Chunder Shaha, a male aged 40, from Goranhata, Bengal. Caste, Shaha. Wine distiller.

C. 485, L. 169, B. 133, Bi. 787, H. 137, Hi. 811, BN. 98, BA. 92, Ai. 939, Nh. 46, Nw. 25, Ni. 543, Ow. 39, Oh. 32, Oi. 821, Ca. 1315.

633^{66*}. The skull of Goni Chamar, a Hindu from Bengal. Male aged 38. A servant.

C. 482, L. 170, B. 130, Bi. 765, H. 132, Hi. 776, BN. 104, BA. 103, Ai. 990, Nh. 49, Nw. 22, Ni. 449, Ow. 37, Oh. 32, Oi. 865, Ca. 1250.

633^{67*}. The skull of Beehu, a low-caste Hindu from Bengal. Male aged 28. Cartdriver.

Metopic.

C. 489, L. 176, B. 126, Bi. 716, H. 130, Hi. 739, BN. 94, BA. 97, Ai. 1032, Nh. 48, Nw. 26, Ni. 542, Ow. 37, Oh. 32, Oi. 865, Ca. 1280.

633^{68*}. The skull of Jogul Kirsore, a low-caste Hindu from Bengal. Male aged 50.

C. 509, L. 186, B. 129, Bi. 694, H. 126, Hi. 677, BN. 97, BA. 100, Ai. 1031, Nh. 50, Nw. 29, Ni. 580, Ow. 39, Oh. 33, Oi. 846, Ca. 1290.

633^{69*}. The skull of Batuk Das, a low-caste Hindu, from Bengal. Male aged 20.

C. 474, L. 168, B. 129, Bi. 768, H. 135, Hi. 804, BN. 100, BA. 90, Ai. 900, Nh. 47, Nw. 24, Ni. 511, Ow. 36, Oh. 29, Oi. 806, Ca. 1200.

633^{70*}. The cranium of Lakhimani, a female Hindu aged 22, from Lower Bengal.

C. 471, L. 167, B. 132, Bi. 790, H. 124, Hi. 734, BN. 92, BA. 87, Ai. 946, Nh. 45, Nw. 22, Ni. 489, Ow. 33, Oh. 32, Oi. 970, Ca. 1100.

- 633^{71*}. The skull of Gungia, a female Hindu aged 26, from Lower Bengal.

C. 444, L. 154, B. 127, Bi. 825, H. 118, Hi. 766, BN. 90, BA. 85, Ai. 944, Nh. 42, Nw. 21, Ni. 500, Ow. 36, Oh. 33, Oi. 917, Ca. 910.

- 633^{72*}. The skull of Sairub, a female Hindu aged 30, from Lower Bengal.

C. 478, L. 170, B. 130, Bi. 765, H. 125, Hi. 735, BN. 92, BA. 92, Ai. 1000, Nh. 44, Nw. 25, Ni. 568, Ow. 38, Oh. 33, Oi. 868, Ca. 1200.

- 633^{73*}. The cranium of Lohari, a male Hindu aged 47, from Bengal. Caste, Kurmi. A servant.

C. 500, L. 176, B. 138, Bi. 784, H. 133, Hi. 756, BN. 102, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 29, Oi. 806, Ca. 1385.

- 633^{74*}. The skull of Ram Sebuick Dass, a male aged 15, from Bengal. Pure-caste Brahmin.

The above seventy-four specimens presented by Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

634. A cast of the cranium of a Gound, from the banks of the Jumna, near Kalpi: ♂.

The original is in the Anthropological Gallery of the Museum of Natural History at Paris (Coll. Diard). It is figured in the 'Crania Ethnica' of Quatrefages and Hamy, pl. xxviii.

C. 505, L. 188, B. 127, Bi. 676, H. 134, Hi. 713.

Presented by the "Professeurs Administrateurs du Musée d'Histoire Naturelle à Paris," per M. de Quatrefages, 1877.

- 634¹. The cranium of a leader of the Gumsah (?) rebellion.

C. 510, L. 178, B. 139, Bi. 781, H. 143, Hi. 803, BN. 98, BA. 91, Ai. 929, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 33, Oi. 846, Ca. 1555.

Anthropol. Soc., No. 192.

635. The skull of a low-caste male Hindu, who was a Thug. O. C. 5542.

He was murdered in jail by his fellow prisoners, the skull, which is extremely thin, having been extensively shattered by a blow with a brass drinking-vessel.

The squamosals meet the frontals on both sides. There is very marked dental prognathism.

C. 475, L. 165, B. 130, Bi. 788, H. 132, Hi. 800, BN. 98, BA. 95, Ai. 969, Nh. 48, Nw. 22, Ni. 458, Ow. 37, Oh. 33, Oi. 892.

Purchased, 1840.

The three following complete skeletons are from men who died in the Campbell Hospital, Calcutta, and were presented by Dr. S. Coull Mackenzie, Surg.-Major, Bengal Army, June 21st, 1882.

635¹. Shiek Fullele Mohamed, aged about 36 years. Beggar. native of the Punjab. Mahomedan. Died 1881.

C. 498, L. 177, B. 133, Bi. 751, H. 134, Hi. 757, BN. 103, BA. 98, Ai. 951, Nh. 48, Nw. 25, Ni. 521, Ow. 40, Oh. 32, Oi. 800, Ca. 1362.

635². Kani-Uriah or Oriah, aged 38 years. Native of Orissa, by Caste a Gowallah (Hindu). Died 1881.

C. 498, L. 181, B. 132, Bi. 729, H. 141, Hi. 779, BN. 98, Nh. 48, Nw. 26, Ni. 542, Ow. 41, Oh. 32, Oi. 780, Ca. 1460.

635³. Luchman Uriah, aged 38 years. An agriculturist native of Orissa, by Caste a Gowallah (Hindu). Died 1881.

C. 513, L. 184, B. 137, Bi. 745, H. 144, Hi. 783, BN. 101, BA. 95, Ai. 941, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 35, Oi. 897, Ca. 1570.

For an account of the Oriahs, see Dr. Mackenzie's letter dated 20th July, 1882.

636. The skull of a male Hindu of the Coolie caste. O. C. 5541.

There are two canine teeth on the right side of the upper jaw.

C. 483, L. 175, B. 130, Bi. 743, H. 135, Hi. 771, BN. 101, BA. 104, Ai. 1030, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 32, Oi. 865, Ca. 1270.

Presented by Dr. G. M. Paterson, 1823.

636¹. The skull of a female 55 years of age. Caste, Bheel. Born at Dohad, Panch Mahals. Died 1879.

C. 483, L. 173, B. 129, Bi. 746, H. 127, Hi. 734, BN. 96, BA. 93, Ai. 969, Nh. 46, Nw. 26, Ni. 565, Ow. 39, Oh. 34, Oi. 872, Ca. 1160.

- 636². The skull of a male Hindu aged 21 (more probably 60). Caste, Coolie. Birth-place Halole, Panch Mahals. Occupation, cultivator. Died 1876.

C. 512, L. 179, B. 139, Bi. 777, H. 131, Hi. 732, BN. 107, Nh. 50, Nw. 27, Ni. 540, Ow. 39, Oh. 35, Oi. 897, Ca. 1365.

- 636³. The skull of a male, aged 30. Caste, Dhariko, Hindu, Birthplace, Gudd Rewa, Kantha. Occupation, cultivator. Died 1879.

C. 500, L. 177, B. 133, Bi. 751, H. 133, Hi. 751, BN. 100, BA. 92, Ai. 920, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 32, Oi. 865, Ca. 1360.

The above three specimens were presented by

Kaikhosri Sorabji Nariman, Surgeon, Bombay Army.
1880.

- 636⁴. The skeleton (wanting some of the bones of the hands and feet and most of the teeth) of an adult male Hindu, named Dama Rowji. Caste, Katchee. Birthplace, Halole, Panch Mahals. Occupation, cultivator. Executed for murder, 1879.

C. 480, L. 171, B. 124, Bi. 725, H. 127, Hi. 743, BN. 100, BA. 99, Ai. 990, Nh. 48, Nw. 28, Ni. 583, Ow. 39, Oh. 32, Oi. 821, Ca. 1165.

Presented by K. S. Nariman, Esq., 1880.

- 636⁵. The skeleton of a young male Hindu Brahmin, "Nirmaldas," aged 14. Born at Lucknow. Beggar. Died at Dohad, 1881."

Presented by K. S. Nariman, Esq., 1882.

637. The cranium of a Hindu, from Mianipore, Bengal: ♂.
O. C. 5554.

C. 512, L. 188, B. 132, Bi. 702, H. 135, Hi. 718, BN. 105, BA. 97, Ai. 924, Nh. 51, Nw. 22, Ni. 431, Ow. 36, Oh. 35, Oi. 972, Ca. 1420.

Astley-Cooper Collection. Purchased, 1843.

638. The cranium of a Hindu: ♂.

C. 481, L. 170, B. 131, Bi. 771, H. 126, Hi. 741, BN. 99, BA. 104, Ai. 1051, Nh. 51, Nw. 24, Ni. 471, Ow. 37, Oh. 35, Oi. 946, Ca. 1075.

In Museum before 1862. No further history.

639. The cranium of a Hindu: ♂.

C. 468, L. 165, B. 132, Bi. 800, H. 127, Hi. 770, BN. 96,
BA. 95, Ai. 990, Nh. 47, Nw. 22, Ni. 468, Ow. 33, Oh. 32,
Oi. 970, Ca. 1180.

In Museum before 1862.

640. The cranium of a Hindu: ♂.

C. 500, L. 177, B. 130, Bi. 734, H. 134, Hi. 757, BN. 101,
BA. 100, Ai. 990, Nh. 53, Nw. 25, Ni. 472, Ow. 38, Oh. 34,
Oi. 895, Ca. 1410.

In Museum before 1862.

640¹. The skull of a male Hindu, named Ali, a seaman, who died in the Hospital at Greenwich.

C. 480, L. 165, B. 136, Bi. 824, H. 136, Hi. 824, BN. 97,
BA. 88, Ai. 907, Nh. 51, Nw. 25, Ni. 490, Ow. 38, Oh. 34,
Oi. 895, Ca. 1395.

Presented by George Busk, Esq., 1881.

641. The skull of a female Hindu. O. C. 5545.

C. 462, L. 167, B. 124, Bi. 743, H. 130, Hi. 778, BN. 95,
BA. 94, Ai. 989, Nh. 45, Nw. 22, Ni. 489, Ow. 36, Oh. 31,
Oi. 861, Ca. 1110.

*This and the seven following specimens were purchased
from Mr. George Evans, 1840.*

642. The skull of a young female Hindu. O. C. 5544.

The basilar suture is not closed. All the permanent teeth are in place, except the third molars.

C. 476, L. 163, B. 140, Bi. 859, H. 134, Hi. 822, BN. 96,
BA. 92, Ai. 958, Nh. 45, Nw. 20, Ni. 444, Ow. 37, Oh. 33,
Oi. 892.

Purchased, 1840.

643. The cranium of a young Hindu native of Bengal. O. C. 5553.

The second permanent molars are just rising into place.

C. 467, L. 166, B. 130, Bi. 783, H. 129, Hi. 777, BN. 87,
BA. 83, Ai. 954, Nh. 38, Nw. 20, Ni. 526, Ow. 33, Oh. 39,
Oi. 879.

Purchased, 1840.

644. The skull of a Hindu youth, aged thirteen years. O. C. 5546.

The milk-teeth are all shed except the last molars of the lower jaw. The second permanent molars are not yet in place.

C. 485, L. 171, B. 140, Bi. 819, H. 124, Hi. 725, BN. 89, BA. 82, Ai. 921, Nh. 41, Nw. 23, Ni. 561, Ow. 36, Oh. 30, Oi. 833.

Purchased, 1840.

645. The skull of a Hindu child, aged six and a half years. O. C. 5547.

The first permanent molars, all the lower and the central upper incisors are in place.

C. 465, L. 167, B. 126, Bi. 754, H. 126, Hi. 754, BN. 86, BA. 79, Ai. 919, Nh. 37, Nw. 19, Ni. 514, Ow. 32, Oh. 31, Oi. 969.

Purchased, 1840.

646. The skull of a Hindu child, aged two and a half years. O. C. 5548.

All the milk-teeth are in place. The germs of the permanent teeth have been exposed.

C. 436, L. 154, B. 126, Bi. 818, H. 107, Hi. 695, BN. 74, BA. 72, Ai. 973, Nh. 33, Nw. 18, Ni. 545, Ow. 30, Oh. 29, Oi. 967.

Purchased, 1840.

647. The skull of a Hindu child, aged two and a half years. O. C. 5549.

All the milk-teeth are in place.

C. 435, L. 157, B. 122, Bi. 777, Nh. 30, Nw. 18, Ni. 600, Ow. 30, Oh. 28, Oi. 933.

Purchased, 1840.

648. The skull of a Hindu child, two years old. O. C. 5550.

The milk-teeth are in place. The anterior fontanelle is not closed. The right temporal, malar, maxillary, and nasal bones are lost.

C. 425, L. 151, B. 122, Bi. 808.

Purchased, 1840.

- 648¹. The cranium of a young Hindu.

The milk-dentition only in place. Nasals absent.

Anthropol. Soc., No. 52.

649. The cranium of a Hindu child. O. C. 5558.

The milk-dentition is in place. There are numerous Wormian bones in the lambdoidal suture, others in the squamoso-parietal sutures, in the right side of the coronal, and in the right pterion. The premaxillary sutures are very distinct in the palate.

C. 440, L. 160, B. 122, Bi. 763.

Purchased.

650. The cranium of a Hindu child. O. C. 5551.

This is stated to have been from an idiot. All the milk-teeth are in place; and the first permanent molars have just risen to the surface of the alveolus.

C. 425, L. 146, B. 123, Bi. 877, H. 115, Hi. 788, BN. 72, BA. 73, Ai. 1031, Nh. 35, Nw. 17, Ni. 486, Ow. 31, Oh. 29, Oi. 935.

Presented by Dr. G. M. Paterson, 1823.

651. The cranium of a female Hindu, native of Rajpootana. O. C. 5552.

There is a complete "interparietal" bone detached from the supraoccipital.

C. 462, L. 165, B. 130, Bi. 788, H. 125, Hi. 758, BN. 89, BA. 89, Ai. 1000, Nh. 39, Nw. 21, Ni. 538, Ow. 35, Oh. 30, Oi. 857, Ca. 1100.

Presented by Dr. G. M. Paterson, 1823.

652. The cranium of a young Hindu from Bengal: ♂.

The basilar suture is open. The last permanent molars are just rising into place.

C. 476, L. 170, B. 135, Bi. 794, H. 127, Hi. 747, BN. 90, BA. 88, Ai. 978, Nh. 46, Nw. 22, Ni. 478, Ow. 34, Oh. 31, Oi. 912.

Purchased, 1863.

- 652¹. The skull of a Naga from the Patkoi Mountains, where Lieut. Halcombe was murdered.

Rings made of soft thick wire were placed through the zygomata, nasal cavity, and orbits (coils about 3 inches in diameter and twelve in number): these, which seem to be used as decorations and to have been placed on the skull after it was cleaned, are preserved in a drawer.

C. 472, L. 166, B. 129, Bi. 777, H. 132, Hi. 795, BN. 93, BA. 92, Ai. 989, Nh. 48, Nw. 28, Ni. 583, Ow. 38, Oh. 33, Oi. 868, Ca. 1290.

Presented by F. d'O. Partridge, Esq., 1880.

- 652². The skeleton of a female Bhutea or native of Bhutan who passed at Calcutta by the name of Mary Jeanie and died in the Campbell Hospital, 1880.

C. 485, L. 169, B. 137, Bi. 811, H. 125, Hi. 740, BN. 94, BA. 92, Ai. 979, Nh. 41, Nw. 25, Ni. 610, Ow. 37, Oh. 33, Oi. 892, Ca. 1270.

Presented by Dr. C. Mackenzie, 1881.

- 652³. The mutilated cranium of a "Duffla," a tribe inhabiting the lower range of the Himalayas, north of Assam.

C. 478, L. 173, B. 125, Bi. 723, H. 121, Hi. 699, BN. 99, BA. 99, Ai. 1000, Nh. 49, Nw. 26, Ni. 531, Ow. 36, Oh. 34, Oi. 944, Ca. 1185.

Presented by F. d' O. Partridge, Esq., 1883.

653. The skull of a native of Eastern India: ♂. O. C. 5543.

C. 517, L. 180, B. 146, Bi. 811, H. 143, Hi. 794, BN. 99, BA. 97, Ai. 980, Nh. 55, Nw. 26, Ni. 473, Ow. 38, Oh. 35, Oi. 921, Ca. 1690.

Presented by Dr. B. C. Henderson, 1822.

- 653¹ to 653³⁴. Thirty-four crania from Berhampore, Gangam District, North-east part of Madras Presidency. "Among them ought to be some Gound, Oryab, and Savarah skulls."

Presented by Dr. John Shortt, Surgeon-Major, 1879.

- 653¹. C. 518, L. 189, B. 132, Bi. 698, H. 141, Hi. 746, BN. 108, BA. 101, Ai. 935, Nh. 53, Nw. 30, Ni. 566, Ow. 39, Oh. 32, Oi. 821, Ca. 1530.

- 653². C. 508, L. 183, B. 134, Bi. 732, H. 134, Hi. 732, BN. 98, BA. 93, Ai. 949, Nh. 46, Nw. 26, Ni. 565, Ow. 39, Oh. 32, Oi. 821, Ca. 1455.

- 653³. C. 487, L. 174, B. 133, Bi. 764, H. 142, Hi. 816, BN. 101, BA. 98, Ai. 970, Nh. 50, Nw. 26, Ni. 520, Ow. 40, Oh. 34, Oi. 850, Ca. 1360.

- 653⁴. C. 500, L. 178, B. 131, Bi. 736, H. 130, Hi. 730, BN. 99, BA. 93, Ai. 939, Nh. 46, Nw. 25, Ni. 543, Ow. 38, Oh. 29, Oi. 763, Ca. 1310.

- 653⁵. C. 512, L. 181, B. 137, Bi. 757, H. 143, Hi. 790, BN. 104, BA. 98, Ai. 942, Nh. 47, Nw. 23, Ni. 489, Ow. 40, Oh. 32, Oi. 800, Ca. 1495.

- 653⁶. C. 518, L. 184, B. 141, Bi. 766, H. 137, Hi. 745, BN. 103, BA. 98, Ai. 951, Nh. 53, Nw. 25, Ni. 472, Ow. 39, Oh. 34, Oi. 872, Ca. 1390.
- 653⁷. C. 500, L. 176, B. 140, Bi. 795, H. 141, Hi. 801, BN. 106, BA. 104, Ai. 981, Nh. 51, Nw. 25, Ni. 490, Ow. 40, Oh. 32, Oi. 800, Ca. 1400.
- 653⁸. C. 485, L. 174, B. 131, Bi. 753, H. 128, Hi. 736, BN. 95, BA. 91, Ai. 958, Nh. 48, Nw. 24, Ni. 500, Ow. 41, Oh. 35, Oi. 854, Ca. 1245.
- 653⁹. C. 518, L. 187, B. 131, Bi. 701, H. 131, Hi. 701, BN. 101, BA. 94, Ai. 931, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 30, Oi. 789, Ca. 1485.
- 653¹⁰. C. 505, L. 178, B. 144, Bi. 809, H. 133, Hi. 747, BN. 106, BA. 99, Ai. 934, Nh. 53, Nw. 26, Ni. 491, Ow. 39, Oh. 33, Oi. 846, Ca. 1395.
- 653¹¹. C. 495, L. 176, B. 135, Bi. 767, H. 129, Hi. 733, BN. 102, BA. 101, Ai. 990, Nh. 50, Nw. 26, Ni. 520, Ow. 37, Oh. 33, Oi. 892, Ca. 1310.
- 653¹². C. 485, L. 173, B. 131, Bi. 757, H. 128, Hi. 740, BN. 94, BA. 91, Ai. 968, Nh. 52, Nw. 22, Ni. 423, Ow. 35, Oh. 32, Oi. 914, Ca. 1195.
- 653¹³. C. 485, L. 169, B. 132, Bi. 781, H. 127, Hi. 751, BN. 96, BA. 94, Ai. 979, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 35, Oi. 946, Ca. 1315.
- 653¹⁴. C. 490, L. 173, B. 135, Bi. 780, H. 136, Hi. 786, BN. 93, BA. 92, Ai. 989, Nh. 50, Nw. 27, Ni. 540, Ow. 37, Oh. 32, Oi. 865, Ca. 1425.
- 653¹⁵. C. 510, L. 181, B. 141, Bi. 779, H. 136, Hi. 751, BN. 97, BA. 97, Ai. 1000, Nh. 48, Nw. 26, Ni. 542, Ow. 40, Oh. 34, Oi. 850, Ca. 1375.
- 653¹⁶. C. 497, L. 181, B. 131, Bi. 724, H. 135, Hi. 746, BN. 101, BA. 99, Ai. 980, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 31, Oi. 816, Ca. 1405.
- 653¹⁷. C. 502, L. 187, B. 125, Bi. 668, H. 125, Hi. 668, BN. 93, BA. 100, Ai. 1020, Nh. 47, Nw. 24, Ni. 511, Ow. 40, Oh. 33, Oi. 825, Ca. 1260.
- 653¹⁸. C. 485, L. 173, B. 135, Bi. 780, H. 133, Hi. 769, BN. 96, BA. 97, Ai. 1010, Nh. 41, Nw. 24, Ni. 585, Ow. 33, Oh. 28, Oi. 848, Ca. 1180.

- 653¹⁰. C. 490, L. 178, B. 136, Bi. 764, H. 135, Hi. 758, BN. 104, BA. 100, Ai. 962, Nh. 52, Nw. 23, Ni. 442, Ow. 38, Oh. 32, Oi. 842, Ca. 1340.
- 653²⁰. C. 490, L. 175, B. 135, Bi. 771, H. 143, Hi. 817, BN. 106, BA. 100, Ai. 943, Nh. 46, Nw. 26, Ni. 565, Ow. 40, Oh. 34, Oi. 850, Ca. 1350.
- 653²¹. C. 485, L. 176, B. 126, Bi. 716, H. 131, Hi. 744, BN. 100, BA. 101, Ai. 1010, Nh. 44, Nw. 25, Ni. 568, Ow. 39, Oh. 33, Oi. 846, Ca. 1085.
- 653²². C. 490, L. 174, B. 128, Bi. 736, H. 135, Hi. 776, BN. 100, BA. 94, Ai. 940, Nh. 50, Nw. 24, Ni. 480, Ow. 37, Oh. 32, Oi. 865, Ca. 1310.
- 653²³. C. 495, L. 182, B. 129, Bi. 709, H. 136, Hi. 747, BN. 98, BA. 91, Ai. 929, Ow. 39, Oh. 31, Oi. 795, Ca. 1320.
- 653²⁴. C. 505, L. 173, B. 142, Bi. 821, H. 129, Hi. 746, BN. 97, BA. 88, Ai. 907, Nh. 51, Nw. 23, Ni. 451, Ow. 35, Oh. 34, Oi. 971, Ca. 1405.
- 653²⁵. C. 483, L. 177, B. 128, Bi. 723, H. 132, Hi. 746, BN. 103, BA. 100, Ai. 971, Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 33, Oi. 846, Ca. 1270.
- 653²⁶. C. 490, L. 176, B. 130, Bi. 739, H. 130, Hi. 739, BN. 94, BA. 89, Ai. 947, Nh. 44, Nw. 24, Ni. 545, Ow. 37, Oh. 31, Oi. 838, Ca. 1395.
- 653²⁷. C. 485, L. 173, B. 127, Bi. 734, H. 121, Hi. 699, BN. 92, BA. 91, Ai. 989, Nh. 44, Nw. 24, Ni. 545, Ow. 37, Oh. 34, Oi. 919, Ca. 1155.
- 653²⁸. C. 480, L. 173, B. 128, Bi. 740, H. 133, Hi. 769, BN. 100, BA. 94, Ai. 940, Nh. 49, Nw. 30, Ni. 612, Ow. 39, Oh. 32, Oi. 821, Ca. 1260.
- 653²⁹. C. 480, L. 173, B. 128, Bi. 740, H. 130, Hi. 751, BN. 94, BA. 86, Ai. 915, Nh. 48, Nw. 20, Ni. 417, Ow. 36, Oh. 32, Oi. 889, Ca. 1230.
- 653³⁰. C. 465, L. 169, B. 124, Bi. 734, H. 120, Hi. 710, BN. 94, BA. 94, Ai. 1000, Nh. 46, Nw. 22, Ni. 478, Ow. 35, Oh. 32, Oi. 914, Ca. 1065.
- 653³¹. C. 500, L. 180, B. 129, Bi. 717, H. 126, Hi. 700, BN. 97, BA. 85, Ai. 876, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 36, Oi. 947, Ca. 1200.

653³². C. 460, L. 163, B. 125, Bi. 767, H. 130, Hi. 798, BN. 93, BA. 91, Ai. 978, Nh. 44, Nw. 21, Ni. 477, Ow. 35, Oh. 31, Oi. 886, Ca. 1165.

653³³. Young.

653³⁴. Young.

653³⁵. The cranium of a Khond from the hill-tracts of the Gan-gam District, North-east part of the Madras Presidency. The tribes are addicted to the practice of offering human sacrifices, which they still carry out when they can do so without the knowledge of the British Authorities.

C. 578, L. 188, B. 136, Bi. 723, H. 136, Hi. 723, BN. 91, BA. 85, Ai. 934, Nh. 50, Nw. 27, Ni. 540, Ca. 1435.

Presented by Dr. John Shortt, 1880.

653³⁶. The cranium of a Pano, or Panoo, a subtribe between the Khonds and what are known as the Savaras from the same District. (See letter of donor, Nov. 10th 1880).

C. 480, L. 168, B. 131, Bi. 780, H. 126, Hi. 750, BN. 95, BA. 95, Ai. 1000, Nh. 46, Nw. 22, Ni. 478, Ow. 39, Oh. 33, Oi. 846, Ca. 1200.

Presented by Dr. John Shortt, 1880.

653³⁷ to 653⁴². Six skulls from burial-grounds near Madras. "The people who deposit here are Tingayats, a peculiar sect embracing various castes who wear a portable phallus or jangania in a silver case on the chest or upper arm. The skulls sent are believed to belong to Goldsmiths and Potters." (See letter of donor, July 23, 1881.)

653³⁷. C. 510, L. 180, B. 135, Bi. 750, H. 133, Hi. 739, BN. 98, BA. 100, Ai. 1020, Nh. 46, Nw. 29, Ni. 630, Ow. 40, Oh. 30, Oi. 750, Ca. 1350.

653³⁸. C. 485, L. 175, B. 133, Bi. 760, H. 135, Hi. 771, BN. 95, BA. 99, Ai. 1042, Nh. 42, Nw. 26, Ni. 619, Ow. 40, Oh. 32, Oi. 800, Ca. 1290.

653³⁹. C. 488, L. 176, B. 132, Bi. 750, H. 131, Hi. 744, BN. 96, BA. 90, Ai. 938, Nh. 44, Nw. 23, Ni. 523, Ow. 35, Oh. 30, Oi. 857, Ca. 1315.

653⁴⁰. C. 485, L. 176, B. 128, Bi. 727, H. 137, Hi. 778, BN. 97, BA. 94, Ai. 969, Nh. 50, Nw. 27, Ni. 540, Ow. 35, Oh. 31, Oi. 886, Ca. 1275.

653⁴¹. C. 500, L. 180, B. 136, Bi. 756, H. 128, Hi. 711, BN. 95, BA. 92, Ai. 968, Nh. 44, Nw. 25, Ni. 568, Ow. 38, Oh. 32, Oi. 842, Ca. 1335.

653⁴². C. 490, L. 177, B. 133, Bi. 751, H. 130, Hi. 734, BN. 101, BA. 92, Ai. 911, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 34, Oi. 895, Ca. 1200.

653⁴³. A skull sent with the above but which does not appear to have been buried.

C. 465, L. 171, B. 120, Bi. 702, H. 126, Hi. 737, BN. 99, BA. 97, Ai. 980, Nh. 46, Nw. 25, Ni. 543, Ow. 37, Oh. 33, Oi. 892, Ca. 1045.

*Presented by Surgeon-Major G. Bidie, M.B.,
Superintendent Government Central Museum, 1882.*

653⁴⁴. A skull from Southern India, a Pariah (or low-caste native) of Madras.

C. 450, L. 163, B. 117, Bi. 718, H. 123, Hi. 755, BN. 91, BA. 90, Ai. 989, Nh. 46, Nw. 24, Ni. 522, Ow. 35, Oh. 31, Oi. 886, Ca. 980.

Presented by Surgeon-Major G. Bidie, M.B., 1882.

653^{1*}. The skull of a male aged 50, from Marwar, Central India. Caste Banya.

C. 482, L. 174, B. 130, Bi. 747, H. 128, Hi. 736, BN. 93, Nh. 42, Nw. 25, Ni. 595, Ow. 35, Oh. 30, Oi. 857, Ca. 1225.

The twenty following specimens are from the Madura district of the Madras Presidency, and chiefly belong to the Maravar tribe §.

654. A skull from Madura : ♂.

C. 482, L. 176, B. 129, Bi. 733, H. 131, Hi. 744, BN. 102, BA. 95, Ai. 931, Nh. 46, Nw. 23, Ni. 500, Ow. 37, Oh. 30, Oi. 811, Ca. 1250.

*Presented by Dr. John Shortt, Surgeon-Major
H.M. Madras Army, 1878.*

§ For a description of 20 skulls of Maravars, presented by Dr. Shortt to the Museum of the Anthropological Society of Paris, see E. Callamand, "Le Crânes des noirs de l'Inde," *Revue d'Anthropologie*, Oct. 1878.

655. A skull from Madura : ♂.

Metopic.

C. 490, L. 171, B. 134, Bi. 784, H. 126, Hi. 737, BN. 94, BA. 96, Ai. 1021, Nh. 44, Nw. 23, Ni. 523, Ow. 36, Oh. 30, Oi. 833, Ca. 1200.

Presented by Dr. J. Shortt, 1878.

656. A skull from Madura : ♂.

C. 474, L. 173, B. 130, Bi. 751, H. 135, Hi. 780, BN. 103, BA. 101, Ai. 981, Nh. 47, Nw. 21, Ni. 447, Ow. 39, Oh. 31, Oi. 795, Ca. 1230.

Presented by Dr. J. Shortt, 1878.

657. A skull from Madura : ♂?

C. 492, L. 177, B. 135, Bi. 763, H. 133, Hi. 751, BN. 97, BA. 93, Ai. 959, Nh. 43, Nw. 24, Ni. 558, Ow. 35, Oh. 33, Oi. 943, Ca. 1225.

Presented by Dr. J. Shortt, 1878.

658. A skull from Madura : ♂

C. 492, L. 181, B. 127, Bi. 702, H. 129, Hi. 713, BN. 97, BA. 95, Ai. 979, Nh. 49, Nw. 24, Ni. 490, Ow. 36, Oh. 31, Oi. 861, Ca. 1275.

Presented by Dr. J. Shortt, 1878.

659. A skull from Madura : ♂.

It has numerous Wormian bones in the lambdoidal suture, one in the right coronal suture, and a large epipteric ossicle on the same side.

C. 498, L. 179, B. 136, Bi. 760, H. 138, Hi. 771, BN. 100, BA. 95, Ai. 950, Nh. 46, Nw. 23, Ni. 500, Ow. 36, Oh. 30, Oi. 833, Ca. 1390.

Presented by Dr. J. Shortt, 1878.

660. A skull from Madura : ♂.

C. 487, L. 178, B. 125, Bi. 702, H. 130, Hi. 730, BN. 97, BA. 101, Ai. 1041, Nh. 46, Nw. 26, Ni. 565, Ow. 37, Oh. 30, Oi. 811, Ca. 1200.

Presented by Dr. J. Shortt, 1878.

661. A skull from Madura : ♂.

C. 488, L. 173, B. 132, Bi. 763, H. 135, Hi. 780, BN. 93, BA. 93, Ai. 1000, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 31, Oi. 838, Ca. 1350.

Presented by Dr. J. Shortt, 1878.

662. A skull from Madura : ♂.

C. 502, L. 180, B. 139, Bi. 772, H. 138, Hi. 767, BN. 108,
BA. 103, Ai. 954, Nh. 46, Nw. 23, Ni. 500, Ow. 37, Oh. 31,
Oi. 838, Ca. 1375.

Presented by Dr. J. Shortt, 1878.

663. A skull from Madura.

C. 490, L. 175, B. 137, Bi. 783, H. 134, Hi. 766, BN. 102,
BA. 94, Ai. 922, Nh. 47, Nw. 24, Ni. 511, Ow. 36, Oh. 31,
Oi. 861, Ca. 1360.

Presented by Dr. J. Shortt, 1878.

664. A skull from Madura.

C. 489, L. 172, B. 137, Bi. 797, H. 134, Hi. 779, BN. 93,
BA. 93, Ai. 1000, Nh. 44, Nw. 22, Ni. 500, Ow. 37, Oh. 33,
Oi. 892, Ca. 1380.

Presented by Dr. J. Shortt, 1878.

665. A skull from Madura : ♀.

All the teeth have been lost during life. The sagittal suture is partially obliterated.

C. 490, L. 174, B. 134, Bi. 770, H. 130, Hi. 747, BN. 97,
Nh. 45, Nw. 22, Ni. 489, Ow. 36, Oh. 35, Oi. 972, Ca. 1220.

Presented by Dr. J. Shortt, 1878.

666. A skull from Madura : ♀.

All the teeth had been lost during life. The bones of the face are atrophied. The sagittal and the upper part of the coronal suture are obliterated, the lambdoidal quite open.

C. 466, L. 168, B. 118, Bi. 702, H. 129, Hi. 768, BN. 98,
Ow. 36, Oh. 31, Oi. 861, Ca. 1110.

Presented by Dr. J. Shortt, 1878.

667. A cranium from Madura : ♂.

C. 490, L. 177, B. 130, Bi. 734, H. 138, Hi. 780, BN. 97,
Nh. 44, Nw. 23, Ni. 523, Ow. 36, Oh. 30, Oi. 833, Ca. 1290.

Presented by Dr. J. Shortt, 1878.

668. A cranium from Madura : ♂?

C. 482, L. 173, B. 124, Bi. 717, H. 131, Hi. 757, BN. 98,
BA. 99, Ai. 1010, Nh. 46, Nw. 23, Ni. 500, Ow. 38, Oh. 31,
Oi. 816, Ca. 1200.

Presented by Dr. J. Shortt, 1878.

669. A cranium from Madura : ♂.

C. 498, L. 179, B. 135, Bi. 755, H. 135, Hi. 754, BN. 100, BA. 102, Ai. 1020, Nh. 46, Nw. 22, Ni. 478, Ow. 36, Oh. 30, Oi. 833, Ca. 1320.

Presented by Dr. J. Shortt, 1878.

670. A cranium from Madura : ♂.

C. 507, L. 184, B. 124, Bi. 674, H. 143, Hi. 777, BN. 99, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 33, Oi. 868, Ca. 1530.

Presented by Dr. J. Shortt, 1878.

671. A cranium from Madura.

C. 490, L. 173, B. 139, Bi. 803, H. 127, Hi. 734, BN. 97, BA. 95, Ai. 979, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 30, Oi. 833, Ca. 1200.

Presented by Dr. J. Shortt, 1878.

672. A cranium from Madura : ♂.

C. 470, L. 165, B. 129, Bi. 782, H. 122, Hi. 739, BN. 93, BA. 88, Ai. 946, Nh. 43, Nw. 21, Ni. 488, Ow. 35, Oh. 30, Oi. 857, Ca. 1150.

Presented by Dr. J. Shortt, 1878.

673. A cranium from Madura : ♀.

The squamosals join the frontals on both sides. There is great alveolar and dental prognathism.

C. 456, L. 162, B. 126, Bi. 778, H. 128, Hi. 790, BN. 93, BA. 96, Ai. 1032, Nh. 43, Nw. 21, Ni. 488, Ow. 34, Oh. 30, Oi. 882, Ca. 1100.

Presented by Dr. J. Shortt, 1878.

The following six skulls and one cranium are of Coolies from the Salem district, Madras Presidency.

673¹. A skull : ♂.

C. 485, L. 171, B. 129, Bi. 754, H. 131, Hi. 766, BN. 98, BA. 100, Ai. 1020, Nh. 45, Nw. 26, Ni. 578, Ow. 39, Oh. 33, Oi. 846, Ca. 1370.

673². A skull : ♂.

C. 490, L. 174, B. 133, Bi. 764, H. 131, Hi. 753, BN. 97, BA. 91, Ai. 938, Nh. 44, Nw. 25, Ni. 568, Ow. 38, Oh. 32, Oi. 842, Ca. 1270.

673³. A skull: ♂.

C. 503, L. 182, B. 130, Bi. 714, H. 137, Hi. 753, BN. 103, BA. 97, Ai. 942, Nh. 43, Nw. 25, Ni. 581, Ow. 37, Oh. 33, Oi. 892, Ca. 1325.

673⁴. A skull.

C. 488, L. 172, B. 130, Bi. 756, H. 129, Hi. 750, BN. 97, BA. 92, Ai. 948, Nh. 45, Nw. 24, Ni. 533, Ow. 39, Oh. 31, Oi. 795, Ca. 1275.

673⁵. A skull.

C. 468, L. 169, B. 124, Bi. 734, H. 130, Hi. 769, BN. 94, BA. 90, Ai. 957, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 33, Oi. 892, Ca. 1090.

673⁶. A skull.

C. 482, L. 176, B. 122, Bi. 693, H. 130, Hi. 739, BN. 96, BA. 97, Ai. 1010, Nh. 46, Nw. 25, Ni. 543, Ow. 39, Oh. 31, Oi. 795, Ca. 1295.

673⁷. A cranium.

C. 465, L. 161, B. 127, Bi. 789, H. 130, Hi. 807, BN. 93, BA. 86, Ai. 925, Nh. 46, Nw. 25, Ni. 543, Ow. 35, Oh. 29, Oi. 829, Ca. 1240.

*The above seven specimens presented by
John Shortt, Esq., M.D., 1882.*

The following twenty-four skulls and crania are from the Tanjore District:—

673⁸. A cranium: ♂. This and the next were marked
“Maravar labourer.”

C. 503, L. 176, B. 139, Bi. 790, H. 143, Hi. 813, BN. 107, BA. 96, Ai. 897, Nh. 49, Nw. 22, Ni. 449, Ow. 40, Oh. 31, Oi. 775, Ca. 1500.

673⁹. A skull: ♂.

C. 508, L. 183, B. 137, Bi. 749, H. 134, Hi. 732, BN. 107, BA. 98, Ai. 916, Nh. 48, Nw. 29, Ni. 604, Ow. 40, Oh. 33, Oi. 825, Ca. 1415.

673¹⁰. A skull: ♂.

C. 505, L. 185, B. 130, Bi. 703, H. 135, Hi. 730, BN. 108, BA. 102, Ai. 944, Nh. 54, Nw. 25, Ni. 463, Ow. 38, Oh. 33, Oi. 868, Ca. 1320.

673¹¹. A skull : ♂.

C. 497, L. 178, B. 124, Bi. 697, H. 133, Hi. 747, BN. 103,
BA. 98, Ai. 951, Nh. 50, Nw. 26, Ni. 520, Ow. 39, Oh. 32,
Oi. 821, Ca. 1295.

673¹². A skull : ♂.

C. 485, L. 168, B. 139, Bi. 827, H. 128, Hi. 762, BN. 92,
BA. 85, Ai. 924, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 30,
Oi. 811, Ca. 1315.

673¹³. A skull : ♂.

C. 500, L. 182, B. 131, Bi. 720, H. 130, Hi. 714, BN. 100,
BA. 94, Ai. 940, Nh. 49, Nw. 24, Ni. 490, Ow. 35, Oh. 33,
Oi. 943, Ca. 1310.

673¹⁴. A skull : ♂.

C. 480, L. 171, B. 127, Bi. 743, H. 128, Hi. 749, BN. 96,
BA. 98, Ai. 1021, Nh. 42, Nw. 25, Ni. 595, Ow. 36, Oh. 35,
Oi. 972, Ca. 1240.

673¹⁵. A skull : ♂.

C. 473, L. 171, B. 124, Bi. 725, H. 135, Hi. 789, BN. 96,
BA. 88, Ai. 917, Nh. 42, Nw. 21, Ni. 500, Ow. 36, Oh. 32,
Oi. 889, Ca. 1180.

673¹⁶. A skull : ♀.

C. 478, L. 177, B. 126, Pi. 712, H. 122, Hi. 689, BN. 98,
BA. 95, Ai. 969, Nh. 41, Nw. 22, Ni. 537, Ow. 37, Oh. 31,
Oi. 838, Ca. 1160.

673¹⁷. A skull : ♀.

C. 478, L. 173, B. 125, Bi. 723, H. 128, Hi. 740, BN. 96,
BA. 98, Ai. 1021, Nh. 48, Nw. 25, Ni. 521, Ow. 34, Oh. 31,
Oi. 912, Ca. 1120.

673¹⁸. A skull : ♀.

C. 513, L. 185, B. 135, Bi. 730, H. 129, Hi. 697, BN. 100,
BA. 92, Ai. 920, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 29,
Oi. 784, Ca. 1350.

673¹⁹. A skull : ♀.

C. 480, L. 169, B. 136, Bi. 805, H. 130, Hi. 769, BN. 98,
BA. 89, Ai. 908, Nh. 48, Nw. 24, Ni. 500, Ow. 39, Oh. 34,
Oi. 872, Ca. 1350.

673²⁰. A skull : ♀.

C. 470, L. 164, B. 127, Bi. 774, H. 134, Hi. 817, BN. 101, BA. 95, Ai. 941, Nh. 47, Nw. 23, Ni. 489, Ow. 34, Oh. 31, Oi. 912, Ca. 1160.

673²¹. A cranium : ♀.

C. 520, L. 185, B. 137, Bi. 741, H. 133, Hi. 719, BN. 90, BA. 89, Ai. 989, Nh. 43, Nw. 25, Ni. 581, Ow. 36, Oh. 26, Oi. 722, Ca. 1390.

673²². A cranium : ♀.

C. 480, L. 172, B. 126, Bi. 733, H. 133, Hi. 773, BN. 93, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 34, Oi. 895, Ca. 1255.

673²³. A cranium : ♀.

C. 465, L. 160, B. 133, Bi. 831, H. 135, Hi. 844, BN. 99, BA. 97, Ai. 980, Nh. 48, Nw. 23, Ni. 479, Ow. 30, Ca. 1295.

673²⁴. A cranium : ♀.

C. 487, L. 174, B. 135, Bi. 776, H. 132, Hi. 759, BN. 94, BA. 94, Ai. 1000, Nh. 45, Nw. 24, Ni. 533, Ow. 39, Oh. 32, Oi. 821, Ca. 1290.

673²⁵. A cranium : ♀.

C. 470, L. 169, B. 120, Bi. 710, H. 128, Hi. 757, BN. 98, BA. 97, Ai. 990, Nh. 47, Nw. 25, Ni. 532, Ow. 31, Ca. 1020.

673^{26 27 28 29 30 31}. Skulls of children.

The above twenty-four specimens presented by Dr. John Shortt, Surgeon-Major, H.M. Madras Army, 1880.

673³² to 673⁴³. Twelve crania (the last two young) of the Vocklijar Tribe (cultivators) of Mysore. Their language is a patois of Canarese. (See the letter, Nov. 10th, 1880, of the donor.)

673³². C. 490, L. 174, B. 131, Bi. 753, H. 133, Hi. 764, BN. 100, BA. 94, Ai. 940, Nh. 45, Nw. 22, Ni. 489, Ow. 37, Oh. 32, Oi. 865, Ca. 1200.

673³³. C. 488, L. 172, B. 136, Bi. 791, H. 131, Hi. 762, BN. 94, BA. 93, Ai. 989, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 33, Oi. 868, Ca. 1385.

673³⁴. C. 470, L. 168, B. 124, Bi. 738, H. 131, Hi. 780, BN. 99, BA. 99, Ai. 1000, Nh. 47, Nw. 26, Ni. 553, Ow. 38, Oh. 33, Oi. 868, Ca. 1090.

- 673³⁵. C. 470, L. 170, B. 124, Bi. 729, H. 126, Hi. 741, BN. 97
BA. 94, Ai. 969, Nh. 45, Nw. 22, Ni. 489, Ow. 34, Oh. 30,
Oi. 882, Ca. 1065.
- 673³⁶. C. 482, L. 167, B. 132, Bi. 790, H. 128, Hi. 766, BN. 100,
BA. 98, Ai. 980, Nh. 41, Nw. 25, Ni. 610, Ow. 36, Oh. 29,
Oi. 806, Ca. 1280.
- 673³⁷. C. 522, L. 189, B. 132, Bi. 698, H. 138, Hi. 730, BN. 107,
BA. 103, Ai. 963, Nh. 50, Nw. 28, Ni. 560, Ow. 41, Oh. 32,
Oi. 780, Ca. 1500.
- 753³⁸. C. 482, L. 169, B. 138, Bi. 817, H. 130, Hi. 769, BN. 92,
BA. 91, Ai. 989, Nh. 42, Nw. 26, Ni. 619, Ow. 38, Oh. 31,
Oi. 816, Ca. 1240.
- 673³⁹. C. 480, L. 171, B. 131, Bi. 766, H. 128, Hi. 749, BN. 100,
BA. 100, Ai. 1000, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 31,
Oi. 816, Ca. 1265.
- 673⁴⁰. C. 495, L. 173, B. 132, Bi. 763, H. 132, Hi. 763, BN. 96,
BA. 93, Ai. 969, Nh. 53, Nw. 23, Ni. 434, Ow. 36, Oh. 32,
Oi. 889, Ca. 1390.
- 673⁴¹. C. 480, L. 173, B. 128, Bi. 740, H. 126, Hi. 728, BN. 93,
BA. 89, Ai. 957, Nh. 41, Nw. 23, Ni. 561, Ow. 39, Oh. 33,
Oi. 846, Ca. 1180.
- 673⁴². C. 485, L. 165, B. 140, Bi. 848, H. 137, Hi. 830, BN. 103,
BA. 97, Ai. 942, Nh. 47, Nw. 21, Ni. 447, Ow. 36, Oh. 32,
Oi. 889, Ca. 1350.
- 673⁴³. Young.

The above twelve specimens presented by Dr. J. Shortt, 1881.

- 673⁴⁴. The skull of a Kandda or Canarese (Lingadaries) :
♂ æt : c. 20.
C. 480, L. 170, B. 130, Bi. 765, H. 127, Hi. 747, BN. 85,
BA. 82, Ai. 965, Nh. 43, Nw. 21, Ni. 488, Ow. 36, Oh. 32,
Oi. 889, Ca. 1310.

Anthropol. Soc., No. 120.

- 673⁴⁵. The cranium of a Canarese. Bellary District.

Metopic.

C. 490, L. 180, B. 124, Bi. 689, H. 127, Hi. 706, BN. 97,
BA. 89, Ai. 918, Nh. 47, Nw. 24, Ni. 511, Ow. 36, Oh. 35,
Oi. 972, Ca. 1170.

Anthropol. Soc., No. 176.

673⁴⁶. The cranium of a Canarese (Lingadaries): ♂.

C. 513, L. 187, B. 130, Bi. 695, H. 128, Hi. 684, BN. 100, BA. 100, Ai. 1000, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 30, Oi. 811, Ca. 1350.

Anthropol. Soc., No. 122.

673⁴⁷. The cranium of a Canarese (Lingadaries): ♂. Bellary District.

C. 480, L. 172, B. 131, Bi. 762, H. 128, Hi. 744, BN. 94, BA. 94, Ai. 1000, Nh. 43, Nw. 26, Ni. 605, Ow. 37, Oh. 31, Oi. 838, Ca. 1260.

Anthropol. Soc., No. 117.

673⁴⁸. The cranium of a Canarese (Lingadaries): ♀.

Metopic.

C. 460, L. 161, B. 123, Bi. 764, H. 119, Hi. 739, BN. 89, BA. 89, Ai. 1000, Nh. 41, Nw. 24, Ni. 585, Ow. 37, Oh. 34, Oi. 919, Ca. 1135.

Anthropol. Soc., No. 121.

673^{1*}. A skull from Madras. Low-caste Sudra. Male.

C. 487, L. 174, B. 132, Bi. 759, H. 132, Hi. 759, BN. 94, BA. 96, Ai. 1021, Nh. 47, Nw. 26, Ni. 553, Ow. 36, Oh. 32, Oi. 889, Ca. 1240.

673^{2*}. A skull from Madras. Low-caste Sudra. Male.

C. 491, L. 174, B. 132, Bi. 759, H. 138, Hi. 793, BN. 100, BA. 98, Ai. 980, Nh. 53, Nw. 25, Ni. 472, Ow. 39, Oh. 34, Oi. 872, Ca. 1320.

673^{3*}. A skull from Madras. Low-caste Sudra. Male.

C. 541, L. 197, B. 137, Bi. 695, H. 136, Hi. 690, BN. 110, BA. 106, Ai. 964, Nh. 49, Nw. 27, Ni. 551, Ow. 38, Oh. 32, Oi. 842, Ca. 1550.

673^{4*}. A skull from Madras. Low-caste Sudra. Male.

C. 475, L. 172, B. 121, Bi. 703, H. 130, Hi. 756, BN. 103, BA. 104, Ai. 1010, Nh. 48, Nw. 25, Ni. 521, Ow. 39, Oh. 27, Oi. 692, Ca. 1125.

673^{5*}. A skull from Madras. Low-caste Sudra. Male.

C. 512, L. 182, B. 139, Bi. 764, H. 131, Hi. 720, BN. 102, BA. 100, Ai. 980, Nh. 51, Nw. 23, Ni. 451, Ow. 40, Oh. 33, Oi. 825, Ca. 1450.

- 673^{6*}. The skull of a female Pariah from Madras. Low-caste Sudra.

C. 480, L. 174, B. 129, Bi. 741, H. 125, Hi. 718, BN. 96, BA. 93, Ai. 969, Nh. 47, Nw. 23, Ni. 489, Ow. 35, Oh. 30, Oi. 857, Ca. 1100.

- 673^{7*}. The skull of Mashurani, a male aged 50, from Goa. A Christian.

C. 506, L. 183, B. 131, Bi. 716, H. 140, Hi. 765, BN. 102, BA. 98, Ai. 961, Nh. 55, Nw. 27, Ni. 491, Ow. 38, Oh. 34, Oi. 895.

The above seven specimens presented by

Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

674. A skull marked "Hindoo," but with no further history: ♂.

It is remarkable for the prominence of the glabella, and other resemblances to some Australian skulls.

C. 535, L. 196, B. 132, Bi. 673, H. 135, Hi. 689, BN. 98, BA. 96, Ai. 980, Nh. 48, Nw. 25, Ni. 521, Ow. 40, Oh. 36, Oi. 900, Ca. 1460.

In Museum before 1862.

- 674¹. The skeleton of a native of the Maldiv Islands, about 35 years of age, a sailor by occupation, and a Mahomedan. He had the physiognomy and figure of a native of the Malabar Coast. Died in the Campbell Hospital, Calcutta, 1880.

Clavicle, *r.* 128, *l.* 129; humerus, *r.* 291, *l.* 286; radius, *r.* 233, *l.* 230; femur, *r.* 393, *l.* 394; tibia, *r.* 318, *l.* 315.

Cranium: C. 500, L. 180, B. 135, Bi. 750, H. 122, Hi. 678, BN. 96, BA. 98, Ai. 1021, Nh. 45, Nw. 24, Ni. 533, Ow. 36, Oh. 32, Oi. 889, Ca. 1385.

*Presented by Dr. S. C. Mackenzie, Surgeon-Major
Bengal Army, and Sir Joseph Fayrer, M.D.,
K.C.S.I., 1880.*

The following four skulls are of Tamils from the Malabar Coast, who died in the Government Civil Hospital at Galle, Ceylon.

- 674². Male, name "Wytie," aged 30?

C. 485, L. 181, B. 129, Bi. 713, H. 135, Hi. 746, BN. 97, BA. 93, Ai. 959, Nh. 43, Nw. 23, Ni. 535, Ow. 39, Oh. 31, Oi. 795, Ca. 1365.

- 674³. Male, name "Comerandy," aged 28?

C. 488, L. 170, B. 137, Bi. 806, H. 132, Hi. 776, BN. 99, BA. 95, Ai. 960, Nh. 46, Nw. 23, Ni. 500, Ow. 35, Oh. 31, Oi. 886, Ca. 1280.

- 674⁴. Male, name "Kamalinjam," aged 19?

C. 478, L. 167, B. 131, Bi. 784, H. 126, Hi. 754, BN. 100, BA. 91, Ai. 910, Nh. 46, Nw. 22, Ni. 478, Ow. 37, Oh. 33, Oi. 892, Ca. 1280.

- 674⁵. Male, name "Scanmogum," aged 40?

C. 510, L. 187, B. 132, Bi. 706, H. 137, Hi. 733, BN. 104, Nh. 48, Nw. 21, Ni. 438, Ow. 40, Oh. 32, Oi. 800, Ca. 1410.

*Presented by W. C. Ondaatje, Esq.,
Colonial Surgeon, Ceylon, 1882.*

- 674⁶. The cranium of Hindu Vaishnaiva, Camgavaram?: ♂.

C. 499, L. 180, B. 127, Bi. 706, H. 131, Hi. 728, BN. 101, BA. 100, Ai. 990, Nh. 46, Nw. 23, Ni. 500, Ow. 37, Oh. 32, Oi. 865, Ca. 1350.

Anthropol. Soc., No. 170.

- 674⁷. The skull of a Hindu: ♀?

C. 480, L. 171, B. 130, Bi. 760, H. 127, Hi. 743, BN. 96, BA. 86, Ai. 896, Nh. 42, Nw. 25, Ni. 595, Ow. 38, Oh. 33, Oi. 868, Ca. 1260.

Anthropol. Soc., No. 172.

- 674⁸. The skull of a Hindu, ♂, Vaishnaiva Brahmin from Can-gevarah?

C. 500, L. 174, B. 140, Bi. 805, H. 135, Hi. 776, BN. 101, BA. 97, Ai. 960, Nh. 53, Nw. 23, Ni. 434, Ow. 36, Oh. 33, Oi. 917, Ca. 1470.

Anthropol. Soc., No. 196.

- 974⁹. The skull of a Hindu male, low-caste Lascar, aged 22.

C. 501, L. 178, B. 130, Bi. 730, H. 136, Hi. 764, BN. 100, BA. 96, Ai. 960, Nh. 48, Nw. 22, Ni. 458, Ow. 37, Oh. 34, Oi. 919, Ca. 1400.

Anthropol. Soc., No. 193.

- 674¹⁰. The skull of a Sowrah male, Naminagrum Kotch, Ganjam District.

C. 479, L. 170, B. 124, Bi. 729, H. 127, Hi. 747, BN. 91,

BA. 88, Ai. 967, Nh. 42, Nw. 24, Ni. 571, Ow. 36, Oh. 28,
Oi. 778, Ca. 1180.

Anthropol. Soc., No. 229.

674¹¹. The cranium of a Mahralla Brahmin : ♂.

C. 514, L. 185, B. 134, Bi. 724, H. 137, Hi. 741, BN. 103,
BA. 93, Ai. 903, Nh. 49, Nw. 24, Ni. 490, Ow. 40, Oh. 31,
Oi. 775, Ca. 1495.

Anthropol. Soc., No. 74.

674¹². The cranium of a Mahralla Shievarrey? : ♀?

C. 460, L. 163, B. 125, Bi. 767, H. 125, Hi. 767, BN. 95,
BA. 97, Ai. 1021, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 30,
Oi. 811, Ca. 1250.

Anthropol. Soc., No. 198.

674¹³. The skull of a Kachin : ♂.

C. 507, L. 178, B. 138, Bi. 775, Nh. 47, Nw. 28, Ni. 596,
Ow. 39, Oh. 35, Oi. 897, Ca. 1425.

Anthropol. Soc., No. 73.

674¹⁴. The cranium of a Hindu Pariah : ♂.

C. 505, L. 178, B. 138, Bi. 775, H. 128, Hi. 719, BN. 90,
BA. 92, Ai. 1022, Nh. 49, Nw. 27, Ni. 551, Ow. 36, Oh. 30,
Oi. 833, Ca. 1420.

Anthropol. Soc., No. 123.

674¹⁵. A cranium found at Peapally, Puthcondah, Kurnoul
District.

C. 480, L. 161, B. 144, Bi. 894, H. 128, Hi. 795, BN. 99,
BA. 94, Ai. 949, Nh. 48, Nw. 27, Ni. 563, Ow. 34, Oh. 30,
Oi. 882, Ca. 1305.

Anthropol. Soc., No. 201.

674¹⁶. The cranium of a Mahomedan from Lucknow : ♂.

C. 493, L. 175, B. 135, Bi. 771, H. 128, Hi. 731, BN. 96,
BA. 93, Ai. 969, Nh. 49, Nw. 26, Ni. 531, Ow. 39, Oh. 31,
Oi. 795, Ca. 1355.

Anthropol. Soc., No. 130.

674¹⁷. The cranium of an Irula : ♀.

C. 500, L. 177, B. 133, Bi. 751, H. 126, Hi. 712, BN. 95,
BA. 96, Ai. 1011, Nh. 47, Nw. 23, Ni. 489, Ow. 40, Oh. 33,
Oi. 825, Ca. 1315.

Anthropol. Soc., No. 141.

674¹⁸. The cranium of a Hindu, Pully caste : ♂.

C. 503, L. 184, B. 135, Bi. 734, H. 138, Hi. 750, BN. 101, BA. 93, Ai. 921, Nh. 47, Nw. 23, Ni. 489, Ow. 36, Oh. 31, Oi. 861, Ca. 1365.

Anthropol. Soc., No. 171.

674¹⁹. The cranium of a male Maraver from Shevagunga (?).

C. 523, L. 190, B. 134, Bi. 705, H. 133, Hi. 700, BN. 95, BA. 88, Ai. 926, Nh. 49, Nw. 25, Ni. 510, Ow. 39, Oh. 32, Oi. 821, Ca. 1430.

Anthropol. Soc., No. 79.

674²⁰. The cranium of a female Maraver from Shevagunga (?).

C. 457, L. 161, B. 127, Bi. 789, H. 127, Hi. 789, BN. 91, BA. 89, Ai. 978, Nh. 41, Nw. 23, Ni. 561, Ow. 33, Oh. 30, Oi. 909, Ca. 1080.

Anthropol. Soc., No. 78.

674²¹. The skull of a Callicuttian Pariah, Nagalore : ♂.

Atlas anchylosed.

C. 482, L. 167, B. 133, Bi. 796, Nh. 42, Nw. 25, Ni. 595, Ow. 37, Oh. 32, Oi. 865, Ca. 1280.

Anthropol. Soc., No. 116.

674²². The skull of a Callicuttian Pariah, young.

C. 457, L. 162, B. 124, Bi. 765, H. 120, Hi. 741, BN. 86, BA. 74, Ai. 860, Nh. 36, Nw. 19, Ni. 528, Ow. 34, Oh. 28, Oi. 824, Ca. 1175.

Anthropol. Soc., No. 118.

674²³. The cranium of a Congah Pariah : ♂. Nagalore.

C. 472, L. 165, B. 124, Bi. 752, H. 129, Hi. 782, BN. 97, BA. 92, Ai. 948, Nh. 46, Nw. 25, Ni. 543, Ow. 38, Oh. 34, Oi. 895, Ca. 1195.

Anthropol. Soc., No. 100.

674²⁴. The skull of a Congah Pariah : ♀. Nagalore.

C. 507, L. 181, B. 129, Bi. 713, H. 134, Hi. 740, BN. 100, BA. 95, Ai. 950, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 31, Oi. 838, Ca. 1430.

Anthropol. Soc., No. 119.

674²⁵. The cranium of a Yenadie ♂ from Strihurreecottah Island, Coromandel Coast (Karimanal).

C. 468, L. 169, B. 119, Bi. 704, H. 130, Hi. 769, BN. 104,

BA. 96, Ai. 923, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 29,
Oi. 763, Ca. 1165.

Anthropol. Soc., No. 75.

674²⁶. The skull of a Yenadie ♀, æt. e. 10, from Strihurree-eottah.

(J. E. S. vol. iii. p. 373.)

C. 460, L. 170, B. 125, Bi. 735, H. 119, Hi. 700, BN. 85,
BA. 83, Ai. 976, Nh. 37, Nw. 21, Ni. 568, Ow. 33, Oh. 39,
Oi. 879, Ca. 1140.

Anthropol. Soc., No. 137.

674²⁷. The cranium of a Yenadie, from Strihurree-eottah: ♀.

C. 470, L. 170, B. 123, Bi. 724, H. 125, Hi. 735, BN. 94,
BA. 90, Ai. 957, Nh. 44, Nw. 25, Ni. 568, Ow. 37, Oh. 31,
Oi. 838, Ca. 1110.

Anthropol. Soc., No. 202.

Unknown locality.

674^{1*}. The skull of Subh, a Mussulman Rajpoot. Male aged 30.

C. 525, L. 196, B. 131, Bi. 668, H. 137, Hi. 699, BN. 102,
BA. 97, Ai. 951, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 34,
Oi. 895.

674^{2*}. The skull of Pisra, a male Hindu aged 35. Brahmin.

C. 518, L. 180, B. 146, Bi. 811, H. 136, Hi. 756, BN. 93,
BA. 83, Ai. 892, Nh. 52, Nw. 23, Ni. 442, Ow. 40, Oh. 34,
Oi. 850.

674^{3*}. The cranium of a Hindu widow burnt on her husband's pile. Suttee.

L. 163, B. 133, Bi. 816, H. 133, Hi. 816, BN. 92, Ow. 33,
Oh. 29, Oi. 879.

674^{4*}. Incomplete skeleton, with skull, hands, and feet missing, of unknown Hindu.

674^{5*}. Incomplete skeleton of a Hindu of unknown tribe. Wanting the skull and a few phalanges.

674^{6*}. Incomplete skeleton of a Hindu of unknown tribe. Wanting the skull, 1 rib, 1 patella, and a few phalanges.

- 674^{7*}. Incomplete skeleton of a Hindu of unknown tribe.
Wanting the skull, sternum, patellæ, and a few phalanges.
- 674^{8*}. Forty-three lumbar vertebræ and twenty-three sacra of Hindus of unknown tribes.
Charles, Sci. Mem. Officers of Army in India, pt. viii. 1894.
- 674^{9*}. Twenty-four astragali, seventeen os calcis, thirteen lower ends of tibiæ and fibulæ, and twenty-five coccyx (mounted in box) of unknown Hindus.
- 674^{10*}. Bones of Hindus of unknown tribes, including: five vertebral columns (one lacking five cervical vertebræ), forty-seven ribs, an imperfect sternum, ten scapulæ, six clavicles, eleven humeri, five radii, four ulnæ, two hands, fourteen pelves, fourteen femora, three patellæ, nineteen tibiæ, five fibulæ, seven feet (incomplete).

*The above ten specimens presented by
Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.*

C. CEYLON.

675. The cranium of a Veddah, from Bintenne: ♂. O. C. 5539.

C. 468, L. 165, B. 125, Bi. 758, H. 129, Hi. 782, BN. 93, BA. 87, Ai. 935, Nh. 43, Nw. 20, Ni. 465, Ow. 38, Oh. 33, Oi. 868, Ca. 1140.

Collected by Major Skinner, of the Ceylon Surveying Service.

Presented by Colonel Hamilton Smith, 1852.

The four following specimens were sent from Ceylon by Mr. Thwaites to Sir J. D. Hooker, by whom they were given to the donor.

676. The cranium of a Veddah: ♀.

“From Bintenne of Badulla: J. Bailey.”

It has been unsymmetrically distorted by occipital pressure in infancy.

C. 460, L. 158, B. 131, Bi. 829, H. 127, Hi. 804, BN. 86, BA. 80, Ai. 930, Nh. 41, Nw. 23, Ni. 561, Ow. 37, Oh. 33, Oi. 892, Ca. 1225.

Presented by George Busk, Esq., 1864.

677. The cranium of a Veddah.

"From Nilgala : J. Bailoy, 1860."

The teeth have all been lost during life, and the alveoli absorbed; but very little consolidation of the calvarial sutures has taken place.

C. 478, L. 173, B. 127, Bi. 734, H. 132, Hi. 763, BN. 99, Nh. 45, Nw. 21, Ni. 467, Ow. 38, Oh. 30, Oi. 789, Ca. 1235.

Presented by George Busk, Esq., 1864.

678. The cranium of a Veddah : ♂.

"From Nilgala : J. Bailey, 1860."

C. 482, L. 176, B. 122, Bi. 693, H. 129, Hi. 733, BN. 92, BA. 93, Ai. 1011, Nh. 46, Nw. 25, Ni. 543, Ow. 36, Oh. 33, Oi. 917, Ca. 1250.

Presented by George Busk, Esq., 1864.

679. The cranium of a Veddah : ♀.

This is the smallest adult skull in the collection.

C. 448, L. 166, B. 116, Bi. 699, H. 118, Hi. 711, BN. 85, BA. 82, Ai. 965, Nh. 38, Nw. 22, Ni. 579, Ow. 35, Oh. 31, Oi. 886, Ca. 960.

*Presented by George Busk, Esq., 1864.**

680. The skull of a Veddah : ♂.

The frontals and parietals just meet at the pterion on both sides.

C. 478, L. 173, B. 122, Bi. 705, H. 136, Hi. 786, BN. 98, BA. 95, Ai. 969, Nh. 50, Nw. 27, Ni. 540, Ow. 38, Oh. 31, Oi. 816, Ca. 1225.

Presented by Dr. Stephen Ward, 1864.

The six following specimens of authentic Veddahs were procured from the Bodulla District of the Central Province of Ceylon in 1879, and presented to the Museum by W. R. Kynsey, Esq., Principal Civil Medical Officer and Inspector-General of Hospitals, Ceylon.

680¹. The skeleton of a male Veddah (Appua).

Humerus, *r.* 285, *l.* 282; radius, *r.* 225, *l.* 232; femur, 414; tibia, 350.

Cranium : C. 478, L. 174, B. 122, Bi. 701, H. 133, Hi. 764, BN. 99, BA. 93, Ai. 939, Nh. 43, Nw. 22, Ni. 512, Ow. 37, Oh. 33, Oi. 892, Ca. 1270.

* See G. Busk, "Observations on some Skulls from Ceylon, said to be those of Veddahs," *Proc. Linn. Soc.* 1862, vi. p. 166.

680². The skeleton of a young male.

Epiphyses not united.

C. 500, L. 184, B. 124, Bi. 674, H. 131, Hi. 712, BN. 92, BA. 88, Ai. 957, Nh. 43, Nw. 22, Ni. 512, Ow. 35, Oh. 34, Oi. 971, Ca. 1425.

680³. The skull of a male (Appua).

C. 499, L. 179, B. 126, Bi. 704, H. 141, Hi. 788, BN. 101, BA. 93, Ai. 921, Nh. 45, Nw. 24, Ni. 533, Ow. 38, Oh. 34, Oi. 895, Ca. 1370.

680⁴. The skull of a male (Wannekua).

C. 478, L. 173, B. 121, Bi. 699, H. 129, Hi. 746, BN. 96, BA. 93, Ai. 969, Nh. 46, Nw. 25, Ni. 543, Ow. 38, Oh. 34, Oi. 895, Ca. 1220.

680⁵. The skull of a female (Kalu).

C. 673, L. 173, B. 121, Bi. 699, H. 135, Hi. 780, BN. 100, BA. 93, Ai. 930, Nh. 48, Nw. 23, Ni. 479, Ow. 37, Oh. 33, Oi. 892, Ca. 1140.

680⁶. The skull of an old male, wanting facial bones (Puncha-jamaya).

C. 485, L. 167, B. 137, Bi. 820, H. 132, Hi. 790, BN. 94, Ca. 1320.

Differs from all the others in the great parietal foramina.

681. The cranium of a Veddah: ♂.

This and No. 682 were obtained for the donor by the late Mr. J. W. Birch, Government Agent in the Eastern Province of Ceylon, and are believed to be authentic examples. They are of larger size than any of the preceding.

The squamosal just touches the frontal at the pterion on both sides.

C. 485, L. 176, B. 127, Bi. 722, H. 133, Hi. 756, BN. 102, BA. 99, Ai. 971, Nh. 48, Nw. 24, Ni. 500, Ow. 36, Oh. 29, Oi. 806, Ca. 1260.

Presented by E. W. H. Holdsworth, Esq., 1879.

681¹. The cranium of a male Veddah. (Authentic.)

C. 525, L. 191, B. 134, Bi. 702, H. 143, Hi. 749, BN. 104, Nh. 47, Nw. 28, Ni. 596, Ow. 39, Oh. 36, Oi. 923.

Presented by A. T. Karslake, Esq., 1881.

- 681². The cranium of a Veddah, ♂, from Ceylon.

C. 490, L. 179, B. 125, Bi. 698, H. 132, Hi. 737, BN. 98,
Ow. 40, Oh. 36, Oi. 900, Ca. 1355

Presented by Dr. W. G. Rockwood of Ceylon, 1883.

682. The calvaria of a Veddah : ♂.

The lower ends of the coronal suture are consolidated ; but the squamosal appears to have reached the frontal, at least on the left side.

C. 512, L. 189, B. 126, Bi. 667, H. 132, Hi. 698, Ca. 1420.

Presented by E. W. H. Holdsworth, Esq., 1879.

683. A mutilated cranium, from Ceylon.

It is remarkable for the contracted condition of the foramen magnum.

C. 498, L. 180, B. 140, Bi. 778, H. 135, Hi. 750, Ow. 39,
Oh. 31, Oi. 795, Ca. 1300.

Presented by Dr. Stephen Ward, 1864.

The following four skulls are of natives of Ceylon who died in the Government Civil Hospital at Galle.

- 683¹. Male, name "Mendries," aged 20.

C. 525, L. 184, B. 142, Bi. 772, H. 145, Hi. 788, BN. 105,
BA. 104, Ai. 990, Nh. 54, Nw. 25, Ni. 463, Ow. 40, Oh. 31,
Oi. 775, Ca. 1670.

- 683². Male, name "Babun," aged 20.

C. 485, L. 170, B. 136, Bi. 800, H. 138, Hi. 812, BN. 99,
BA. 91, Ai. 919, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 29,
Oi. 784, Ca. 1380.

- 683³. Female, name "Baba," aged 60.

C. 479, L. 173, B. 130, Bi. 751, H. 130, Hi. 751, BN. 97,
BA. 89, Ai. 918, Nh. 44, Nw. 23, Ni. 523, Ow. 39, Oh. 34,
Oi. 872, Ca. 1185.

- 683⁴. Female, name "Punchy Hamy," aged 28.

C. 480, L. 174, B. 125, Bi. 718, H. 131, Hi. 753, BN. 93,
BA. 93, Ai. 1000, Nh. 44, Nw. 26, Ni. 591, Ow. 39, Oh. 33,
Oi. 846, Ca. 1216.

Presented by W. C. Ondaatje, Colonial Surgeon, 1882.

The following nineteen skulls of Singhalese from Colombo were presented in September 1882 by Dr. W. R. Kynsey, Principal Civil Medical Officer. They are all from people who died within the last two years in Hospital, and represent the prevailing type of the lower class natives of Colombo. The names, ages, and sexes were marked on the skulls.

683⁵. Male aged 25. "Juan Appoonam."

C. 482, L. 173, B. 137, Bi. 792, H. 132, Hi. 763, BN. 95, BA. 89, Ai. 937, Nh. 50, Nw. 25, Ni. 500, Ow. 40, Oh. 34, Oi. 850, Ca. 1505.

683⁶. Male aged 25. "Kisehamy."

C. 500, L. 182, B. 126, Bi. 692, H. 133, Hi. 731, BN. 102, BA. 98, Ai. 961, Nh. 53, Nw. 22, Ni. 415, Ow. 40, Oh. 34, Oi. 850, Ca. 1310.

683⁷. Male aged 25. "Malhammy."

C. 488, L. 175, B. 131, Bi. 749, H. 137, Hi. 783, BN. 108, BA. 104, Ai. 963, Nh. 45, Nw. 25, Ni. 556, Ow. 38, Oh. 33, Oi. 858, Ca. 1340.

683⁸. Male aged 28. "Durjesy Appoo."

C. 488, L. 176, B. 133, Bi. 756, H. 135, Hi. 767, BN. 103, BA. 92, Ai. 983, Nh. 48, Nw. 20, Ni. 417, Ow. 38, Oh. 33, Oi. 868, Ca. 1320.

683⁹. Male aged 30. "Leingho Appoo."

C. 483, L. 173, B. 134, Bi. 775, H. 130, Hi. 751, BN. 101, BA. 98, Ai. 970, Nh. 48, Nw. 23, Ni. 479, Ow. 36, Oh. 30, Oi. 833, Ca. 1205.

683¹⁰. Male aged 30. "Ranghanny."

C. 498, L. 180, B. 128, Bi. 711, H. 140, Hi. 778, BN. 94, BA. 96, Ai. 1021, Nh. 48, Nw. 22, Ni. 458, Ow. 36, Oh. 30, Oi. 833, Ca. 1400.

683¹¹. Male aged 30. "Punch Rollo."

The atlas is ankylosed to the skull.

C. 505, L. 179, B. 141, Bi. 788, Nh. 52, Nw. 26, Ni. 500, Ow. 39, Oh. 34, Oi. 872, Ca. 1400.

683¹². Male aged 32. "Menicka."

C. 505, L. 187, B. 124, Bi. 663, H. 142, Hi. 759, BN. 102, BA. 91, Ai. 892, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 32, Oi. 865, Ca. 1475.

683¹³. Male aged 35. "Allis Appoo."

C. 475, L. 166, B. 131, Bi. 789, H. 137, Hi. 825, BN. 100, BA. 101, Ai. 1010, Nh. 48, Nw. 20, Ni. 417, Ow. 37, Oh. 31, Oi. 838, Ca. 1285.

683¹⁴. Male aged 38. "Abadda."

C. 488, L. 174, B. 130, Bi. 747, H. 129, Hi. 741, BN. 103, BA. 99, Ai. 961, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 31, Oi. 795, Ca. 1285.

683¹⁵. Male. "Sinanahamy."

C. 485, L. 176, B. 123, Bi. 699, H. 137, Hi. 778, BN. 105, BA. 100, Ai. 952, Nh. 49, Nw. 25, Ni. 510, Ow. 39, Oh. 34, Oi. 872, Ca. 1295.

683¹⁶. Male. "Mudelihamy."

C. 505, L. 180, B. 134, Bi. 744, H. 130, Hi. 722, BN. 95, BA. 97, Ai. 1021, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 31, Oi. 838, Ca. 1450.

683¹⁷. Male. "Korolis Appoo": a cranium.

C. 510, L. 186, B. 127, Bi. 683, H. 134, Hi. 720, BN. 112, BA. 101, Ai. 902, Nh. 50, Nw. 22, Ni. 440, Ow. 40, Oh. 35, Oi. 875, Ca. 1350.

683¹⁸. Male. "Don Uinde."

C. 518, L. 185, B. 141, Bi. 762, H. 142, Hi. 768, BN. 100, Nh. 49, Nw. 22, Ni. 449, Ow. 37, Oh. 32, Oi. 865, Ca. 1570.

683¹⁹. Male. "Abbodda."

C. 510, L. 188, B. 127, Bi. 676, H. 144, Hi. 766, BN. 106, BA. 105, Ai. 991, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 32, Oi. 842, Ca. 1460.

683²⁰. Male. "Appoohamy."

C. 495, L. 173, B. 137, Bi. 792, H. 131, Hi. 757, BN. 102, BA. 103, Ai. 1010, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 33, Oi. 846, Ca. 1365.

683²¹. Male. "Lucus Appoo."

C. 478, L. 169, B. 131, Bi. 775, H. 131, Hi. 775, BN. 103, Nw. 26, Ow. 38, Oh. 30, Oi. 789, Ca. 1275.

683²². Female. "Kalbicham": a cranium.

C. 484, L. 172, B. 128, Bi. 744, H. 128, Hi. 744, BN. 96, BA. 92, Ai. 958, Nh. 41, Nw. 24, Ni. 585, Ow. 36, Oh. 33, Oi. 917, Ca. 1175.

683²³. Female. "Ramnanica."

C. 475, L. 170, B. 126, Bi. 741, H. 131, Hi. 771, BN. 94, Nh. 41, Nw. 22, Ni. 537, Ow. 37, Oh. 32, Oi. 865, Ca. 1185.

683²⁴. Two lower jaws which do not belong to either of the above crania.

D. SIBERIA AND CENTRAL ASIA.

684. The skeleton of a male Samoyede.

A well-authenticated example of the race, obtained near Mezen, North Russia. The three upper cervical vertebræ are missing. The skull is described and figured by Mr. Busk in the 'Journal of the Anthropological Institute,' vol. iii. p. 494 (1874).

It belongs to a man advanced in life. Those teeth that have not been already lost, are greatly worn; but consolidation of the calvarial sutures has only just commenced.

Height of skeleton 4 feet 11 inches=1500, clavicle 155, humerus 312, radius 237, femur 417, tibia 342.

Cranium: C. 525, L. 178, B. 157, Bi. 882, H. 125, Hi. 702, BN. 96, BA. 97, Ai. 1010, Nh. 56, Nw. 24, Ni. 429, Ow. 40, Oh. 35, Oi. 875, Ca. 1520.

Purchased, 1873.

685. The skull either of a Samoyede or of an Ostiak: ♂.

This and the next were obtained by Dr. Otto Finseh, on the 12th of August, 1876, from ancient heathen graves near Tsehornejär, by the river Sehtschutsehja, the most northern confluent of the Ob on the left, about 67° 15' N. lat. There was nothing in the interment to indicate to which tribe they belonged.

All the calvarial sutures are partially obliterated, and the teeth much worn.

C. 505, L. 172, B. 146, Bi. 849, H. 123, Hi. 715, BN. 96,

BA. 101, Ai. 1052, Nh. 56, Nw. 24, Ni. 429, Ow. 38, Oh. 37,
Oi. 974, Ca. 1380.

Purchased, 1878.

686. The skull of a Samoyede or an Ostiak : ♀ .

From the same locality as the last.

The calvarial sutures are completely consolidated, the teeth greatly worn, and the bones affected with senile atrophy.

C. 483, L. 167, B. 141, Bi. 844, H. 123, Hi. 737, Ca. 1125.

Purchased, 1878.

687. The skull of a Kalmuck, obtained at Sarepta, on the Volga (Province of Astrakhan) : ♀ .

C. 480, L. 165, B. 139, Bi. 842, H. 126, Hi. 764, BN. 98,
BA. 101, Ai. 1031, Nh. 50, Nw. 22, Ni. 440, Ow. 39, Oh. 33,
Oi. 846, Ca. 1163.

Purchased, 1875.

688. The cranium of "a native of Tartary:" ♂ . O. C. 5484.

This specimen, remarkable for its great breadth compared with its length and height, has been described and figured by Professor Huxley in a memoir "On two widely contrasted forms of the Human Cranium," in 'The Journal of Anatomy and Physiology,' vol. i. (1867) p. 60. A cast of the interior is in the collection.

The teeth are very much worn. There is no trace left of the sagittal suture, though the coronal and lambdoidal sutures are quite open.

C. 523, L. 168, B. 165, Bi. 982, H. 121, Hi. 720, BN. 93,
Nh. 50, Nw. 24, Ni. 480, Ow. 41, Oh. 34, Oi. 829, Ca. 1520.

Hunterian.

PERSIA.

688¹. A Persian cranium. From an old stone-lined tomb near the village of Guktapa. Besides the skeleton, most of which was broken, there were numerous fragments of red pottery.

C. 525, L. 181, B. 148, Bi. 818, H. 122, Hi. 674, BN. 99,
BA. 102, Ai. 1030, Nh. 56, Nw. 27, Ni. 482, Ow. 41, Oh. 33,
Oi. 805, Ca. 1470.

Purchased, 1894.

E. CHINA.

689. The skull of a Chinese: ♂. O. C. 5485.

The upper part of the supraoccipital is divided into three symmetrically arranged ossicles; and there are Wormian bones in both sides of the coronal suture.

C. 502, L. 176, B. 144, Bi. 818, H. 133, Hi. 756, BN. 98, BA. 91, Ai. 929, Nh. 52, Nw. 25, Ni. 481, Ow. 36, Oh. 33, Oi. 917, Ca. 1280.

Hunterian.

- 689¹. The skull of a Chinese male, æt. e. 50.

C. 495, L. 176, B. 138, Bi. 784, H. 137, Hi. 778, BN. 97, BA. 93, Ai. 959, Nh. 48, Nw. 25, Ni. 521, Ow. 34, Oh. 33, Oi. 971, Ca. 1475.

Anthropol. Soc., No. 81.

- 689². The cranium of an aged Chinese: ♂.

C. 518, L. 177, B. 152, Bi. 859, H. 129, Hi. 729, BN. 99, BA. 92, Ai. 929, Nh. 51, Nw. 27, Ni. 529, Ow. 40, Oh. 35, Oi. 875, Ca. 1495.

Anthropol. Soc., No. 93.

690. The cranium of a Chinese: ♂. O. C. 5490.

C. 526, L. 187, B. 147, Bi. 786, H. 134, Hi. 717, BN. 98, BA. 96, Ai. 980, Nh. 48, Nw. 22, Ni. 458, Ow. 38, Oh. 35, Oi. 921, Ca. 1540.

Hunterian.

691. The cranium of a Chinese: ♂. O. C. 5491.

C. 502, L. 173, B. 143, Bi. 827, H. 132, Hi. 763, BN. 98, BA. 98, Ai. 1000, Nh. 46, Nw. 27, Ni. 587, Ow. 40, Oh. 30, Oi. 750, Ca. 1225.

Hunterian.

- 691¹. The skeleton of a male Chinese said to be a native of Canton, and about 40 years of age. A Buddhist sailor who died in the Campbell Hospital, Calcutta, 1879. He had suffered severely from syphilis.

Clavicle, *l.* 149; humerus, *r.* 269, *l.* 267; femur, *r.* 405, *l.* 404; tibia, *l.* 333; upper end of *r.* tibia in 'Pathological Series,' 1077 B.

Cranium : C. 555, L. 189, B. 143, Bi. 757, H. 144, Hi. 762, BN. 104, Nh. 57, Nw. 27, Ni. 474, Ow. 39, Oh. 34, Oi. 872, Ca. 1690.

*Presented by S. C. Mackenzie, M.D., Surgeon-Major,
Bengal Army, and Sir Joseph Fayrer,
M.B., K.C.S.I., 1880.*

691². The skeleton of a Chinese male, æt. 37.

C. 515, L. 183, B. 144, Bi. 787, H. 138, Hi. 754, BN. 99, BA. 94, Ai. 949, Nh. 48, Nw. 28, Ni. 583, Ow. 38, Oh. 37, Oi. 974, Ca. 1535.

691³. The skeleton of a Chinese male, æt. 40.

The squamosal meets the frontal on the right side.

C. 500, L. 175, B. 136, Bi. 777, H. 146, Hi. 834, BN. 92, BA. 88, Ai. 957, Nh. 54, Nw. 24, Ni. 444, Ow. 38, Oh. 34, Oi. 895, Ca. 1490.

691⁴. The skull of a Chinese male, æt. 37.

C. 523, L. 186, B. 142, Bi. 758, H. 136, Hi. 731, BN. 97, BA. 94, Ai. 969, Nh. 48, Nw. 25, Ni. 521, Ow. 37, Oh. 35, Oi. 946, Ca. 1630.

691⁵. The skull of a Chinese male, æt. 40 (?).

C. 515, L. 178, B. 143, Bi. 803, H. 139, Hi. 781, BN. 100, BA. 102, Ai. 1020, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 33, Oi. 892, Ca. 1640.

691⁶. The skull of a Chinese male, æt. 40.

C. 474, L. 157, B. 140, Bi. 892, H. 134, Hi. 854, BN. 86, BA. 87, Ai. 1012, Nh. 50?, Nw. 28?, Ni. 560, Ow. 33, Oh. 30, Oi. 909, Ca. 1300.

691⁷. The skull of a Chinese male, æt. 55.

C. 515, L. 181, B. 141, Bi. 779, H. 134, Hi. 740, BN. 98, BA. 93, Ai. 949, Nh. 53, Nw. 27, Ni. 509, Ow. 39, Oh. 33, Oi. 846, Ca. 1450.

691⁸. The skull of a Chinese male, æt. 51.

C. 497, L. 177, B. 133, Bi. 751, H. 136, Hi. 768, BN. 96, BA. 90?, Ai. 938, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 32, Oi. 842, Ca. 1475.

*The above two skeletons and five skulls from the
J. H. Spitzly Collection, 1901.*

692. The skull of a male Chinese. O. C. 5487.

It was picked up in a recess amongst the basaltic rocks of Second Bar, Pagoda Hill, Canton River. The skeleton was entire and wrapped in cloth.

C. 491, L. 168, B. 142, Bi. 845, H. 137, Hi. 815, BN. 100, Nh. 52, Nw. 25, Ni. 481, Ow. 36, Oh. 36, Oi. 1000, Ca. 1435.

Presented by Robert Auld, Esq., 1834.

- 692^{1*}. The cranium of a Chinese from Peking: ♂.

C. 520, L. 186, B. 139, Bi. 747, H. 142, Hi. 763, BN. 101, BA. 103, Ai. 1020, Nh. 56, Nw. 25, Ni. 446, Ow. 39, Oh. 38, Oi. 974, Ca. 1530.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

- 692^{2*}. The cranium of a Chinese from Peking: ♂.

C. 467, L. 167, B. 129, Bi. 772, H. 133, Hi. 796, BN. 94, BA. 92, Ai. 979, Nh. 50, Nw. 22, Ni. 440, Ow. 36, Oh. 36, Oi. 972, Ca. 1260.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O.*

693. The cranium of a Chinese: ♂. O. C. 5488.

Obtained from a native cemetery near Peking, and brought to England by Mr. Dill, Surgeon H.E.I.C.S.

C. 510, L. 178, B. 144, Bi. 809, H. 140, Hi. 787, BN. 100, BA. 100, Ai. 1000, Nh. 50, Nw. 26, Ni. 520, Ow. 37, Oh. 32, Oi. 865, Ca. 1500.

Presented by Anthony White, Esq., 1826.

694. The cranium of a Chinese, obtained with the last: ♂.
O. C. 5489.

C. 513, L. 179, B. 147, Bi. 821, H. 132, Hi. 737, BN. 93, BA. 96, Ai. 1032, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 33, Oi. 868, Ca. 1525.

Presented by Anthony White, Esq., 1826.

- 694¹. The cranium of a Chinese from near Shanghai: ♂.

C. 495, L. 169, B. 138, Bi. 817, H. 135, Hi. 799, BN. 98, BA. 94, Ai. 959, Nh. 44, Nw. 27, Ni. 614, Ow. 39, Oh. 36, Oi. 923, Ca. 1335.

Anthropol. Soc., No. 128.

694². The cranium of a Chinese : ♂.

Metopic.

C. 530, L. 185, B. 142, Bi. 768, H. 130, Hi. 703, BN. 91, BA. 92, Ai. 1011, Nh. 55, Nw. 26, Ni. 473, Ow. 36, Oh. 35, Oi. 972, Ca. 1555.

Anthropol. Soc., No. 91.

695. The cranium of a Chinese, from a native grave at Shanghai : ♂.

C. 515, L. 186, B. 139, Bi. 747, H. 135, Hi. 726, BN. 98, BA. 94, Ai. 959, Nh. 51, Nw. 24, Ni. 471, Ow. 38, Oh. 35, Oi. 921, Ca. 1590.

Presented by William Lockhart, Esq., 1858.

696. The cranium of a Chinese from Shanghai : ♂.

Metopic.

C. 485, L. 163, B. 142, Bi. 871, H. 129, Hi. 791, BN. 95, BA. 98, Ai. 1032, Nh. 52, Nw. 27, Ni. 519, Ow. 37, Oh. 33, Oi. 892, Ca. 1290.

Presented by W. Lockhart, Esq., 1858.

697. The cranium of a Chinese from Shanghai : ♂.

It is laterally contracted and unsymmetrical posteriorly, probably owing to premature synostosis of the sagittal and lambdoidal sutures; for these are both consolidated, while the general condition of the skull, and especially the teeth, show that the subject was not aged. The contraction, however, does not amount to true "scaphocephaly."

C. 503, L. 185, B. 130, Bi. 703, H. 142, Hi. 768, BN. 108, BA. 105, Ai. 972, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 31, Oi. 816, Ca. 1425.

Presented by W. Lockhart, Esq., 1858.

698. The skull of a Chinese from Shanghai : ♂.

The upper part of the supraoccipital is separated as an epactal bone.

C. 517, L. 188, B. 137, Bi. 729, H. 140, Hi. 745, BN. 100, BA. 104, Ai. 1040, Nh. 49, Nw. 26, Ni. 231, Ow. 36, Oh. 31, Oi. 861, Ca. 1410.

Presented by W. Lockhart, Esq., 1875.

699. The skull of a Chinese from Shanghai : ♂.

The sagittal and part of the lambdoidal sutures are obliterated.
The coronal is remarkably simple.

C. 515, L. 180, B. 140, Bi. 778, H. 130, Hi. 722, BN. 97,
BA. 95, Ai. 979, Nh. 52, Nw. 23, Ni. 442, Ow. 40, Oh. 35,
Oi. 875, Ca. 1460.

Presented by W. Lockhart, Esq., 1875.

700. The skull of a Chinese from Shanghai : ♂.

C. 494, L. 175, B. 137, Bi. 783, H. 130, Hi. 743, BN. 92,
BA. 98, Ai. 1065, Nh. 47, Nw. 26, Ni. 553, Ow. 39, Oh. 33,
Oi. 846, Ca. 1320.

Presented by W. Lockhart, Esq., 1875.

- 700¹. The cranium of a Chinese from Shanghai : ♂ (mutilated).

C. 522, L. 187, B. 140, Bi. 749, H. 139, Hi. 743, BN. 102,
Nh. 54, Nw. 25, Ni. 463, Ow. 38, Oh. 34, Oi. 895, Ca. 1550.

Anthropol. Soc., No. 239.

- 700². The cranium of a Chinese : ♂ (mutilated).

Anthropol. Soc., No. 222.

701. The cranium of a Chinese : ♂.

“ A Taeping rebel.”

C. 513, L. 183, B. 138, Bi. 754, H. 132, Hi. 721, BN. 99,
BA. 97, Ai. 980, Nh. 56, Nw. 26, Ni. 464, Ow. 38, Oh. 36,
Oi. 947, Ca. 1470.

Presented by William Bird, Esq., 1870.

- 701¹. The cranium of a Chinese : ♂. From Chusan.

C. 509, L. 178, B. 141, Bi. 792, H. 133, Hi. 747, BN. 100,
BA. 90, Ai. 900, Nh. 51, Nw. 26, Ni. 510, Ow. 35, Oh. 31,
Oi. 886, Ca. 1465.

Anthropol. Soc., No. 220.

702. The skull of a Chinese pirate : ♂. O. C. 5486.

The upper part of the supraoccipital is divided off into a pair
of nearly symmetrical ossicles.

C. 515, L. 183, B. 140, Bi. 765, H. 132, Hi. 721, BN. 100,
BA. 103, Ai. 1030, Nh. 53, Nw. 26, Ni. 491, Ow. 37, Oh. 34,
Oi. 919, Ca. 1475.

Presented by Dr. George Bennett.

703. The cranium of a Chinese ladrone, or pirate : ♂ . O. C. 5492.

This and the following are from individuals executed for murder and piracy at Macao, in 1816.

The squamosals meet the frontals at the pterion of both sides.

C. 510, L. 186, B. 134, Bi. 720, H. 135, Hi. 726, BN. 100, BA. 98, Ai. 980, Nh. 45, Nw. 24, Ni. 533, Ow. 40, Oh. 35, Oi. 875, Ca. 1260.

Presented by J. Reeves, Esq., 1821.

704. The cranium of a Chinese ladrone, or pirate : ♂ . O. C. 5493.

C. 522, L. 184, B. 142, Bi. 772, H. 142, Hi. 772, BN. 100, BA. 91, Ai. 910, Nh. 57, Nw. 29, Ni. 509, Ow. 35, Oh. 35, Oi. 1000, Ca. 1580.

Presented by J. Reeves, Esq., 1821.

705. The cranium of a Chinese : ♀ .

C. 494, L. 177, B. 135, Bi. 763, H. 127, Hi. 718, BN. 98, BA. 97, Ai. 990, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 35, Oi. 921, Ca. 1365.

Presented by Lady Franklin.

- 705¹. The cranium of a Chinese : ♀ .

C. 483, L. 168, B. 133, Bi. 792, H. 133, Hi. 792, BN. 98, BA. 91, Ai. 929, Nh. 52, Nw. 24, Ni. 462, Ow. 35, Oh. 35, Oi. 1000, Ca. 1305.

Anthropol. Soc., No. 101.

706. The cranium of a Chinese from Shanghai : ♀ .

C. 474, L. 166, B. 134, Bi. 807, H. 136, Hi. 819, BN. 96, BA. 92, Ai. 958, Nh. 50, Nw. 22, Ni. 440, Ow. 34, Oh. 34, Oi. 1000, Ca. 1230.

Presented by Dr. J. Reay Greene, 1879.

707. The cranium of a Chinese child from Hongkong.

All the milk-teeth are in place, but the first permanent molars have not yet attained the level of the alveolar margin.

C. 446, L. 160, B. 126, Bi. 788, H. 120, Hi. 750, BN. 80, BA. 76, Ai. 950, Nh. 36, Nw. 20, Ni. 556, Ow. 32, Oh. 31, Oi. 969.

*Presented by W. T. Black, Esq., Staff-Surgeon
H.M. Army, 1866.*

- 707¹. The cranium of a child, æt. c. 10.

Basioccipital missing.

C. 455, L. 154, B. 130, Bi. 844, Nh. 40, Nw. 20, Ni. 500,
Ow. 30, Oh. 30, Oi. 1000.

Anthropol. Soc., No. 92.

708. The skull of a new-born Chinese infant from Shanghai.

C. 315, L. 107, B. 89, Bi. 832, H. 81, Hi. 757.

Purchased, 1873.

F. FORMOSA.

709. The skull of a Formosan : ♂.

This and the following specimen are from the collection of the late Mr. Robert Swinhoe, F.R.S., H.B.M. Consul, and were both marked "Formosan : Laoulung, 1866," but with no further information ; so that it is uncertain whether they belong to any of the original native races of the island, or to the descendants of Chinese immigrants.

Part of the base has been cut away, and the right ramus of the lower jaw broken, probably in the act of decapitation.

C. 520, L. 183, B. 140, Bi. 765, H. 145, Hi. 792, BN. 110,
BA. 106, Ai. 964, Nh. 52, Nw. 26, Ni. 500, Ow. 36, Oh. 36,
Oi. 1000, Ca. 1550.

Purchased, 1878.

710. The skull of a Formosan.

The sagittal suture is completely obliterated, but not from age, as the teeth show scarcely any signs of wear. There are several small Wormian bones in the coronal suture, which is otherwise very simple in character.

C. 498, L. 176, B. 132, Bi. 750, H. 128, Hi. 727, BN. 100,
BA. 104, Ai. 1040, Nh. 52, Nw. 24, Ni. 462, Ow. 37, Oh. 35,
Oi. 946, Ca. 1370.

Purchased, 1878.

G. JAPAN.

711. The cranium of a Japanese : ♂.

From the execution-ground at Kanagawa.

C. 517, L. 187, B. 141, Bi. 754, H. 142, Hi. 759, BN. 103,
BA. 102, Ai. 990, Nh. 57, Nw. 22, Ni. 386, Ow. 39, Oh. 35,
Oi. 897, Ca. 1570.

Presented by Rowland Hamilton, Esq., 1864.

711¹. The articulated skeleton of a male Japanese.

Humerus, *r.* 298, *l.* 297; radius, *r.* 213, *l.* 210; femur, *r.* 405, *l.* 404; tibia, *r.* 322, *l.* 321.

Cranium: C. 525, L. 180, B. 143, Bi. 794, H. 134, Hi. 744, BN. 100, BA. 95, Ai. 950, Nh. 57, Nw. 27, Ni. 474, Ow. 40, Oh. 36, Oi. 900, Ca. 1585.

Received in exchange, 1885.

712. The skull of a Japanese, from Yokohama: ♂.

On the right side the squamosal and frontal meet at the pterion; on the left there is an epipteric ossicle.

C. 528, L. 188, B. 143, Bi. 761, H. 140, Hi. 745, BN. 108, BA. 104, Ai. 963, Nh. 54, Nw. 24, Ni. 444, Ow. 38, Oh. 36, Oi. 947, Ca. 1510.

Presented by Rowland Hamilton, Esq., 1864.

713. The skull of a Japanese: ♀.

"Bought in a medicine-shop, Kanagawa."

C. 548, L. 164, B. 123, Bi. 750, H. 124, Hi. 756, BN. 93, BA. 94, Ai. 1011, Nh. 51, Nw. 24, Ni. 471, Ow. 34, Oh. 33, Oi. 971, Ca. 1125.

Presented by Rowland Hamilton, Esq., 1864.

714. The skull of a Japanese: ♂.

Though the basilar suture is closed, and the skull shows every sign of maturity, there are no molars behind the first in either jaw, nor any appearance of their having been lost, and the first upper milk-molar is retained on the right side.

C. 518, L. 185, B. 141, Bi. 762, H. 135, Hi. 730, BN. 99, BA. 97, Ai. 980, Nh. 47, Nw. 23, Ni. 489, Ow. 38, Oh. 36, Oi. 947, Ca. 1480.

This and the four following specimens were purchased from Dr. William Willis, of Yokohama, 1864.

715. The skull of a Japanese: ♂.

It has a small supplementary upper incisor tooth on the right side, close to the median line and behind the normal tooth.

C. 512, L. 180, B. 140, Bi. 778, H. 139, Hi. 772, BN. 103, BA. 100, Ai. 971, Nh. 55, Nw. 27, Ni. 491, Ow. 39, Oh. 32, Oi. 821, Ca. 1410.

Purchased, 1864.

716. The skull of a Japanese : ♂.

C. 500, L. 180, B. 135, Bi. 750, H. 135, Hi. 750, BN. 103, BA. 100, Ai. 971, Nh. 51, Nw. 26, Ni. 510, Ow. 38, Oh. 34, Oi. 895, Ca. 1415.

Purchased, 1864.

717. The cranium of a Japanese : ♂.

C. 525, L. 180, B. 148, Bi. 822, H. 137, Hi. 761, BN. 99, BA. 99, Ai. 1000, Nh. 54, Nw. 28, Ni. 519, Ow. 39, Oh. 39, Oi. 1000, Ca. 1530.

Purchased, 1864.

718. The cranium of a Japanese child.

The first permanent molars are in place.

C. 464, L. 163, B. 129, Bi. 791, H. 125, Hi. 767, BN. 87, BA. 77, Ai. 885, Nh. 40, Nw. 20, Ni. 500, Ow. 32, Oh. 31, Oi. 969.

Purchased, 1864.

719. A cranium, found by the donor in May 1871, at Nemoro, N.E. coast of Yezo (or Jesso) Island; probably that of an Aino : ♂?

The squamosals and frontals almost meet at the pterion. The sagittal suture is completely synostosed.

C. 513, L. 184, B. 138, Bi. 750, H. 132, Hi. 717, BN. 106, BA. 105, Ai. 991, Nh. 48, Nw. 30, Ni. 625, Ow. 42, Oh. 33, Oi. 786, Ca. 1400.

Presented by Lieut. Swinton C. Holland, R.N., 1873.

720. The skull of an Aino, from the island of Yezo : ♂.

A perfectly authenticated example of the race. It is described and figured by Mr. Busk in Trans. Ethnol. Soc. n. s., vol. vi. p. 109 (1868).

C. 545, L. 197, B. 142, Bi. 721, H. 142, Hi. 721, BN. 110, BA. 106, Ai. 964, Nh. 49, Nw. 25, Ni. 510, Ow. 42, Oh. 33, Oi. 786, Ca. 1630.

Presented by George Busk, Esq., 1867.

720¹. The articulated skeleton of an Aino.

C. 540, L. 198, B. 142, Bi. 717, H. 138, Hi. 697, BN. 113, BA. 115, Ai. 1018, Nh. 56, Nw. 26, Ni. 464, Ow. 40, Oh. 35, Oi. 875, Ca. 1620.

1900.

H. BURMAH.

721. The skull of a Burmese : ♂.

"A noted dacoit, or robber, captured near Tonghoo, on the frontiers of Burmah, by Colonel Lloyd, Deputy Commissioner, in a personal encounter, not before he had waylaid and murdered no less than thirteen people."

C. 490, L. 166, B. 144, Bi. 867, H. 134, Hi. 807, BN. 94, BA. 90, Ai. 957, Nh. 52, Nw. 23, Ni. 442, Ow. 37, Oh. 35, Oi. 946, Ca. 1350.

Presented by R. J. Wardlaw-Ramsay, Esq., 1877.

721¹. The skull of a Burmese male shot near Tonghu, 1866.

C. 485, L. 164, B. 143, Bi. 872, H. 124, Hi. 756, BN. 94, BA. 96, Ai. 1021, Nh. 54, Nw. 27, Ni. 500, Ow. 39, Oh. 35, Oi. 897, Ca. 1365.

Anthropol. Soc., No. 180.

721². The skull of a Dacoit leader.

C. 520, L. 176, B. 149, Bi. 847, H. 149, Hi. 847, BN. 99, Nh. 52, Nw. 29, Ni. 558, Ow. 40, Oh. 36, Oi. 900, Ca. 1460.

721³. The cranium of a Burmese : ♂.

C. 505, L. 176, B. 142, Bi. 807, H. 140, Hi. 795, BN. 100, BA. 99, Ai. 990, Nh. 50, Nw. 27, Ni. 540, Ow. 36, Oh. 32, Oi. 889, Ca. 1485.

Anthropol. Soc., No. 51.

721⁴. The cranium of a Burmese.

C. 509, L. 166, B. 158, Bi. 952, H. 136, Hi. 819, BN. 101, BA. 97, Ai. 960, Nh. 53, Nw. 28, Ni. 528, Ow. 37, Oh. 33, Oi. 892, Ca. 1460.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

721⁵. The skull of a Burmese.

C. 519, L. 182, B. 139, Bi. 764, H. 136, Hi. 747, BN. 104, Nh. 52, Nw. 27, Ni. 519, Ow. 42, Oh. 35, Oi. 833, Ca. 1545.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

721^{6*}. The cranium of a Burmese.

C. 500, L. 175, B. 129, Bi. 737, H. 128, Hi. 731, BN. 93, BA. 90, Ai. 968, Nh. 50, Nw. 23, Ni. 460, Ow. 36, Oh. 36, Oi. 1000, Ca. 1400.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

The three following crania were obtained and brought to England by the late Mr. John Crawford, F.R.S.

722. The cranium of a Burmese : ♂.

C. 528, L. 184, B. 150, Bi. 815, H. 142, Hi. 772, BN. 99, BA. 105, Ai. 1061, Nh. 50, Nw. 27, Ni. 540, Ow. 38, Oh. 32, Oi. 842, Ca. 1560.

Presented by George Busk, Esq., 1864.

723. The skull of a Karen : ♂.

C. 505, L. 178, B. 141, Bi. 792, H. 143, Hi. 803, BN. 103, BA. 103, Ai. 1000, Nh. 50, Nw. 25, Ni. 500, Ow. 40, Oh. 32, Oi. 800, Ca. 1520.

Presented by George Busk, Esq., 1864.

724. The skull of a Karen, from Bassein : ♂.

The occiput is unsymmetrically flattened posteriorly, as if from pressure in infancy ; and there is a large irregular independent ossicle in the right side of the supraoccipital.

C. 500, L. 170, B. 141, Bi. 829, H. 144, Hi. 847, BN. 103, BA. 100, Ai. 971, Nh. 56, Nw. 25, Ni. 446, Ow. 40, Oh. 37, Oi. 925, Ca. 1460.

Presented by George Busk, Esq., 1864.

724¹. The skull of a Pegu rebel from Talaing. Executed 1863.

C. 505, L. 184, B. 134, Bi. 728, H. 137, Hi. 745, BN. 101, BA. 100, Ai. 990, Nh. 49, Nw. 27, Ni. 551, Ow. 35, Oh. 31, Oi. 886, Ca. 1240.

Anthropol. Soc., No. 181.

724². The cranium of a Shan robber killed beyond the British Frontier, Tenasserim.

C. 493, L. 169, B. 141, Bi. 834, H. 132, Hi. 781, BN. 100, BA. 95, Ai. 950, Nh. 52, Nw. 25, Ni. 500, Ow. 38, Oh. 37, Oi. 974, Ca. 1430.

Anthropol. Soc., No. 210.

I. THE INDO-MALAYAN ARCHIPELAGO.

725. The skull of a Malay pirate : ♂. O. C. 5494.

The fore part of the upper teeth has been filed away, and the exposed surface of dentine stained black.

C. 510, L. 173, B. 147, Bi. 850, H. 124, Hi. 717, BN. 98, BA. 101, Ai. 1031, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 36, Oi. 947, Ca. 1440.

Hunterian.

726. The cranium of a Malay, from Penang : ♂.

C. 502, L. 178, B. 138, Bi. 775, H. 138, Hi. 775, BN. 94, BA. 94, Ai. 1000, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 32, Oi. 865, Ca. 1430.

Presented by J. D. Gillies, Esq., 1855.

726¹. The skull of an old man belonging to the Semang Tribe living at "Goyal Sapi," about eight miles from the mouth of the Kënnëring river in Upper Perak. Collected by Dr. Grubauer, 1903.

C. 482, L. 168, B. 130, Bi. 774, H. 123, Hi. 732, BN. 97, Nh. 47, Nw. 27, Ni. 574, Ow. 40, Oh. 34, Oi. 850, Ca. 1475.

727. The cranium of a Malay : ♂.

"The pirate who took the 'Cyprus.'"

C. 532, L. 188, B. 148, Bi. 787, H. 140, Hi. 745, BN. 104, BA. 101, Ai. 971, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 34, Oi. 895, Ca. 1590.

Presented by Lady Franklin, 1854.

727¹. The skull of a male Malay.

C. 500, L. 166, B. 149, Bi. 898, H. 144, Hi. 867, BN. 100, BA. 87, Ai. 870, Nh. 60, Nw. 22, Ni. 367, Ow. 38, Oh. 39, Oi. 1026, Ca. 1520.

Presented by George Busk, Esq., 1882.

728. The skull of a Malay : ♂.

C. 509, L. 178, B. 142, Bi. 798, H. 147, Hi. 826, BN. 100, BA. 103, Ai. 1030, Nh. 50, Nw. 26, Ni. 520, Ow. 36, Oh. 32, Oi. 889, Ca. 1420.

Presented by Lady Franklin, 1854.

729. The skull of a Malay : ♂.

The lambdoidal suture is remarkably complex. The upper incisors are filed in front, and stained.

C. 476, L. 158, B. 140, Bi. 886, H. 130, Hi. 823, BN. 92, BA. 95, Ai. 1033, Nh. 50, Nw. 24, Ni. 480, Ow. 37, Oh. 32, Oi. 865, Ca. 1350.

Presented by Lady Franklin, 1854.

730. The skull of a Malay : ♂.

C. 496, L. 170, B. 141, Bi. 829, H. 122, Hi. 718, BN. 93, BA. 95, Ai. 1022, Nh. 50, Nw. 24, Ni. 480, Ow. 36, Oh. 30, Oi. 833, Ca. 1280.

Presented by Lady Franklin, 1854.

731. The skull of a Malay.

C. 483, L. 167, B. 137, Bi. 820, H. 129, Hi. 772, BN. 94, BA. 99, Ai. 1053, Nh. 48, Nw. 27, Ni. 563, Ow. 41, Oh. 33, Oi. 805, Ca. 1325.

Presented by Lady Franklin, 1854.

731¹. The cranium of a Malay from Singapore : ♂.

C. 527, L. 180, B. 145, Bi. 806, H. 144, Hi. 800, BN. 98, BA. 95, Ai. 969, Nh. 59, Nw. 29, Ni. 492, Ow. 38, Oh. 35, Oi. 421, Ca. 1665.

Anthropol. Soc., No. 195.

732. The cranium of a male native of Java. O. C. 5538.

The characters of the bones are very feminine.

The teeth have nearly all been lost during life ; but there is no union of the calvarial sutures.

C. 497, L. 175, B. 137, Bi. 783, H. 130, Hi. 743, Ca. 1330.

Presented by Sir T. Stamford Raffles.

732¹. A skull from a cave, formerly the resort of Malay pirates, at Sine, south coast of Java : ♂.

Found with many others, Feb. 17th, 1878, by Baron A. von Hügel.

C. 498, L. 172, B. 139, Bi. 808, H. 135, Hi. 785, BN. 100, BA. 102, Ai. 1020, Nh. 50, Nw. 27, Ni. 540, Ow. 40, Oh. 36, Oi. 900, Ca. 1370.

Presented by Erasmus Wilson, Esq., 1879.

- 732². A mutilated cranium from the same cave : ♂.

From Baron A. von Hügel's collection.

C. 501, L. 171, B. 148, Bi. 865, H. 142, Hi. 830, Ca. 1500.

Presented by Erasmus Wilson, Esq.

733. The skeleton of an old male native of Borneo. O. C. 5496 to 5530.

Taken from a large tomb on a hill above a deserted village by the river Pantai, east coast of Borneo. The circumstances under which it was found and mode of sepulture are described in Mr. A. Adams's notes appended to Sir E. Belcher's 'Narrative of the Voyage of the Samarang' (1844), vol. ii. p. 415, quoted in the former Catalogue, where the bones are separately described and compared with those of an Australian.

Most of the teeth have been lost during life. The cranial sutures are partly consolidated. The hyoid arch was completely ossified.

Clavicle 152; humerus, r. 322, l. 330; radius, r. 256, l. 258; femur, r. 459, l. 455; tibia, r. 395, l. 391.

Cranium: C. 500, L. 173, B. 141, Bi. 815, H. 144, Hi. 832, BN. 101, Nh. 53, Nw. 25, Ni. 472, Ow. 40, Oh. 35, Oi. 875, Ca. 1463.

Presented by Admiral Sir Edward Belcher, K.C.B.

- 733¹. The skull of an old native of Borneo, probably that of a chief.

Procured from a house in the North Borneo Company's Territory by Dr. Walker, Medical Officer to the Company (see Museum letter-book).

C. 500, L. 179, B. 125, Bi. 698, H. 138, Hi. 771, BN. 104, Nw. 26, Ow. 38, Oh. 38, Oi. 1000, Ca. 1380.

Presented by C. Dent, Esq., M.D., 1885.

The ten following specimens were purchased at the sale in Paris of the collection of the late Baron van Kessel, during eleven years Dutch Resident in Borneo.

734. The cranium of a male Dayak, curiously carved and ornamented with tinfoil, and with cowries fixed in the place of the eyes*.

C. 505, L. 177, B. 145, Bi. 819, H. 142, Hi. 802, Ca. 1460.

Van-Kessel Collection. Purchased, 1853.

* This specimen is very similar in its mode of preparation to that described and figured in Dr. Barnard Davis's 'Thesaurus Craniorum,' p. 296.

735. The cranium of a male Dayak, from the east coast of Borneo.

It is sculptured and inlaid with tinfoil. The teeth have been removed, and wooden pegs substituted.

C. 506, L. 180, B. 141, Bi. 783, H. 139, Hi. 772, BN. 96, Nh. 52, Nw. 24, Ni. 462, Ow. 38, Oh. 32, Oi. 842, Ca. 1420.

Van-Kessel Collection. Purchased, 1853.

736. The skull of a Dayak from the east coast of Borneo.

The surface of the frontal and parietal bones is elegantly sculptured, and the teeth are replaced by imitations in wood.

C. 485, L. 171, B. 128, Bi. 749, H. 130, Hi. 760, BN. 94, BA. 96, Ai. 1021, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 33, Oi. 892, Ca. 1230.

Van-Kessel Collection. Purchased, 1853.

737. The lower jaw of a male Dayak from the east coast of Borneo. *Van-Kessel Collection. Purchased, 1853.*

738. The cranium of a female Dayak.

The face is covered with tinfoil; cowry-shells occupy the place of eyes; the lower jaw is of wood; and a lock of hair, in braided plaits, is attached to the right zygoma.

C. 465, L. 168, B. 123, Bi. 732, H. 126, Hi. 750, Ca. 1175.

Van-Kessel Collection. Purchased, 1853.

739. The skull of a young male Batta, from the north-east coast of Borneo.

The calvaria is scored in a symmetrical pattern. The basilar suture is not united; and the third molars are not in place.

C. 485, L. 175, B. 127, Bi. 726, H. 132, Hi. 754, BN. 95, BA. 94, Ai. 989, Nh. 42, Nw. 26, Ni. 619, Ow. 36, Oh. 29, Oi. 806.

Van-Kessel Collection. Purchased, 1853.

740. The left moiety of the bisected cranium of a native Batta of the east coast of Borneo.

The calvaria is elegantly carved, and the orbit filled with a resinous substance, to which cowry-shells are affixed—a large one in the centre, with smaller ones placed in a radiating manner around it.

L. 186.

Van-Kessel Collection. Purchased, 1853.

741. The anterior portion of a similarly prepared cranium of a native of the south-east coast of Borneo.

Nh. 47, Nw. 25, Ni. 532, Ow. 35, Oh. 33, Oi. 943.

Van-Kessel Collection. Purchased, 1853.

742. The cranium of a native child, about seven years of age, from Central Borneo.

It has been scorched and blackened by fire.

The first permanent molars and the central incisors are in place. There are numerous and irregular Wormian bones in the hinder end of the sagittal and the lambdoidal sutures, and a large epipteric ossicle on the left side.

C. 437, L. 150, B. 128, Bi. 853, H. 127, Hi. 847, BN. 83, BA. 75, Ai. 936, Nh. 38, Nw. 22, Ni. 579, Ow. 35, Oh. 32, Oi. 914.

Van-Kessel Collection. Purchased, 1853.

743. The cranium of a male Bornean, from the west coast near Sarawak.

It has been blackened by fire.

C. 522, L. 183, B. 144, Bi. 787, H. 137, Hi. 749, BN. 94, BA. 91, Ai. 968, Nh. 53, Nw. 25, Ni. 472, Ow. 38, Oh. 34, Oi. 895, Ca. 1555.

Van-Kessel Collection. Purchased, 1853.

- 743¹. The skull of an "Ukiet," a tribe inhabiting the interior of Borneo: ♂.

It has been smoked, and wooden pegs substituted for the incisor teeth. (For details see Mr. Low's letter of April 14th, 1880, in Museum letter-book.) "The Ukiets or Bukiets are a straight-haired race, and inhabit the interior of the Pontianak and Coti rivers."

C. 493, L. 172, B. 135, Bi. 785, H. 136, Hi. 791, BN. 100, BA. 89, Ai. 980, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 33, Oi. 892, Ca. 1375.

*Presented by Hugh Brook Low, Esq.,
Sarawak Civil Service, 1880.*

- 743²-743¹¹. Ten skulls and crania from Borneo.

Presented by Charles Hose, Esq., 1900.

- 743². Skull, Leppu Potong Tribe, Kalabit District, Sarawak.

C. 510, L. 182, B. 131, Bi. 720, H. 134, Hi. 736, BN. 97, Nh. 48, Nw. 23, Ni. 479, Ow. 37, Oh. 35, Oi. 946, Ca. 1340.

- 743³. Skull of Murut, Baram Distriet, Sarawak.

C. 520, L. 189, B. 133, Bi. 704, Nh. 47, Nw. 30, Ni. 638, Ow. 40, Oh. 34, Oi. 850, Ca. 1570.

- 743⁴. Skull, Tring, Baram District.

C. 517, L. 185, B. 138, Bi. 746, Nh. 44, Nw. 25, Ni. 568, Ow. 37, Oh. 31, Oi. 838, Ca. 1550.

- 743⁵. Skull of Kalabit, Libun River, Baram Watershed, killed by Sibops of Tinjar. Obtained from them at Long Simitun.

C. 480, L. 170, B. 134, Bi. 788, H. 131, Hi. 771, BN. 94, BA. 95, Ai. 1011, Nh. 48, Nw. 27, Ni. 563, Ow. 35, Oh. 33, Oi. 943, Ca. 1330.

- 743⁶. Cranium of Orang Bukit, Balait River. Killed by Long Kiputs of Baram Distriet, Sarawak. Obtained from Long Kiputs.

C. 497, L. 178, B. 139, Bi. 781, Nh. 49, Nw. 24, Ni. 490, Ow. 38 ?, Oh. 32, Oi. 842, Ca. 1475.

- 743⁷. Cranium of Murut from Trusan Luah, Trusan District. Killed by Long Kiput people. Obtained at Long Tutan.

C. 517, L. 184, B. 137, Bi. 745, H. 130, Hi. 707, BN. 100, BA. 109, Ai. 1090, Nh. 49, Nw. 25 ?, Ni. 510, Ca. 1510.

- 743⁸. Cranium of Murut, Trusan Luah, Limbang District. Killed by Long Pata Tribe, Baram River, Sarawak. Obtained from Long Pata.

C. 515, L. 186, B. 130, Bi. 699, Nh. 48, Nw. 24, Ni. 500, Ow. 40, Oh. 32, Oi. 842, Ca. 1355.

- 743⁹. Cranium of Murut, Trusan, Sarawak.

C. 488, L. 174, B. 137, Bi. 787, H. 127, Hi. 730, BN. 94, BA. 97, Ai. 1032, Nh. 49, Nw. 26, Ni. 531, Ow. 34 ?, Oh. 31, Oi. 912, Ca. 1350.

- 743¹⁰. Cranium of Murut, Tuburong River. Killed by Long Pata Tribe, Baram River, Sarawak. Obtained from Long Pata.

C. 508, L. 184, B. 129, Bi. 701, H. 137, Hi. 745, BN. 103, BA. 98, Ai. 951, Nh. 52, Nw. 28, Ni. 538.

- 743¹¹. Cranium of Bisaya, Limbang River. Killed by Long Kiputs of Baram District, Sarawak. Obtained from Long Kiputs.

C. 495, L. 172, B. 135, Bi. 785, H. 134, Hi. 779, BN. 96, BA. 97, Ai. 1010, Nh. 48, Nw. 25, Ni. 521, Ow. 33, Oh. 33, Oi. 1000.

The two following specimens were obtained in the neighbourhood of Sarawak by the Rev. T. S. Bubb, Missionary. They have both been dried and blackened by being suspended over fire, and have the orbits and nasal opening filled with wooden plugs.

744. The skull of a Dayak : ♂.

“ Killed at mouth of river at outbreak of Dayaks.”

The occiput is mutilated.

C. 498, L. 173, B. 142, Bi. 821, BN. 98, BA. 97, Ai. 990, Nh. 53, Nw. 25, Ni. 472, Ow. 39, Oh. 34, Oi. 872, Ca. 1410.

Purchased, 1876.

745. A cranium said to be that of a Dayak : ♂.

This was marked by Mr. Bubb as “given by the doctor in Sarawak.” It presents more Melanesian than Malay characters, and may be of Papuan origin, as Papuans are often taken to Borneo as slaves.

C. 500, L. 176, B. 130, Bi. 739, H. 134, Hi. 761, BN. 100, BA. 104, Ai. 1040, Nh. 50, Nw. 29, Ni. 580, Ow. 39, Oh. 31, Oi. 795, Ca. 1375.

Purchased, 1876.

746. The cranium of a Bugie Malay : ♂. O. C. 5495.

C. 515, L. 180, B. 145, Bi. 806, H. 132, Hi. 733, BN. 99, BA. 94, Ai. 949, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 34, Oi. 895, Ca. 1500.

Purchased.

- 746¹. The skull of a cattle-thief from the Island of Timor, Lesser Sunda Islands.

C. 525, L. 187, B. 141, Bi. 754, H. 138, Hi. 738, BN. 106, BA. 104, Ai. 981, Nh. 54, Nw. 26, Ni. 481, Ow. 44, Oh. 34, Oi. 773, Ca. 1610.

- 746². The eranium of a Malay (?) from the Malabar Coast.

Metopie.

C. 498, L. 178, B. 123, Bi. 691, H. 126, Hi. 708, BN. 95, BA. 90, Ai. 947, Nh. 42, Nw. 28, Ni. 667, Ow. 36, Oh. 30, Oi. 833, Ca. 1280.

Anthropol. Soc., No. 194.

747. The skull, hyoid, ossified thyroid cartilage, and five upper cervical vertebræ of a native of one of the Philippine Islands: ♂. O. C. 5531 to 5536.

This and the next were presented as "Two skulls of aborigines of the Philippines, called by the Spanish colonists 'Igorotes'" (Min. Mus. Comm., Aug. 19th, 1840). They are described by Quatrefages and Hamy ('Crania Ethica,' p. 171 *et seq.*) as Negritos.

The calvarial sutures are partially consolidated. The right paroccipital process is greatly developed, and articulates with the posterior surface of the transverse process of the atlas.

C. 483, L. 165, B. 140, Bi. 848, H. 127, Hi. 770, BN. 99, BA. 92, Ai. 929, Nh. 47, Nw. 23, Ni. 489, Ow. 36, Oh. 32, Oi. 889, Ca. 1240.

Presented by Hugh Cuming, Esq., 1840.

748. The eranium of an aged male native of Samar, one of the Philippine Islands. O. C. 5537.

"From one of the caves in the mountains, deposited there previous to the conquest of the island by the Spaniards."

The teeth have all been lost and the alveoli absorbed, but the calvarial sutures are not consolidated.

C. 510, L. 175, B. 145, Bi. 829, H. 135, Hi. 771, BN. 97, Nh. 50, Nw. 25, Ni. 500, Ow. 38, Oh. 33, Oi. 868, Ca. 1500.

Presented by Hugh Cuming, Esq., 1840.

749. The skull of a native of Manilla.

A symmetrical epaetal bone is cut off from the upper part of the supraoccipital.

C. 510, L. 178, B. 142, Bi. 798, H. 141, Hi. 792, BN. 100, BA. 96, Ai. 960, Nh. 50, Nw. 28, Ni. 560, Ow. 37, Oh. 34, Oi. 919, Ca. 1490.

Presented by E. W. Cooke, Esq., R.A., 1876.

749¹. The skull of a Gilbert Islander : ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 508, L. 182, B. 133, Bi. 731, H. 133, Hi. 731, BN. 111, BA. 111, Ai. 1000, Nh. 57, Nw. 25, Ni. 439, Ow. 40, Oh. 37, Oi. 925, Ca. 1400.

Presented by Erasmus Wilson, Esq., 1879.

749². The skull of a Gilbert Islander : ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 517, L. 183, B. 140, Bi. 765, H. 147, Hi. 803, BN. 110, BA. 106, Ai. 964, Nh. 56, Nw. 26, Ni. 464, Ow. 41, Oh. 37, Oi. 902, Ca. 1580.

Presented by Erasmus Wilson, Esq., 1879.

749³. The skull of a Gilbert Islander from Arorae : ♂.

Obtained in Fiji by Baron A. von Hügel. From an aged person who had lost nearly all the teeth during life.

C. 508, L. 180, B. 137, Bi. 761, H. 134, Hi. 744, BN. 102, Nh. 55, Nw. 27, Ni. 491, Ow. 42, Oh. 37, Oi. 881, Ca. 1460.

Presented by Erasmus Wilson, Esq., 1879.

794⁴. A skull obtained from a heathen temple in Apamama (Gilbert Group) remarkable for its size, and weighing 2 lb. 15 oz.

C. 550, L. 221, B. 142, Bi. 643, H. 148, Hi. 670, BN. 114, Nh. 55, Nw. 28, Ni. 509, Ow. 41, Oh. 36, Oi. 878, C. 1670.

Presented by B. Glanvill Corney, Esq., 1903.

749⁵. A skull from Apamama.

C. 410, L. 170, B. 131, Bi. 771, H. 134, Hi. 788, BN. 96, BA. 97, Ai. 1010, Nh. 47, Nw. 25, Ni. 532, Ow. 36, Oh. 34, Oi. 944, Ca. 1430.

Presented by B. Glanvill Corney, Esq., 1903.

749⁶. The cranium of a female from Apamama.

C. 470, L. 164, B. 132, Bi. 805, H. 131, Hi. 799, BN. 94, BA. 90, Ai. 957, Nh. 44, Nw. 22, Ni. 500, Ow. 36, Oh. 34, Oi. 944, Ca. 1265.

Presented by B. Glanvill Corney, Esq., 1903.

The following thirteen specimens (749⁷ to 749¹⁹) are from the battlefields of Luzon, Philippine Islands, and were collected and presented to the Museum by Staff-Surgeon C. Marsh Beadnell, R.N., H.M.S. 'Powerful,' 1904:—

749⁷. Skull.

C. 497, L. 172, B. 141, Bi. 820, H. 140, Hi. 814, BN. 95, BA. 95, Ai. 1000, Nh. 50, Nw. 26, Ni. 520, Ow. 38, Oh. 32, Oi. 842, Ca. 1550.

749⁸. Cranium.

C. 510, L. 188, B. 135, Bi. 718, H. 140, Hi. 745, BN. 94, BA. 89, Ai. 947, Nw. 27, Oh. 37.

749⁹. Cranium.

C. 495, L. 173, B. 144, Bi. 832, H. 143, Hi. 827, BN. 96, Nh. 50, Nw. 25, Ni. 500, Ow. 38, Oh. 34, Oi. 895.

749¹⁰. Cranium.

L. 182, B. 138, Bi. 758, H. 145, Hi. 797, BN. 101, Nh. 50, Nw. 29, Ni. 580, Ow. 39, Oh. 33, Oi. 846.

749¹¹. Cranium.

C. 520, L. 175, B. 147, Bi. 840, H. 145, Hi. 829, BN. 102, BA. 96, Ai. 941, Nh. 55, Nw. 27, Ni. 491, Ow. 38, Oh. 33, Oi. 868, Ca. 1505.

749¹². Cranium.

C. 498, L. 168, B. 146, Bi. 869, H. 137, Hi. 815, BN. 93, Nh. 54, Nw. 25, Ni. 463, Ow. 36, Oh. 35, Oi. 972, Ca. 1490.

749¹³. Cranium.

B. 143, H. 138, BN. 100, Nw. 27, Ow. 37, Oh. 35, Oi. 946.

749¹⁴. Cranium.

C. 488, L. 167, H. 126, Hi. 754, BN. 92, BA. 91, Ai. 989, Nh. 50, Nw. 27, Ni. 540, Ow. 36, Oh. 36, Oi. 1000.

749¹⁵. Cranium.

C. 511, L. 175, B. 141, Bi. 806, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 34, Oi. 919.

749¹⁶. Cranium.

H. 137, BN. 99, Nw. 28, Ow. 37, Oh. 34, Oi. 919.

749¹⁷. Cranium.

C. 488, L. 165, B. 142, Bi. 861, H. 132, Hi. 800, BN. 95,
BA. 88?, Ai. 926, Nw. 25, Ca. 1355.

749¹⁸. Cranium.

C. 487, L. 164, B. 130, Bi. 793, H. 132, Hi. 805, BN. 92,
Nh. 47, Nw. 28, Ni. 596, Ow. 34, Oh. 33, Oi. 971.

749¹⁹. Cranium of a child.

4. POLYNESIA.

750. The cranium of a native of Nanumea (St. Augustine's Island), Ellice group: ♂.

This and the next are "skulls of ancestors, worshipped by the people of Nanumea, and only buried after the missionaries got them to give up this practice, about two months before they were dug up again by Dr. Turner, who sent them to the donor."

The third molars are not yet fully in place, although the sagittal and lambdoidal sutures are consolidated.

C. 517, L. 181, B. 147, Bi. 812, H. 139, Hi. 768, BN. 111,
BA. 111, Ai. 1000, Nh. 52, Nw. 24, Ni. 462, Ow. 39, Oh. 35,
Oi. 897, Ca. 1520.

Presented by Dr. P. H. Pye-Smith, 1877.

751. The cranium of a native of Nanumea.

C. 502, L. 178, B. 138, Bi. 775, H. 134, Hi. 753, BN. 105,
Nh. 54, Nw. 25, Ni. 463, Ow. 39, Oh. 37, Oi. 949, Ca. 1275.

Presented by Dr. P. H. Pye-Smith, 1877.

752. The skull of a native of one of the Samoan Islands: ♂.

This and the next belonged to men killed in battle a few years ago, and buried near Apia. They were obtained by Dr. Turner.

The calvarial sutures are obliterated.

C. 517, L. 172, B. 153, Bi. 890, H. 138, Hi. 802, BN. 111,
BA. 103, Ai. 928, Nh. 62, Nw. 25, Ni. 403, Ow. 42, Oh. 41,
Oi. 976, Ca. 1535.

Presented by Dr. P. H. Pye-Smith, 1877.

753. The skull of a Samoan: ♂.

C. 501, L. 175, B. 141, Bi. 806, H. 141, Hi. 806, BN. 100,
BA. 100, Ai. 1000, Nh. 57, Nw. 25, Ni. 439, Ow. 39, Oh. 34,
Oi. 872, Ca. 1320.

Presented by Dr. P. H. Pye-Smith, 1877.

754. The skull of a native of the Tonga Islands: ♂.

Brought, in 1859, from the island of Lifuka, one of the Haapai group of the Tonga or Friendly Islands.

Metopic.

C. 508, L. 175, B. 148, Bi. 846, H. 133, Hi. 760, BN. 97, BA. 97, Ai. 1000, Nh. 53, Nw. 24, Ni. 453, Ow. 38, Oh. 35, Oi. 921, Ca. 1450.

Purchased, 1877.

755. The cranium of a young native of the Tonga Islands: ♀.

From the same locality as the last.

The basilar suture is open. All the permanent teeth have been acquired, except the last molars.

C. 460, L. 155, B. 136, Bi. 877, H. 124, Hi. 800, BN. 83, BA. 80, Ai. 964, Nh. 39, Nw. 19, Ni. 487, Ow. 32, Oh. 32, Oi. 1000.

Purchased, 1877.

- 755¹. The cranium of a Tonga Islander.

C. 505, L. 179, B. 142, Bi. 793, H. 151, Hi. 844, BN. 100, BA. 101, Ai. 1010, Nh. 50, Nw. 27, Ni. 540, Ow. 36, Oh. 37, Oi. 1028, Ca. 1665.

Anthropol. Soc.

756. A mutilated cranium from one of the islands on the north side of Tongatabu.

C. 483, L. 165, B. 138, Bi. 836, H. 139, Hi. 842, Ca. 1250.

Presented by Captain Sir Everard Home, Bart., R.N.

757. The skeleton of a male native of Niuë, or Savage Island.

From a man who came to Hobart Town in a whaling-ship, and died in the hospital of pueumonia.

The sternum is missing.

Height of skeleton 5 feet 5·2 inches = 1655.

Clavicle 139, humerus 323, radius 251, femur 448, tibia 373.

Cranium: C. 507, L. 173, B. 145, Bi. 838, H. 140, Hi. 809, BN. 102, BA. 102, Ai. 1000, Nh. 53, Nw. 22, Ni. 415, Ow. 38, Oh. 33, Oi. 868, Ca. 1490.

Presented by Arthur Bingham Crowther, Esq., 1870.

- 757¹. The skull of a male native of the South Sea Islands.

A seaman who died in the Dreadnought Hospital, Greenwich.

C. 512, L. 178, B. 143, Bi. 803, H. 145, Hi. 815, BN. 105, BA. 113, Ai. 1076, Nh. 58, Nw. 23, Ni. 397, Ow. 40, Oh. 37, Oi. 925, Ca. 1525.

Presented by George Busk, Esq., 1882.

758. The cranium of a young Moriori, or native of the Chatham Islands : ♀ .

The basilar suture is not closed. All the permanent teeth, except the last molar, have been acquired.

C. 482, L. 171, B. 135, Bi. 789, H. 127, Hi. 743, BN. 94, Nh. 45, Nw. 24, Ni. 533, Ow. 36, Oh. 35, Oi. 972.

Presented by Dr. Julius von Haast, 1873.

759. The skull of a Moriori : ♀ .

Dug out of peat on Pitt Island, one of the smallest of the group of the Chatham Islands.

C. 491, L. 175, B. 135, Bi. 771, H. 133, Hi. 760, BN. 100, BA. 94, Ai. 940, Nh. 52, Nw. 24, Ni. 462, Ow. 38, Oh. 37, Oi. 974, Ca. 1280.

Presented by Anderson Critchett, Esq., 1876.

760. The cranium of a Moriori, or native of the Chatham Islands.

Formerly in the museum of the Middlesex Hospital, to which it was presented by Dr. H. Cooper Rose.

The basilar suture is not closed, though all the permanent teeth have been in place ; the third molars (now lost) were probably not fully developed.

C. 513, L. 180, B. 137, Bi. 761, H. 135, Hi. 750, BN. 109, B.A. 105, Ai. 963, Nh. 55, Nw. 25, Ni. 455, Ow. 40, Oh. 38, Oi. 950, Ca. 1470.

Received in exchange, 1879.

- 760¹. The skull of a Moriori, from the Chatham Islands. Collected by Mr. A. Shand : ♂ .

C. 478, L. 167, B. 136, Bi. 814, H. 131, Hi. 784, BN. 99, BA. 100, Ai. 1010, Nh. 56, Nw. 22, Ni. 393, Ow. 38, Oh. 38, Oi. 1000, Ca. 1275.

Received in exchange from the Auckland Museum, 1882.

- 760². The skull of a young Moriori, collected in the Chatham Islands by Mr. A. Shand.

The third molars are not in place.

C. 490, L. 175, B. 135, Bi. 771, H. 132, Hi. 754, BN. 100, BA. 99, Ai. 990, Nh. 48, Nw. 25, Ni. 521, Ow. 38, Oh. 33, Oi. 868, Ca. 1450.

Received in exchange from the Auckland Museum, 1882.

The five following specimens were obtained in the Chatham Islands by Dr. Peter Comrie, R.N., H.M.S. 'Dido,' in 1873. The first was given by a medical man resident in the islands, who had prepared it himself; the other four are from an old Moriori burial-ground near Waitangi.

761. The cranium of a Moriori, from the Chatham Islands: ♂.

C. 503, L. 172, B. 143, Bi. 831, H. 140, Hi. 814, BN. 103, BA. 99, Ai. 961, Nh. 55, Nw. 23, Ni. 418, Ow. 39, Oh. 35, Oi. 897, Ca. 1430.

Purchased, 1879.

762. The skull of a Moriori, from the Chatham Islands: ♂.

C. 527, L. 185, B. 147, Bi. 795, H. 134, Hi. 724, BN. 99, BA. 101, Ai. 1020, Nh. 63, Nw. 26, Ni. 413, Ow. 41, Oh. 38, Oi. 927, Ca. 1560.

Purchased, 1879.

763. The cranium of a Moriori, from the Chatham Islands: ♂.

The forehead is very retreating. The lambdoidal suture is extremely complex; and the upper part of the supraoccipital is composed of numerous independent ossifications. There is a Wormian bone in the left side of the coronal suture. The squamosals nearly meet the frontals on both sides.

C. 520, L. 185, B. 137, Bi. 741, H. 127, Hi. 686, BN. 97, BA. 97, Ai. 1000, Nh. 55, Nw. 24, Ni. 436, Ow. 41, Oh. 38, Oi. 927, Ca. 1390.

Purchased, 1879.

764. The cranium of a Moriori, from the Chatham Islands: ♂.

C. 520, L. 185, B. 143, Bi. 773, H. 142, Hi. 768, BN. 105, BA. 106, Ai. 1010, Nh. 52, Nw. 25, Ni. 481, Ow. 38, Oh. 37, Oi. 974, Ca. 1450.

Purchased, 1879.

765. The cranium of a Moriori, from the Chatham Islands: ♂.

C. 490, L. 172, B. 134, Bi. 779, H. 128, Hi. 744, BN. 100, BA. 105, Ai. 1050, Nh. 49, Nw. 24, Ni. 490, Ow. 39, Oh. 34, Oi. 872, Ca. 1195.

Purchased, 1879.

The following two skeletons, three skulls, and thirty-nine crania, from 765¹ to 765⁴⁴, are from the Chatham Islands, and were purchased in 1892.

765¹. Articulated skeleton.

Clavicle, *r.* 134, *l.* 133; humerus, 276; radius, *r.* 215, *l.* 218; femur, *r.* 390, *l.* 394; tibia, 309.

Cranium: C. 497, L. 175, B. 138, Bi. 789, H. 133, Hi. 760, BN. 102, BA. 99, Ai. 971, Nh. 54, Nw. 27, Ni. 500, Ow. 41, Oh. 35, Oi. 854, Ca. 1219.

765². Skeleton.

Clavicle, *r.* 144, *l.* 146; humerus, *r.* 295, *l.* 294; radius, *r.* 211, *l.* 213; femur, *r.* 409, *l.* 412; tibia, *r.* 321, *l.* 317.

Cranium: C. 525, L. 182, B. 151, Bi. 830, H. 135, Hi. 742, BN. 107, BA. 104, Ai. 972, Nh. 58, Nw. 27, Ni. 466, Ow. 42, Oh. 38, Oi. 906, Ca. 1415.

765³. Skull.

C. 520, L. 178, B. 149, Bi. 837, H. 140, Hi. 787, BN. 105, Nh. 55, Nw. 25, Ni. 455, Ow. 39, Oh. 35, Oi. 897, Ca. 1520.

765⁴. Skull.

C. 513, L. 180, B. 142, Bi. 789, H. 134, Hi. 744, BN. 105, BA. 109, Ai. 1038, Nh. 56, Nw. 27, Ni. 482, Ow. 40, Oh. 37, Oi. 925, Ca. 1485.

765⁵. Skull.

C. 503, L. 179, B. 139, Bi. 777, H. 131, Hi. 732, BN. 104, BA. 106, Ai. 1019, Nh. 55, Nw. 27, Ni. 491, Ow. 42, Oh. 36, Oi. 857, Ca. 1470.

765⁶. Cranium.

C. 535, L. 190, B. 149, Bi. 784, H. 140, Hi. 737, BN. 104, BA. 99, Ai. 952, Nh. 57, Nw. 28, Ni. 491, Ow. 41, Oh. 37, Oi. 902, Ca. 1700.

765⁷. Cranium.

C. 530, L. 184, B. 148, Bi. 804, H. 137, Hi. 745, BN. 106, Nh. 55, Nw. 26, Ni. 473, Ow. 41, Oh. 34, Oi. 839, Ca. 1590.

765⁸. Cranium.

C. 500, L. 176, B. 140, Bi. 795, H. 132, Hi. 750, BN. 104, Nh. 57, Nw. 26, Ni. 456, Ow. 42, Oh. 38, Oi. 905, Ca. 1350.

765⁹. Cranium.

C. 504, L. 180, B. 133, Bi. 739, H. 134, Hi. 744, BN. 104, BA. 102, Ai. 981, Nh. 54, Nw. 27, Ni. 500, Ow. 39, Oh. 33, Oi. 846, Ca. 1375.

765¹⁰. Cranium.

External auditory meatus nearly closed by bony growths. The sagittal suture has a crest-like elevation having a well-defined shallow depression.

C. 517, L. 188, B. 135, Bi. 718, H. 139, Hi. 739, BN. 110, Ca. 1437.

765¹¹. Cranium.

C. 490, L. 173, B. 135, Bi. 750, H. 131, Hi. 757, BN. 103, Nh. 49, Nw. 27, Ni. 551, Ow. 40, Oh. 38, Oi. 950, Ca. 1295.

765¹². Cranium.

Slight bony growth obstructing left meatus.

C. 495, L. 177, B. 139, Bi. 785, H. 139, Hi. 785, BN. 107, BA. 103, Ai. 963, Nh. 56, Nw. 25, Ni. 446, Ow. 42, Oh. 37, Oi. 881, Ca. 1425.

765¹³. Cranium.

Bony obstruction in meatuses. Crest on occipital bone.

C. 521, L. 183, B. 142, Bi. 776, H. 131, Hi. 716, BN. 105, BA. 103, Ai. 981, Nh. 61, Nw. 26, Ni. 426, Ow. 41, Oh. 36, Oi. 878, Ca. 1505.

765¹⁴. Cranium.

C. 525, L. 179, B. 147, Bi. 821, H. 135, Hi. 754, BN. 104, BA. 103, Ai. 990, Nh. 58, Ow. 42, Oh. 39, Oi. 929, Ca. 1480.

765¹⁵. Cranium.

C. 506, L. 177, B. 138, Bi. 780, H. 136, Hi. 768, BN. 99, BA. 97, Ai. 980, Nh. 55, Nw. 25, Ni. 455, Ow. 37, Oh. 35, Oi. 946, Ca. 1410.

765¹⁶. Cranium.

C. 510, L. 183, B. 137, Bi. 749, H. 138, Hi. 754, BN. 106, BA. 102, Ai. 962, Nh. 54, Nw. 25, Ni. 463, Ow. 40, Oh. 35, Oi. 875, Ca. 1455.

765¹⁷. Cranium.

Paroccipitals (especially the left) are large. Two tubercles on the basioccipital.

C. 505, L. 178, B. 144, Bi. 809, H. 131, Hi. 736, BN. 99, BA. 93, Ai. 939, Nh. 59, Nw. 26, Ni. 441, Ow. 40, Oh. 37, Oi. 925, Ca. 1440.

765¹⁸. Cranium.

C. 515, L. 185, B. 141, Bi. 762, H. 140, Hi. 757, BN. 111,
BA. 108, Ai. 973, Nh. 60, Nw. 25, Ni. 417, Ow. 40, Oh. 36,
Oi. 900, Ca. 1490.

765¹⁹. Cranium.

C. 515, L. 183, B. 138, Bi. 754, H. 134, Hi. 732, BN. 113,
BA. 108, Ai. 956, Nh. 53, Nw. 29, Ni. 547, Ow. 40, Oh. 35,
Oi. 875, Ca. 1480.

765²⁰. Cranium.

C. 523, L. 184, B. 145, Bi. 788, H. 140, Hi. 761, BN. 107,
BA. 101, Ai. 944, Nh. 53, Nw. 23, Ni. 434, Ow. 40, Oh. 37,
Oi. 925, Ca. 1465.

765²¹. Cranium.

Osseous growths in right meatus.

C. 516, L. 180, B. 140, Bi. 778, Nh. 53, Nw. 27, Ni. 509,
Ow. 39, Oh. 35, Oi. 897, Ca. 1440.

765²². Cranium.

C. 515, L. 186, B. 141, Bi. 758, H. 142, Hi. 763, BN. 112,
BA. 106, Ai. 946, Nh. 60, Nw. 29, Ni. 483, Ow. 41, Oh. 39,
Oi. 951, Ca. 1570.

765²³. Cranium.

C. 497, L. 177, B. 132, Bi. 746, H. 131, Hi. 740, BN. 100,
Nh. 49, Nw. 28, Ni. 571, Ow. 39, Oh. 39, Oi. 1000, Ca. 1310.

765²⁴. Cranium.

C. 512, L. 179, B. 144, Bi. 804, H. 138, Hi. 771, BN. 101,
BA. 102, Ai. 1010, Nh. 52, Nw. 26, Ni. 500, Ow. 39, Oh. 34,
Oi. 872, Ca. 1500.

765²⁵. Cranium.

C. 525, L. 188, B. 138, Bi. 734, H. 141, Hi. 750, BN. 107,
BA. 100, Ai. 935, Nh. 56, Nw. 28, Ni. 500, Ow. 40, Oh. 35,
Oi. 875, Ca. 1510.

765²⁶. Cranium.

C. 540, L. 190, B. 147, Bi. 774, H. 137, Hi. 721, BN. 106,
BA. 101, Ai. 953, Nh. 60, Nw. 24, Ni. 400, Ow. 40, Oh. 36,
Oi. 900, Ca. 1672.

765²⁷. Cranium.

C. 500, L. 177, B. 142, Bi. 802, H. 137, Hi. 774, BN. 104, BA. 104, Ai. 1000, Nh. 55, Nw. 23, Ni. 418, Ow. 40, Oh. 39, Oi. 975, Ca. 1430.

765²⁸. Cranium.

C. 525, L. 192, B. 141, Bi. 734, H. 136, Hi. 708, BN. 108, BA. 107, Ai. 991, Nh. 59, Nw. 26, Ni. 441, Ow. 42, Oh. 37, Oi. 881, Ca. 1465.

765²⁹. Cranium.

C. 545, L. 191, B. 151, Bi. 791, H. 143, Hi. 749, BN. 112, BA. 104, Ai. 929, Nh. 55, Nw. 23, Ni. 418, Ow. 40, Oh. 39, Oi. 975, Ca. 1710.

765³⁰. Cranium.

C. 500, L. 178, B. 135, Bi. 758, H. 134, Hi. 753, BN. 111, BA. 114, Ai. 1027, Nh. 53, Nw. 29, Ni. 547, Ow. 40, Oh. 38, Oi. 950, Ca. 1360.

765³¹. Cranium.

C. 550, L. 196, B. 149, Bi. 760, H. 137, Hi. 699, BN. 109, BA. 106, Ai. 972, Nh. 60, Nw. 25, Ni. 417, Ow. 40, Oh. 38, Oi. 950, Ca. 1685.

765³². Cranium. ♀.

C. 495, L. 174, B. 137, Bi. 787, H. 131, Hi. 753, BN. 103, BA. 98, Ai. 951, Nh. 53, Nw. 26, Ni. 491, Ow. 42, Oh. 37, Oi. 881, Ca. 1360.

765³³. Cranium. ♀.

C. 482, L. 168, B. 134, Bi. 798, H. 131, Hi. 780, BN. 101, Nh. 52, Nw. 22, Ni. 423, Ow. 39, Oh. 38, Oi. 974, Ca. 1220.

765³⁴. Cranium. ♀.

C. 505, L. 179, B. 139, Bi. 777, H. 131, Hi. 732, BN. 101, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 33, Oi. 892, Ca. 1420.

765³⁵. Cranium. ♀.

C. 485, L. 173, B. 133, Bi. 769, H. 127, Hi. 734, BN. 98, BA. 98, Ai. 1000, Nh. 55, Nw. 24, Ni. 436, Ow. 39, Oh. 36, Oi. 923, Ca. 1285.

765³⁶. Cranium.

The basilar suture is open.

C. 493, L. 173, B. 142, Bi. 821, H. 133, Hi. 769, BN. 105, BA. 96, Ai. 914, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 36, Oi. 923, Ca. 1465.

765³⁷. Apparently an adult eranium, but showing persistent basilar suture with distortion of the occipital bone and an articular facet for the odontoid process.

C. 505, L. 172, B. 145, Bi. 843, H. 135, Hi. 785, BN. 105, BA. 106, Ai. 1010, Nh. 51, Nw. 24, Ni. 471, Ow. 37.

765³⁸. Cranium of young.

C. 488, L. 172, B. 139, Bi. 808, H. 129, Hi. 750, BN. 92, BA. 88, Ai. 957, Nh. 45, Nw. 25, Ni. 556, Ow. 34, Oh. 34, Oi. 1000.

765³⁹. Cranium of young.

C. 515, L. 185, B. 141, Bi. 762, H. 126, Hi. 681, BN. 96, BA. 90, Ai. 938, Nh. 46, Nw. 25, Ni. 543, Oh. 35.

765⁴⁰. Cranium of young.

C. 488, L. 173, B. 135, Bi. 780, H. 129, Hi. 746, BN. 92, BA. 85, Ai. 924, Nh. 44, Nw. 24, Ni. 545, Ow. 34, Oh. 32, Oi. 941.

765⁴¹. Cranium.

C. 505, L. 179, B. 143, Bi. 799, H. 124, Hi. 693, BN. 99, BA. 99, Ai. 1000, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 35, Oi. 946.

765⁴². Mutilated eranium.765⁴³. Mutilated eranium.765⁴⁴. Mutilated eranium.

The following six skulls and erania were purchased in 1893.

765⁴⁵. Skull: ♂.

C. 495, L. 174, B. 139, Bi. 799, H. 132, Hi. 759, BN. 99, BA. 98, Ai. 990, Nh. 58, Nw. 25, Ni. 431, Ow. 42, Oh. 38, Oi. 905, Ca. 1450.

765⁴⁶. The skull of a Moriori from the Chatham Islands: ♂.

C. 495, L. 175, B. 139, Bi. 794, H. 132, Hi. 754, BN. 99, BA. 98, Ai. 990, Nh. 58, Nw. 25, Ni. 431, Ow. 42, Oh. 38, Oi. 905, Ca. 1450.

765⁴⁷. The skull of a Moriori from the Chatham Islands: ♂.

C. 480, L. 165, B. 136, Bi. 824, H. 125, Hi. 758, BN. 102, BA. 102, Ai. 1000, Nh. 57, Nw. 23, Ni. 404, Ow. 39, Oh. 37, Oi. 949, Ca. 1225.

765⁴⁸. The skull of a Moriori from the Chatham Islands: ♂.

C. 492, L. 173, B. 135, Bi. 780, H. 136, Hi. 786, BN. 105, BA. 100, Ai. 952, Nh. 52, Nw. 26, Ni. 500, Ow. 40, Oh. 33, Oi. 825, Ca. 1375.

765⁴⁹. The cranium of a Moriori from the Chatham Islands.

C. 512, L. 181, B. 139, Bi. 768, H. 139, Hi. 768, BN. 108, BA. 108, Ai. 1000, Nh. 55, Nw. 27, Ni. 491, Ow. 40, Oh. 37, Oi. 925, Ca. 1415.

765⁵⁰. Cranium.

C. 525, L. 190, B. 140, Bi. 737, H. 134, Hi. 705, BN. 101, BA. 99, Ai. 980, Nh. 51, Nw. 22, Ni. 431, Ow. 40, Oh. 35, Oi. 875, Ca. 1510.

766. The skull of a Maori, or native of New Zealand: ♂. O.C. 5389.

C. 525, L. 188, B. 142, Bi. 755, H. 142, Hi. 755, BN. 113, BA. 106, Ai. 938, Nh. 55, Nw. 27, Ni. 491, Ow. 41, Oh. 38, Oi. 927, Ca. 1520.

Presented by Governor Farquhar, Governor of the Mauritius, 1822.

The eight following specimens are more or less mutilated at the base, having been taken from heads preserved according to the native fashion; the height, therefore, cannot be given.

767. The skull of a Maori: ♂. O. C. 5390.

There are but three lower incisor teeth. An interparietal bone is divided from the supraoccipital by a very complex dentated transverse suture.

C. 538, L. 199, B. 143, Bi. 719, Nh. 54, Nw. 23, Ni. 426, Ow. 40, Oh. 32, Oi. 800, Ca. 1670.

Presented by Thomas Hobbs Scott, Esq., 1821.

768. The skull of a Maori: ♂. O. C. 5391.

C. 510, L. 183, B. 139, Bi. 760, Nh. 55, Nw. 25, Ni. 455,
Ow. 41, Oh. 36, Oi. 878.

Presented by Thomas Hobbs Scott, Esq., 1821.

769. The skull of a Maori: ♂. O. C. 5392.

C. 505, L. 180, B. 138, Bi. 767, Nh. 61, Nw. 31, Ni. 508,
Ow. 42, Oh. 38, Oi. 905.

Presented by Admiral Sir Thomas Beresford, 1828.

770. The skull of a Maori: ♂. O. C. 5393.

C. 530, L. 188, B. 144, Bi. 766, Nh. 55, Nw. 26, Ni. 473,
Ow. 40, Oh. 36, Oi. 900.

Presented by Mrs. Maria Graham, 1824.

771. The skull of a Maori: ♂. O. C. 5394.

C. 520, L. 186, B. 139, Bi. 747, Nh. 55, Nw. 25, Ni. 455,
Ow. 40, Oh. 37, Oi. 925.

Presented by Robert Keate, Esq., 1827.

772. The skull of a Maori: ♂. O. C. 5395.

C. 528, L. 190, B. 138, Bi. 726, Nh. 57, Nw. 28, Ni. 491,
Ow. 39, Oh. 36, Oi. 923.

Hunterian.

773. The much mutilated skull of a Maori: ♂. O. C. 5396.

The calvarial sutures are consolidated, The left mandibular articulation has suffered severely from chronic rheumatic arthritis.

C. 504, L. 175, B. 140, Bi. 800.

Hunterian.

774. The skull of a Maori: ♀. O. C. 5297.

C. 485, L. 179, B. 125, Bi. 698, Nh. 49, Nw. 24, Ni. 490,
Ow. 37, Oh. 33, Oi. 892.

Hunterian.

- 774¹. The skull of a Maori, taken from a decayed dried head. The face had been completely tattooed. The hair (which is preserved) is black and curly (not frizzly). The specimen had been long in the Museum but with no history attached to it.

C. 520, L. 185, B. 142, Bi. 768, Nh. 52, Nw. 25, Ni. 481,
Ow. 42, Oh. 33, Oi. 786.

- 774². The preserved head of a Maori.
Tatoed.

Sir Erasmus Wilson, 1883.

- 774³. The preserved head of a Maori.

The forehead only is tatoed. The hair that remains is black and straight.

No history. In Museum before 1861.

- 774⁴. Skull of a Maori, from a cave near Auckland: ♂.

Jour. Anthropol. Inst. vol. iii. p. 474.

C. 510, L. 185, B. 135, Bi. 730, H. 137, Hi. 741, BN. 100,
Nh. 50, Nw. 23, Ni. 460, Ow. 36, Oh. 33, Oi. 917, Ca. 1580.

Anthropol. Soc., No. 142.

The following twenty specimens were found, with many others, in some limestone caves between the Bay of Islands and Whangarei Harbour, North Island, New Zealand.

They were received in exchange from the Auckland Museum, through the courtesy of the Curator, T. F. Cheeseman, Esq., 1879*.

775. The skull of a Maori: ♂.

C. 530, L. 191, B. 138, Bi. 723, H. 142, Hi. 743, BN. 109,
BA. 101, Ai. 927, Nh. 52, Nw. 27, Ni. 519, Ow. 40, Oh. 36,
Oi. 900, Ca. 1620.

Received from the Auckland Museum, 1879.

776. The cranium of a Maori: ♂.

C. 539, L. 197, B. 139, Bi. 706, H. 145, Hi. 736, BN. 105,
BA. 104, Ai. 990, Nh. 57, Nw. 27, Ni. 474, Ow. 38, Oh. 38,
Oi. 1000, Ca. 1710.

Received from the Auckland Museum, 1879.

777. The cranium of a Maori: ♂.

The squamosal just touches the frontal on the right side.

C. 530, L. 194, B. 136, Bi. 701, H. 141, Hi. 727, BN. 108,
BA. 108, Ai. 1000, Nh. 51, Nw. 28, Ni. 549, Ow. 41, Oh. 34,
Oi. 829, Ca. 1545.

Received from the Auckland Museum, 1879.

* Mr. Cheeseman writes:—"I have but little doubt that the crania belong to the present race of Maoris. Some of those remarkable carved jade ornaments known by the Maoris as 'hei sikis' were found when the cave first became known to Europeans a few years ago, mixed with the bones in such a manner that it was evident that they were placed there with them."

778. The cranium of a Maori: ♂.

C. 520, L. 187, B. 139, Bi. 743, H. 132, Hi. 706, BN. 103, BA. 102, Ai. 990, Nh. 55, Nw. 27, Ni. 491, Ow. 38, Oh. 37, Oi. 974, Ca. 1500.

Received from the Auckland Museum, 1879.

779. The cranium of a Maori: ♂.

A transverse suture passes across the supraoccipital at the usual limit of the interparietal. The upper portion thus cut off is divided symmetrically by vertical sutures into a central and two lateral ossicles.

C. 520, L. 189, B. 139, Bi. 735, H. 139, Hi. 735, BN. 99, BA. 96, Ai. 970, Nh. 53, Nw. 27, Ni. 509, Ow. 40, Oh. 34, Oi. 850, Ca. 1610.

Received from the Auckland Museum, 1879.

780. The cranium of a Maori: ♂.

C. 500, L. 176, B. 136, Bi. 773, H. 143, Hi. 813, BN. 108, BA. 103, Ai. 954, Nh. 51, Nw. 26, Ni. 510, Ow. 41, Oh. 37, Oi. 902, Ca. 1430.

Received from the Auckland Museum, 1879.

781. The cranium of a Maori: ♂.

C. 516, L. 188, B. 132, Bi. 702, H. 138, Hi. 734, BN. 105, BA. 108, Ai. 1029, Nh. 45, Nw. 26, Ni. 578, Ow. 39, Oh. 34, Oi. 872, Ca. 1450.

Received from the Auckland Museum, 1879.

782. The cranium of a Maori: ♂.

C. 498, L. 177, B. 128, Bi. 723, H. 136, Hi. 768, BN. 104, BA. 104, Ai. 1000, Nh. 49, Nw. 23, Ni. 469, Ow. 39, Oh. 35, Oi. 897, Ca. 1280.

Received from the Auckland Museum, 1879.

783. The cranium of a Maori.

C. 527, L. 193, B. 131, Bi. 679, H. 140, Hi. 725, BN. 103, BA. 103, Ai. 1000, Nh. 51, Nw. 25, Ni. 490, Ow. 39, Oh. 36, Oi. 923, Ca. 1480.

Received from the Auckland Museum, 1879.

784. The cranium of a Maori.

It has a broad Wormian ossicle in the posterior end of the sagittal suture.

C. 532, L. 192, B. 142, Bi. 740, H. 145, Hi. 755, BN. 106, BA. 105, Ai. 991, Nh. 52, Nw. 25, Ni. 481, Ow. 40, Oh. 35, Oi. 875, Ca. 1630.

Received from the Auckland Museum, 1879.

785. The cranium of a Maori: ♀.

There are numerous large Wormian bones in the lambdoidal suture.

C. 522, L. 187, B. 138, Bi. 738, H. 133, Hi. 711, BN. 103, BA. 98, Ai. 951, Nh. 52, Nw. 26, Ni. 500, Ow. 39, Oh. 35, Oi. 897, Ca. 1500.

Received from the Auckland Museum, 1879.

786. The cranium of a Maori: ♀.

Though the largest cranium of the series, it presents all the characteristics of the female sex.

C. 545, L. 198, B. 142, Bi. 717, H. 143, Hi. 722, BN. 102, BA. 100, Ai. 980, Nh. 60, Nw. 28, Ni. 467, Ow. 36, Oh. 37, Oi. 1028, Ca. 1780.

Received from the Auckland Museum, 1879.

787. The cranium of a Maori: ♀.

There are numerous Wormian bones in the upper part of the lambdoidal suture.

C. 517, L. 184, B. 142, Bi. 772, H. 137, Hi. 745, BN. 96, BA. 94, Ai. 979, Nh. 52, Nw. 27, Ni. 519, Ow. 38, Oh. 36, Oi. 947, Ca. 1545.

Received from the Auckland Museum, 1879.

788. The cranium of a Maori.

C. 513, L. 185, B. 136, Bi. 735, H. 141, Hi. 762, BN. 103, BA. 96, Ai. 932, Nh. 50, Nw. 22, Ni. 440, Ow. 39, Oh. 38, Oi. 974, Ca. 1420.

Received from the Auckland Museum, 1879.

789. The skull of a Maori: ♀.

C. 503, L. 181, B. 132, Bi. 729, H. 132, Hi. 729, BN. 98, BA. 98, Ai. 1000, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 36, Oi. 973, Ca. 1400.

Received from the Auckland Museum, 1879.

790. The cranium of a Maori.

C. 494, L. 177, B. 134, Bi. 757, H. 135, Hi. 763, BN. 98, BA. 94, Ai. 959, Nh. 47, Nw. 23, Ni. 489, Ow. 37, Oh. 33, Oi. 892, Ca. 1345.

Received from the Auckland Museum, 1879.

791. The cranium of a Maori: ♂.

C. 498, L. 174, B. 137, Bi. 787, H. 126, Hi. 724, BN. 93, BA. 98, Ai. 1054, Nh. 48, Nw. 25, Ni. 521, Ow. 37, Oh. 33, Oi. 892, Ca. 1275.

Received from the Auckland Museum, 1879.

792. The cranium of a Maori.

All the permanent teeth are in place, though the posterior molars would appear, from the condition of their sockets, not to have been fully developed. The basilar suture is open; but the sagittal is almost completely closed.

C. 516, L. 183, B. 144, Bi. 787, H. 136, Hi. 743, BN. 93, BA. 89, Ai. 957, Nh. 46, Nw. 21, Ni. 457, Ow. 35, Oh. 33, Oi. 943, Ca. 1580.

Received from the Auckland Museum, 1879.

793. The skull of a young Maori.

All the permanent teeth have been acquired, except the posterior molars. The basilar suture is open.

C. 511, L. 187, B. 135, Bi. 722, H. 130, Hi. 695, BN. 100, BA. 100, Ai. 1000, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 32, Oi. 889, Ca. 1460.

Received from the Auckland Museum, 1879.

794. The cranium of a Maori child.

The milk-teeth and the first permanent molars are in place.

C. 480, L. 177, B. 127, Bi. 718, H. 122, Hi. 689, BN. 85, BA. 79, Ai. 929, Nh. 40, Nw. 20, Ni. 500, Ow. 31, Oh. 31, Oi. 1000.

Received from the Auckland Museum, 1879.

795. Seven mandibles of Maoris from the same caves, sent with the above crania, but not belonging to any of them.

Received from the Auckland Museum, 1879.

796. A skull of a female native of New Zealand. O. C. 5398.

C. 505, L. 183, B. 132, Bi. 721, H. 132, Hi. 72, Nh. 49, Nw. 25, Ni. 510, Ow. 37, Oh. 34, Oi. 919, Ca. 1230.

*Presented by the Hon. William Martin,
Chief Justice of New Zealand.*

796¹. The skull of a Maori: ♀.

"Obtained about or before the year 1868 in a sand mound in the neighbourhood of Christchurch, and is no doubt a Maori specimen of unmixed descent, and had been for a long period in the position in which it was found.

"At the above-named date there were but very few existing Maories in the Middle Island." (*Letter of Donor.*)

Much alveolar disease and rheumatic arthritis of condyles.

C. 495, L. 181, B. 135, Bi. 746, H. 133, Hi. 735, BN. 100, Nh. 47, Ow. 38, Oh. 37, Oi. 974, Ca. 1290.

Presented by George Carrick Steet, Esq., 1880.

796². The cranium of a Maori: ♂.

This and the next were obtained in New Zealand by Mr. Kirkpatrick Howard.

The left paroccipital is greatly elongated.

C. 494, L. 175, B. 135, Bi. 771, H. 143, Hi. 817, BN. 105, BA. 102, Ai. 971, Nh. 55, Nw. 25, Ni. 455, Oh. 34, Ca. 1460.

Presented by Frank Buckland, Esq., 1880.

796³. The cranium of a Maori: ♂.

C. 518, L. 179, B. 141, Bi. 788, H. 138, Hi. 771, BN. 101, Nh. 54, Nw. 26, Ni. 481, Ow. 39, Oh. 35, Oi. 897, Ca. 1530.

Presented by Frank Buckland, Esq., 1880.

796⁴. The skull of a Maori ♂, with the teeth much worn.

Remarkably high ascending ramus of lower jaw.

From an old burial ground in Otea or Great Barrier Island, Auckland.

C. 528, L. 193, B. 140, Bi. 725, H. 138, Hi. 715, BN. 103, BA. 105, Ai. 1019, Nh. 56, Nw. 25, Ni. 446, Ow. 40, Oh. 35, Oi. 875.

Purchased, 1880.

797. The cranium of a young native of New Zealand: ♂.

Brought to England by Sir J. D. Hooker.

The basilar suture is not united; but the third molars are in place.

C. 518, L. 190, B. 132, Bi. 695, H. 144, Hi. 758, BN. 100, BA. 99, Ai. 990, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 35, Oi. 921.

Presented by George Busk, Esq., 1864.

797¹. The cranium of a New Zealander.

C. 483, L. 172, B. 133, Bi. 773, H. 131, Hi. 762, BN. 100, BA. 99, Ai. 990, Nh. 47, Nw. 24, Ni. 511, Ow. 39, Oh. 34, Oi. 872, Ca. 1310.

Anthropol. Soc., No. 199.

797². The cranium of a New Zealander (mutilated): ♂.

C. 517, L. 185, B. 135, Bi. 730, H. 135, Hi. 730, BN. 107, BA. 106, Ai. 991, Nh. 51, Nw. 30, Ni. 588, Ow. 42, Oh. 34, Oi. 810, Ca. 1485.

Anthropol. Soc., No. 203.

798. A cranium from the South Pacific, supposed to be from New Zealand.

Except for its very large size, the general characters are feminine. It resembles several of the supposed female crania of the Auckland-Museum series, especially No. 786.

C. 551, L. 199, B. 143, Bi. 719, H. 140, Hi. 704, BN. 110, Nh. 53, Nw. 23, Ni. 434, Ow. 40, Oh. 35, Oi. 875, Ca. 1625.

Presented by Sir Joseph D. Hooker, K.C.S.I., 1866.

799. A cranium from the South Pacific, supposed to be from New Zealand: ♂.

C. 516, L. 186, B. 134, Bi. 720, H. 134, Hi. 720, BN. 106, BA. 107, Ai. 1009, Nh. 51, Nw. 25, Ni. 490, Ow. 39, Oh. 33, Oi. 846, Ca. 1350.

Presented by Sir Joseph D. Hooker, K.C.S.I., 1866.

800. The articulated skeleton of a male native of Tahiti.
O. C. 5386.

Prepared from a man named Tera Poo, who died in the London Hospital of phthisis, June 1816. Three specimens of tattooed skin from the same individual are preserved in the Physiological Series, Nos. 1866, e, d, e.

The third left rib is bifurcated at its sternal extremity; but the cartilages continued from its divisions converge and unite to form a single articulation with the sternum at the usual place.

Height of skeleton 5 feet 7.1 inches = 1705.

Clavicle 157, humerus 319, radius 266, femur 462, tibia 378.

Cranium: C. 498, L. 176, B. 137, Bi. 778, H. 141, Hi. 801, BN. 105, BA. 106, Ai. 1010, Nh. 53, Nw. 25, Ni. 472, Ow. 40, Oh. 36, Oi. 900, Ca. 1400.

Presented by Sir William Blizard, 1816.

- 800¹. A cranium from the Marquesas Islands.

C. 520, L. 175, B. 151, Bi. 863, H. 137, Hi. 783, BN. 106, BA. 109, Ai. 1028, Nh. 54, Nw. 27, Ni. 500, Ow. 39, Oh. 37, Oi. 949, Ca. 1650.

- 800². A cranium from the same locality.

C. 495, L. 172, B. 138, Bi. 802, H. 137, Hi. 797, BN. 101, BA. 100, Ai. 990, Nh. 51, Nw. 26, Ni. 510, Ow. 36, Oh. 32, Oi. 889, Ca. 1385.

- 800³. A cranium from the same locality.

C. 500, L. 179, B. 130, Bi. 726, Nh. 53, Nw. 28, Ni. 528, Ow. 37, Oh. 34, Oi. 919.

The four following skulls of ancient inhabitants of the Sandwich Islands were taken by Mr. Greenwell from a cave in the side of a hill in the district of Oona, island of Hawaii (Owyhee), within a few miles of the spot where Captain Cook was killed.

801. A skull from a cave in Hawaii: ♂.

C. 515, L. 190, B. 131, Bi. 689, H. 144, Hi. 758, BN. 113, BA. 109, Ai. 965, Nh. 54, Nw. 24, Ni. 444, Ow. 39, Oh. 37, Oi. 949, Ca. 1350.

Presented by Dr. Henry Hunt, 1866.

802. A cranium from a cave in Hawaii: ♂.

C. 520, L. 175, B. 150, Bi. 857, H. 151, Hi. 863, BN. 106, BA. 103, Ai. 972, Nh. 51, Nw. 23, Ni. 451, Ow. 40, Oh. 38, Oi. 950, Ca. 1550.

Presented by Dr. Henry Hunt, 1866.

803. A cranium from a cave in Hawaii: ♂.

The frontal region is much depressed.

C. 500, L. 175, B. 143, Bi. 817, H. 134, Hi. 766, BN. 102, BA. 103, Ai. 1010, Nh. 46, Nw. 25, Ni. 543, Ow. 39, Oh. 35, Oi. 897, Ca. 1350.

Presented by Dr. Henry Hunt, 1866.

804. A cranium from a cave in Hawaii: ♀.

C. 490, L. 181, B. 130, Bi. 718, H. 135, Hi. 746, BN. 98, BA. 98, Ai. 1000, Nh. 47, Nw. 23, Ni. 489, Ow. 38, Oh. 34, Oi. 895, Ca. 1250.

Presented by Dr. Henry Hunt, 1866.

- 804¹. The skull of a male from Hawaii.

C. 500, L. 175, B. 140, Bi. 800, H. 133, Hi. 760, BN. 104, BA. 100, Ai. 962, Nh. 55, Nw. 27, Ni. 491, Ow. 37, Oh. 37, Oi. 1000, Ca. 1475.

Purchased, 1894.

805. The cranium of a native of the Sandwich Islands: ♂.
O. C. 5387.

The supraorbital, supramastoid, occipital, and other ridges for muscular attachments are greatly developed.

C. 530, L. 185, B. 148, Bi. 800, H. 140, Hi. 757, BN. 111, BA. 111, Ai. 1000, Nh. 54, Nw. 25, Ni. 463, Ow. 39, Oh. 34, Oi. 872, Ca. 1475.

Presented by B. Travers, Esq., Jun., 1849.

805¹. The skull of a Sandwich Islander.

C. 482, L. 163, B. 142, Bi. 871, H. 136, Hi. 834, BN. 100,
BA. 95, Ai. 950, Nh. 51, Nw. 25, Ni. 490, Ow. 31, Oh. 35,
Oi. 921, Ca. 1425.

Anthropol. Soc.

806. A cranium from Easter Island.

C. 510, L. 188, B. 130, Bi. 691, H. 137, Hi. 729, BN. 106,
BA. 106, Ai. 1000, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 34,
Oi. 895, Ca. 1325.

Presented by Professor Huxley, 1879.

5. AMERICA.

A. ESKIMO.

807. The skull of an Eskimo from Greenland: ♂. O. C. 5479.

C. 524, L. 188, B. 134, Bi. 713, H. 147, Hi. 782, BN. 111,
BA. 109, Ai. 982, Nh. 55, Nw. 23, Ni. 418, Ow. 41, Oh. 38,
Oi. 927, Ca. 1580.

Purchased, 1843.

808. The skull of an Eskimo from Greenland: ♂. O. C. 5480.

C. 525, L. 190, B. 134, Bi. 705, H. 139, Hi. 732, BN. 109,
BA. 106, Ai. 972, Nh. 61, Nw. 23, Ni. 377, Ow. 40, Oh. 37,
Oi. 925, Ca. 1510.

Purchased, 1843.

809. The cranium of an Eskimo from Greenland: ♂. O. C.
5481 & 5764.

There is a Wormian bone at the anterior extremity of the
sagittal suture.

C. 534, L. 193, B. 138, Bi. 715, H. 150, Hi. 777, BN. 117,
BA. 110, Ai. 940, Nh. 61, Nw. 25, Ni. 410, Ow. 43, Oh. 37,
Oi. 860, Ca. 1630.

Purchased, 1843.

810. The cranium of an Eskimo from Greenland: ♂. O. C.
5882.

The basilar suture is not completely united. The right upper
third molar has been acquired; the left is absent.

C. 517, L. 189, B. 125, Bi. 661, H. 145, Hi. 767, BN. 112,
BA. 112, Ai. 1000, Nh. 59, Nw. 25, Ni. 424, Ow. 38, Oh. 35,
Oi. 921, Ca. 1400.

Purchased, 1843.

811. The cranium of an Eskimo: ♀.

Obtained by the donor from a native grave in the district of Egedesminde, North Greenland, July 1875.

There is complete synostosis of the sagittal suture, although traces of the basilar suture are still present.

C. 510, L. 178, B. 140, Bi. 787, H. 128, Hi. 719, BN. 94, BA. 97, Ai. 1032, Nh. 47, Nw. 22, Ni. 468, Ow. 38, Oh. 34, Oi. 895, Ca. 1510.

Presented by Capt. H. W. Feilden, R.A., 1877.

The twelve following specimens were taken from a burial-place in a deserted settlement on the island of Upernavik, North Greenland, by Arthur C. Horner, Esq., Surgeon to Captain Sir Allen Young's yacht 'Pandora,' during the cruise of that vessel in the summer of 1876.

812. The skull of an Eskimo from Upernavik: ♂.

C. 558, L. 208, B. 143, Bi. 688, H. 144, Hi. 692, BN. 108, BA. 113, Ai. 1046, Nh. 56, Nw. 24, Ni. 429, Ow. 42, Oh. 38, Oi. 905, Ca. 1700.

Presented by Sir Allen Young, 1877.

813. The skull of an Eskimo from Upernavik: ♂.

C. 529, L. 193, B. 133, Bi. 689, H. 143, Hi. 741, BN. 107, BA. 105, Ai. 981, Nh. 58, Nw. 24, Ni. 414, Ow. 41, Oh. 39, Oi. 951, Ca. 1550.

Presented by Sir Allen Young, 1877.

814. The skull of an Eskimo from Upernavik: ♂.

C. 522, L. 186, B. 139, Bi. 747, H. 133, Hi. 715, BN. 97, BA. 100, Ai. 1031, Nh. 53, Nw. 24, Ni. 453, Ow. 40, Oh. 35, Oi. 875, Ca. 1460.

Presented by Sir Allen Young, 1877.

815. The cranium of an Eskimo from Upernavik: ♂.

C. 530, L. 190, B. 139, Bi. 732, H. 145, Hi. 763, BN. 105, BA. 113, Ai. 1076, Nh. 60, Nw. 25, Ni. 417, Ow. 40, Oh. 34, Oi. 850, Ca. 1570.

Presented by Sir Allen Young, 1877.

816. The cranium of an Eskimo from Upernavik: ♂.

There are two large symmetrical distinct ossifications in the upper part of the supraoccipital, forming a double "epactal."

C. 514, L. 190, B. 128, Bi. 674, H. 139, Hi. 732, BN. 106, BA. 105, Ai. 991, Nh. 54, Nw. 23, Ni. 426, Ow. 42, Oh. 37, Oi. 881, Ca. 1460.

Presented by Sir Allen Young, 1877.

817. The skull of an Eskimo from Upernavik : ♂.

C. 543, L. 200, B. 140, Bi. 700, H. 142, Hi. 712, BN. 99, BA. 99, Ai. 1000, Nh. 52, Nw. 22, Ni. 423, Ow. 41, Oh. 36, Oi. 878, Ca. 1710.

Presented by Sir Allen Young, 1877.

818. The cranium of an Eskimo from Upernavik : ♂.

C. 532, L. 189, B. 142, Bi. 751, H. 135, Hi. 714, BN. 100, BA. 104, Ai. 1040, Nh. 51, Nw. 24, Ni. 471, Ow. 40, Oh. 35, Oi. 875, Ca. 1570.

Presented by Sir Allen Young, 1877.

819. The skull of an Eskimo from Upernavik : ♀.

C. 493, L. 178, B. 128, Bi. 719, H. 135, Hi. 758, BN. 102, BA. 104, Ai. 1020, Nh. 49, Nw. 20, Ni. 408, Ow. 39, Oh. 35, Oi. 897, Ca. 1290.

Presented by Sir Allen Young, 1877.

820. A mutilated and weatherworn skull of an Eskimo from Upernavik.

C. 512, L. 183, B. 138, Bi. 754, H. 132, Hi. 721.

Presented by Sir Allen Young, 1877.

821. The lower jaw of an Eskimo from Upernavik.

Presented by Sir Allen Young, 1877.

822. The lower jaw of an Eskimo from Upernavik.

Presented by Sir Allen Young, 1877.

823. The facial portion of the skull (frontal, maxillaries, and mandible) of an Eskimo child from Upernavik.

The milk-dentition is in place. The frontals are completely united and unsymmetrically distorted.

Presented by Sir Allen Young, 1877.

824. The cranium of an Eskimo from Wolstenholme Sound, North Greenland : ♂. O. C. 5477.

Taken from a burial-ground at Wolstenholme Sound by James Donnet, Esq., Surgeon R.N.

The atlas is ankylosed to the occipital condyles.

C. 538, L. 195, B. 140, Bi. 718, H. 142, Hi. 728, BN. 105, BA. 103, Ai. 981, Nh. 53, Nw. 23, Ni. 434, Ow. 39, Oh. 35, Oi. 897, Ca. 1730.

Presented by Archibald Gilchrist, Esq., Surgeon R.N., 1852.

825. The cranium of an Eskimo from Wolstenholme Sound : ♂.
Found at a native settlement called Naksaksua, in Wolstenholme Sound.

C. 531, L. 194, B. 141, Bi. 727, H. 143, Hi. 737, BN. 111, BA. 112, Ai. 1009, Nh. 54, Nw. 23, Ni. 426, Ow. 39, Oh. 35, Oi. 897, Ca. 1430.

Presented by Admiral Sir Erasmus Ommanney, 1852.

826. The skull of an Eskimo from Whale Sound : ♀.

Obtained, August 29th, 1876, by Arthur C. Horner, Esq., Surgeon to Sir Allen Young's yaeht 'Pandora,' from a burial-place at an Eskimo settlement called Netlek, in Baden Bay, Whalo Sound, at the extreme north of Baffin's Bay, almost the furthest point inhabited by man. The body was wrapped in walrus-skin.

The basilar suture has but recently united; and the third molars are not in place.

C. 481, L. 169, B. 132, Bi. 781, H. 134, Hi. 793, BN. 104, BA. 97, Ai. 933, Nh. 49, Nw. 21, Ni. 429, Ow. 38, Oh. 35, Oi. 921, Ca. 1230.

Presented by Sir Allen Young, 1877.

827. The mutilated and weatherworn cranium of an Eskimo.
O. C. 5483.

Found in 1818 in a tumulus on a promontory or headland called by the natives Sichilik, on the north-west coast of Greenland.

C. 505, L. 183, B. 132, Bi. 721, H. 131, Hi. 716.

Presented by Alexander Fisher, Esq., Surgeon R.N., of H.M.S. 'Alexander' (Captain Parry), Ross's First Expedition, 1819.

828. The cranium of an Eskimo : ♀. O. C. 5474.

Probably from Melville Peninsula.

C. 488, L. 175, B. 134, Bi. 766, H. 125, Hi. 714, BN. 100, BA. 110, Ai. 1100, Nh. 49, Nw. 21, Ni. 429, Ow. 38, Oh. 33, Oi. 868, Ca. 1285.

Presented by Admiral Sir Edward Parry, 1823.

829. The cranium of an Eskimo : ♀. O. C. 5475.

Probably from Melville Peninsula.

C. 511, L. 185, B. 137, Bi. 741, H. 137, Hi. 741, BN. 99, BA. 97, Ai. 980, Nh. 49, Nw. 24, Ni. 490, Ow. 42, Oh. 34, Oi. 810, Ca. 1440.

Presented by Admiral Sir Edward Parry, 1823.

830. The mutilated and weatherworn cranium of an Eskimo : ♂. O. C. 5476.

Probably from Melville Peninsula.

C. 545, L. 201, B. 135, Bi. 672, H. 145, Hi. 721.

Presented by Admiral Sir Edward Parry, 1823.

831. The skull of an Eskimo from Pond's Bay, west coast of Baffin's Bay : ♂.

C. 492, L. 175, B. 133, Bi. 760, H. 134, Hi. 766, BN. 97, BA. 95, Ai. 978, Nh. 52, Nw. 21, Ni. 404, Ow. 38, Oh. 34, Oi. 895, Ca. 1230.

Presented by Admiral Sir Edward Belcher, 1855.

832. The skull of an Eskimo from Port Dundas, Lancaster, Sound, N. lat. $74^{\circ} 20'$, W. long. $81^{\circ} 50'$: ♂.

C. 522, L. 187, B. 138, Bi. 738, H. 137, Hi. 733, BN. 104, BA. 107, Ai. 1021, Nh. 54, Nw. 24, Ni. 444, Ow. 40, Oh. 37, Oi. 925, Ca. 1630.

Presented by Lieut. Elliott, R.N., 1854.

833. The cranium of an Eskimo from the same locality : ♀.

C. 498, L. 183, B. 128, Bi. 699, H. 138, Hi. 754, BN. 102, BA. 101, Ai. 990, Nh. 51, Nw. 23, Ni. 451, Ow. 37, Oh. 34, Oi. 919, Ca. 1310.

Presented by Lieut. Elliott, R.N., 1854.

834. The articulated skeleton of a male Eskimo. O. C. 5442 to 5472*.

Many of the bones of the hands and feet are missing.

There are eighteen dorso-lumbar vertebrae, one being intermediate between the dorsal and lumbar series in position and characters. It appears to have borne a small pair of ribs (now missing) on the transverse processes, but not articulating with the body.

Height of skeleton 5 feet 0.8 inch = 1545.

Clavicle 152; humerus, *r.* 294, *l.* 288; radius, *r.* 208, *l.* 208; femur, *r.* 425, *l.* 431; tibia, *r.* 333, *l.* 336.

Cranium : C. 531, L. 193, B. 137, Bi. 710, H. 139, Hi. 720, BN. 107, BA. 108, Ai. 1009, Nh. 55, Nw. 22, Ni. 400, Ow. 40, Oh. 37, Oi. 925, Ca. 1610.

Presented by Admiral Sir James C. Ross.

* In a manuscript note to one of the Catalogues it is stated that this and the two following are from Boothia; but the authority for the statement is not given. They were in the Museum before 1841, as they are included in the list of skeletons in the store-room printed in that year.

835. The articulated skeleton of a female Eskimo. (Skull, O. C. 5473.)

This skeleton has also eighteen dorso-lumbar vertebræ.

The right femur and most of the bones of the hands and feet are missing.

Height of skeleton 4 feet 6.1 inches = 1373.

Clavicle, *r.* and *l.* 129; humerus, *r.* 281, *l.* 274; radius, *r.* 202, *l.* 197; femur, *l.* 390; tibia, *r.* 305, *l.* 306.

Cranium: C. 502, L. 183, B. 129, Bi. 705, H. 130, Hi. 710, BN. 96, BA. 100, Ai. 1042, Nh. 50, Nw. 22, Ni. 440, Ow. 39, Oh. 32, Oi. 821, Ca. 1330.

Presented by Admiral Sir James C. Ross.

836. The imperfect skeleton of a male Eskimo. (Cranium, O. C. 5478 & 5758.)

It has the normal number of vertebræ. The right femur is missing.

Clavicle 150; humerus, *r.* 310, *l.* 304; radius, *r.* 222, *l.* 223; femur, *l.* 443; tibia, *r.* 326, *l.* 324.

Cranium: C. 522, L. 191, B. 133, Bi. 696, H. 140, Hi. 733, BN. 109, BA. 108, Ai. 991, Nh. 52, Nw. 22, Ni. 423, Ow. 40, Oh. 34, Oi. 850, Ca. 1510.

Presented by Admiral Sir James C. Ross.

- 836¹. The cranium (much weathered) of an Eskimo female, locality unknown, but "brought by the late Captain Gurney Cresswell of H.M.S. 'Investigator' from the Arctic Regions," MacInre's Expedition in 1848.

C. 522, L. 190, B. 136, Bi. 716, H. 136, Hi. 716, BN. 101, BA. 104, Ai. 1030, Nh. 48, Nw. 24, Ni. 500, Ow. 40, Oh. 34, Oi. 850.

Presented by Dr. John Lowe (of Lynn), 1883.

B. WEST COAST OF NORTH AMERICA.

837. The cranium of a "Flat-head" Indian from the banks of the Columbia River, artificially deformed by fronto-occipital compression in infancy, producing antero-posterior shortening and great lateral expansion; ♂. O. C. 5410.

It is metopie, though the sagittal and the lower ends of the coronal sutures are obliterated. An epaetal bone is separated from the supraoccipital by a very complex denticulated suture.

C. 543, L. 165, B. 183, Bi. 1109, H. 131, Hi. 794, BN. 100, BA. 108, Ai. 1080, Nh. 54, Nw. 26, Ni. 481, Ow. 39, Oh. 35, Oi. 897, Ca. 1650.

Purchased.

838. The cranium of a "Flat-head" Indian from Columbia River, similarly deformed : ♂. O. C. 5411.

There is a small Wormian bone on each side of the coronal suture, and traces of a large epactal in the supraoccipital.

C. 547, L. 173, B. 163, Bi. 942, H. 134, Hi. 775, BN. 99, BA. 109, Ai. 1101, Nh. 51, Nw. 27, Ni. 529, Ow. 41, Oh. 36, Oi. 878, Ca. 1600.

Purchased from Dr. Vesalius Pettigrew, 1853.

839. The skull of a female infant from Columbia River, who had died during the process of flattening. O. C. 5412.

"The deciduous incisors have cut the gum ; not the deciduous canines or molars. The elements of the occipital are ununited. The supraoccipital is expanded, almost flattened, and pushed unsymmetrically to the left side, by the pressure of the lower flattening-board, which has also flattened the lower part of the right parietal. The effect of the upper flattening-board is more remarkably shown upon the frontals and contiguous parts of the parietals; the sutures are linear, and the great fontanelle is widely open ; the compressed brain has pushed forwards the orbital plates of the sphenoids and frontals, and must have caused the eyeballs to protrude frightfully ; the lower border of the orbits is much advanced beyond the upper one. The maxillo-premaxillary suture remains on the palate and in front of the nasal cavity. The nasals, molars, and right exoccipital are wanting." O. C. p. 843.

C. 46, L. 137, B. 147, Bi. 1073, H. 89, Hi. 650.

Purchased from Dr. Vesalius Pettigrew, 1853.

840. The cranium of a young "Flat-head" Indian from Columbia River, artificially deformed by fronto-occipital compression, with great and unsymmetrical lateral bulging : ♂ ? O. C. 5409.

The basilar suture is not united, though the third molars have been acquired.

C. 527, L. 152, B. 182, Bi. 1197, H. 135, Hi. 888, BN. 97, BA. 94, Ai. 969, Nh. 52, Nw. 22, Ni. 423, Ow. 39, Oh. 35, Oi. 897, Ca. 1670.

Purchased.

841. The cranium of a "Flat-head" or Chenook Indian from the Columbia River, artificially deformed by fronto-occipital pressure: ♂.

The squamosals almost meet the frontal on both sides. There are Wormian bones in both sides of the coronal suture.

C. 540, L. 168, B. 163, Bi. 970, H. 130, Hi. 774, BN. 90, BA. 97, Ai. 1078, Nh. 57, Nw. 23, Ni. 404, Ow. 38, Oh. 37, Oi. 974, Ca. 1580.

Presented by Owen Rees, Esq., 1868.

842. The cranium of a "Flat-head" Indian from the banks of the Columbia River, artificially deformed by fronto-occipital pressure: ♀. O. C. 5407.

There are Wormian bones on both sides of the coronal suture.

C. 480, L. 140, B. 153, Bi. 1093, H. 122, Hi. 871, BN. 87, BA. 95, Ai. 1092, Nh. 52, Nw. 23, Ni. 442, Ow. 37, Oh. 35, Oi. 946, Ca. 1130.

Astley Cooper Collection. Purchased, 1843.

- 842¹. The cranium of a "Flat-head" from Columbia River, 200 miles from its mouth, British Columbia (Jour. Anthropol. Inst., vol. iii. pp. 326-329).

C. 495, L. 154, B. 153, Bi. 994, H. 116, Hi. 753, BN. 97, BA. 109, Ai. 1124, Nh. 48, Nw. 23, Ni. 479, Ow. 40, Oh. 35, Oi. 875.

Anthropol. Soc.

- 842². The cranium of a "Flat-head" from Mameluke Island.

C. 485, L. 186, B. 148, Bi. 949, H. 128, Hi. 821, BN. 105, BA. 108, Ai. 1029, Nh. 59, Nw. 25, Ni. 424, Ow. 42, Oh. 39, Oi. 929.

Anthropol. Soc.

843. The skull of a "Flat-head" Indian from Coffin Island, Columbia River, artificially deformed by fronto-occipital pressure: ♀. O. C. 5408.

It has a large, irregular, vertically-divided "epaetal."

C. 495, L. 155, B. 153, Bi. 987, H. 130, Hi. 839, BN. 95, BA. 93, Ai. 979, Nh. 51, Nw. 24, Ni. 471, Ow. 40, Oh. 37, Oi. 925, Ca. 1320.

Presented by Admiral Sir E. Belcher, 1842.

- 843¹. The cranium of an Indian, deformed by fronto-occipital pressure : ♀.

Found by Lieut. Darreh, R.E., while engaged in surveying the boundary between British Columbia and Washington Territory about 1860.

C. 485, L. 146, B. 162, Bi. 1110, H. 126, Hi. 863, BN. 95, BA. 93, Ai. 979, Nh. 49, Nw. 27, Ni. 551, Ow. 39, Oh. 37, Oi. 949, Ca. 1375.

Presented by the Rev. Canon Wenham, 1879.

- 843². The cranium of an Indian, artificially deformed by fronto-occipital pressure.

C. 525, L. 170, B. 167, Bi. 982, H. 128, Hi. 753, BN. 97, BA. 89, Ai. 918, Nh. 59, Nw. 22, Ni. 373, Ow. 41, Oh. 38, Oi. 927, Ca. 1465.

- 843³. The cranium of an Indian, very slightly deformed.

C. 558, L. 196, B. 157, Bi. 801, H. 130, Hi. 663, BN. 102, BA. 108, Ai. 1059, Nh. 50, Nw. 26, Ni. 520, Ow. 40, Oh. 34, Oi. 850, Ca. 1830.

This and the preceding are from the West Coast of North America, and were obtained by Fleetwood Sanderson, Esq.

Received in exchange from the Christy Collection, 1880.

- 843⁴. The cranium of an Indian from Vancouver's Island, of the Comox Tribe, Port Augusta : ♀.

C. 472, L. 161, B. 134, Bi. 832, H. 124, Hi. 770, BN. 97, BA. 96, Ai. 990, Nh. 48, Nw. 21, Ni. 438, Ow. 36, Oh. 36, Oi. 1000, Ca. 1300.

Anthropol. Soc., No. 90.

844. The cranium of an Indian from Vancouver's Island, artificially deformed by fronto-occipital pressure : ♀.

The atlas is ankylosed to the base of the skull.

C. 495, L. 153, B. 155, Bi. 1013, H. 120, Hi. 784, BN. 94, BA. 100, Ai. 1064, Nh. 49, Nw. 24, Ni. 490, Ow. 40, Oh. 34, Oi. 850, Ca. 1305.

Presented by Dr. J. T. Caddy, Surgeon R.N., 1861.

845. The cranium of an Indian from Vancouver's Island, artificially but very unsymmetrically deformed : ♂.

C. 520, L. 170, B. 156, Bi. 918, H. 125, Hi. 735, BN. 98, BA. 103, Ai. 1051, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 34, Oi. 895, Ca. 1530.

Presented by Dr. J. T. Caddy, Surgeon R.N., 1861.

846. The deformed cranium of an Indian from Vancouver's Island: ♂.

This differs from all the foregoing, inasmuch as the occipital region has retained its normal shape, the evidence of pressure being confined to the frontal region. It has epipteries on both sides, and a distinct "interparietal."

C. 520, L. 170, B. 156, Bi. 918, H. 125, Hi. 735, BN. 107, BA. 113, Ai. 1056, Nh. 51, Nw. 24, Ni. 471, Ow. 42, Oh. 37, Oi. 881, Ca. 1510.

Presented by Dr. J. T. Caddy, Surgeon R.N., 1861.

- 846¹. The cranium of an Indian from Vancouver's Island: ♂.

C. 485, L. 165, B. 147, Bi. 891, H. 135, Hi. 818, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 37, Oi. 949, Ca. 1400.

Anthropol. Soc., No. 88.

- 846². The cranium of an Indian from Vancouver's Island: ♂.

C. 530, L. 181, B. 146, Bi. 807, H. 135, Hi. 746, BN. 107, BA. 111, Ai. 1037, Nh. 55, Nw. 26, Ni. 473, Ow. 42, Oh. 36, Oi. 857, Ca. 1710.

Anthropol. Soc., No. 89.

847. A skull from an Indian grave at Sook Harbour, Vancouver's Island, with the frontal region artificially depressed: ♂.

There are small Wormian bones on both sides of the coronal suture.

C. 530, L. 172, B. 166, Bi. 965, H. 127, Hi. 738, BN. 97, BA. 103, Ai. 1062, Nh. 52, Nw. 24, Ni. 462, Ow. 41, Oh. 39, Oi. 951, Ca. 1560.

Purchased, 1879.

848. A similarly flattened skull from Sook Harbour, Vancouver's Island: ♂.

C. 512, L. 167, B. 160, Bi. 958, H. 127, Hi. 760, BN. 100, BA. 107, Ai. 1070, Nh. 57, Nw. 26, Ni. 456, Ow. 40, Oh. 38, Oi. 950, Ca. 1400.

Purchased, 1879.

849. A flattened skull from Sook Harbour, Vancouver's Island: ♂.

C. 508, L. 162, B. 159, Bi. 981, H. 130, Hi. 802, BN. 105, BA. 105, Ai. 1000, Nh. 51, Nw. 25, Ni. 490, Ow. 39, Oh. 35, Oi. 897, Ca. 1475.

Purchased, 1879.

850. A flattened skull from Sook Harbour, Vancouver's Island.

C. 520, L. 170, B. 160, Bi. 941, H. 130, Hi. 765, BN. 99, BA. 95, Ai. 960, Nh. 48, Nw. 23, Ni. 479, Ow. 41, Oh. 36, Oi. 878, Ca. 1500.

Purchased, 1879.

851. A flattened skull from Sook Harbour, Vancouver's Island: ♀.

C. 510, L. 169, B. 155, Bi. 917, H. 126, Hi. 746, BN. 99, BA. 103, Ai. 1040, Nh. 52, Nw. 22, Ni. 423, Ow. 39, Oh. 36, Oi. 923, Ca. 1330.

Purchased, 1879.

852. A flattened skull from Sook Harbour, Vancouver's Island: ♀.

C. 498, L. 158, B. 156, Bi. 987, H. 126, Hi. 797, BN. 96, Nh. 49, Nw. 22, Ni. 449, Ow. 43, Oh. 38, Oi. 884, Ca. 1295.

Purchased, 1879.

- 852¹. The skull of a male Indian from Vancouver's Island, mutilated.

Dug out of an earth and stone cavern near Cadboro's Bay, three miles from Victoria, by Mr. McKay. See letter in notebook, December 3rd, 1879.

Presented by Dr. W. Cheadle.

- 852². The cranium of an Indian from Vancouver's Island: ♂.

Mutilated and much weatherworn. Artificially deformed by frontal and occipital pressure.

Anthropol. Soc., No. 86.

- 852³. The cranium of an Indian from Vancouver's Island: ♀.

C. 480, L. 153, B. 151, Bi. 987, H. 119, Hi. 778, BN. 92, BA. 94, Ai. 1022, Nh. 45, Nw. 24, Ni. 533, Ow. 38, Oh. 35, Oi. 921, Ca. 1390.

Anthropol. Soc., No. 87.

853. The artificially deformed cranium of an Indian of the Quamichan tribe, residing near Cowichan, on the east coast of Vancouver's Island: ♀.

Collected in 1869 by F. Dally, D.D.S.

The forehead is depressed, the occiput flattened, the parietals

laterally expanded, and there is a circular constriction behind the coronal suture.

C. 470, L. 152, B. 152, Bi. 1000, H. 129, Hi. 849, BN. 92, BA. 94, Ai. 1022, Nh. 49, Nw. 21, Ni. 429, Ow. 37, Oh. 34, Oi. 919, Ca. 1220.

Purchased, 1879.

854. The cranium of an Indian boy of the Quamichan tribe, inhabiting the Cowichan valley, on the east coast of Vancouver's Island.

Collected in 1869 by F. Dally, D.D.S.

It has not been depressed, but perhaps slightly elongated by circular constriction, as seen in a more marked degree in the following specimen. The permanent incisors and the first permanent molars have been acquired, but both milk-molars are still in place.

C. 473, L. 169, B. 124, Bi. 734, H. 123, Hi. 728, BN. 90, BA. 93, Ai. 1033, Nh. 42, Nw. 22, Ni. 524, Ow. 36, Oh. 32, Oi. 889.

Purchased, 1879.

855. The skull of an Indian of the Chenook tribe, inhabiting the banks of the Columbia River at its outlet into the Pacific: ♂. O. C. 5413.

It has been artificially elongated during infancy by the application of constricting bandages, which have produced a transverse depression immediately behind the coronal suture. The squamosals almost meet the frontals. There are two small epipteries on the right side; and there are small Wormian bones in the coronal suture.

C. 525, L. 186, B. 140, Bi. 753, H. 140, Hi. 753, BN. 109, BA. 114, Ai. 1046, Nh. 57, Nw. 25, Ni. 439, Ow. 42, Oh. 37, Oi. 881, Ca. 1625.

Presented by Frederick Tyrrell, Esq.

856. The skull of a Koskeemo Indian, a small tribe inhabiting the shores of the Quatsino Sound, north-west coast of Vancouver's Island.

It has been artificially elongated by the same process as the last, but to a very remarkable degree. There is a distinct interparietal bone.

This skull presents all the characteristics of the male sex, and is of middle age, as is shown by the partial consolidation of the

calvarial sutures. It is, however, stated by Mr. Robert Brown (who obtained it in Vancouver's Island in 1866) that this form of distortion is only practised upon the females of the tribe, and that this particular skull is that of the girl figured at p. 277 of Mayne's 'Four Years in British Columbia' (1862).

C. 560, L. 208, B. 132, Bi. 635, H. 141, Hi. 678, BN. 102, BA. 105, Ai. 1029, Nh. 57, Nw. 24, Ni. 421, Ow. 40, Oh. 42, Oi. 1050, Ca. 1630.

Purchased, 1868.

857. The skull and innominate bones of a Sheshaalit-Indian slave woman.

"Obtained by Mr. Robert Brown, in 1866, on Observatory Island, Stamps Harbour, Alberni Canal, Vancouver's Island. On account of her servile birth, her head had not been distorted."

The basilar suture has but recently united; and the last molars are not in place.

C. 497, L. 177, B. 137, Bi. 774, H. 133, Hi. 751, BN. 100, BA. 100, Ai. 1000, Nh. 46, Nw. 23, Ni. 500, Ow. 38, Oh. 34, Oi. 895, Ca. 1330.

Purchased, 1868.

- 857¹. The skull of a young Indian, artificially deformed.

The description reads:—"Aht Indian. Treshaht or Oputchesart Bands. Centre of skull depressed by head bandages in infancy. Vancouver Island."

Presented by A. W. Mayo Robson, Esq., 1905.

858. The mutilated cranium of a female Tsongisth, or Songhies Indian.

Obtained by Mr. Robert Brown, in 1863, at Victoria Arm, Vancouver's Island.

C. 478, L. 168, B. 137, Bi. 815, Nh. 49, Nw. 23, Ni. 469, Ow. 37, Oh. 37, Oi. 1000, Ca. 1220.

Purchased, 1868.

- 858¹. The skull of a female Comox Indian, Pacific Coast, British Columbia.

C. 495, L. 171, B. 139, Bi. 813, H. 131, Hi. 776, BN. 100, BA. 95, Ai. 950, Nh. 51, Nw. 23, Ni. 451, Ow. 39, Oh. 39, Oi. 1000, Ca. 1475.

Presented by Geo. D. Beadnell, Esq., 1896.

858². A cranium (tribe not known) from the same locality.

C. 512, L. 165, B. 164, Bi. 994, H. 136, Hi. 824, BN. 101, BA. 99, Ai. 980, Nh. 55, Nw. 22, Ni. 400, Ow. 40, Oh. 34, Oi. 850, Ca. 1535.

Presented by Geo. D. Beadnell, Esq., 1896.

859. The cranium of an Indian from Santa Cruz Island, off the coast of California: ♂.

C. 512, L. 182, B. 142, Bi. 780, H. 133, Hi. 731, BN. 103, BA. 103, Ai. 1000, Nh. 50, Nw. 26, Ni. 520, Ow. 40, Oh. 37, Oi. 925, Ca. 1400.

Presented by the Peabody Museum of American Archaeology and Ethnology, 1879.

859¹. The skull of "Thlung," chief of the Nacausley or Stuart Lake Indians of British Columbia, Lat. 55° N. and Long. 125° W.

Mr. Gavin Hamilton, by whom the skull was obtained, says: "He was a very morose, bad dispositioned Indian with hardly energy or brains enough to make canoes, traps, &c., in fact what we would call a clumsy fellow, but he was brave and revengeful."

The occiput appears to have been slightly flattened.

C. 510, L. 171, B. 147, Bi. 860, H. 141, Hi. 825, BN. 100, BA. 95, Ai. 950, Nh. 54, Nw. 27, Ni. 500, Ow. 41, Oh. 38, Oi. 927, Ca. 1490.

Presented by Dr. John Rae, 1880.

859². The skull of a North American Indian, with the greater part of the base destroyed.

No positive information as to locality or tribe could be obtained.

C. 547, L. 193, B. 143, Bi. 741, Nh. 58, Nw. 29, Ni. 500, Ow. 42, Oh. 35, Oi. 833.

Presented by Walter Pye, Esq., 1880.

859³. The skull of a pure-bred Cree Indian: ♀.

C. 498, L. 171, B. 144, Bi. 842, H. 125, Hi. 731, BN. 101, BA. 99, Ai. 980, Nh. 52, Nw. 24, Ni. 462, Ow. 39, Oh. 35, Oi. 897, Ca. 1335.

- 859⁴. The skull of a child, half-bred Cree and English.

The above two skulls were obtained at Moose at the south end of Hudson's Bay by Mr. Walter Haydon.

Presented by W. W. Wagstaffe, Esq., 1884.

- 859⁵. The cranium of an Oregon Indian, mutilated.

C. 495, L. 160, B. 149, Bi. 931, H. 120, Hi. 750, BN. 95, BA. 100, Ai. 1053, Nh. 44, Nw. 26, Ni. 591, Ow. 40, Oh. 36, Oi. 900.

Anthropol. Soc., No. 231.

C. EASTERN AND CENTRAL REGIONS OF NORTH AMERICA.

860. A mutilated cranium which was found in a saltpetre-cave in Tennessee State: ♂. O. C. 5441.

C. 502, L. 179, B. 135, Bi. 754, H. 142, Hi. 793, BN. 105, Ow. 38, Oh. 33, Oi. 868, Ca. 1370.

Purchased.

861. The mutilated cranium of an Indian from Tennessee: ♂.

Metopic.

C. 522, L. 186, B. 140, Bi. 753, H. 140, Hi. 753, BN. 106, Ow. 39, Oh. 33, Oi. 846, Ca. 1450 (approx.).

Presented by George Busk, Esq., 1865.

862. The cranium of a Messisagua, or Mohawk Indian, from an old battle-ground at Rice Lake: ♂.

C. 510, L. 185, B. 138, Bi. 746, H. 138, Hi. 746, BN. 106, BA. 107, Ai. 1009, Nh. 53, Nw. 28, Ni. 528, Ow. 39, Oh. 34, Oi. 872, Ca. 1390.

Presented by George Gulliver, Esq., 1863.

The following twelve specimens were collected in the United States by Mr. George Russell, and were purchased from him in 1860. They were accompanied by a full MS. description of the circumstances under which they were found.

863. The mutilated cranium of an Osage Indian: ♂.

C. 515, L. 170, B. 157, Bi. 924.

Purchased, 1860.

864. The mutilated cranium of an Uchee Indian : ♀.

"A tribe characterized by their small round heads. Obtained from the Pea River battle-ground (Alabama), where they gave General Welbourne a hard fight. Their women served them with ammunition during the action."

C. 472, L. 161, B. 135, Bi. 839, H. 128, Hi. 795, BN. 96, Ca. 1150.

Purchased, 1860.

865. The cranium of a Shawnee Indian : ♀.

From the Shawnee territory, west of Arkansas. Most of the teeth have been lost during life ; and the sagittal suture is partly consolidated. The left paroccipital process is so greatly developed as to have articulated with the transverse process of the atlas.

C. 496, L. 174, B. 139, Bi. 799, H. 127, Hi. 730, BN. 90, Ow. 40, Oh. 36, Oi. 900, Ca. 1230.

Purchased, 1860.

866. The cranium of a young Chickasaw Indian from the Upper Mississippi.

The basilar suture has not united ; and the last molars are not fully in place.

C. 492, L. 176, B. 137, Bi. 778, H. 136, Hi. 773, BN. 102, BA. 98, Ai. 961, Nh. 50, Nw. 24, Ni. 480, Ow. 38, Oh. 34, Oi. 895, Ca. 1320.

Purchased, 1860.

867. A cranium said to be that of "a Creek-Indian Squaw" from the Upper Mississippi.

C. 510, L. 186, B. 136, Bi. 731, H. 140, Hi. 753, BN. 101, BA. 101, Ai. 1000, Nh. 47, Nw. 23, Ni. 489, Ow. 36, Oh. 30, Oi. 833, Ca. 1420.

Purchased, 1860.

868. The mutilated cranium of a Choctaw Indian, named "Co-you-ho-mo" ; ♀?

It has been remarkably deformed by pressure applied to the region of the lambda and causing an anterior projection of the forehead. The lower extremities of the coronal and the parieto-sphenoidal and fronto-sphenoidal sutures are closed ; but all the other calvarial sutures are quite free.

C. 490, L. 165, B. 145, Bi. 879, H. 136, Hi. 824, BN. 97, Ow. 38, Oh. 33, Oi. 868.

Purchased, 1860.

869. A skull from a mound twenty feet high on the bank of the Mississippi, twelve miles below Memphis: ♀.

It has been obliquely flattened posteriorly.

C. 465, L. 152, B. 145, Bi. 954, H. 140, Hi. 921, Ca. 1210.

Purchased, 1860.

870. A skull found in 1849 in an ancient mound near Franklin, in Middle Tennessee: ♂.

The extreme natural brachycephaly appears to have been increased by pressure on the occiput in infancy; but otherwise it is not deformed.

C. 473, L. 156, B. 148, Bi. 949, H. 143, Hi. 917, BN. 99, Ca. 1260.

Purchased, 1860.

871. A similar skull from the same mound: ♂.

There is a nearly symmetrical pair of Wormian bones at the posterior end of the sagittal suture.

C. 483, L. 155, B. 149, Bi. 961, H. 143, Hi. 923, BN. 100, BA. 102, Ai. 1020, Nh. 52, Nw. 24, Ni. 462, Ow. 37, Oh. 34, Oi. 919, Ca. 1305.

Purchased, 1860.

872. A cast of the skull of a Natchez Indian: ♂.

The original was obtained by Dr. Powell, of Memphis, from a mound within three miles of Natchez, Mississippi. It has been artificially flattened in the antero-posterior direction by compression on the frontal and on the supraoccipital and posterior parietal regions, so as to produce great elevation of the vertex.

C. 485, L. 146, B. 163, Bi. 1117.

Purchased, 1860.

873. The cast of a skull taken from a mound near Bellefonte, North Alabama: ♂.

Probably that of a Natchez Indian. The forehead has been artificially flattened.

C. 505, L. 160, B. 155, Bi. 969.

Purchased, 1860.

874. A mutilated cranium from North Alabama.

The forehead appears to have been flattened artificially.

Purchased, 1860.

875. A cranium from an ancient stone grave in a mound in Tennessee: ♂.

The occipital region has been unsymmetrically flattened. Bony growths nearly fill both external auditory meatuses.

C. 503, L. 167, B. 148, Bi. 886, H. 149, Hi. 892, BN. 106, BA. 104, Ai. 981, Nh. 57, Nw. 26, Ni. 456, Ow. 40, Oh. 35, Oi. 875, Ca. 1570.

Presented by the Peabody Museum of American Archaeology and Ethnology, 1879.

876. A cranium found in an ancient mound in the western part of the State of Missouri: ♀.

It presents no sign of artificial deformation. The calvarial sutures are almost obliterated. The squamosals appear to have joined the frontals on both sides.

C. 458, L. 162, B. 118, Bi. 728, H. 137, Hi. 846, BN. 97, BA. 94, Ai. 969, Nh. 52, Nw. 22, Ni. 423, Ow. 37, Oh. 37, Oi. 1000, Ca. 1090.

Presented by the Rev. E. E. Beadle, 1878.

D. CENTRAL AMERICA AND THE ANTILLES.

877. A small skull brought from Mexico: ♂?

No certain information could be obtained as to the race to which it belonged, or the exact locality in which it was found.

C. 466, L. 165, B. 127, Bi. 770, H. 124, Hi. 752, BN. 88, BA. 96, Ai. 1091, Nh. 44, Nw. 22, Ni. 500, Ow. 36, Oh. 33, Oi. 917, Ca. 1070.

Presented by Henry Christy, Esq., 1865.

- 877¹. A cranium from a tomb at Xico, Valley of Mexico, containing also pottery of Tarasqui, Acothua, and Toltec periods.

C. 515, L. 174, B. 143, Bi. 822, H. 139, Hi. 799, BN. 101, BA. 107, Ai. 1059, Nh. 51, Nw. 27, Ni. 529, Ow. 38, Oh. 31, Oi. 816, Ca. 1420.

- 877². A cranium from the same place.

C. 522, L. 175, B. 151, Bi. 863, H. 131, Hi. 749, BN. 98, BA. 102, Ai. 1041, Nh. 55, Nw. 24, Ni. 533, Ow. 38, Oh. 33, Oi. 868, Ca. 1530.

- 877³. A cranium from the burial place of Tominil, Sierra Madre of Durango, Mexico.

Period doubtful, but probably Mexican or Indian paysanas about the time of the Conquest.

C. 501, L. 175, B. 140, Bi. 800, H. 138, Hi. 789, BN. 103, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 32, Oi. 842, Ca. 1320.

- 877⁴. A cranium from the same place.

C. 490, L. 168, B. 140, Bi. 833, H. 138, Hi. 821, BN. 102, BA. 95, Ai. 931, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 35, Oi. 946, Ca. 1255.

- 877⁵. Bones of the face from the same place.

*The above five specimens were presented by
O. H. Howarth, Esq., 1894.*

- 877⁶. The cranium of a Mexican, mutilated : ♂.

C. 475, L. 166, B. 131, Bi. 789, H. 133, Hi. 801, BN. 96, BA. 99, Ai. 1031, Nh. 49, Nw. 23, Ni. 469, Ow. 36, Oh. 35, Oi. 972, Ca. 1190.

Anthropol. Soc., No. 218.

- 877⁷. The cranium of a Guatuso Indian, Costa Rica.

(*Anthropol. Review*, vol. vi. p. 463.)

C. 500, L. 180, B. 131, Bi. 728, H. 133, Hi. 739, BN. 102, BA. 95, Ai. 931, Nh. 55, Nw. 25, Ni. 455, Ow. 39, Oh. 34, Oi. 872, Ca. 1420.

Anthropol. Soc., No. 77.

878. A mutilated cranium of a Carib found in a cave in Cuba.

It has been artificially distorted by pressure on the frontal and lower occipital regions.

C. 493, L. 157, B. 158, Bi. 1006, H. 127, Hi. 809, Ca. 1225.

Presented by Henry Christy, Esq., 1865.

- 878¹. The mutilated cranium, with greatly depressed forehead, of a Carib from the Island of St. Vincent, West Indies.

B. 139, Ow. 40, Oh. 37, Oi. 925.

Presented by Mr. Allen Lewis of that Island to Captain the Hon. I. C. Mailing, the Colonial Secretary, by whom it was sent to the donor,

The Rev. Benjamin Whitelock, 1881.

879. The skull of a Carib from one of the Caribbean Islands : ♂. O. C. 5403.

It has a remarkably flat and receding forehead, probably from the effects of compression in infancy.

C. 515, L. 180, B. 145, Bi. 806, H. 132, Hi. 733, BN. 103, BA. 108, Ai. 1049, Nh. 55, Nw. 24, Ni. 436, Ow. 39, Oh. 37, Oi. 949, Ca. 1330.

Hunterian.

880. The cranium of a Carib from one of the Caribbean Islands : ♀. O. C. 5404.

C. 500, L. 172, B. 146, Bi. 849, H. 118, Hi. 686, BN. 89, BA. 92, Ai. 1034, Nh. 54, Nw. 26, Ni. 481, Ow. 37, Oh. 37, Oi. 1000, Ca. 1215.

Hunterian.

- 880¹. The cranium of a Carib, Nicaragua : ♂.

C. 525, L. 180, B. 143, Bi. 794, H. 137, Hi. 761, BN. 102, BA. 92, Ai. 902, Nh. 49, Nw. 22, Ni. 449, Ow. 39, Oh. 34, Oi. 872, Ca. 1700.

Anthropol. Soc., No. 173.

- 880². The cranium of a Carib, Venezuela : ♂.

C. 500, L. 163, B. 157, Bi. 963, H. 126, Hi. 773, BN. 98, BA. 91, Ai. 929, Nh. 58, Nw. 23, Ni. 397, Ow. 42, Oh. 38, Oi. 905.

Anthropol. Soc., No. 233.

E. GUIANA AND COLOMBIA.

881. The skull of a Macusi Indian from Guiana : ♂. O. C. 5405.

C. 519, L. 181, B. 145, Bi. 801, H. 133, Hi. 735, BN. 101, BA. 102, Ai. 1010, Nh. 53, Nw. 28, Ni. 528, Ow. 37, Oh. 37, Oi. 1000, Ca. 1455.

Purchased from Sir R. H. Schomburgk, 1840.

882. The cranium of a female Indian of the Arawak tribe, from Guiana. O. C. 5406.

C. 485, L. 172, B. 135, Bi. 785, H. 122, Hi. 709, BN. 91, BA. 93, Ai. 1022, Nh. 46, Nw. 25, Ni. 543, Ow. 37, Oh. 33, Oi. 892, Ca. 1200.

Presented by Sir Robert H. Schomburgk, 1844.

- 882¹. The articulated skeleton of an Arawak Indian, æt. 27, from Surinam.

C. 498, L. 176, B. 137, Bi. 778, H. 127, Hi. 722, BN. 101, BA. 98, Ai. 970, Nh. 48, Nw. 24, Ni. 500, Ow. 39, Oh. 31, Oi. 795, Ca. 1255.

Purchased, 1903.

883. The skull of a Muizca, or former inhabitant of New Granada: ♂.

Taken from an Indian grave in Fontibon, six miles west of Santa Fé de Bogota, February 1st, 1868, by Mr. George Crowther.

C. 500, L. 167, B. 145, Bi. 868, H. 135, Hi. 808, BN. 95, BA. 96, Ai. 1011, Nh. 50, Nw. 25, Ni. 500, Ow. 37, Oh. 33, Oi. 892, Ca. 1380.

Purchased, 1869.

884. The cranium of a Muizca from Fontibon, near Bogota: ♂.

It has been artificially flattened in the region of the lambda.

C. 484, L. 168, B. 138, Bi. 821, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 35, Oi. 946, Ca. 1300.

Purchased, 1869.

885. The cranium of a Muizca from Fontibon, near Bogota: ♂.

C. 510, L. 184, B. 138, Bi. 750, H. 140, Hi. 761, BN. 100, BA. 98, Ai. 980, Nh. 57, Nw. 25, Ni. 439, Ow. 37, Oh. 39, Oi. 1054, Ca. 1500.

Purchased, 1869.

886. The cranium of a Muizca from Fontibon, near Bogota.

A narrow elongated cranium of a different type from the others from the same locality, though the last makes some approach to it.

C. 509, L. 192, B. 128, Bi. 667, H. 137, Hi. 714, BN. 101, BA. 106, Ai. 1050, Nh. 48, Nw. 25, Ni. 521, Oh. 35, Ow. 36, Oi. 1029, Ca. 1425.

Purchased, 1869.

887. The skull of a Muizca from Tunjuelo, near Bogota: ♂.

The frontal region has been artificially flattened.

C. 500, L. 162, B. 150, Bi. 926, H. 135, Hi. 833, BN. 96, BA. 101, Ai. 1052, Ow. 39, Oh. 32, Oi. 821, Ca. 1380.

Purchased, 1869.

888. The cranium of a Muizeca from Tunjuelo, near Bogota: ♂.

It has been slightly and unsymmetrically distorted by occipital pressure.

C. 485, L. 165, B. 141, Bi. 855, H. 137, Hi. 830, BN. 100, Ow. 39, Oh. 33, Oi. 846, Ca. 1270.

Purchased, 1869.

889. The bones of a right and a left lower extremity (wanting the right foot), which accompanied the above skulls.

Purchased, 1869.

- 889¹. A cranium mutilated and without teeth, from an ancient grave at Ibarra, Ecuador (see Whymper's 'Travels amongst the Great Andes,' 1892, p. 284, where it is figured).

Presented by Edward Whymper, Esq., 1884.

- 889². A cranium from Chimborazo, a Province of Ecuador, found at an elevation of 15,000 feet: ♂.

C. 505, L. 176, B. 143, Bi. 813, Nh. 50, Nw. 24, Ni. 480, Ow. 37, Oh. 35, Oi. 946.

Anthropol. Soc., No. 174.

- 889³. A cranium from a guano deposit, Chincha Islands, Ecuador.

The right mastoid foramen is displaced and of enormous size.

C. 475, L. 164, B. 139, Bi. 848, H. 129, Hi. 787, BN. 95, BA. 98, Ai. 1032, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 35, Oi. 897, Ca. 1200.

Anthropol. Soc., No. 129.

890. A skull found (with a small earthen vessel) in an Indian grave at Quaeta, near Tomeque, New Granada: ♂.

C. 525, L. 183, B. 147, Bi. 803, H. 137, Hi. 749, BN. 102, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 34, Oi. 895, Ca. 1460.

Received in exchange from A. W. Franks, Esq., 1875.

F. BRAZIL.

- 890¹. A cranium found near Santos, São Paulo.

C. 500, L. 179, B. 138, Bi. 771, H. 139, Hi. 777, BN. 101, BA. 101, Ai. 1000, Nh. 51, Nw. 23, Ni. 451, Ow. 38, Oh. 33, Oi. 868, Ca. 1345.

890². A cranium found with the above under the circumstances thus related by the donor:—

“Near Santos there is a remarkable mound, almost a hill, entirely composed of oyster shells, and several smaller ones composed of mussel shells among which are human remains and arrow heads. The railway people are using these shells for ballasting the line, and therefore constantly come across remains. These two skulls were recently uncovered.”

Presented by Capt. Bowden Smith, R.N., 1882.

G. PERU, BOLIVIA, AND CHILE.

In this group are one hundred specimens which were collected by T. J. Hutcheson, Esq., H.M. Consul at Callao, and sent by him to the Anthropological Institute of Great Britain and Ireland, being part of the collection referred to in Mr. Busk's paper entitled “Remarks on a Collection of 150 Ancient Peruvian Skulls, presented to the Anthropological Institute by T. J. Hutcheson, Esq.,” &c., ‘Journal of the Anthropological Institute,’ vol. iii. p. 86 (1874). They were presented to the College by the Council of the Institute, June 1873*.

The following thirty-six specimens were obtained from two burial-grounds close to the seashore at Pasamayo, five miles south of Chançay and thirty miles north of Callao:—

891. A skull, remarkably deformed by antero-posterior compression, from Pasamayo: ♀?

The last upper left molar is displaced upwards and backwards.

C. 480, L. 141, B. 160, Bi. 1135, H. 130, Hi. 922, BN. 88, BA. 92, Ai. 1045, Nh. 50, Nw. 21, Ni. 420, Ow. 38, Oh. 37, Oi. 974, Ca. 1230.

Hutcheson Collection. Presented, 1873.

* A corresponding number of lower jaws were presented with the skulls; but, except in the few instances in which they appeared to belong to the same individuals, they have not been attached to the crania, or separately catalogued, but are preserved in a drawer in the Museum.

892. A cranium from Pasamayo, exhibiting a similar but less marked deformation: ♂?

C. 482, L. 150, B. 155, Bi. 1033, H. 120, Hi. 800, BN. 92, BA. 100, Ai. 1087, Nh. 50, Nw. 24, Ni. 480, Ow. 38, Oh. 35, Oi. 921, Ca. 1170.

Hutchinson Collection. Presented, 1873.

893. A skull from Pasamayo: ♂.

The sagittal suture is obliterated. As in several others of this series, the meatus auditorius externus is encroached upon, almost to occlusion, by bony growths from its walls.

C. 497, L. 163, B. 148, Bi. 908, H. 135, Hi. 828, BN. 104, BA. 107, Ai. 1029, Nh. 50, Nw. 23, Ni. 460, Ow. 39, Oh. 33, Oi. 846, Ca. 1320.

Hutchinson Collection. Presented, 1873.

894. A cranium from Pasamayo: ♂.

C. 514, L. 172, B. 154, Bi. 895, H. 134, Hi. 779, BN. 98, BA. 105, Ai. 1071, Nh. 48, Nw. 23, Ni. 479, Ow. 39, Oh. 33, Oi. 846, Ca. 1500.

Hutchinson Collection. Presented, 1873.

895. A cranium from Pasamayo: ♂.

The left auditory meatus is remarkably contracted and nearly filled with osseous growths.

C. 487, L. 167, B. 140, Bi. 838, H. 129, Hi. 772, BN. 94, BA. 91, Ai. 968, Nh. 50, Nw. 21, Ni. 420, Ow. 33, Oh. 37, Oi. 1121, Ca. 1260.

Hutchinson Collection. Presented, 1873.

896. A cranium from Pasamayo: ♂.

C. 500, L. 167, B. 149, Bi. 892, H. 135, Hi. 808, BN. 106, BA. 103, Ai. 972, Nh. 53, Nw. 25, Ni. 472, Ow. 39, Oh. 33, Oi. 846, Ca. 1310.

Hutchinson Collection. Presented, 1873.

897. A cranium from Pasamayo: ♂.

In the upper part of the supraoccipital are four nearly symmetrical independent ossifications.

C. 498, L. 172, B. 142, Bi. 826, H. 128, Hi. 744, BN. 102, BA. 102, Ai. 1000, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 35, Oi. 921, Ca. 1285.

Hutchinson Collection. Presented, 1873.

898. A cranium from Pasamayo : ♂.

The auditory meatuses of both sides are reduced to extremely narrow clefts.

C. 502, L. 171, B. 147, Bi. 860, H. 132, Hi. 772, BN. 104, BA. 104, Ai. 1000, Nh. 47, Nw. 22, Ni. 468, Ow. 38, Oh. 35, Oi. 921, Ca. 1350.

Hutchinson Collection. Presented, 1873.

899. A skull from Pasamayo : ♂.

C. 500, L. 160, B. 155, Bi. 969, H. 141, Hi. 881, BN. 100, BA. 102, Ai. 1020, Nh. 54, Nw. 23, Ni. 426, Ow. 38, Oh. 36, Oi. 947, Ca. 1370.

Hutchinson Collection. Presented, 1873.

900. A cranium from Pasamayo : ♂.

There is a large epipteric bone on the right side. The Wormian bones in the lambdoidal suture are large and numerous.

C. 495, L. 173, B. 140, Bi. 809, H. 129, Hi. 746, BN. 102, Nh. 51, Nw. 22, Ni. 431, Ow. 38, Oh. 34, Oi. 921, Ca. 1300.

Hutchinson Collection. Presented, 1873.

901. A cranium from Pasamayo : ♂.

The occiput is somewhat flattened. There is a distinct "interparietal" bone.

C. 492, L. 168, B. 152, Bi. 905, H. 136, Hi. 810, BN. 101, BA. 101, Ai. 1000, Nh. 50, Nw. 22, Ni. 440, Ow. 37, Oh. 33, Oi. 892, Ca. 1380.

Hutchinson Collection. Presented, 1873.

902. A cranium from Pasamayo : ♂.

There are two Wormian bones in the posterior end of the sagittal suture.

C. 500, L. 165, B. 155, Bi. 939, H. 141, Hi. 855, BN. 101, BA. 101, Ai. 1000, Nh. 48, Nw. 26, Ni. 542, Ow. 37, Oh. 35, Oi. 946, Ca. 1450.

Hutchinson Collection. Presented, 1873.

903. A cranium from Pasamayo : ♂.

C. 502, L. 168, B. 150, Bi. 893, H. 140, Hi. 833, BN. 102, BA. 100, Ai. 980, Nh. 50, Nw. 23, Ni. 460, Ow. 39, Oh. 34, Oi. 872, Ca. 1465.

Hutchinson Collection. Presented, 1873.

904. A cranium from Pasamayo: ♂.

The occiput is flattened.

C. 495, L. 160, B. 158, Bi. 988, H. 137, Hi. 856, BN. 106, BA. 106, Ai. 1000, Nh. 49, Nw. 22, Ni. 449, Ow. 40, Oh. 35, Oi. 875, Ca. 1400.

Hutchinson Collection. Presented, 1873.

905. A cranium from Pasamayo: ♂.

C. 493, L. 161, B. 151, Bi. 938, H. 133, Hi. 826, BN. 95, BA. 98, Ai. 1032, Nh. 50, Nw. 21, Ni. 420, Ow. 36, Oh. 34, Oi. 944, Ca. 1330.

Hutchinson Collection. Presented, 1873.

906. A cranium from Pasamayo: ♂.

The occiput has been flattened.

C. 483, L. 160, B. 145, Bi. 906, H. 131, Hi. 819, BN. 99, BA. 108, Ai. 1091, Nh. 50, Nw. 24, Ni. 480, Ow. 38, Oh. 34, Oi. 895, Ca. 1320.

Hutchinson Collection. Presented, 1873.

907. A cranium from Pasamayo: ♂.

C. 480, L. 159, B. 150, Bi. 943, H. 130, Hi. 818, BN. 94, BA. 95, Ai. 1011, Nh. 47, Nw. 21, Ni. 447, Ow. 39, Oh. 35, Oi. 897, Ca. 1360.

Hutchinson Collection. Presented, 1873.

908. A cranium from Pasamayo.

The occiput has been flattened.

C. 506, L. 163, B. 163, Bi. 1000, H. 140, Hi. 859, BN. 103, BA. 100, Ai. 971, Nh. 47, Nw. 23, Ni. 489, Ow. 38, Oh. 33, Oi. 868, Ca. 1410.

Hutchinson Collection. Presented, 1873.

909. A cranium from Pasamayo.

C. 473, L. 158, B. 141, Bi. 892, H. 123, Hi. 778, BN. 95, BA. 100, Ai. 1053, Nh. 46, Nw. 23, Ni. 500, Ow. 38, Oh. 33, Oi. 868, Ca. 1080.

Hutchinson Collection. Presented, 1873.

910. A cranium from Pasamayo.

C. 487, L. 167, B. 140, Bi. 838, H. 130, Hi. 778, BN. 99, BA. 103, Ai. 1040, Nh. 46, Nw. 21, Ni. 457, Ow. 36, Oh. 32, Oi. 889, Ca. 1260.

Hutchinson Collection. Presented, 1873.

911. A cranium from Pasamayo.

There are large exostoses in both auditory meatuses.

C. 485, L. 170, B. 139, Bi. 818, H. 133, Hi. 782, BN. 95, BA. 92, Ai. 968, Nh. 46, Nw. 24, Ni. 522, Ow. 39, Oh. 33, Oi. 846, Ca. 1310.

Hutchinson Collection. Presented, 1873.

912. A cranium from Pasamayo : ♀.

It is metopic ; and the occiput has been slightly flattened.

C. 485, L. 154, B. 152, Bi. 987, H. 129, Hi. 838, BN. 91, BA. 98, Ai. 1077, Nh. 47, Nw. 21, Ni. 447, Ow. 37, Oh. 35, Oi. 946, Ca. 1280.

Hutchinson Collection. Presented, 1873.

913. A cranium from Pasamayo : ♀.

C. 478, L. 161, B. 145, Bi. 901, H. 124, Hi. 770, BN. 90, BA. 95, Ai. 1056, Nh. 45, Nw. 21, Ni. 467, Ow. 35, Oh. 30, Oi. 857, Ca. 1165.

Hutchinson Collection. Presented, 1873.

914. A cranium from Pasamayo : ♀.

The occiput appears to have been flattened.

C. 460, L. 150, B. 144, Bi. 960, H. 124, Hi. 827, BN. 93, Nh. 51, Nw. 22, Ni. 431, Ow. 36, Oh. 36, Oi. 1000, Ca. 1125.

Hutchinson Collection. Presented, 1873.

915. A cranium from Pasamayo : ♀.

C. 482, L. 163, B. 138, Bi. 847, H. 128, Hi. 785, BN. 98, BA. 102, Ai. 1041, Nh. 46, Nw. 25, Ni. 543, Ow. 37, Oh. 34, Oi. 919, Ca. 1260.

Hutchinson Collection. Presented, 1873.

916. A skull from Pasamayo : ♀.

Its natural form appears to have been altered by pressure on the vertex.

C. 487, L. 160, B. 148, Bi. 925, H. 119, Hi. 744, BN. 92, BA. 94, Ai. 1022, Nh. 50, Nw. 22, Ni. 440, Ow. 38, Oh. 34, Oi. 895, Ca. 1190.

Hutchinson Collection. Presented, 1873.

917. A cranium from Pasamayo : ♀.

A very unsymmetrical and probably artificially deformed cranium.

C. 487, L. 157, B. 150, Bi. 955, H. 125, Hi. 796, BN. 97, Ow. 38, Oh. 35, Oi. 921, Ca. 1200.

Hutchinson Collection. Presented, 1873.

918. A cranium from Pasamayo: ♀.

The calvarial sutures are entirely obliterated. The occiput appears to have been flattened.

C. 477, L. 152, B. 154, Bi. 1013, H. 134, Hi. 882, BN. 97, BA. 97, Ai. 1000, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 35, Oi. 897, Ca. 1220.

Hutchinson Collection. Presented, 1873.

919. A cranium from Pasamayo: ♀.

C. 484, L. 158, B. 145, Bi. 918, H. 128, Hi. 810, BN. 93, BA. 95, Ai. 1022, Nh. 46, Nw. 23, Ni. 500, Ow. 38, Oh. 36, Oi. 947, Ca. 1225.

Hutchinson Collection. Presented, 1873.

920. A cranium from Pasamayo: ♀.

C. 492, L. 160, B. 155, Bi. 969, H. 130, Hi. 813, BN. 95, BA. 97, Ai. 1021, Nh. 47, Nw. 20, Ni. 426, Ow. 38, Oh. 36, Oi. 947, Ca. 1380.

Hutchinson Collection. Presented, 1873.

921. A cranium from Pasamayo: ♀.

C. 480, L. 162, B. 143, Bi. 883, H. 132, Hi. 815, BN. 95, BA. 92, Ai. 968, Nh. 45, Nw. 19, Ni. 422, Ow. 38, Oh. 32, Oi. 842, Ca. 1380.

Hutchinson Collection. Presented, 1873.

922. A mutilated cranium from Pasamayo: ♀.

It is metopic; and the squamosals join the frontals on both sides.

C. 465, L. 159, B. 133, Bi. 836, H. 124, Hi. 780, BN. 95, Ca. 1050.

Hutchinson Collection. Presented, 1873.

923. The cranium of a young person from Pasamayo: ♂.

The basilar suture is not completely consolidated; and the last molars are not fully in place.

C. 482, L. 165, B. 138, Bi. 836, H. 128, Hi. 776, BN. 99, BA. 108, Ai. 1091, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 34, Oi. 895, Ca. 1270.

Hutchinson Collection. Presented, 1873.

924. The skull of a young person from Pasamayo.

The basilar suture is open; and the third molars are not yet in place.

C. 485, L. 160, B. 147, Bi. 919, H. 124, Hi. 775, BN. 85,

BA. 85, Ai. 1000, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 35, Oi. 972, Ca. 1370.

Hutchinson Collection. Presented, 1873.

925. The cranium of a child from Pasamayo.

It has been subjected to oblique occipital compression. The milk-molars are in place, with the first permanent molars,

C. 460, L. 148, B. 142, Bi. 959, H. 110, Hi. 743, BN. 87, BA. 89, Ai. 1023, Nh. 45, Nw. 22, Ni. 489, Ow. 35, Oh. 32, Oi. 914.

Hutchinson Collection. Presented, 1873.

926. The cranium of a young person from Pasamayo.

The basilar suture is open, and the third molars not fully developed. This cranium is of a different type from all the foregoing from the same locality, being more elongated and narrow, and having a transverso postcoronal depression.

C. 463, L. 166, B. 125, Bi. 753, H. 123, Hi. 741, BN. 90, BA. 87, Ai. 967, Nh. 45, Nw. 22, Ni. 489, Ow. 35, Oh. 32, Oi. 914.

Hutchinson Collection. Presented, 1873.

The seven following specimens were obtained from a *huaca* or ancient burying-ground near Santos, to the north of Callao. "They are considered by Mr. Hutchinson to be most likely of the tribe of Chinchas or Huanchas, or perhaps, as he surmises, of Quichuas or Aymaras; all of which tribes he states are now probably absorbed into the Cholos, a *mestizo* or mixed race" *.

927. A cranium from Santos: ♂.

C. 429, L. 168, B. 143, Bi. 851, H. 137, Hi. 815, BN. 100, Nh. 52, Nw. 25, Ni. 481, Ow. 39, Oh. 34, Oi. 872, Ca. 1290.

Hutchinson Collection. Presented, 1873.

928. A cranium from Santos: ♂.

The occipital region has been obliquely flattened. The right lateral upper incisor is permanently retained in the alveolus.

C. 490, L. 153, B. 154, Bi. 1007, H. 131, Hi. 856, BN. 100, BA. 103, Ai. 1030, Nh. 46, Nw. 23, Ni. 500, Ow. 37, Oh. 32, Oi. 865, Ca. 1350.

Hutchinson Collection. Presented, 1873.

* Journal of the Anthropological Institute, vol. iii. p. 87.

929. A cranium from Santos : ♂.

C. 480, L. 163, B. 142, Bi. 871, H. 126, Hi. 773, BN. 101, BA. 104, Ai. 1030, Nh. 51, Nw. 24, Ni. 471, Ow. 38, Oh. 33, Oi. 868, Ca. 1290.

Hutchinson Collection. Presented, 1873.

930. A cranium from Santos : ♂.

C. 500, L. 169, B. 141, Bi. 834, H. 137, Hi. 811, BN. 95, BA. 97, Ai. 1021, Nh. 45, Nw. 23, Ni. 511, Ow. 39, Oh. 36, Oi. 923, Ca. 1380.

Hutchinson Collection. Presented, 1873.

931. A cranium from Santos.

C. 458, L. 156, B. 132, Bi. 846, H. 132, Hi. 846, BN. 99, Ow. 36, Oh. 31, Oi. 861, Ca. 1010.

Hutchinson Collection. Presented, 1873.

932. A skull from Santos : ♀.

There is a median Wormian bone, or small "epactal," at the apex at the supraoccipital.

C. 477, L. 165, B. 135, Bi. 818, H. 132, Hi. 800, BN. 99, Nh. 51, Nw. 25, Ni. 490, Ow. 38, Oh. 35, Oi. 921, Ca. 1120.

Hutchinson Collection. Presented, 1873.

933. A cranium from Santos : ♀.

The atlas is ankylosed to the occiput.

C. 453, L. 160, B. 123, Bi. 769, H. 120, Hi. 750, BN. 92, BA. 95, Ai. 1033, Nh. 48, Nw. 23, Ni. 479, Ow. 35, Oh. 33, Oi. 943, Ca. 1000.

Hutchinson Collection. Presented, 1873.

- 933¹. A cranium from San Juan, Argentina : ♂.

C. 522, L. 180, B. 148, Bi. 822, H. 140, Hi. 778, BN. 106, BA. 97, Ai. 915, Nh. 57, Nw. 24, Ni. 421, Ow. 40, Oh. 38, Oi. 950, Ca. 1565.

Anthropol. Soc., No. 211.

- 933². A cranium from San Juan, Argentina : ♀.

C. 460, L. 154, B. 137, Bi. 890, H. 121, Hi. 786, BN. 86, Ow. 39, Oh. 35, Oi. 897, Ca. 1100.

Anthropol. Soc., No. 49.

- 933³. A calvaria from San Juan, Argentina : ♂.

C. 505, L. 170, B. 147, Bi. 865.

Anthropol. Soc., No. 72.

933⁴. A mutilated calvaria from San Juan (No. 4). Argentina.
Anthropol. Soc., No. 227.

933⁵. A mutilated cranium from a cemetery at Rosario on the
River Parana, Argentina : ♂.

C. 505, L. 180, B. 138, Bi. 767, H. 129, Hi. 717, BN. 99,
BA. 94, Ai. 949, Ow. 35, Oh. 32, Oi. 914.

Anthropol. Soc., No. 113.

933⁶. A mutilated cranium from a cemetery at Rosario : ♂.

C. 512, L. 176, B. 140, Bi. 795, H. 141, Hi. 801, Nh. 51,
Nw. 26, Ni. 510, Ow. 40, Oh. 30, Oi. 750.

Anthropol. Soc., No. 115.

933⁷. A cranium from an old cemetery at Rosario.

C. 480, L. 166, B. 137, Bi. 825.

Anthropol. Soc., No. 236.

933⁸. A calvaria from Rosario.

Anthropol. Soc., No. 111.

933⁹. A calvaria from a cemetery at Rosario.

933¹⁰. A cranium said to be that of a full-blooded Indian of the
Quichua tribe, a race that inhabited the "Alta Planica" in the
Republic of Bolivia, before the Incas. The cranium was taken from an
Indian tomb near the village of Ayapampa, 14,700 feet above sea-level.

C. 478, L. 171, B. 125, Bi. 731, H. 133, Hi. 778, BN. 90,
BA. 89, Ai. 989, Nh. 44, Nw. 25, Ni. 568, Ow. 36, Oh. 37,
Oi. 1028, Ca. 1160.

1905.

The following twenty-two specimens are from Ancon :—

934. A cranium with the hair still attached to the scalp, from
Ancon.

"At Ancon, all the graves contain either pottery, or cloth, or
pieces of fish-nets, or needles for manufacturing nets, or lace-
work, or bags that resemble reticules for ladies."

BN. 92, BA. 96, Ai. 1043, Nh. 43, Nw. 23, Ni. 535, Ow. 36,
Oh. 33, Oi. 917.

Hutchinson Collection. Presented, 1873.

935. A skull from Ancon : ♂.

C. 500, L. 176, B. 140, Bi. 795, H. 135, Hi. 767, BN. 104,
BA. 106, Ai. 1019, Nh. 50, Nw. 26, Ni. 520, Ow. 38, Oh. 33,
Oi. 868, Ca. 1300.

Hutchinson Collection. Presented, 1873.

936. A skull from Ancon : ♂.

C. 516, L. 180, B. 146, Bi. 811, H. 143, Hi. 794, BN. 102,
BA. 103, Ai. 1010, Nh. 53, Nw. 24, Ni. 453, Ow. 40, Oh. 37,
Oi. 925, Ca. 1600.

Hutchinson Collection. Presented, 1873.

937. A skull from Ancon : ♂.

C. 514, L. 178, B. 153, Bi. 860, H. 134, Hi. 753, BN. 103,
BA. 106, Ai. 1029, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 34,
Oi. 895, Ca. 1410.

Hutchinson Collection. Presented, 1873.

938. A skull from Ancon : ♂.

There is a distinct "interparietal;" and numerous Wormian bones are present in the lambdoidal suture.

C. 486, L. 168, B. 140, Bi. 833, H. 135, Hi. 804, BN. 97,
BA. 98, Ai. 1010, Nh. 53, Nw. 26, Ni. 491, Ow. 37, Oh. 34,
Oi. 919, Ca. 1280.

Hutchinson Collection. Presented, 1873.

939. A skull from Ancon : ♂.

C. 470, L. 152, B. 145, Bi. 954, H. 119, Hi. 783, BN. 89,
BA. 93, Ai. 1045, Nh. 48, Nw. 23, Ni. 479, Ow. 37, Oh. 34,
Oi. 919, Ca. 1110.

Hutchinson Collection. Presented, 1873.

940. A skull from Ancon : ♂.

C. 495, L. 173, B. 142, Bi. 821, H. 135, Hi. 780, BN. 102,
BA. 98, Ai. 961, Nh. 52, Nw. 22, Ni. 422, Ow. 38, Oh. 34,
Oi. 895, Ca. 1300.

Hutchinson Collection. Presented, 1873.

941. A cranium from Ancon : ♂.

C. 508, L. 173, B. 150, Bi. 867, H. 140, Hi. 809, BN. 102,
Nh. 50, Nw. 24, Ni. 480, Ow. 40, Oh. 34, Oi. 850, Ca. 1430.

Hutchinson Collection. Presented, 1873.

942. A cranium from Ancon : ♂.

C. 480, L. 160, B. 145, Bi. 906, H. 130, Hi. 813, BN. 95, BA. 100, Ai. 1053, Nh. 50, Nw. 23, Ni. 460, Ow. 39, Oh. 36, Oi. 923, Ca. 1275.

Hutchinson Collection. Presented, 1873.

943. A cranium from Ancon : ♂.

It appears to have been somewhat deformed by fronto-occipital pressure.

C. 487, L. 155, B. 152, Bi. 981, H. 130, Hi. 839, BN. 93, BA. 95, Ai. 1022, Nh. 48, Nw. 23, Ni. 479, Ow. 36, Oh. 33, Oi. 917, Ca. 1300.

Hutchinson Collection. Presented, 1873.

944. A cranium from Ancon.

C. 482, L. 162, B. 143, Bi. 883, H. 130, Hi. 802, BN. 93, BA. 98, Ai. 1054, Nh. 50, Nw. 26, Ni. 520, Ow. 37, Oh. 35, Oi. 946, Ca. 1130.

Hutchinson Collection. Presented, 1873.

945. A cranium from Ancon.

C. 486, L. 166, B. 141, Bi. 849, H. 127, Hi. 765, BN. 92, BA. 94, Ai. 1022, Nh. 46, Nw. 21, Ni. 457, Ow. 36, Oh. 33, Oi. 917, Ca. 1100.

Hutchinson Collection. Presented, 1873.

946. A skull from Ancon.

The right squamosal joins the frontal.

C. 486, L. 160, B. 145, Bi. 906, H. 130, Hi. 813, BN. 96, BA. 98, Ai. 1021, Nh. 48, Nw. 23, Ni. 479, Ow. 39, Oh. 33, Oi. 846, Ca. 1300.

Hutchinson Collection. Presented, 1873.

947. A cranium from Ancon.

C. 475, L. 156, B. 144, Bi. 923, H. 125, Hi. 801, BN. 92, Nh. 47, Nw. 23, Ni. 489, Ow. 38, Oh. 33, Oi. 868, Ca. 1130.

Hutchinson Collection. Presented, 1873.

948. A cranium from Ancon.

C. 470, L. 149, B. 139, Bi. 933, H. 123, Hi. 826, BN. 90, BA. 92, Ai. 1022, Nh. 47, Nw. 21, Ni. 447, Ow. 36, Oh. 31, Oi. 861, Ca. 1160.

Hutchinson Collection. Presented, 1873.

949. A cranium from Ancon : ♀ .

C. 474, L. 163, B. 137, Bi. 480, H. 124, Hi. 761, BN. 94, BA. 100, Ai. 1064, Nh. 50, Nw. 24, Ni. 480, Ow. 38, Oh. 35, Oi. 921, Ca. 1130.

Hutchinson Collection. Presented, 1873.

950. A cranium from Ancon : ♀ .

It has a lozenge-shaped epactal bone.

C. 462, L. 155, B. 139, Bi. 897, H. 122, Hi. 787, BN. 93, BA. 98, Ai. 1054, Nh. 45, Nw. 21, Ni. 467, Ow. 38, Oh. 34, Oi. 895, Ca. 1080.

Hutchinson Collection. Presented, 1873.

951. A cranium from Ancon : ♀ .

The calvarial sutures are remarkably simple. The left third molar is displaced upwards and outwards.

C. 490, L. 158, B. 148, Bi. 937, H. 133, Hi. 842, BN. 94, BA. 95, Ai. 1011, Nh. 50, Nw. 23, Ni. 460, Ow. 35, Oh. 34, Oi. 971, Ca. 1260.

Hutchinson Collection. Presented, 1873.

952. A cranium from Ancon : ♀ .

The lambdoidal suture is very complex and contains numerous Wormian ossicles.

C. 492, L. 165, B. 145, Bi. 879, H. 124, Hi. 752, BN. 94, BA. 94, Ai. 1000, Nh. 49, Nw. 20, Ni. 408, Ow. 35, Oh. 34, Oi. 971, Ca. 1300.

Hutchinson Collection. Presented, 1873.

953. A cranium from Ancon : ♀ .

Most of the teeth have been lost during life, and the lower ends of the coronal sutures are obliterated.

C. 490, L. 160, B. 149, Bi. 931, H. 134, Hi. 838, BN. 98, Nh. 51, Nw. 23, Ni. 451, Ow. 36, Oh. 36, Oi. 1000, Ca. 1300.

Hutchinson Collection. Presented, 1873.

954. The skull of a young person from Ancon.

The basilar suture is open and the third molars are not yet in place.

C. 493, L. 168, B. 147, Bi. 875, H. 122, Hi. 726, BN. 93, BA. 92, Ai. 989, Nh. 49, Nw. 19, Ni. 388, Ow. 35, Oh. 36, Oi. 1029, Ca. 1280.

Hutchinson Collection. Presented, 1873.

955. The skull of a child from Ancon.

The milk-teeth only are in place.

C. 434, L. 151, B. 126, Bi. 834, Nh. 32, Nw. 18, Ni. 562,
Ow. 31, Oh. 29, Oi. 935.

Hutchinson Collection. Presented, 1873.

“The five following specimens were picked up at the same place of interment, near Ancon, from which the mummified bodies had been turned up by the Spaniards at the time of the conquest, when searching for treasure. However this may be, it is curious to find that among these bones and other relics from the same place is the entire hoof of a mule, which could only have been introduced by the Spaniards at or since the invasion of Peru by Pizarro and his followers. These crania were accompanied by some leg- and thigh-bones with the dried flesh still upon them, showing that the bodies had been buried in the usual sitting postures. Together with them also were some fragments of fishing-nets, and a wooden club and sword. The site is about twenty miles north of Callao, and about a mile from the sea-shore.”

956. A cranium from a *huaca* near Ancon : ♂.

C. 497, L. 172, B. 144, Bi. 837, H. 134, Hi. 779, BN. 103,
BA. 110, Ai. 1068, Nh. 50, Nw. 21, Ni. 420, Ow. 39, Oh. 38,
Oi. 974, Ca. 1320.

Hutchinson Collection. Presented, 1873.

957. A cranium from near Ancon : ♀.

C. 490, L. 165, B. 146, Bi. 885, H. 130, Hi. 788, BN. 102,
BA. 108, Ai. 1059, Nh. 51, Nw. 21, Ni. 412, Ow. 39, Oh. 34,
Oi. 872, Ca. 1305.

Hutchinson Collection. Presented, 1873.

958. A cranium from near Ancon : ♀?

A remarkably heavy skull if that of a female, as its general characters indicate.

C. 472, L. 159, B. 140, Bi. 881, H. 135, Hi. 849, BN. 95,
BA. 96, Ai. 1011, Nh. 45, Nw. 22, Ni. 489, Ow. 37, Oh. 33,
Oi. 892, Ca. 1110.

Hutchinson Collection. Presented, 1873.

959. A cranium from near Ancon.

C. 480, L. 165, B. 137, Bi. 830, H. 130, Hi. 788, BN. 99,
BA. 100, Ai. 1010, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 33,
Oi. 892, Ca. 1130.

Hutchinson Collection. Presented, 1873.

960. A skull from near Ancon : ♀.

It is metopic, and has very large Wormian bones in the lambdoidal suture. Its form is more elongated than that of most of the skulls of the same collection; and it has a remarkably depressed frontal region, probably occasioned by circular constriction during infancy.

C. 485, L. 170, B. 137, Bi. 806, H. 127, Hi. 747, BN. 91, BA. 95, Ai. 1044, Nh. 46, Nw. 23, Ni. 500, Ow. 37, Oh. 34, Oi. 919, Ca. 1230.

Hutchinson Collection. Presented, 1873.

960¹. The skull of an Inca from Ancon : ♂.

C. 495, L. 168, B. 147, Bi. 875, H. 124, Hi. 738, BN. 96, BA. 95, Ai. 990, Nh. 49, Nw. 24, Ni. 490, Ow. 38, Oh. 35, Oi. 921, Ca. 1335.

Presented by Edmund Lane, Esq., 1888.

960². A cranium from Ancon : ♂.

C. 485, L. 167, B. 136, Bi. 814, H. 129, Hi. 772, BN. 93, BA. 96, Ai. 1032, Nh. 48, Nw. 25, Ni. 521, Ow. 41, Oh. 36, Oi. 878, Ca. 1275.

Presented by Edmund Lane, Esq., 1888.

The following thirty specimens are from Cerro del Oro, in the Canéte valley, interior to Cerro Azul, about a hundred miles south of Callao.

"The skulls from Cerro del Oro are from the brow of a hill which shows evidence of having been densely populated in former times, from the quantity of *adobe* ruins in the neighbourhood. The whole of the Canéte valley, now covered with sugar-plantations, is full of *huacas*, or mounds of interment, described by Prescott. . . . But the skulls which I send," Mr. Hutchinson goes on to say, "are not from *huacas*, but from places of interment such as are described in 'Peruvian Antiquities' by Don Mariano Eduardo Rivero" (New York, 1858), chap. viii. p. 200 *et seq.*

961. A cranium from Cerro del Oro : ♂.

C. 502, L. 176, B. 135, Bi. 767, H. 143, Hi. 813, BN. 104, BA. 102, Ai. 981, Nh. 52, Nw. 26, Ni. 500, Ow. 39, Oh. 35, Oi. 897, Ca. 1330.

Hutchinson Collection. Presented, 1873.

962. A cranium from Cerro del Oro : ♂.

It has been obliquely flattened posteriorly. In consequence of an injury to the base, all the usual measurements cannot be taken.

C. 496, L. 168, B. 146, Bi. 869, Nh. 49, Nw. 22, Ni. 449, Ow. 38, Oh. 33, Oi. 868, Ca. (approx.) 1450.

Hutchinson Collection. Presented, 1873.

963. A mutilated cranium from Cerro del Oro : ♂.

A distinct interparietal bone is separated from the supra-occipital by a transverse dentated suture.

C. 487, L. 171, B. 137, Bi. 801, H. 130, Hi. 760, BN. 95, Ca. 1260.

Hutchinson Collection. Presented, 1873.

964. A cranium from Cerro del Oro : ♂.

C. 510, L. 178, B. 141, Bi. 792, H. 137, Hi. 770, BN. 107, Nh. 53, Nw. 25, Ni. 472, Ow. 38, Oh. 34, Oi. 895, Ca. 1400.

Hutchinson Collection. Presented, 1873.

965. A cranium from Cerro del Oro : ♂.

C. 484, L. 170, B. 138, Bi. 812, H. 140, Hi. 824, BN. 106, BA. 104, Ai. 981, Nh. 53, Nw. 23, Ni. 434, Ow. 37, Oh. 37, Oi. 1000, Ca. 1310.

Hutchinson Collection. Presented, 1873.

966. A cranium from Cerro del Oro : ♂.

It has been obliquely flattened posteriorly. There is an interparietal bone, and an epipteric on the right and a supra-squamosal bone on the left.

C. 496, L. 165, B. 152, Bi. 921, H. 139, Hi. 842, BN. 101, BA. 99, Ai. 980, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 36, Oi. 923, Ca. 1460.

Hutchinson Collection. Presented, 1873.

967. A cranium from Cerro del Oro : ♂.

C. 502, L. 181, B. 137, Bi. 757, H. 137, Hi. 757, BN. 103, BA. 101, Ai. 981, Nh. 49, Nw. 22, Ni. 449, Ow. 37, Oh. 35, Oi. 946, Ca. 1410.

Hutchinson Collection. Presented, 1873.

968. A cranium from Cerro del Oro : ♂.

C. 498, L. 171, B. 144, Bi. 842, H. 140, Hi. 819, BN. 102, Nh. 55, Nw. 24, Ni. 436, Ow. 37, Oh. 35, Oi. 946, Ca. 1360.

Hutchinson Collection. Presented, 1873.

969. A cranium from Cerro del Oro.

C. 470, L. 165, B. 131, Bi. 794, H. 130, Hi. 788, BN. 97, BA. 98, Ai. 1010, Nh. 50, Nw. 20, Ni. 400, Ow. 36, Oh. 33, Oi. 917, Ca. 1200.

Hutchinson Collection. Presented, 1873.

970. A cranium from Cerro del Oro.

C. 500, L. 175, B. 141, Bi. 806, H. 127, Hi. 726, BN. 100,
BA. 109, Ai. 1090, Nh. 52, Nw. 25, Ni. 481, Ow. 38, Oh. 37,
Oi. 974, Ca. 1335.

Hutchinson Collection. Presented, 1873.

971. A cranium from Cerro del Oro.

C. 478, L. 163, B. 143, Bi. 877, H. 129, Hi. 791, BN. 100,
BA. 104, Ai. 1040, Nh. 48, Nw. 22, Ni. 458, Ow. 38, Oh. 33,
Oi. 868, Ca. 1210.

Hutchinson Collection. Presented, 1873.

972. A cranium from Cerro del Oro.

C. 480, L. 173, B. 132, Bi. 763, H. 138, Hi. 798, BN. 103,
BA. 104, Ai. 1010, Nh. 48, Nw. 23, Ni. 479, Ow. 36, Oh. 34,
Oi. 944, Ca. 1250.

Hutchinson Collection. Presented, 1873.

973. A cranium from Cerro del Oro.

C. 474, L. 163, B. 137, Bi. 840, H. 128, Hi. 785, BN. 100,
BA. 100, Ai. 1000, Nh. 49, Nw. 27, Ni. 551, Ow. 36, Oh. 35,
Oi. 972, Ca. 1160.

Hutchinson Collection. Presented, 1873.

974. A cranium from Cerro del Oro.

C. 475, L. 165, B. 134, Bi. 812, H. 132, Hi. 800, BN. 100,
BA. 102, Ai. 1020, Nh. 44, Nw. 23, Ni. 523, Ow. 37, Oh. 32,
Oi. 865, Ca. 1155.

Hutchinson Collection. Presented, 1873.

975. A cranium from Cerro del Oro: ♀.

C. 485, L. 163, B. 143, Bi. 877, H. 137, Hi. 840, BN. 96,
BA. 94, Ai. 979, Nh. 48, Nw. 22, Ni. 458, Ow. 38, Oh. 35,
Oi. 921, Ca. 1360.

Hutchinson Collection. Presented, 1873.

976. A cranium from Cerro del Oro: ♀.

C. 466, L. 160, B. 134, Bi. 838, H. 138, Hi. 863, BN. 96,
BA. 93, Ai. 969, Nh. 45, Nw. 23, Ni. 511, Ow. 35, Oh. 33,
Oi. 943, Ca. 1190.

Hutchinson Collection. Presented, 1873.

977. A cranium from Cerro del Oro: ♀.

C. 470, L. 167, B. 130, Bi. 778, H. 124, Hi. 743, BN. 97,
BA. 102, Ai. 1052, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 34,
Oi. 895, Ca. 1120.

Hutchinson Collection. Presented, 1873.

978. A cranium from Cerro del Oro: ♀.

C. 478, L. 167, B. 136, Bi. 814, H. 128, Hi. 766, BN. 93, BA. 95, Ai. 1022, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 34, Oi. 919, Ca. 1230.

Hutchinson Collection. Presented, 1873.

979. A cranium from Cerro del Oro: ♀.

C. 485, L. 170, B. 137, Bi. 806, H. 137, Hi. 806, BN. 95, BA. 93, Ai. 979, Nh. 49, Nw. 21, Ni. 429, Ow. 37, Oh. 36, Oi. 973, Ca. 1380.

Hutchinson Collection. Presented, 1873.

980. A cranium from Cerro del Oro: ♀.

C. 470, L. 157, B. 138, Bi. 879, H. 127, Hi. 809, BN. 91, BA. 91, Ai. 1000, Nh. 47, Nw. 25, Ni. 532, Ow. 36, Oh. 35, Oi. 972, Ca. 1380.

Hutchinson Collection. Presented, 1873.

981. A cranium from Cerro del Oro: ♀.

It has been flattened posteriorly.

C. 465, L. 150, B. 147, Bi. 980, H. 137, Hi. 913, BN. 100, BA. 102, Ai. 1020, Nh. 46, Nw. 21, Ni. 457, Ow. 36, Oh. 33, Oi. 917, Ca. 1300.

Hutchinson Collection. Presented, 1873.

982. A cranium from Cerro del Oro: ♀.

C. 484, L. 170, B. 136, Bi. 800, H. 127, Hi. 747, BN. 93, BA. 98, Ai. 1054, Nh. 49, Nw. 23, Ni. 469, Ow. 37, Oh. 34, Oi. 919, Ca. 1130.

Hutchinson Collection. Presented, 1873.

983. A cranium from Cerro del Oro: ♀.

It has an "interparietal" and an epipterice on the left side.

C. 473, L. 168, B. 134, Bi. 798, H. 127, Hi. 756, BN. 97, BA. 106, Ai. 1093, Nh. 51, Nw. 24, Ni. 471, Ow. 36, Oh. 32, Oi. 889, Ca. 1170.

Hutchinson Collection. Presented, 1873.

984. A cranium from Cerro del Oro: ♀.

C. 488, L. 174, B. 133, Bi. 764, H. 127, Hi. 730, BN. 92, BA. 90, Ai. 978, Nh. 51, Nw. 22, Ni. 431, Ow. 36, Oh. 37, Oi. 1028, Ca. 1220.

Hutchinson Collection. Presented, 1873.

985. A cranium from Cerro del Oro : ♀ .

The left side of the lambdoidal suture is completely consolidated, the right side as well as all the other usual calvarial sutures being open. The occipital and posterior parietal regions are unsymmetrically developed, the left side being more prominent than the right. This may be due to pressure on the latter in infancy, as it is the reverse to what might have been expected if caused by premature synostosis of the left limb of the suture.

C. 453, L. 159, B. 128, Bi. 805, H. 116, Hi. 730, BN. 88, BA. 92, Ai. 1045, Nh. 48, Nw. 23, Ni. 479, Ow. 34, Oh. 33, Oi. 971, Ca. 1030.

Hutchinson Collection. Presented, 1873.

986. A cranium from Cerro del Oro : ♀ .

C. 460, L. 157, B. 134, Bi. 854, H. 124, Hi. 790, BN. 91, BA. 92, Ai. 1011, Nh. 46, Nw. 24, Ni. 522, Ow. 37, Oh. 33, Oi. 892, Ca. 1050.

Hutchinson Collection. Presented, 1873.

987. A cranium from Cerro del Oro : ♀ .

C. 480, L. 168, B. 135, Bi. 804, H. 127, Hi. 756, BN. 98, BA. 99, Ai. 1010, Nh. 47, Nw. 22, Ni. 468, Ow. 36, Oh. 34, Oi. 944, Ca. 1245.

Hutchinson Collection. Presented, 1873.

988. A cranium from Cerro del Oro : ♀ .

C. 465, L. 155, B. 140, Bi. 903, H. 127, Hi. 819, BN. 90, BA. 88, Ai. 978, Nh. 46, Nw. 22, Ni. 478, Ow. 34, Oh. 32, Oi. 941, Ca. 1140.

Hutchinson Collection. Presented, 1873.

989. A cranium from Cerro del Oro : ♀ .

C. 479, L. 160, B. 139, Bi. 869, H. 129, Hi. 806, BN. 93, BA. 102, Ai. 1097, Nh. 47, Nw. 22, Ni. 468, Ow. 37, Oh. 37, Oi. 1000, Ca. 1160.

Hutchinson Collection. Presented, 1873.

990. The cranium of a child from Cerro del Oro.

The milk-molars and the first permanent molars are in place. The occiput is unusually prominent; and there is a distinct interparietal bone. Both the squamosals reach the frontals by means of a processus frontalis.

C. 465, L. 172, B. 129, Bi. 750, H. 127, Hi. 738, BN. 88, BA. 88, Ai. 1000, Nh. 40, Nw. 21, Ni. 525, Ow. 33, Oh. 32, Oi. 970.

Hutchinson Collection. Presented 1873.

990¹. The cranium of an ancient Peruvian.

Given to the donor by Consul Hutchinson, 1873.

C. 488, L. 168, B. 142, Bi. 845, H. 129, Hi. 768, BN. 102, BA. 99, Ai. 971, Nh. 51, Nw. 24, Ni. 471, Ow. 39, Oh. 32, Oi. 821, Ca. 1305.

Presented by George Busk, Esq., 1881.

991. A deformed metopic cranium, apparently of considerable antiquity, from Peru.

The forehead has been flattened; and there is a transverse coronal depression and a large median depression behind it, causing a median anterior and two lateral posterior eminences. This condition, carried to a greater degree, is the *tête trilobée* of Gosse, only known to him from the Isle of Los Sacrificios, near Vera Cruz, Gulf of Mexico.

C. 510, L. 157, B. 162, Bi. 1032, H. 125, Hi. 796, BN. 99, BA. 100, Ai. 1010, Nh. 53, Nw. 28, Ni. 528, Ow. 38, Oh. 36, Oi. 947, Ca. 1300.

Presented by Henry Christy, Esq., 1865.

992. An ancient Peruvian cranium, from four miles east of Huacho: ♂?

"The body was found buried in sand on the side of a hill, sitting squat, elbows on knees, the hands open and covering the mouth. A loose, white, cotton winding-sheet was round the body, and an outer covering of chequework, dull blue, dull red, and dull yellow. Grains of maize and beans were near it, and bits of stick and hoop round network, possibly a flag. Probably some man of note."

The scalp had long hair, of a dark reddish colour (probably discoloured by time), attached to it, and which is preserved with the skull. There is a median lozenge-shaped Wormian bone at the apex of the supraoccipital.

C. 483, L. 165, B. 140, Bi. 848, H. 125, Hi. 758, BN. 96, BA. 101, Ai. 1052, Nh. 48, Nw. 21, Ni. 438, Ow. 38, Oh. 37, Oi. 974, Ca. 1225.

Presented by Captain R. F. Burton, 1869.

992¹. A cranium from the same place.

C. 495, L. 158, B. 157, Bi. 994, H. 127, Hi. 804, BN. 99, Nw. 22, Ow. 38, Oh. 32, Oi. 842, Ca. 1260.

Anthropol. Soc.

The four following specimens were collected by Dr. R. O. Cunningham, Naturalist to H.M.S. 'Nassau.'

993. An ancient Peruvian cranium from Huacho: ♂.

It is somewhat flattened posteriorly. The sagittal suture is partly consolidated; but the posterior molars are scarcely above the level of the alveolus.

C. 475, L. 161, B. 137, Bi. 851, H. 134, Hi. 832, BN. 99, BA. 99, Ai. 1000, Nh. 49, Nw. 24, Ni. 490, Ow. 39, Oh. 34, Oi. 872, Ca. 1175.

Presented by the Admiralty, 1869.

994. An ancient Peruvian cranium from Huacho: ♂.

It has a very oblique form, probably from unsymmetrical occipital pressure in infancy. The sagittal and lambdoidal sutures are partially consolidated.

C. 495, L. 171, B. 144, Bi. 842, H. 133, Hi. 778, BN. 102, BA. 99, Ai. 971, Nh. 53, Nw. 21, Ni. 396, Ow. 40, Oh. 38, Oi. 950, Ca. 1310.

Presented by the Admiralty, 1869.

995. An ancient Peruvian cranium from Huacho: ♀.

C. 485, L. 155, B. 150, Bi. 968, H. 130, Hi. 839, BN. 94, BA. 98, Ai. 1043, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 35, Oi. 946, Ca. 1260.

Presented by the Admiralty, 1869.

996. A cranium from the Temple of the Sun, Pachacamac: ♂.

It is very unsymmetrical, probably from pressure in infancy. The palate-bones and posterior part of the vomer present an apparently congenital deficiency.

C. 500, L. 170, B. 146, Bi. 859, H. 132, Hi. 776, BN. 105, Ba. 107, Ai. 1019, Nh. 54, Nw. 23, Ni. 426, Ow. 38, Oh. 36, Oi. 947, Ca. 1310.

Presented by the Admiralty, 1869.

996¹. An ancient Peruvian cranium.

C. 495, L. 164, B. 160, Bi. 976, H. 135, Hi. 823, BN. 100, BA. 97, Ai. 970, Nh. 51, Nw. 25, Ni. 490, Ow. 40, Oh. 35, Oi. 875, Ca. 1430.

Anthropol. Soc., No. 17.

996². An ancient Peruvian cranium.

C. 495, L. 162, B. 154, Bi. 951, H. 127, Hi. 784, BN. 100, BA. 105, Ai. 1050, Nh. 52, Nw. 25, Ni. 481, Ow. 37, Oh. 36, Oi. 973, Ca. 1435.

Anthropol. Soc., No. 18.

996³. The cranium of a Peruvian, from Quichua.

C. 495, L. 171, B. 134, Bi. 784, H. 133, Hi. 778, BN. 104, BA. 101, Ai. 971, Nh. 44, Nw. 26, Ni. 591, Ow. 38, Oh. 32, Oi. 842, Ca. 1290.

Received in exchange from A. W. Franks, Esq., 1875.

997. An ancient Peruvian skull, of a more elongated type than most of the foregoing: ♂?

Taken by Mr. Whitely from a cavern which contained about 300 skulls, thirty miles from Cuzco. The calvarial sutures are partially obliterated. It presents no signs of having been artificially deformed.

C. 492, L. 170, B. 136, Bi. 800, H. 128, Hi. 753, BN. 94, BA. 97, Ai. 1032, Nh. 44, Nw. 23, Ni. 523, Ow. 38, Oh. 32, Oi. 842, Ca. 1230.

Purchased, 1870.

997¹. An ancient Peruvian cranium.

(*Jour. Anthropol. Inst.*, vol. iii. p. 86.)

C. 464, L. 159, B. 131, Bi. 824, H. 126, Hi. 792, BN. 91, BA. 90, Ai. 989, Nh. 45, Nw. 27, Ni. 600, Ow. 37, Oh. 32, Oi. 865, Ca. 1200.

Anthropol. Soc., No. 9.

997². An ancient Peruvian cranium: ♂.

C. 476, L. 150, B. 151, Bi. 1007, H. 132, Hi. 880, BN. 98, BA. 92, Ai. 939, Nh. 52, Nw. 22, Ni. 423, Ow. 39, Oh. 36, Oi. 923, Ca. 1305.

Anthropol. Soc., No. 10.

997³. An ancient Peruvian cranium: ♂.

C. 480, L. 159, B. 145, Bi. 912, H. 128, Hi. 805, BN. 96, BA. 103, Ai. 1073, Nh. 47, Nw. 26, Ni. 553, Ow. 37, Oh. 32, Oi. 865, Ca. 1320.

Anthropol. Soc., No. 11.

- 997⁴. An ancient Peruvian cranium : ♂ .

C. 487, L. 165, B. 142, Bi. 861, H. 132, Hi. 800, BN. 97, BA. 91, Ai. 938, Nh. 49, Nw. 22, Ni. 449, Ow. 37, Oh. 34, Oi. 919, Ca. 1350.

Anthropol. Soc., No. 12.

- 997⁵. An ancient Peruvian cranium : ♀ .

C. 488, L. 163, B. 147, Bi. 902, H. 131, Hi. 804, BN. 91, BA. 90, Ai. 989, Nh. 47, Nw. 22, Ni. 468, Ow. 38, Oh. 35, Oi. 921, Ca. 1300.

Anthropol. Soc., No. 14.

- 997⁶. An ancient Peruvian cranium : ♂ .

C. 496, L. 161, B. 155, Bi. 963, H. 129, Hi. 801, BN. 99, BA. 97, Ai. 980, Nh. 58, Nw. 21, Ni. 362, Ow. 39, Oh. 38, Oi. 974, Ca. 1365.

Anthropol. Soc., No. 15.

- 997⁷. The cranium of a young man (ancient Peruvian).

C. 484, L. 158, B. 149, Bi. 943, H. 127, Hi. 804, BN. 90, BA. 84, Ai. 933, Nh. 43, Nw. 18, Ni. 419, Ow. 34, Oh. 34, Oi. 1000, Ca. 1450.

Anthropol. Soc., No. 13.

- 997⁸. The cranium of an ancient Peruvian : ♂ .

C. 485, L. 160, B. 157, Bi. 981, H. 142, Hi. 888, BN. 110, BA. 108, Ai. 982, Nh. 54, Nw. 25, Ni. 463, Ow. 41, Oh. 34, Oi. 829, Ca. 1415.

Anthropol. Soc., No. 16.

998. An artificially-deformed Peruvian skull.

Taken from the same cavern as 997.

It is elongated by constriction behind the coronal suture, but flattened and, as it were, truncated behind.

C. 482, L. 170, B. 130, Bi. 765, H. 134, Hi. 788, BN. 93, BA. 96, Ai. 1032, Nh. 48, Nw. 24, Ni. 500, Ow. 36, Oh. 32, Oi. 889, Ca. 1310.

Purchased, 1870.

999. A remarkably flattened cranium from Pisagua, in Peru : ♂ .

From an ancient Indian burial-place, disturbed in excavating for a railway.

In this and the next specimen both external auditory meatuses are nearly closed by bony growths.

C. 505, L. 174, B. 144, Bi. 828, H. 129, Hi. 741, BN. 87, BA. 97, Ai. 1115, Nh. 52, Nw. 25, Ni. 481, Ow. 37, Oh. 35, Oi. 946, Ca. 1355.

Presented by Lieut. George A. Giffard, R.N., 1879.

1000. A flattened cranium from Pisagua, in Peru: ♂.

The base of the cranium is broken.

C. 475, L. 164, B. 137, Bi. 835, Nh. 53, Nw. 25, Ni. 472, Ow. 38, Oh. 37, Oi. 974, Ca. 1230.

Presented by Lieut. George A. Giffard, R.N., 1879.

1001. A cranium from an ancient burial-place in the island of Titicaca, situated in the Lake of Chucuito, or Titicaca: ♀.
O. C. 5415.

It has been elongated during infancy by a constricting band passing behind the coronal suture and the mastoid processes, which has left an evident depression around the cranium.

C. 480, L. 170, B. 125, Bi. 735, H. 135, Hi. 794, BN. 94, BA. 96, Ai. 1021, Nh. 48, Nw. 22, Ni. 458, Ow. 35, Oh. 37, Oi. 1057, Ca. 1230.

Presented by Earl Dudley, 1828.

1002. A cranium, somewhat similarly deformed, from the same locality: ♀. O. C. 5416.

C. 470, L. 163, B. 131, Bi. 804, H. 130, Hi. 798, BN. 90, BA. 98, Ai. 1089, Nh. 47, Nw. 23, Ni. 489, Ow. 34, Oh. 37, Oi. 1088, Ca. 1190.

Presented by Earl Dudley, 1828.

1003. A similarly deformed cranium from the same locality, with the facial portion mutilated: ♀. O. C. 5417.

C. 450, L. 163, B. 122, Bi. 748, H. 124, Hi. 761, BN. 94, BA. 100, Ai. 1064, Ow. 36, Oh. 35, Oi. 972, Ca. 1060.

Presented by Earl Dudley, 1828.

1004. A similarly deformed Peruvian skull: ♂. O. C. 5418.

C. 500, L. 182, B. 123, Bi. 676, H. 137, Hi. 753, BN. 101, BA. 105, Ai. 1040, Nh. 50, Nw. 24, Ni. 480, Ow. 38, Oh. 34, Oi. 895, Ca. 1400.

Purchased, 1844.

- 1004¹. The skull and six upper cervical vertebræ of a Peruvian mummy. The skull is deformed by a circular constriction passing round the cranium behind the mastoid processes and over the deeply depressed bregma (prepared in 1879).

C. 515, L. 192, B. 130, Bi. 677, H. 149, Hi. 776, BN. 99, BA. 100, Ai. 1010, Nh. 50, Nw. 22, Ni. 440, Ow. 35, Oh. 36, Oi. 1029, Ca. 1720.

Entered in Taunton's Catalogue as "Carib skull from Peru."

1005. A cranium from Titicaca, deformed by circular constriction: ♂.

It much resembles the "macrocephalous" cranium from Tifis, No. 565. The calvarial sutures are almost entirely obliterated. There are exostoses in the external auditory meatuses, as in so many of the Peruvian skulls; and the frontal bone shows evidence of ulceration and inflammatory action.

C. 515, L. 185, B. 130, Bi. 703, H. 152, Hi. 822, BN. 116, BA. 108, Ai. 939, Nh. 56, Nw. 23, Ni. 411, Ow. 35, Oh. 34, Oi. 971, Ca. 1475.

Presented by George Busk, Esq., 1865.

- 1005¹. The cranium of an Aymara, from Molle (Iquique), Peru.

"Dug up from graves of the Changos." (Trans. Ethnol. Soc. vol. ii. p. 216.)

C. 490, L. 171, B. 139, Bi. 813, H. 125, Hi. 731, BN. 95, BA. 100, Ai. 1053, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 33, Oi. 892, Ca. 1340.

Anthropol. Soc., No. 6.

- 1005². The cranium of a Peruvian from south of Arica: ♂.

C. 478, L. 176, B. 129, Bi. 733, H. 132, Hi. 750, BN. 100, BA. 99, Ai. 990, Nh. 50, Nw. 23, Ni. 460, Ow. 38, Oh. 33, Oi. 868, Ca. 1360.

Anthropol. Soc., No. 209.

1006. A cranium of the elongated type, but apparently undeformed, from Titicaca: ♀. O. C. 5419.

C. 480, L. 176, B. 120, Bi. 682, H. 127, Hi. 722, BN. 95, BA. 96, Ai. 1011, Nh. 44, Nw. 22, Ni. 500, Ow. 34, Oh. 32, Oi. 941, Ca. 1180.

Presented by Captain Tucker, R.N., 1849.

1007. An artificially elongated skull from the mausoleum at Patacamaya (the hundred dead), near Belen, Bolivia : ♂ ? O. C. 5414.

C. 510, L. 183, B. 128, Bi. 699, H. 137, Hi. 749, BN. 96, BA. 102, Ai. 1063, Nh. 51, Nw. 23, Ni. 451, Ow. 37, Oh. 37, Oi. 1000, Ca. 1460.

Presented by J. B. Pentland, Esq.

1008. The skull of a Peruvian : ♀ .

Obtained from the sea-slope, one mile south of Arica, by Dr. Cruise, R.N.

C. 465, L. 155, B. 136, Bi. 877, H. 137, Hi. 884, BN. 96, BA. 100, Ai. 1042, Nh. 41, Nw. 21, Ni. 512, Ow. 35, Oh. 32, Oi. 914, Ca. 1260.

Presented by Captain R. F. Burton, 1869.

1009. The skull and imperfect skeleton taken from the mummy of a child found near Arica.

Obtained by Lieut. Holland, R.N., from the same spot as the last, where numerous mummified bodies were partially exposed by the effects of a great earthquake-wave washing over the burial-place. A young dog was wrapped within the same outer cloth with the child. Its skeleton is preserved in the Museum (O. C. 545).

The skull is deformed, though not to a great degree, by compressing bandages, which passed from the nape around the forehead and across the vertex. The milk-teeth alone are in place, the crowns of the first permanent molars being still within the alveoli.

C. 442, L. 152, B. 130, Bi. 855, H. 116, Hi. 763, BN. 75, BA. 73, Ai. 973, Nh. 32, Nw. 18, Ni. 563, Ow. 29, Oh. 28, Oi. 966.

Presented by the Rev. F. W. Holland, 1869.

1010. The cranium of a Peruvian of the Inca race O. C. 5422.

C. 488, L. 168, B. 143, Bi. 851, H. 139, Hi. 827, BN. 101, BA. 101, Ai. 1000, Nh. 47, Nw. 21, Ni. 447, Ow. 37, Oh. 34, Oi. 919, Ca. 1390.

Presented by Alexander Nasmyth, Esq., 1837.

- 1010¹. The cranium of a Peruvian of the Inca race from the valley of the Rimac: ♂.

(Trans. Ethnolog. Soc., vol. ii. p. 216 *et seq.*)

C. 503, L. 162, B. 151, Bi. 932, H. 129, Hi. 796, BN. 102, BA. 101, Ai. 990, Nh. 49, Nw. 22, Ni. 449, Ow. 36, Oh. 33, Oi. 917, Ca. 1330.

Anthropol. Soc., No. 5.

1011. The cranium of a Peruvian of the Inca race. O. C. 5423.

C. 482, L. 167, B. 140, Bi. 838, H. 126, Hi. 754, BN. 94, BA. 98, Ai. 1043, Nh. 48, Nw. 22, Ni. 453, Ow. 35, Oh. 35, Oi. 1000, Ca. 1220.

Presented by Alexander Nasmyth, Esq., 1837.

- 1011¹. The cranium of a Peruvian from the collection of the late E. W. Cooke, Esq., Bart., F.R.S. Marked "Peru."

C. 495, L. 177, B. 131, Bi. 740, H. 131, Hi. 740, BN. 96, BA. 95, Ai. 990, Nh. 50, Nw. 26, Ni. 520, Ow. 35, Oh. 32, Oi. 914, Ca. 1355.

Presented by Conrad William Cooke, Esq., 1881.

- 1011². A cranium from an ancient Peruvian burying-ground (exact locality unknown): ♂.

Remarkable for the extent of occipital flattening. The vertex has suffered from inflammation and ulceration of the bone. The meatuses are completely filled with exostoses.

C. 480, L. 152, B. 167, Bi. 1092, H. 133, Hi. 875, BN. 98, BA. 96, Ai. 980, Nh. 56, Nw. 22, Ni. 393, Ow. 41, Oh. 37, Oi. 902, Ca. 1425.

Presented by W. Bambrigg Fletcher, Esq.,

Staff-Surgeon R.N., 1881.

- 1011³. A cranium from Peru.

C. 476, L. 168, B. 128, Bi. 762, H. 128, Hi. 762, BN. 93, BA. 96, Ai. 1032, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 33, Oi. 917, Ca. 1105.

Anthropol. Soc., No. 19.

1012. The skull of a modern Peruvian child from the valley of Copyapo, thirty-three leagues from the coast. O. C. 5425.

The milk-molars are retained; but the anterior permanent incisors and the first permanent molars are in place. The child

has been the subject of chronic hydrocephalus, whereby the cranium has become unusually expanded. Posteriorly it shows the flattening produced by the resting-board.

C. 500, L. 162, B. 160, Bi. 993, H. 135, Hi. 833, BN. 88, BA. 82, Ai. 932, Nh. 42, Nw. 20, Ni. 476, Ow. 34, Oh. 33, Oi. 971.

Purchased, 1843.

1013. The articulated skeleton of a young female Peruvian.

This and the following were prepared from bodies found by the donor dried in a sitting posture, with the hands between the legs, in an ancient burial ground at Chiuchiu, on the road from Cobija to Caracolis, Bolivia. Photographs of the bodies as they appeared before maceration are preserved with them. They were extremely fat; and both have punctured wounds, made by some sharp instrument, through the frontal bone, which (as the dried skin showed corresponding marks of injury) had probably been made during life. A similar wound is seen in the frontal bone of No. 991.

The skulls of both appear to have suffered somewhat from fronto-occipital pressure during infancy.

The epiphyses of the upper end of the humerus, the lower end of the radius and ulna, and the lower end of the femur have not yet united to the shafts. The basilar suture of the cranium is consolidated; but the third molar teeth are not yet in place.

Height of skeleton 4 feet 11 inches=1498, clavicle 133, humerus 287, radius 225, femur 409, tibia 343.

Cranium: C. 465, L. 153, B. 141, Bi. 922, H. 130, Hi. 850, BN. 88, BA. 88, Ai. 1000, Nh. 50, Nw. 24, Ni. 480, Ow. 35, Oh. 37, Oi. 1057, Ca. 1230.

Presented by Reginald J. G. Leigh, Esq., 1873.

1014. The articulated skeleton of a young female Peruvian.

Taken from the same burial-ground and at the same time as the last.

The posterior molars have been acquired; but the epiphyses are in the same condition as in the other skeleton.

Height of skeleton 5 feet=1522, clavicle 134, humerus 281, radius 228, femur 395, tibia 342.

Cranium: C. 471, L. 158, B. 142, Bi. 899, H. 130, Hi. 823, BN. 89, BA. 95, Ai. 1067, Nh. 46, Nw. 22, Ni. 478, Ow. 35, Oh. 33, Oi. 943, Ca. 1240.

Presented by Reginald J. G. Leigh, Esq., 1873.

- 1014¹. The skeleton of a male Peruvian, prepared in 1879, from a mummy dried in the sitting posture, of which a photograph is preserved.

Found in one of the native sepulchres, or guacas, in some calcareous hills in the district of Caxamarca, Peru, in 1821; brought to England by the late General Paroissieu, Deputy from the Government of Peru, as a present from General San Martin to his late Majesty, King George the Fourth, by whom it was presented to the Museum in 1823. (See Catalogue of Museum, Part VI., "Vascular and Miscellaneous Preparations in a Dried State," No. 742, p. 53.)

Clavicle, 146; humerus, *r.* 308, *l.* 302; radius, *r.* 242, *l.* 238; femur, *r.* 425, *l.* 428; tibia, *r.* 355, *l.* 355.

Cranium: C. 508, L. 180, B. 139, Bi. 772, H. 134, Hi. 744, BN. 100, BA. 102, Ai. 1020, Nh. 49, Nw. 23, Ni. 469, Ow. 39, Oh. 36, Oi. 923, Ca. 1450.

- 1014². The skeleton of male Peruvian (mummy) showing symmetrical bony growths on the inner surface of the lower jaw.

Clavicle 163; humerus, *r.* 302, *l.* 298; radius, *r.* 229, *l.* 225; femur, *r.* 412, *l.* 417; tibia, *r.* 336.

Cranium: C. 525, L. 183, B. 143, Bi. 781, H. 139, Hi. 760, BN. 99, BA. 90, Ai. 909, Nh. 53, Nw. 25, Ni. 472, Ow. 37, Oh. 38, Oi. 1027, Ca. 1605.

Purchased, 1894.

- 1014³. The skeleton of a young male Peruvian (mummy).

C. 464, L. 162, B. 129, Bi. 796, H. 124, Hi. 765, BN. 90, BA. 85, Ai. 944, Nh. 44, Nw. 20, Ni. 455, Ow. 36, Oh. 35, Oi. 972.

Purchased, 1894.

- 1014⁴. The skull of an ancient Peruvian.

C. 460, L. 163, B. 132, Bi. 810, H. 135, Hi. 823, BN. 99, BA. 105, Ai. 1061, Nh. 51, Nw. 26, Ni. 510, Ow. 37, Oh. 32, Oi. 865, Ca. 1310.

Presented by J. Bland-Sutton, Esq., 1889.

- 1014⁵. The eranium of a Chango, ♂, from the coast of Bolivia.

C. 485, L. 158, B. 149, Bi. 943, H. 147, Hi. 930, BN. 102, BA. 102, Ai. 1000, Nh. 51, Nw. 26, Ni. 510, Ow. 38, Oh. 33, Oi. 868, Ca. 1500.

Anthropol. Soc., No. 7.

- 1014⁶. Cranium from the coast of Bolivia : ♂.

(Trans. Ethnolog. Soc., vol. ii. p. 216.)

C. 479, L. 161, B. 141, Bi. 876, H. 136, Hi. 845, BN. 98, BA. 99, Ai. 1010, Nh. 48, Nw. 21, Ni. 438, Ow. 38, Oh. 32, Oi. 842.

Anthropol. Soc., No. 8.

1015. A mutilated cranium (♀) and various other bones from Indian graves in the Coquimbo district, Chile.

Collected by Dr. R. O. Cunningham, H.M.S. 'Nassau.'

C. 473, L. 165, B. 130, Bi. 788, H. 129, Hi. 782, BN. 94, Ca. 1050.

Presented by the Admiralty, 1869.

- 1015¹. A cranium (c. 60 years of age) found in 1875 in an Indian cemetery of the Catrial Tribe at Azul, Province of Buenos Ayres, by the donor.

C. 499, L. 164, B. 146, Bi. 890, H. 139, Hi. 848, BN. 90, Nh. 47, Nw. 24, Ni. 511, Ow. 40, Oh. 38, Oi. 950, Ca. 1475.

Presented by Señor Francisco P. Moreno, 1880.

H. PATAGONIA.

1016. The cranium of a Patagonian : ♀.

Obtained by Dr. R. O. Cunningham from Port Melinka, Guaytecas Islands, west coast of Patagonia, north of the Chonos Archipelago.

C. 495, L. 171, B. 140, Bi. 819, H. 137, Hi. 801, BN. 100, BA. 99, Ai. 990, Nh. 49, Nw. 23, Ni. 469, Ow. 38, Oh. 32, Oi. 842, Ca. 1380.

Presented by the Admiralty, 1869.

1017. A mutilated cranium from the same locality : ♂.

Presented by the Admiralty, 1869.

1018. A mutilated cranium of a young person (♀) from the same locality.

The basilar suture is open. The permanent teeth have all been acquired except the third molars.

C. 465, L. 165, B. 135, Bi. 818, H. 127, Hi. 770, BN. 93, BA. 87, Ai. 935, Nh. 45, Nw. 21, Ni. 467, Ow. 36, Oh. 31, Oi. 861.

Presented by the Admiralty, 1869.

1019. A lower jaw, two ossa innominata, and a scapula from the same locality. *Presented by the Admiralty, 1869.*

1020. The cranium of an Indian from the Chonos Islands : ♀ ?
 Collected by Dr. R. O. Cunningham, H.M.S. 'Nassau.'
 C. 506, L. 178, B. 141, Bi. 792, H. 134, Hi. 753, BN. 98,
 BA. 96, Ai. 980, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 34,
 Oi. 895, Ca. 1305.
Presented by the Admiralty, 1869.

1021. The cranium of a Patagonian : ♂. O. C. 5426.
 This and the following were taken from under a heap of stones on the east coast of Patagonia, near Port Melo.
 C. 527, L. 179, B. 157, Bi. 877, H. 140, Hi. 782, BN. 99,
 BA. 105, Ai. 1061, Nh. 52, Nw. 25, Ni. 481, Ow. 42, Oh. 39,
 Oi. 929, Ca. 1650.
Presented by Admiral Robert Fitzroy.

1022. The cranium of a Patagonian : ♂. O. C. 5427.
 From the same locality as the last. The natural form of this skull appears to have been somewhat modified by occipital pressure.
 C. 515, L. 165, B. 163, Bi. 988, H. 138, Hi. 836, BN. 102,
 BA. 100, Ai. 980, Nh. 57, Nw. 21, Ni. 368, Ow. 40, Oh. 37,
 Oi. 925, Ca. 1510.
Presented by Admiral Robert Fitzroy.

1023. The mutilated cranium of a Patagonian from Sandy Point, Strait of Magellan : ♂.
 Obtained by Dr. R. O. Cunningham, H.M.S. 'Nassau.'
 C. 525, L. 182, B. 145, Bi. 797, Nh. 56, Nw. 26, Ni. 464,
 Ow. 42, Oh. 38, Oi. 905.
Presented by the Admiralty, 1869.

1024. The cranium of a Patagonian : ♂. Probably from the Rio Negro.
 "Dug up in Patagonia by F. P. Moreno, who gave it to Governor Robinson, and unquestionably what it professes to be."
 The forehead appears to have been artificially flattened ; and there is a marked depression in the upper and anterior region of each parietal bone. The calvarial sutures are remarkable for their complexity.

C. 485, L. 166, B. 146, Bi. 880, H. 132, Hi. 795, BN. 98, BA. 103, Ai. 1051, Nh. 49, Nw. 20, Ni. 408, Ow. 37, Oh. 35, Oi. 946, Ca. 1325.

*Presented by His Excellency William C. F. Robinson,
Governor of the Falkland Islands, 1869.*

1024¹. The skull of a Puelche Indian : ♂.

C. 520, L. 184, B. 143, Bi. 777, H. 142, Hi. 772, BN. 102, BA. 99, Ai. 971, Nh. 53, Nw. 25, Ni. 472, Ow. 41, Oh. 38, Oi. 927, Ca. 1650.

Anthropol. Soc., No. 131.

1024². The skull of a Puelche.

C. 495, L. 177, B. 132, Bi. 746, H. 140, Hi. 791, BN. 106, BA. 98, Ai. 925, Nh. 52, Nw. 23, Ni. 442, Ow. 41, Oh. 40, Oi. 976.

Anthropol. Soc., No. 98.

1024³. The cranium of a Puelche : ♀.

C. 475, L. 170, B. 132, Bi. 776, H. 140, Hi. 824, BN. 106, BA. 98, Ai. 925, Nh. 52, Nw. 23, Ni. 442, Ow. 41, Oh. 40, Oi. 976.

Anthropol. Soc., No. 97.

1024⁴. The cranium of an aged Arica Indian : ♂.

Artificially deformed by occipital pressure. The calvarial sutures are obliterated.

C. 487, L. 168, B. 138, Bi. 821, H. 142, Hi. 845, BN. 103, BA. 108, Ai. 1049, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 33, Oi. 868, Ca. 1420.

Anthropol. Soc., No. 96.

1024⁵. The cranium of an Arica Indian, mutilated.

C. 478, L. 161, B. 138, Bi. 857, H. 137, Hi. 851, BN. 99, BA. 94, Ai. 949, Nh. 47, Nw. 22, Ni. 468, Ow. 40, Oh. 36, Oi. 900.

Anthropol. Soc., No. 95.

1024⁶. The skull of a Patagonian : ♂.

(*Jour. Anthropol. Inst.*, vol. xii. p. 28.)

From a modern Indian burying-ground at Carmen, at the mouth of the Rio Negro, S.E. coast, Lat. 44° S.

C. 497, L. 163, B. 149, Bi. 914, H. 149, Hi. 914, BN. 99, BA. 97, Ai. 980, Nh. 48, Nw. 27, Ni. 563, Ow. 40, Oh. 34, Oi. 850, Ca. 1490.

Anthropol. Soc., No. 216.

1024⁷. The cranium of a Patagonian.

C. 505, L. 175, B. 143, Bi. 817, H. 142, Hi. 811, BN. 106, BA. 104, Ai. 981, Nh. 53, Nw. 25, Ni. 472, Ow. 40, Oh. 36, Oi. 900, Ca. 1525.

Presented by J. P. Guy, Esq., 1900.

I. TIERRA DEL FUEGO.

1025. A cranium, with a considerable portion of the skeleton, of a male native of Tierra del Fuego. O. C. 5428 to 5440.

This skull is figured in a paper by Prof. Huxley, "On the Form of the Cranium among the Patagonians and Fuegians," 'Journal of Anatomy and Physiology,' vol. ii. (1868) p. 254.

The bones of the skeleton are—five upper cervical vertebræ, the sternum, left scapula, right clavicle, left humerus, left radius, left ulna, left os innominatum, left femur, left tibia, left fibula.

Clavicle 154, humerus 300, radius 241, femur 427, tibia 365.

Cranium : C. 518, L. 188, B. 139, Bi. 739, H. 139, Hi. 739, BN. 107, BA. 110, Ai. 1028, Nh. 51, Nw. 21, Ni. 412, Ow. 40, Oh. 37, Oi. 925, Ca. 1420.

Presented by Admiral Robert Fitzroy, 1830.

1025¹. The skeleton of a female native from Tierra del Fuego. Articulated.

Humerus, *r.* 303, *l.* 290 ; radius, *r.* 222, *l.* 230 ; femur 416 ; tibia, *r.* 336, *l.* 334.

Cranium : C. 526, L. 185, B. 145, Bi. 784, H. 136, Hi. 735, BN. 106, BA. 103, Ai. 972, Nh. 52, Nw. 25, Ni. 481, Ow. 42, Oh. 37, Oi. 881, Ca. 1530.

Purchased, 1892.

1025². The skull of a male Fuegian.

Found in 1879, buried in an old shell-heap near Ushuwia or Ooshooia, in Tierra del Fuego.

The whole skeleton was found, and was said by the donor (who examined the bones) to be that of "a remarkably tall man." The shell-heaps were the general burying-places of the natives before they had spades and other implements. Yahgan or Southern Canoe Tribe.

C. 535, L. 192, B. 141, Bi. 734, H. 138, Hi. 719, BN. 109, BA. 110, Ai. 1009, Nh. 53, Nw. 26, Ni. 491, Ow. 41, Oh. 39, Oi. 951, Ca. 1525.

Presented by the Rev. Thomas Bridges, S. American Missionary Society, 1880.

1025³. The skull and incomplete skeleton of a male Fuegian.

Clavicle, *r.* 151, *l.* 150; humerus, *r.* 298, *l.* 292; femur, *l.* 427; tibia, *l.* 327.

Cranium: C. 520, L. 183, B. 143, Bi. 781, H. 141, Hi. 770, BN. 102, BA. 100, Ai. 980, Nh. 54, Nw. 25, Ni. 463, Ow. 39, Oh. 38, Oi. 974, Ca. 1480.

1025⁴. The skull and incomplete skeleton of a male Fuegian.

Clavicle, *r.* 143, *l.* 144; humerus, *r.* 324, *l.* 320; radius, *r.* 260, *l.* 256; femur, *r.* 431, *l.* 427; tibia, *r.* 350, *l.* 347.

Cranium: C. 520, L. 187, B. 141, Bi. 754, H. 143, Hi. 765, BN. 105, BA. 101, Ai. 962, Nh. 55, Nw. 26, Ni. 473, Ow. 39, Oh. 34, Oi. 872, Ca. 1500.

1025⁵. The skull of a Fuegian.

C. 505, L. 177, B. 141, Bi. 797, H. 138, Hi. 780, BN. 99, BA. 98, Ai. 990, Nh. 53, Nw. 22, Ni. 415, Ow. 39, Oh. 35, Oi. 897, Ca. 1390.

1025⁶. The cranium of a Fuegian: ♀.

C. 495, L. 178, B. 139, Bi. 781, H. 131, Hi. 736, BN. 96, BA. 98, Ai. 1021, Nh. 44, Nw. 23, Ni. 523, Ow. 38, Oh. 33, Oi. 868, Ca. 1220.

1025⁷. The skull of a Fuegian.

C. 527, L. 191, B. 142, Bi. 743, H. 143, Hi. 749, BN. 102, BA. 96, Ai. 941, Nh. 49, Nw. 22, Ni. 449, Ow. 40, Oh. 39, Oi. 975, Ca. 1575.

1025⁸. The cranium of a Fuegian.

C. 495, L. 176, B. 141, Bi. 801, H. 143, Hi. 813, BN. 102, BA. 96, Ai. 941, Nh. 46, Nw. 24, Ni. 522, Ow. 37, Oh. 33, Oi. 892, Ca. 1365.

1025⁹. Numerous bones of Fuegians.

The above seven specimens presented by the Rev. Thomas Bridges, Aug. 1883.

1026. The calvaria of a Fuegian : ♀ .

"Dug up in Fuegia by one of the crew of the Missionary schooner 'Allen Gardiner.' Unquestionably what it professes to be."

C. 490, L. 170, B. 139, Bi. 818, H. 129, Hi. 759, BN. 98, Ca. 1210.

*Presented by His Excellency William C. F. Robinson,
Governor of the Falkland Islands. 1869.*

1027. The cranium of a native of Fuegia : ♂ .

C. 502, L. 179, B. 137, Bi. 765, H. 124, Hi. 693, BN. 101, BA. 107, Ai. 1059, Nh. 50, Nw. 22, Ni. 440, Ow. 38, Oh. 32, Oi. 842, Ca. 1200.

*Presented by the Rev. J. C. Lory, Chaplain at
the Falkland Islands. 1874.*

1027¹. The cranium of a native of Tierra del Fuego : ♀ .

About 15 years of age, who was murdered and buried under a pile of stones on a small island near Ooshosi or Ushuwia, the South-American Missionary Settlement in Tierra del Fuego.

C. 465, L. 164, B. 133, Bi. 811, H. 127, Hi. 774, BN. 91, BA. 86, Ai. 945, Nh. 44, Nw. 21, Ni. 477, Ow. 36, Oh. 33, Oi. 917, Ca. 1230.

Presented by Ernest A. Holmsted, Esq., 1879.

6. AUSTRALIA.

A. NORTH AUSTRALIA.

1028. The skeleton, not quite complete, of a male Australian, from Cygnet Bay, King Sound, Dampier Land. O. C. 5285 to 5303.

"The skeleton was found enveloped in three pieces of papyrus bark on a small sandy point in Cygnet Bay. All the bones were closely packed together; and the head surmounted the whole. It did not appear to have been long interred. They had evidently been packed with care. All the long bones were

undermost ; and the small ones were strewed in among them. The head was resting on its base, face across."—G. Grey, 'Journal of Two Expeditions of Discovery in North-west and West Australia' (1841), vol. i. p. 257.

The left squamosal joins the frontal. The nasal index is lower than that of any other Australian in the collection ; and the inferior part of the face and the teeth are unusually small. The characters of the cranium, however, are those commonly met with in the race.

Clavicle 147, humerus 317, radius 249, femur 439, tibia 360.

Cranium : C. 500, L. 181, B. 125, Bi. 691, H. 135, Hi. 746, BN. 99, BA. 96, Ai. 970, Nh. 48, Nw. 23, Ni. 479, Ow. 40, Oh. 32, Oi. 860, Ca. 1250.

Presented by Sir George Grey, K.C.B.

1029. The cranium of an Australian, from the coast of Van Diemen's Gulf, Arnhem's Land : ♂.

It was found in a tree by Mr. B. Ninnis. The principal cranial sutures are consolidated. The squamosals almost meet the frontals on both sides.

C. 495, L. 178, B. 121, Bi. 680, H. 132, Hi. 742, BN. 100, BA. 102, Ai. 1020, Nh. 48, Nw. 27, Ni. 563, Ow. 40, Oh. 32, Oi. 800, Ca. 1200.

Purchased, 1878.

1030. A mandible of an Australian, received with the above cranium, but belonging to a different individual.

Purchased, 1878.

1031. The skull of an Australian, from the coast of Van Diemen's Gulf, Arnhem's Land : ♀.

Found on the bank of a river, near the sea. The right malar bone and zygomatic arch have been broken away. The squamosals join the frontal on both sides for a space of 16 millimetres. The calvarial sutures are all open, and remarkably simple.

C. 480, L. 174, B. 120, Bi. 690, H. 126, Hi. 724, BN. 93, BA. 95, Ai. 1022, Nh. 43, Nw. 24, Ni. 558, Ow. 38, Oh. 31, Oi. 816, Ca. 1060.

Purchased, 1878.

The seven following specimens were collected during the surveying voyage of H.M.S. 'Fly,' Captain Blackwood, between 1842 and 1846.

1032. The separated bones of the skeleton of an adult male Australian, from the neighbourhood of Port Essington. O. C. 5185 to 5284.

In the former Catalogue the bones are individually described and compared with those of the Chimpanzee.

The right anterior incisor has been removed during life; and the alveolar cavity is obliterated. The left squamosal joins the frontal by a large *processus frontalis*. The lower end of the left tibia has suffered from inflammation and necrosis, and is united to the astragalus.

Clavicle 139; humerus, *r.* 344, *l.* 342; radius, *r.* 260, *l.* 266; femur, *r.* 478, *l.* 482; tibia, *r.* 398.

Cranium: C. 497, L. 181, B. 125, Bi. 691, H. 135, Hi. 746, BN. 107, BA. 109, Ai. 1019, Nh. 48, Nw. 26, Ni. 542, Ow. 41, Oh. 35, Oi. 854, Ca. 1150.

Presented by Captain Philip Blackwood, R.N., 1846.

1033. The cranium of an Australian from Port Essington: ♂. O. C. 5317.

A very high cranium, with a greatly arched contour, but remarkably compressed, especially just behind the orbits. On the right side the squamosal joins the frontal; on the left an epipteric bone is interposed.

C. 492, L. 178, B. 124, Bi. 697, H. 143, Hi. 803, BN. 100, BA. 104, Ai. 1040, Nh. 46, Nw. 26, Ni. 565, Ow. 42, Oh. 30, Oi. 714, Ca. 1200.

Presented by J. Bete Jukes, Esq., 1846.

1034. The cranium of an Australian, from Port Essington: ♀. O. C. 5330.

C. 488, L. 176, B. 128, Bi. 727, H. 128, Hi. 727, BN. 96, BA. 102, Ai. 1063, Nh. 46, Nw. 27, Ni. 587, Ow. 38, Oh. 31, Oi. 816, Ca. 1120.

Presented by J. Bete Jukes, Esq., 1846.

1035. The skull of a young Australian, from Port Essington: ♂? O. C. 5309.

The basilar suture is open; and the posterior molars are not yet in place. The right anterior incisor has been removed during life.

C. 493, L. 181, B. 127, Bi. 702, H. 133, Hi. 735, BN. 95, BA. 91, Ai. 958, Nh. 45, Nw. 26, Ni. 578, Ow. 37, Oh. 31, Oi. 838.

Presented by J. Bete Jukes, Esq., 1846.

1036. The eranium of an Australian somewhat younger than the preceeding, from Port Essington : ♂? O. C. 5336.

The right anterior incisor has been removed during life.

C. 482, L. 176, B. 121, Bi. 688, H. 126, Hi. 716, BN. 89, BA. 89, Ai. 1000, Nh. 40, Nw. 23, Ni. 575, Ow. 37, Oh. 30, Oi. 811.

Presented by J. Bete Jukes, Esq., 1846.

1037. The eranium of an Australian, from Port Essington, of the same age as the last : ♂? O. C. 5335.

The right anterior incisor has been similarly removed.

C. 477, L. 175, B. 122, Bi. 697, H. 130, Hi. 743, BN. 90, BA. 89, Ai. 989, Nh. 41, Nw. 24, Ni. 585, Ow. 36, Oh. 29, Oi. 806.

Presented by J. Bete Jukes, Esq., 1846.

1038. The eranium and some other bones (a rib, the right clavicle, the humeri, the right ulna, the femora and tibiae, all wanting the epiphyses) of an Australian, about the same age as the last two, from Port Essington : ♀? O. C. 5337 to 5343.

None of the incisors have been removed during life. The mastoid processes are less developed, and the first molar (the only tooth remaining) is smaller, than in the three last. All the permanent teeth have been in place, except the third molars.

C. 472, L. 173, B. 124, Bi. 717, H. 129, Hi. 746, BN. 93, BA. 89, Ai. 957, Nh. 43, Nw. 23, Ni. 535, Ow. 34, Oh. 32, Oi. 941.

Presented by J. Bete Jukes, Esq., 1846.

1039. The skull of an Australian, from Cape York : ♂.

An extremely heavy eranium, with the sutures in great part consolidated. In the middle of the palate, immediately behind the incisor teeth, is a deep oval pit, half an inch in long diameter, with sharply defined edges, in which a tumour or cyst must have lodged.

C. 514, L. 187, B. 128, Bi. 684, H. 130, Hi. 695, BN. 103, BA. 109, Ai. 1058, Nh. 51, Nw. 27, Ni. 529, Ow. 40, Oh. 35, Oi. 875, Ca. 1210.

Presented by Lieut. R. H. Armit, R.N., 1870.

1040. The skull of an Australian, from Cape York : ♀ .

C. 490, L. 178, B. 121, Bi. 680, H. 128, Hi. 719, BN. 99, BA. 102, Ai. 1030, Ow. 39, Oh. 35, Oi. 897, Ca. 1110.

Presented by Lieut. R. H. Armit, R.N., 1870.

1041. The cranium of an Australian, from Cape York : ♀ .

C. 483, L. 175, B. 128, Bi. 731, H. 126, Hi. 720, BN. 97, BA. 102, Ai. 1052, Nh. 52, Nw. 26, Ni. 500, Ow. 38, Oh. 33, Oi. 868, Ca. 1150.

Presented by Lieut. R. H. Armit, R.N., 1870.

1042. A cranium, collected at the same time and from the same locality as the last three, but which presents the characters of the Polynesian rather than the Australian race *. ♂ .

C. 502, L. 172, B. 142, Bi. 826, H. 142, Hi. 826, BN. 102, BA. 102, Ai. 1000, Nh. 54, Nw. 27, Ni. 500, Ow. 39, Oh. 37, Oi. 949, Ca. 1400

Presented by Lieut. R. H. Armit, R.N., 1870.

B. QUEENSLAND.

1043. The articulated skeleton of a female Australian, from the Condamine River, Darling Downs, about 130 miles west of Brisbane.

The hands and feet are imperfect, and the coccyx is wanting ; otherwise the skeleton is complete. The teeth show scarcely any signs of wear ; but all the calvarial sutures are partially consolidated. The upper left lateral incisor is wanting ; and the canine is in close contact with the median incisor. The socket of the right lateral incisor (which has been lost) shows that the tooth must have been of very small size.

Height of skeleton 4 feet 10·7 inches=1492 ; clavicle 128 ; humerus, *r.* 307, *l.* 298 ; radius, *r.* 220, *l.* 212 ; femur, *r.* & *l.* 419 ; tibia, *r.* & *l.* 340.

Cranium : C. 491, L. 180, B. 132, Bi. 733, H. 132, Hi. 733, BN. 96, BA. 96, Ai. 1000, Nh. 41, Nw. 26, Ni. 634, Ow. 38, Oh. 30, Oi. 789, Ca. 1225.

Purchased, 1867.

* This cranium, being obviously not that of an Australian, is omitted from the calculations of the averages of the race.

- 1043¹. The cranium of a male Australian from Queensland.

Sent to the donor by Mr. J. Bancroft, Brisbane.

C. 540, L. 201, B. 130, Bi. 647, H. 135, Hi. 672, BN. 105, BA. 114, Ai. 1086, Nh. 45, Nw. 25, Ni. 556, Ow. 39, Oh. 36, Oi. 923, Ca. 1455.

Presented by Thomas Christy, Esq., 1880.

- 1043². The cranium, wanting the left temporal bone, of a young Australian from Queensland: ♀.

Basilar suture not united, and third molars not in place. (Sent with the previous specimen from Brisbane.)

C. 500, L. 182, B. 133, Bi. 731, H. 128, Hi. 703, BN. 95, BA. 97, Ai. 1021, Nh. 45, Nw. 28, Ni. 622, Ow. 38, Oh. 32, Oi. 842.

Presented by Thomas Christy, Esq., 1880.

- 1043³. The skull of a young female from M'Ivor River, N. Queensland.

C. 540, L. 158, B. 120, Bi. 759, H. 119, Hi. 753, BN. 89, BA. 91, Ai. 1022, Nh. 39, Nw. 22, Ni. 564, Ow. 34, Oh. 35, Oi. 1029, Ca. 1010.

- 1043⁴. The cranium of a male from Mackay, Queensland.

C. 471, L. 175, B. 116, Bi. 663, H. 120, Hi. 686, BN. 86, BA. 90, Ai. 1047, Nh. 42, Nw. 23, Ni. 548, Ow. 39, Oh. 54, Oi. 872, Ca. 1060.

- 1043⁵. The cranium of an Australian.

*The above three specimens presented by
H. Ling Roth, Esq., 1892.*

- 1043⁶. The cranium of a male, from Moreton Bay, Queensland.

C. 515, L. 188, B. 135, Bi. 718, H. 138, Hi. 734, BN. 103, BA. 105, Ai. 1019, Nh. 51, Nw. 28, Ni. 549, Ow. 40, Oh. 35, Oi. 875, Ca. 1350.

Anthropol. Soc.

- 1043⁷. The skull of a native of St. George, Maranoa, S. Queensland.

C. 485, L. 173, B. 129, Bi. 746, H. 123, Hi. 711, BN. 94, BA. 92, Ai. 979, Nh. 48, Nw. 27, Ni. 563, Ow. 39, Oh. 32, Oi. 821, Ca. 1160.

Presented by C. G. Seligmann, Esq., 1899.

- 1043^s. The cranium of a native of St. George, Maranoa, S. Queensland.

C. 493, L. 184, B. 125, Bi. 679, H. 128, Hi. 696, BN. 105, BA. 102, Ai. 971, Nh. 49, Nw. 30, Ni. 612, Ow. 40, Oh. 32, Oi. 800, Ca. 1160.

Presented by C. G. Seligmann, Esq., 1899.

C. NEW SOUTH WALES.

1044. The skeleton, not quite complete, of a male Australian, from an old native burial-ground near Port Stephens, New South Wales.

Clavicle, *r.* 136, *l.* 130; humerus, *r.* 336, *l.* 336; radius, *r.* 269, *l.* 267; femur, *r.* 473, *l.* 474; tibia, *r.* 408, *l.* 406.

Cranium: C. 532, L. 191, B. 136, Bi. 712, H. 130, Hi. 681, BN. 103, BA. 108, Ai. 1049, Nh. 49, Nw. 28, Ni. 571, Ow. 40, Oh. 31, Oi. 775, Ca. 1450.

Purchased, 1879.

1045. The skeleton, not quite complete, of a male Australian, from the same burial-ground near Port Stephens.

The first and second ribs of the right side are united. The lower jaw is wanting.

Humerus, *r.* 348, *l.* 343; radius, *r.* 266, *l.* 264; femur, *r.* 470, *l.* 468; tibia, *r.* 405, *l.* 405.

Cranium: C. 510, L. 184, B. 133, Bi. 723, H. 128, Hi. 696, BN. 103, BA. 112, Ai. 1087, Nh. 56, Nw. 29, Ni. 518, Ow. 46, Oh. 34, Oi. 739, Ca. 1250.

Purchased, 1879.

1046. The cranium of an Australian, from near Port Stephens :
♀.

The typical characters of the female Australian cranium of the lowest type are exhibited in a very marked degree in this specimen.

C. 482, L. 173, B. 127, Bi. 734, H. 123, Hi. 711, BN. 88, BA. 96, Ai. 1091, Nh. 45, Nw. 29, Ni. 644, Ow. 39, Oh. 30, Oi. 769, Ca. 1125.

Purchased, 1879.

1047. The skull of an Australian, from a native burial-ground a few miles from the township of Carcoar, county of Bathurst, New South Wales : ♀ .

This and the following were obtained at the above-named locality by Dr. T. W. Thursfield.

C. 482, L. 172, B. 127, Bi. 738, H. 126, Hi. 733, BN. 89, BA. 97, Ai. 1090, Nh. 46, Nw. 26, Ni. 565, Ow. 38, Oh. 35, Oi. 921, Ca. 1110.

Presented by Dr. W. Brinton, 1864.

1048. The skull of an Australian, from near Carcoar, county of Bathurst : ♀ .

C. 478, L. 174, B. 123, Bi. 707, H. 128, Hi. 736, BN. 100, BA. 104, Ai. 1040, Nh. 41, Nw. 24, Ni. 585, Ow. 38, Oh. 30, Oi. 789, Ca. 1050.

Presented by Dr. W. Brinton, 1864.

1049. The skull of an Australian, from Carcoar, Bathurst ; ♂ ?

C. 508, L. 182, B. 133, Bi. 731, H. 134, Hi. 736, BN. 104, BA. 95, Ai. 913, Nh. 48, Nw. 26, Ni. 542, Ow. 41, Oh. 35, Oi. 854, Ca. 1325.

Presented by Dr. George Bennett, 1859.

1050. The cranium of an Australian, found in a cave at Murrumbidgee, near Sydney : ♂ . O. C. 5307.

C. 536, L. 193, B. 137, Bi. 710, H. 137, Hi. 710, BN. 102, BA. 102, Ai. 1000, Nh. 49, Nw. 25, Ni. 510, Ow. 41, Oh. 34, Oi. 829, Ca. 1410.

Presented by Dr. George Bennett.

- 1050¹. The cranium of an Australian, dug up on the estate of Captain Ogilvie, on the Hunter, New South Wales : ♂ .

See extract from a letter received by the donor with the skull (Jour. Anthropol. Soc., vol. iv. p. 31).

C. 517, L. 184, B. 136, Bi. 739, H. 132, Hi. 717, BN. 98, BA. 92, Ai. 939, Nh. 50, Nw. 21, Ni. 420, Ow. 35, Oh. 33, Oi. 943, Ca. 1630.

Anthropol. Soc., No. 3.

- 1050². The cranium of a native, dug up on the estate of Captain Ogilvie, on the Hunter.

There is a broad and deep indentation or furrow along two-

thirds of the sagittal suture, the bone being very thin at this point. Obliteration of the sutures has commenced.

C. 474, L. 173, B. 120, Bi. 694, H. 129, Hi. 746, BN. 93, BA. 94, Ai. 1011, Nh. 46, Nw. 25, Ni. 543, Ow. 39, Oh. 36, Oi. 923, Ca. 1300.

Anthropol. Soc., No. 4.

1051. The cranium of an Australian from the neighbourhood of Sydney : ♀.

Given to the donor by Dr. Stanger. The calvarial sutures are almost obliterated, and the teeth much worn.

C. 488, L. 175, B. 128, Bi. 731, H. 124, Hi. 709, BN. 94, BA. 100, Ai. 1064, Nh. 50, Nw. 28, Ni. 560, Ow. 40, Oh. 31, Oi. 775, Ca. 1080.

Presented by George Busk, Esq., 1869.

- 1051¹. The skull of an Australian. From the same burial-ground as 1051.

Given to the donor by Dr. Stanger.

C. 490, L. 178, B. 128, Bi. 719, H. 135, Hi. 758, BN. 98, BA. 101, Ai. 1031, Nh. 44, Nw. 25, Ni. 568, Ow. 39, Oh. 31, Oi. 795, Ca. 1230.

Presented by George Busk, Esq., 1881.

1052. The skull, pelvis, some vertebræ, clavicles, humeri, a fibula, ulna, and patella of an Australian : ♀.

Obtained by the donor from "the known burial-place of a tribe of Shoalhaven Blacks settled in the Illawarra district, on the south coast of New South Wales."

The teeth are very much worn; but the calvarial sutures are only slightly consolidated.

C. 509, L. 185, B. 132, Bi. 714, H. 135, Hi. 730, BN. 95, BA. 97, Ai. 1021, Nh. 48, Nw. 26, Ni. 542, Ow. 41, Oh. 34, Oi. 829, Ca. 1275.

Presented by Dr. Charles Taylor, 1876.

D. VICTORIA.

1053. The skull of an Australian of the Western-Port tribe (near Port Phillip) : ♂. O. C. 5304.

C. 497, L. 178, B. 130, Bi. 730, H. 131, Hi. 736, BN. 97, BA. 101, Ai. 1041, Nh. 50, Nw. 27, Ni. 540, Ow. 42, Oh. 33, Oi. 786, Ca. 1160.

Presented by Dr. Hobson.

1054. The cranium of an Australian from the Port Phillip district: ♂? O. C. 5314.

The large capacity, and the character of the supraorbital region, are masculine; but in the form of the base of the cranium, the small size of the mastoid processes, condyles, and posterior nares, it more resembles the female sex.

C. 508, L. 181, B. 134, Bi. 740, H. 127, Hi. 702, BN. 97, BA. 99, Ai. 1021, Nh. 44, Nw. 24, Ni. 545, Ow. 40, Oh. 30, Oi. 750, Ca. 1310.

Presented by Dr. Hobson.

1055. The cranium of an Australian from the Port Phillip district: ♀. O. C. 5318.

C. 500, L. 185, B. 129, Bi. 697, H. 123, Hi. 665, BN. 96, BA. 96, Ai. 1000, Nh. 45, Nw. 26, Ni. 578, Ow. 37, Oh. 32, Oi. 865, Ca. 1175.

Presented by Dr. Hobson.

1056. The cranium of an Australian from Port Phillip: ♀.

C. 495, L. 176, B. 130, Bi. 739, H. 127, Hi. 722, BN. 93, BA. 94, Ai. 1011, Nh. 46, Nw. 24, Ni. 522, Ow. 37, Oh. 32, Oi. 865, Ca. 1070.

Purchased, 1861.

1057. The cranium of an Australian from Port Phillip: ♀.

The squamosals join the frontals on both sides. Epipteric bones are also present.

C. 475, L. 172, B. 127, Bi. 738, H. 124, Hi. 721, BN. 93, BA. 99, Ai. 1065, Nh. 44, Nw. 28, Ni. 636, Ow. 38, Oh. 29, Oi. 763, Ca. 1030.

Purchased, 1861.

1058. The cranium of a young Australian from Port Phillip.

The basilar suture is not closed. All the permanent teeth have been in place, except the posterior molars.

C. 464, L. 167, B. 127, Bi. 760, H. 118, Hi. 707, BN. 92, BA. 89, Ai. 967, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 34, Oi. 919.

Purchased, 1861.

1059. The skull of an Australian from the Upper Yarra, Victoria: ♂.

C. 512, L. 187, B. 129, Bi. 690, H. 130, Hi. 695, BN. 99, BA. 96, Ai. 970, Nh. 51, Nw. 28, Ni. 549, Ow. 42, Oh. 37, Oi. 881, Ca. 1290.

Purchased, 1877.

1060. The skull of an Australian from the Murray River: ♂.

From the collection of Baron A. von Hügel.

C. 530, L. 191, B. 145, Bi. 759, H. 140, Hi. 733, BN. 97, BA. 102, Ai. 1052, Nh. 52, Nw. 30, Ni. 577, Ow. 41, Oh. 33, Oi. 805, Ca. 1460.

Presented by Erasmus Wilson, Esq., 1879.

- 1060¹. A skull from Murray River, Victoria.

C. 510, L. 183, B. 126, Bi. 689, H. 137, Hi. 749, BN. 106, BA. 103, Ai. 972, Nh. 49, Nw. 31, Ni. 633, Ow. 43, Oh. 36, Oi. 837, Ca. 1250.

Presented by Mr. George J. Bateman, 1903.

- 1060². A cranium from World's End Creek.

C. 508, L. 191, B. 128, Bi. 670, H. 137, Hi. 717, BN. 104, BA. 105, Ai. 1010, Nh. 48, Nw. 29, Ni. 604, Ow. 39, Oh. 35, Oi. 897, Ca. 1345.

Presented by Mr. George J. Bateman, 1903.

1061. The cranium of an Australian, found in 1842 near Port Fairy, about a hundred miles to the west of Port Phillip: ♀. O. C. 5915.

The squamosals join the frontals on both sides.

C. 478, L. 174, B. 125, Bi. 718, H. 126, Hi. 724, BN. 92, BA. 101, Ai. 1098, Nh. 45, Nw. 26, Ni. 578, Ow. 38, Oh. 33, Oi. 868, Ca. 1125.

Presented by C. G. Burchett, Esq., 1844.

1062. The skull of an Australian, found among the "sand hummocks" close to the sea at Port Fairy: ♂.

The basilar suture has but recently united. The third upper molars, especially the right, are extremely small—a peculiarity very uncommon in Australians. Those of the lower jaw are normally developed. There is no trace of nasal spine.

C. 505, L. 185, B. 126, Bi. 681, H. 127, Hi. 686, BN. 109, BA. 116, Ai. 1034, Nh. 51, Nw. 29, Ni. 569, Ow. 43, Oh. 35, Oi. 814, Ca. 1185.

Presented by Professor Hurley, 1866.

1063. The cranium of a male Australian, from Kangatong, near Port Fairy.

"From a man killed by a musket-shot. Presented by Mr. Dawson, of that place." This and the next had been for many years in the possession of the late Dr. James Blundell.

C. 518, L. 190, B. 131, Bi. 689, H. 130, Hi. 684, BN. 99, BA. 104, Ai. 1051, Nh. 46, Nw. 27, Ni. 587, Ow. 40, Oh. 33, Oi. 825, Ca. 1250.

Presented by Dr. G. A. F. Wilks, 1878.

1064. The skull of an Australian, from Kangatong, near Port Fairy : ♀.

Presented to Dr. Blundell by Mr. Dawson, of that place.

C. 478, L. 172, B. 122, Bi. 709, H. 129, Hi. 750, BN. 95, BA. 94, Ai. 989, Nh. 40, Nw. 23, Ni. 575, Ow. 39, Oh. 32, Oi. 821, Ca. 1050.

Presented by Dr. G. A. F. Wilks, 1878.

E. SOUTH AUSTRALIA.

1065. The cranium of an Australian, from the neighbourhood of Adelaide : ♂.

C. 513, L. 185, B. 137, Bi. 741, H. 142, Hi. 768, BN. 107, BA. 107, Ai. 1000, Nh. 53, Nw. 27, Ni. 509, Ow. 38, Oh. 33, Oi. 868, Ca. 1440.

Purchased, 1861.

- 1065¹. The articulated skeleton of a male aboriginal, from Manly, Port Jackson.

C. 515, L. 187, B. 136, Bi. 727, H. 141, Hi. 754, BN. 107, BA. 102, Ai. 953, Nh. 54, Nw. 26, Ni. 481, Ow. 40, Oh. 35, Oi. 875, Ca. 1410.

Presented by Prof Anderson Stewart, 1898.

- 1065². The articulated skeleton of a male South Australian.

The first left upper incisor has been removed as a tribal custom.

C. 525, L. 194, B. 126, Bi. 649, H. 137, Hi. 706, BN. 98, BA. 95, Ai. 969, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 36, Oi. 947, Ca. 1490.

Purchased, 1898.

- 1065³. The articulated skeleton of a female South Australian.

C. 490, L. 178, B. 130, Bi. 730, H. 117, Hi. 657, BN. 94, BA. 101, Ai. 1074, Nh. 47, Nw. 27, Ni. 574, Ow. 40, Oh. 32, Oi. 800, Ca. 1150.

Presented by R. H. Perks, Esq., 1898.

1066. The complete skeleton of an adult male Australian, from the neighbourhood of Adelaide.

Prepared in 1879, from a dried and partially decayed mummy. The mouth had been stuffed with emu's feathers, and sewn up. The anus was also sewn up; and the end of the prepuce, drawn beyond the glans, had a cord tied tightly round it. The thighs were forcibly bent upwards by the sides of the body, so that the knees were placed beyond the shoulders; the legs were tightly flexed on the thighs, the heels being placed close to the hip-joints; the forearms were crossed in front of the lower part of the abdomen, each hand resting upon the foot of the opposite side. A broad bandage of netting, of native manufacture, passed horizontally round the middle of the body, retained the limbs in this position. The surface had been smeared with red pigment. After this preparation the body had probably been dried over a fire and then placed on a platform of boughs, elevated at a distance above the ground. The mummified body is figured, and its condition more fully described, in the 'Journal of the Anthropological Institute,' vol. viii. (1879). A photograph showing its condition before it was made into a skeleton is also preserved in the Museum.

The squamosal meets the frontal on the left side; on the right an epiptoric is interposed. The frontal, right scapula and several of the other bones have suffered from necrosis, in the first-named case exposing the interior of the sinus.

Clavicle, *r.* 151, *l.* 152; humerus, *r.* 354, *l.* 347; radius, *r.* 269, *l.* 267; femur, *r.* 485, *l.* 490; tibia, *r.* 401, *l.* 401.

Cranium: C. 523, L. 190, B. 135, Bi. 711, H. 132, Hi. 695, BN. 105, BA. 109, Ai. 1038, Nh. 51, Nw. 26, Ni. 510, Ow. 41, Oh. 35, Oi. 854, Ca. 1250.

Presented by Sir George Grey, K.C.B., Governor of South Australia, 1845.

1067. The skeleton of an Australian infant, from the neighbourhood of Adelaide.

Obtained in a dried state, with the last specimen. The body and legs were in an extended position, and had apparently not undergone any process of preparation. The bregmatic fontanelle has not yet closed; and the exoccipitals are still separate from the supra- and basi-occipital. The milk-teeth have all been in place, except the posterior molars, the crowns of which are scarcely above the level of the alveolus. The frontal bone shows signs of inflammatory action.

C. 458, L. 166, B. 122, Bi. 735, H. 110, Hi. 663, BN. 75, BA. 72, Ai. 960, Nh. 30, Nw. 20, Ni. 667, Ow. 33, Oh. 30, Oi. 909.

Presented by Sir George Grey, 1845.

1068. The skull of an Australian, from the neighbourhood of Adelaide: ♂. O. C. 5305.

The skull of a large, powerful, and somewhat aged man. The teeth are much worn, and the sagittal suture nearly obliterated. The ridges defining the surface of attachment of the temporal muscle are unusually well marked.

C. 523, L. 186, B. 136, Bi. 731, H. 138, Hi. 742, BN. 105, BA. 109, Ai. 1038, Nh. 52, Nw. 30, Ni. 577, Ow. 42, Oh. 35, Oi. 833, Ca. 1450.

Presented by Sir George Grey, 1844.

- 1068¹. The complete skeleton of a male Australian taken from a tree, where the body had been placed after drying.

C. 520, L. 187, B. 138, Bi. 738, H. 129, Hi. 690, BN. 104, BA. 100, Ai. 962, Nh. 51, Nw. 27, Ni. 521, Ow. 40, Oh. 36, Oi. 900, Ca. 1365.

Presented by Simmons Clark, Esq., 1882.

- 1068². The skull of an aboriginal of the Murray River Tribe, S. Australia, found while excavating the foundation of a house at Courmamount, 74 miles N.E. of Adelaide.

The frontal and parietal bones show several patches of ulceration with necrosis, probably syphilitic.

C. 510, L. 181, B. 137, Bi. 757, H. 135, Hi. 746, BN. 102, BA. 107, Ai. 1049, Nh. 49, Nw. 31, Ni. 633, Ow. 40, Oh. 31, Oi. 775, Ca. 1365.

Presented by Robert Oldfield, Esq., 1882.

- 1068³. The cranium of a female Australian marked Muljuli Lubra.

Several depressed patches on the surface appear to be healed ulcerations similar to those of the last specimen.

C. 495, L. 176, B. 135, Bi. 767, H. 118, Hi. 670, BN. 94, BA. 99, Ai. 1053, Nh. 45, Nw. 25, Ni. 556, Ow. 40, Oh. 35, Oi. 875, Ca. 1155.

Presented by Simmons Clark, Esq., 1882.

- 1068⁴. The skull of an aboriginal from S. Australia : ♂.

Post-condyloid foramen on right side.

C. 578, L. 193, B. 133, Bi. 689, H. 130, Hi. 674, BN. 107, BA. 108, Ai. 1009, Nh. 54, Nw. 29, Ni. 537, Ow. 41, Oh. 34, Oi. 829, Ca. 1375.

Anthropol. Soc., No. 58.

- 1068⁵. The cranium of an Australian, from York Peninsula : ♀.

C. 492, L. 179, B. 127, Bi. 709, H. 124, Hi. 693, BN. 98, BA. 103, Ai. 1051, Nh. 50, Nw. 21, Ni. 420, Ow. 39, Oh. 35, Oi. 897, Ca. 1350.

Anthropol. Soc., No. 228.

1069. The mutilated cranium of an Australian from the vicinity of Adelaide : ♂. O. C. 5331.

"It has been converted by the natives into a water-vessel. The sutures have been covered by a bituminous substance, with fragments of a nacreous shell; and a handle has been spun out of some native grass, and passed through the foramen magnum and the interorbital space which has been broken away, for the purpose of suspending this primitive work of art. The external orbital angles, from their worn and polished surface, appear to have served as the spouts of the vessel. From the size of the cranium, of the mastoid processes, and of the lambdoidal and occipital ridges, this has belonged to a powerful male. The zygomatic arches have been removed, and the fractured roots smoothly rounded off" *.

This and the following crania, which have been treated in the same manner, are remarkable for their low altitudinal index.

C. 545, L. 197, B. 141, Bi. 716, H. 125, Hi. 635, Ca. 1375 (approximately).

Presented by Sir George Grey, 1844.

1070. A similarly treated cranium of an Australian, from near Adelaide : ♀. O. C. 5332.

There is an unusually large Wormian bone in the left side of the lambdoidal suture.

C. 500, L. 182, B. 131, Bi. 720, H. 128, Hi. 703, Ca. 1170 (approximately).

Presented by Sir George Grey, 1844.

* Calvariæ from the same locality, treated in the same manner, are described and figured in the 'Thesaurus Craniorum' of Dr. Barnard Davis.

1071. A similarly treated cranium of an Australian, from near Adelaide : ♀. O. C. 5333.

The squamosal meets the frontal on the left side.

C. 495, L. 177, B. 132, Bi. 746, H. 122, Hi. 689, Ca. 1130 (approximately).

Presented by Sir George Grey, 1844.

1072. A similarly treated cranium of an Australian, from near Adelaide : ♂. O. C. 5334.

C. 520, L. 190, B. 134, Bi. 705, H. 124, Hi. 653, Ca. 1310 (approximately).

Presented by Sir George Grey, 1844.

- 1072¹. The skull of an Australian : ♂.

The two outer incisors lie behind the inner ones.

C. 527, L. 192, B. 134, Bi. 698, H. 126, Hi. 656, BN. 105, Nh. 54, Nw. 27, Ni. 500, Ow. 41, Oh. 35, Oi. 854, Ca. 1430.

Anthropol. Soc., No. 228 A.

1073. The frontal and parietal bones of an Australian, from near Adelaide. O. C. 5344.

Presented by Sir George Grey, 1844.

1074. The mutilated cranium of an Australian, almost identical in characters and mode of preparation to No. 1069, and presumably from the same locality : ♂.

C. 547, L. 198, B. 139, Bi. 702, H. 127, Hi. 641, Ca. 1350 (approximately).

Presented by Lady Franklin, 1854.

1075. A smaller but similarly prepared cranium, probably from the same locality : ♀.

C. 503, L. 184, B. 132, Bi. 717, H. 119, Hi. 647, Ca. 1150 (approximately).

Presented by Lady Franklin, 1856.

1076. The skull and bones of the trunk (articulated) of a female Australian from the neighbourhood of Adelaide.

Brought from Australia in 1846 as a complete skeleton ; but the limbs were lost before it was received by the College.

C. 518, L. 188, B. 134, Bi. 713, H. 128, Hi. 681, BN. 99, BA. 102, Ai. 1030, Nh. 51, Nw. 31, Ni. 608, Ow. 43, Oh. 34, Oi. 791, Ca. 1320.

Purchased, 1878.

1077. The skull of an Australian from near Adelaide : ♂.

The nasal spine is quite rudimentary.

C. 523, L. 191, B. 132, Bi. 691, H. 134, Hi. 702, BN. 104, BA. 109, Ai. 1048, Nh. 50, Nw. 31, Ni. 620, Ow. 42, Oh. 33, Oi. 786, Ca. 1410.

Presented by Dr. Thomas Cawley, 1879.

- 1077¹. The incomplete skeleton of an Australian, wanting the skull and most of the bones of the hands and feet.

The skull was removed before the skeleton came into the donor's possession.

- 1077². The skull of an Australian. Exhumed with the last at Adelaide in 1881 in laying the foundations of the local exhibition, and must consequently have been at least 25 or 30 years in the ground.

C. 515, L. 190, B. 128, Bi. 674, H. 130, Hi. 684, BN. 107, BA. 107, Ai. 1000, Nh. 50, Nw. 24, Ni. 480, Ow. 41, Oh. 33, Oi. 805, Ca. 1315.

Presented by Thomas Ward, Esq., J.P., City Coroner, and Frazer S. Crawford, Esq., Adelaide, 1881.

- 1077³. The cranium of a native of South Australia.

The two central upper incisors lost during life.

C. 524, L. 188, B. 136, Bi. 723, H. 128, Hi. 681, Nh. 54, Nw. 24, Ni. 444, Ow. 38, Oh. 35, Oi. 921, Ca. 1355.

- 1077⁴. The cranium of a native of South Australia.

Though adult the third left upper molar is not developed.

L. 201, B. 127, Bi. 632, H. 133, Hi. 662, BN. 107, BA. 112, Ai. 1047, Nh. 47, Nw. 26, Ni. 553, Ow. 40, Oh. 31, Oi. 775.

- 1077⁵. The calvaria of a native of South Australia.

C. 515, L. 187, B. 137, Bi. 733.

- 1077⁶. Two femora, two tibiae, one fibula, two humeri, two radii, and one ulna (whether belonging to either of the above skulls is not certain) of Australian natives from the neighbourhood of Adelaide.

The above four specimens presented by E. W. Way, Esq., M.B., 1882.

- 1077⁷. The skull of a male native, from a district of South Australia, 35° S. lat. and 139° 30' E. long.

(Jour. Anthropol. Inst., ii. pp. 137-139.)

C. 510, L. 185, B. 134, Bi. 724, H. 133, Hi. 719, BN. 101, BA. 102, Ai. 1010, Nh. 52, Nw. 29, Ni. 558, Ow. 49, Oh. 34, Oi. 829, Ca. 1315.

Anthropol. Soc.

- 1077⁸. The cranium of a female (?) native from the same district.

C. 535, L. 196, B. 132, Bi. 673, H. 138, Hi. 704, BN. 107, BA. 111, Ai. 1037, Nh. 59, Nw. 27, Ni. 540, Ow. 40, Oh. 34, Oi. 850, Ca. 1490.

Anthropol. Soc.

- 1077⁹. The skull of an infant about a year old, from the same district.

Anthropol. Soc.

1078. The cranium of an Australian from a native burial-ground at Mount Remarkable, near Port Augusta: ♂.

The calvarial sutures are almost completely obliterated; and the teeth are much worn.

C. 493, L. 178, B. 124, Bi. 697, H. 130, Hi. 730, BN. 101, BA. 101, Ai. 1000, Nh. 48, Nw. 25, Ni. 521, Ow. 40, Oh. 32, Oi. 800, Ca. 1120.

Presented by George Lindsay Johnson, Esq., 1876.

1079. The skull of an Australian from the same burial-ground as the last: ♀?

The calvarial sutures are almost entirely obliterated; and the teeth are much worn.

C. 490, L. 180, B. 124, Bi. 689, H. 117, Hi. 650, BN. 86, BA. 94, Ai. 1093, Nh. 43, Nw. 26, Ni. 605, Ow. 39, Oh. 28, Oi. 718, Ca. 1025.

Presented by George Lindsay Johnson, Esq., 1876.

- 1079¹. The skull of an Australian: ♀. From the northern part of South Australia, on the line of the telegraph.

C. 493, L. 179, B. 125, Bi. 698, H. 130, Hi. 726, BN. 95, BA. 93, Ai. 979, Nh. 41, Nw. 25, Ni. 610, Ow. 37, Oh. 31, Oi. 838, Ca. 1180.

Presented by T. W. Thursfield, Esq., M.D., 1882.

1079². A skull from Port Victor.

C. 500, L. 177, B. 132, Bi. 746, H. 132, Hi. 746, BN. 95,
BA. 98, Ai. 1032, Nh. 50, Nw. 27, Ni. 540, Ow. 38, Oh. 31,
Oi. 816, Ca. 1325.

Purchased, 1892.

1079³. A cranium from near Adelaide.

C. 505, L. 187, B. 128, Bi. 684, H. 131, Hi. 701, BN. 98,
BA. 105, Ai. 1071, Nh. 50, Nw. 26, Ni. 520, Ow. 39, Oh. 35,
Oi. 879, Ca. 1238.

Purchased, 1892.

1079⁴. A cranium from Lake Alexandrina.

C. 520, L. 194, B. 130, Bi. 670, H. 129, Hi. 665, BN. 103,
BA. 103, Ai. 1000, Ow. 42, Oh. 39, Oi. 929, Ca. 1310.

Purchased, 1892.

1079⁵. A cranium from near Adelaide.

C. 510, L. 186, B. 129, Bi. 694, H. 129, Hi. 694, BN. 95,
BA. 94, Ai. 989, Nh. 48, Nw. 28, Ni. 583, Ow. 40, Oh. 35,
Oi. 875.

Purchased, 1892.

1079⁶. A cranium from near Adelaide.

C. 510, L. 181, B. 133, Bi. 735, H. 133, Hi. 735, BN. 99,
BA. 100, Ai. 1010, Nh. 47, Nw. 25, Ni. 532, Ow. 40, Oh. 36,
Oi. 900, Ca. 1235.

Purchased, 1892.

1079⁷. A cranium from near Adelaide.

C. 499, L. 183, B. 128, Bi. 699, H. 128, Hi. 699, BN. 96,
BA. 97, Ai. 1010, Nh. 45, Nw. 24, Ni. 533, Ow. 40, Oh. 36,
Oi. 900, Ca. 1235.

Purchased, 1892.

1079⁸. A cranium from near Adelaide.

C. 482, L. 175, B. 127, Bi. 726, H. 117, Hi. 669, BN. 94,
BA. 97, Ai. 1032, Nh. 46, Nw. 25, Ni. 543, Ow. 37, Oh. 34,
Oi. 919, Ca. 1158.

Purchased, 1892.

F. WESTERN AUSTRALIA.

1080. The cranium of an Australian from King George's Sound:
♂? O. C. 5319.

C. 505, L. 184, B. 130, Bi. 707, H. 130, Hi. 707, BN. 99,
BA. 106, Ai. 1071, Nh. 46, Nw. 25, Ni. 543, Ow. 41, Oh. 33,
Oi. 805, Ca. 1230.

Presented by Captain Philip King, R.N.

1081. The cranium of an Australian from King George's
Sound : ♂.

C. 518, L. 190, B. 132, Bi. 695, H. 137, Hi. 721, BN. 104,
BA. 111, Ai. 1067, Nh. 47, Nw. 27, Ni. 574, Ow. 43, Oh. 31,
Oi. 721, Ca. 1330.

Presented by F. Le Gros Clark, Esq., 1875.

1082. The skull of a male Australian from the Swan-River
Settlement.

From a man known to the residents of the colony as above
the ordinary average of intelligence among the natives, who
was killed in a fray with some of his race about the year 1847.
The frontal region is broader and more prominent than in most
Australians; but the general conformation of the cranium, and
especially of the face, is perfectly characteristic of the race.

C. 533, L. 193, B. 132, Bi. 684, H. 132, Hi. 684, BN. 102,
BA. 102, Ai. 1000, Nh. 42, Nw. 29, Ni. 690, Ow. 40, Oh. 30,
Oi. 750, Ca. 1370.

Presented by George Busk, Esq., 1864.

1083. The cranium of an Australian, said to be from Swan
River : ♂.

This is exceptionally round for an Australian skull. There
are numerous Wormian bones in the lambdoidal suture. The
squamosal and frontal meet on the right and nearly on the left
side.

C. 490, L. 171, B. 132, Bi. 772, H. 130, Hi. 760, BN. 96,
BA. 102, Ai. 1063, Nh. 48, Nw. 28, Ni. 583, Ow. 39, Oh. 30,
Oi. 769, Ca. 1200.

Presented by Lady Franklin.

- 1083¹. The skull of a gin (aboriginal woman) from the Murchison district of Western Australia.

C. 485, L. 176, B. 123, Bi. 699, H. 122, Hi. 693, BN. 91, BA. 95, Ai. 1044, Nh. 45, Nw. 24, Ni. 533, Ow. 37, Oh. 33, Oi. 892.

Presented by Earle Newton, Esq., 1906.

- 1083². The incomplete skeleton of a female from Western Australia.

C. 488, L. 176, B. 125, Bi. 710, H. 134, Hi. 761, BN. 97, BA. 100, Ai. 1031, Nh. 47, Nw. 27, Ni. 574, Ow. 38, Oh. 31, Oi. 816, Ca. 1200.

Purchased, 1906.

The exact locality from which the following specimens were obtained has not been recorded. It is probable that they are mostly from New South Wales, as the earliest district settled, and the only one from which the Hunterian specimens could have been obtained.

1084. The cranium of an Australian: ♂. O. C. 5310.

The aperture of each auditory meatus is partially filled with smooth, rounded, dense, bony growths.

C. 500, L. 183, B. 130, Bi. 710, H. 138, Hi. 754, BN. 103, BA. 109, Ai. 1058, Nh. 46, Nw. 25, Ni. 543, Ow. 42, Oh. 34, Oi. 810, Ca. 1310.

Hunterian.

1085. The cranium of an Australian: ♂. O. C. 5313.

C. 495, L. 177, B. 128, Bi. 723, H. 132, Hi. 746, BN. 101, BA. 109, Ai. 1079, Nh. 46, Nw. 27, Ni. 587, Ow. 40, Oh. 33, Oi. 825, Ca. 1260.

Hunterian.

1086. The cranium, wanting the right temporal bone, of an Australian: ♀. O. C. 5312.

Although that of an adult (the basilar suture being closed, and the right third molar fully in place), both posterior milk-molars are retained, with no appearance of absorption of their long roots. The premolars, which should succeed them, are fully developed, but are concealed and obliquely placed within the alveolus. The left third molar is still below the level of the alveolus; and to its outer side was a small supplemental

tooth (now lost) in a distinct compartment of the bone. (See description in O. C. p. 825.)

C. 482, L. 172, B. 128, Bi. 744, H. 130, Hi. 756, BN. 95, BA. 101, Ai. 1063, Nh. 43, Nw. 26, Ni. 605, Ow. 38, Oh. 30, Oi. 789, Ca. 1210.

Hunterian.

1087. The cranium of an Australian : ♂. O. C. 5311.

C. 523, L. 185, B. 137, Bi. 741, H. 143, Hi. 773, BN. 105, BA. 110, Ai. 1048, Nh. 52, Nw. 27, Ni. 519, Ow. 40, Oh. 32, Oi. 800, Ca. 1375.

British Museum.

1088. The articulated skeleton of an adult female Australian. O. C. 5184.

The squamosal joins the frontal on both sides.

Height of skeleton 5 feet 2 inches = 1575.

Clavicle 136, humerus 318, radius 243, femur 443, tibia 372.

Cranium : C. 504, L. 183, B. 132, Bi. 721, H. 129, Hi. 705, BN. 97, BA. 99, Ai. 1021, Nh. 46, Nw. 26, Ni. 565, Ow. 38, Oh. 31, Oi. 816, Ca. 1260.

Presented by the Zoological Society, 1831.

1088¹. The skull of an Australian : ♀. From the collection of the late E. W. Cooke, Esq., R.A., F.R.S., marked "Australian."

C. 498, L. 176, B. 131, Bi. 744, H. 130, Hi. 739, BN. 99, BA. 100, Ai. 1010, Nh. 47, Nw. 29, Ni. 617, Ow. 39, Oh. 29, Oi. 744, Ca. 1285.

Presented by Conrad William Cooke, Esq., 1880.

1089. The skull of an Australian : ♂. O. C. 5306.

C. 506, L. 186, B. 127, Bi. 683, H. 133, Hi. 715, BN. 96, BA. 104, Ai. 1083, Nh. 41, Nw. 28, Ni. 683, Ow. 40, Oh. 29, Oi. 725, Ca. 1220.

Presented by Dr. George Bennett.

1090. The skull of an Australian : ♂. O. C. 5308.

C. 523, L. 190, B. 132, Bi. 695, H. 133, Hi. 700, BN. 106, BA. 102, Ai. 962, Nh. 50, Nw. 27, Ni. 540, Ow. 42, Oh. 36, Oi. 857, Ca. 1310.

Presented by Dr. Hobson.

1091. The skull of an Australian : ♂ . O. C. 5316.

The right anterior incisor has been removed during life, and the alveolus obliterated. On the right side the roots of the teeth have been exposed, showing the outer roots of the premolars to be single and those of the large true molars double. These teeth are figured in Owen's 'Odontography,' plates 118 and 119. The squamosals almost meet the frontal on both sides.

C. 508, L. 185, B. 133, Bi. 719, H. 131, Hi. 708, BN. 92, BA. 97, Ai. 1054, Nh. 48, Nw. 25, Ni. 521, Ow. 41, Oh. 31, Oi. 756, Ca. 1240.

Purchased, 1839.

1092. The skull of an Australian : ♀ .

The squamosals almost join the frontal on both sides.

C. 495, L. 180, B. 132, Bi. 733, H. 130, Hi. 722, BN. 99, BA. 106, Ai. 1071, Nh. 45, Nw. 30, Ni. 667, Ow. 39, Oh. 30, Oi. 769, Ca. 1165.

Presented by Lady Franklin, 1854.

1092¹. The cranium of an Australian : ♀ .

Obliteration of the calvarial sutures has commenced. Post-glenoid process and supramastoid ridges well marked.

C. 470, L. 170, B. 125, Bi. 735, H. 121, Hi. 712, BN. 94, Nh. 44, Nw. 26, Ni. 591, Ow. 36, Oh. 29, Oi. 806, Ca. 1070.

Anthropol. Soc., No. 164.

1093. The calvaria of an Australian : ♂ .

C. 513, L. 183, B. 139, Bi. 760, H. 136, Hi. 743, Ca. 1330.

Presented by Lady Franklin, 1854.

1094. The cranium of an Australian : ♂ .

C. 528, L. 190, B. 140, Bi. 737, H. 140, Hi. 737, BN. 99, BA. 97, Ai. 980, Nh. 50, Nw. 31, Ni. 620, Ow. 43, Oh. 35, Oi. 814, Ca. 1415.

1094¹. The cranium of an Australian : ♂ .

C. 530, L. 194, B. 134, Bi. 691, H. 143, Hi. 737, BN. 115, BA. 124, Ai. 1078, Nh. 47, Nw. 28, Ni. 596, Ow. 44, Oh. 31, Oi. 705, Ca. 1515.

Anthropol. Soc., No. 103.

1095. The cranium, wanting the occipital bone, of a young Australian.

All the permanent teeth, except the third molars, have been fully in place. The basilar suture is not united.

Purchased, 1856.

- 1095¹. A cranium from Australia: ♂. "Race unknown."

C. 526, L. 176, B. 154, Bi. 875, H. 136, Hi. 773, BN. 98, BA. 89, Ai. 908, Nh. 47, Nw. 27, Ni. 574, Ow. 38, Oh. 35, Oi. 921, Ca. 1625.

Anthropol. Soc., No. 69.

- 1095². The cranium, ♀, of half-breed: Australian and English.

C. 505, L. 179, B. 139, Bi. 777, H. 123, Hi. 687, BN. 90, BA. 89, Ai. 989, Nh. 46, Nw. 20, Ni. 435, Ow. 36, Oh. 35, Oi. 97, Ca. 1380.

Anthropol. Soc., No. 61.

- 1095³. The imperfect skeleton of an Australian, wanting the skull. Tribe unknown.

7. MELANESIA*.

A. TASMANIA.

1096. The articulated skeleton of an adult male native of Tasmania.

Obtained from a grave on Flinders Island, where the remnant of the aboriginal population, when removed from Tasmania, was located between 1832 and 1847, and where nearly two hundred of them died.

The central upper incisors have been removed during life. The last molars are very irregularly placed.

Height of skeleton 5 feet 3·3 inches = 1607.

Clavicle, *r.* 154, *l.* 158; humerus, *r.* 324, *l.* 323; radius, *r.* 263, *l.* 261; femur, *r.* 463, *l.* 469; tibia, *r.* 390, *l.* 388.

Cranium: C. 516, L. 183, B. 138, Bi. 754, H. 134, Hi. 732, BN. 97, Nh. 49, Nw. 30, Ni. 612, Ow. 41, Oh. 32, Oi. 780, Ca. 1400.

Presented by Morton Allport, Esq., 1872.

* This division is extended beyond the limits usually assigned to it by geographers, for reasons explained in the Introduction.

1097. The articulated skeleton of an adult female Tasmanian.

The following account of this woman is extracted from Bonwick's 'Last of the Tasmanians' (1870), where a portrait of her, from a photograph taken in 1866, is given. She was one of the last survivors of the race. "Bessy Clark, called after the wife of the catechist, was then (1859) under forty years of age, and was the best-looking of the sisterhood. There was no projection of the lower jaw; and her good humour gave a pleasant expression to her swarthy features. Her native name was 'Pinnano-bathae' (the Kangaroo-head). She had not led a forest life with her people, having been rescued in early childhood. When Mr. G. A. Robinson was out with his son and others seeking after the Maequarie-Harbour tribe, a family were disturbed at their fire so suddenly that a mother in her fright forgot her little girl, whom she had left near the warm embers. The deserted infant was placed on the back of young Robinson, and ultimately confided to the care of a country woman on Flinders Island. When old enough she was sent for education and training to the orphan school at Newtown, near Hobart Town. It was thought she would there be removed from the temptations of aboriginal life. Subsequently she was removed to Flinders, and married to Augustus the Magnificent." In 1847 she accompanied the remnant of her race from Flinders Island to Oyster Cove, where she died February 12th, 1867, being probably about forty years of age.

The upper incisors have been lost during life; and the posterior molars are irregularly developed. The frontal suture is persistent. The sternum and left hand of the skeleton are missing, as are many of the phalanges of all the extremities.

Height of skeleton 4 feet 8 inches=1422.

Clavicle, *r.* 130, *l.* 130; humerus, *r.* 274, *l.* 275; radius, *r.* 212, *l.* 217; femur, *r.* 397, *l.* 397; tibia, *r.* 318, *l.* 311.

Cranium: C. 492, L. 175, B. 133, Bi. 760, H. 119, Hi. 680, BN. 87, Nh. 46, Nw. 27, Ni. 587, Ow. 37, Oh. 32, Oi. 865, Ca. 1110.

Presented by Morton Allport, Esq., 1872.

1098. The cranium of a Tasmanian: ♂. O. C. 5324.

C. 504, L. 180, B. 137, Bi. 761, H. 139, Hi. 772, BN. 94, BA. 106, Ai. 1128, Nh. 44, Nw. 26, Ni. 591, Ow. 42, Oh. 30, Oi. 714, Ca. 1275.

Hunterian.

1099. The skull of a Tasmanian : ♂. O. C. 5320.

Though no trace of the basilar suture remains, and the lambdoidal suture is partly consolidated, the posterior molars are not fully in place. In many of the Tasmanian skulls these teeth appear to be developed at a comparatively late period, and are often irregularly placed.

C. 512, L. 181, B. 139, Bi. 768, H. 133, Hi. 735, BN. 102, BA. 104, Ai. 1020, Nh. 50, Nw. 29, Ni. 580, Ow. 40, Oh. 30, Oi. 750, Ca. 1330.

Presented by Ronald Gunn, Esq.

1100. The cranium of a Tasmanian : ♂. O. C. 5325.

A section has been made through the prominent glabella and supraorbital ridges, showing that they contain no air-sinuses, but are filled with a cancellous diploë. The teeth have been very much worn; and the calvarial sutures are partially obliterated.

C. 517, L. 188, B. 135, Bi. 718, H. 140, Hi. 745, BN. 101, BA. 104, Ai. 1030, Nh. 53, Nw. 26, Ni. 491, Ow. 38, Oh. 31, Oi. 816, Ca. 1330.

Presented by Ronald Gunn, Esq.

1101. The cranium of a Tasmanian : ♂.

Marked "Tasmanian warrior, killed at Brushy Plains."

C. 513, L. 183, B. 137, Bi. 749, H. 129, Hi. 705, BN. 98, BA. 100, Ai. 1020, Nh. 44, Nw. 25, Ni. 568, Ow. 39, Oh. 29, Oi. 744, Ca. 1230.

Presented by George Busk, Esq., 1864.

1102. The cranium of a Tasmanian : ♂.

Brought from Tasmania by Dr. Milligan. Figured in Busk's 'Crania Typica,' pl. vi.

C. 511, L. 183, B. 140, Bi. 765, H. 127, Hi. 694, BN. 90, Nh. 49, Nw. 27, Ni. 551, Ow. 36, Oh. 28, Oi. 778, Ca. 1290.

Presented by George Busk, Esq., 1864.

1103. The cranium of a Tasmanian : ♂.

This specimen was entered in the MS. catalogue as "Cranium of an Australian," but without further description or indication as to precise locality; but its characters are so decidedly Tasmanian that it has been removed to the present series. Lady Franklin resided for many years in Tasmania, when her husband was governor of that island; and it is quite probable that

she may have had Tasmanian as well as Australian skulls in her collection.

C. 483, L. 173, B. 135, Bi. 780, H. 124, Hi. 717, BN. 95, BA. 98, Ai. 1032, Nh. 43, Nw. 27, Ni. 628, Ow. 37, Oh. 29, Oi. 784, Ca. 1100.

Presented by Lady Franklin, 1854.

1104. A cranium, described in the former Catalogue as that of a Tasmanian, but presenting somewhat exceptional characters, if really belonging to an individual of that race : ♂ . O. C. 5328.

The calvarial sutures are almost obliterated, and the teeth have been worn down to stumps. A horizontal section has been made across the glabella, showing that the usual air-sinuses of that region are well developed.

C. 518, L. 188, B. 133, Bi. 707, H. 137, Hi. 729, BN. 113, BA. 110, Ai. 973, Nh. 55, Nw. 27, Ni. 491, Ow. 39, Oh. 34, Oi. 872, Ca. 1335.

Presented by Dr. Hobson.

1105. The cranium of a Tasmanian : ♀ . O. C. 5326.

C. 478, L. 169, B. 135, Bi. 799, H. 126, Hi. 746, BN. 89, BA. 94, Ai. 1056, Nh. 41, Nw. 25, Ni. 610, Ow. 36, Oh. 30, Oi. 833, Ca. 1145.

Hunterian.

1106. The skull, with the atlas, of a Tasmanian : ♀ . O. C. 5322.

“From Port Dalrymple, Van Diemen’s Land.”

Though the basilar suture has united, the posterior molars are not in place in either jaw. There are but three inferior incisors, the middle one in a line with the symphysis, and opposing the interspace of the two upper central incisors.

C. 486, L. 175, B. 127, Bi. 726, H. 127, Hi. 726, BN. 97, BA. 94, Ai. 969, Nh. 48, Nw. 25, Ni. 521, Ow. 37, Oh. 33, Oi. 892, Ca. 1180.

Presented by Sir Everard Home, Bart., 1809.

1107. The cranium of a Tasmanian which has been vertically and transversely bisected : ♀ . O. C. 5327 and 5763.

The basilar suture has but recently united.

C. 488, L. 176, B. 132, Bi. 750, H. 125, Hi. 710, BN. 92, BA. 90, Ai. 978, Nh. 44, Nw. 25, Ni. 568, Ow. 36, Oh. 31, Oi. 861, Ca. 1225.

Presented by Ronald Gunn, Esq.

1108. The skull of a Tasmanian : ♀.

From a grave in Bruni Island.

The circumstances under which this specimen was obtained are described in the following note from the donor:—"When H.M.S. 'Fly' was at Hobart Town in 1842, a young gentleman of great intelligence and adventurous volunteered to accompany Mr. McGillivray and myself to the place of interment of the last of the aboriginal inhabitants of Tasmania who had died in their own land. I will not speak of our labours and dangers in the adventure: it was the painful occasion of the loss of two out of our three boats, with their crews of nine men. After landing, and sleeping for several nights in the trees, we found the spot. The graves, I suppose twelve in number, were in a flat secluded place on Bruni Island, in the midst of a sombre soundless gum-tree forest. The only other sign of human beings having been near was the ruin of the house where the few unfortunate natives who survived had been confined previous to their intended transportation to Banks's Island. Tired, but determined, we dug six feet down, and to our disappointment found ashes of a burning. We dug into another grave, and found it had been disturbed. On opening a third we were more fortunate; a layer of *Eucalyptus*-bark stopped the spade, and on being opened disclosed the body of a young female in a perfect state of preservation. The water began to flow into the grave; but we soon obtained and carried off the head, which accompanies this note."

Though quite adult, the basilar suture being united, the cranium is of very diminutive size, and shows the same slowness of development and irregularity of position of the third molars observed in many of the other Tasmanian skulls. The surface of the bone is stained of a deep brown colour by the soil or decomposing vegetable matter in which it has been laid.

C. 462, L. 163, B. 130, Bi. 798, H. 123, Hi. 755, BN. 91, BA. 91, Ai. 1000, Nh. 41, Nw. 25, Ni. 610, Ow. 37, Oh. 30, Oi. 811, Ca. 1075.

Presented by Dr. Archibald Sibbald, R.N., 1854.

1109. A cranium of a Tasmanian * : ♀ . O. C. 5329.

It has been stained the same dark colour as the last, and may be from the same locality.

C. 494, L. 175, B. 135, Bi. 771, H. 124, Hi. 709, BN. 92, BA. 99, Ai. 1076, Nh. 45, Nw. 27, Ni. 600, Ow. 38, Oh. 31, Oi. 816, Ca. 1175.

Presented by Ronald Gunn, Esq.

- 1109¹. The cranium of a Tasmanian.

C. 491, L. 175, B. 138, Bi. 789, H. 129, Hi. 737, BN. 100, BA. 108, Ai. 1080, Nh. 44, Nw. 25, Ni. 568, Ow. 38, Oh. 27, Oi. 710, Ca. 1350.

Presented by J. Marshall, Esq., 1892.

1110. A skull, said to be that of a Tasmanian : ♀ .

“From Dr. Bedford.”

C. 472, L. 164, B. 131, Bi. 799, H. 122, Hi. 744, BN. 94, BA. 99, Ai. 1053, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 32, Oi. 865, Ca. 1075.

Presented by Sir Joseph D. Hooker, K.C.S.I., 1866.

1111. The skull of a Tasmanian, said to have been fourteen years of age : ♂ ? O. C. 5321.

The basilar suture is still open ; and the third molars are not in place. As in No. 1106, there are but three lower incisors, the central one being placed in the median line.

C. 498, L. 177, B. 136, Bi. 768, H. 130, Hi. 734, BN. 97, BA. 99, Ai. 1021, Nh. 40, Nw. 23, Ni. 575, Ow. 36, Oh. 30, Oi. 833, Ca. 1300.

Presented by G. J. Guthrie, Esq., 1825.

1112. The skull of a young Tasmanian. O. C. 5323.

The basilar suture is still open ; and the last molars are not in place. There are two epipteries on the left side. On the

* In the former Catalogue this is described as the “cranium of an Australian”; but its strongly marked Tasmanian characters, the fact of its having been presented by Mr. R. Gunn (who was a resident in the smaller island, and the donor of many Tasmanian but no Australian specimens), added to the circumstance that in that Catalogue the races inhabiting the two islands were not held to be distinct (as shown by No. 5345, “The cranium of an Australian child from Van Diemen’s Land”), are sufficient justifications for its removal into the present series.

right a "frontal process" of the squamosal nearly reaches the frontal bone.

C. 485, L. 175, B. 132, Bi. 754, H. 130, Hi. 743, BN. 93, BA. 98, Ai. 1054, Nh. 41, Nw. 27, Ni. 659, Ow. 37, Oh. 31, Oi. 838, Ca. 1200.

Presented by Ronald Gunn, Esq.

1113. The cranium of a female Tasmanian infant, from Port Dalrymple. O. C. 5345.

The frontal suture and fontanelle are not closed; and the milk-molars are not yet in place. The exoccipitals are wanting.

C. 430, L. 155, B. 122, Bi. 787.

Presented by Thomas Hobbes Scott, Esq., 1821.

- 1113 A. A cranium from the South Pacific, the exact locality of which is unknown, but with characters resembling those of the Tasmanian race: ♂.

C. 491, L. 171, B. 138, Bi. 807, H. 130, Hi. 760, BN. 93, BA. 94, Ai. 1011, Nh. 44, Nw. 26, Ni. 591, Ow. 38, Oh. 31, Oi. 816, Ca. 1225.

Presented by Sir Joseph D. Hooker, K.C.S.I., 1866.

B. NEW-CALEDONIAN GROUP.

1114. A cranium from the Isle of Pines, or Hunia, a small island off the South-east end of New Caledonia: ♂.

This skull is remarkable for its prominent malars, deep canine fossæ, long low orbits, narrow interorbital space, heavy superciliary ridges and glabella, and short round palate. The squamosal joins the frontal on the right side, but is separated from it on the left by an epipteric bone. The crowns of the posterior molars are turned directly outwards.

C. 498, L. 180, B. 130, Bi. 722, H. 133, Hi. 739, BN. 91, BA. 94, Ai. 1033, Nh. 45, Nw. 25, Ni. 556, Ow. 39, Oh. 30, Oi. 769, Ca. 1425.

Presented by Captain Sir J. Everard Home, Bart., R.N.

1115. A skull from the Isle of Pines, or Hunia: ♀?

The left squamosal joins the frontal by a processus frontalis. On the right side there is an epipteric. The facial characters differ greatly from those of the last. The glabella forms no

prominence. The malars are small, the palate long and narrow, and the faec altogether compressed. The specimens which follow are intermediate in conformation.

C. 504, L. 186, B. 127, Bi. 683, H. 134, Hi. 720, BN. 95, BA. 104, Ai. 1095, Nh. 46, Nw. 25, Ni. 543, Ow. 38, Oh. 32, Oi. 842, Ca. 1320.

Presented by Captain Sir J. Everard Home, Bart., R.N.

1116. A skull from the Isle of Pines: ♀?

C. 500, L. 185, B. 122, Bi. 659, H. 132, Hi. 714, BN. 105, BA. 105, Ai. 1000, Nh. 47, Nw. 24, Ni. 511, Ow. 38, Oh. 31, Oi. 816, Ca. 1270.

Presented by Captain Sir J. Everard Home, Bart., R.N.

1117. A skull from the Isle of Pines: ♂?

C. 490, L. 176, B. 127, Bi. 722, H. 132, Hi. 750, BN. 93, Nh. 46, Nw. 26, Ni. 565, Ow. 39, Oh. 31, Oi. 795, Ca. 1275.

Presented by Captain Sir J. Everard Home, Bart., R.N.

1118. A mutilated skull from the Isle of Pines: ♂?

The squamosal joins the frontal on the right side. The squamoso-mandibular articulation has suffered extremely from rheumatic arthritis.

C. 487, L. 175, B. 133, Bi. 760, H. 140, Hi. 800, BN. 100, BA. 105, Ai. 1050, Nh. 44, Nw. 25, Ni. 568, Ow. 38, Oh. 31, Oi. 816.

Presented by Captain Sir J. Everard Home, Bart., R.N.

1119. A mutilated calvaria, from the Isle of Pines: ♂.

This is of much greater density, and has the ridges for muscular attachments more developed than in any of the other skulls of the series. There are exostoses in both external auditory meatuses.

C. 514, L. 182, B. 132, Bi. 725, H. 142, Hi. 780, Ca. 1275.

Presented by Captain Sir J. Everard Home, Bart., R.N.

1120. A collection of bones obtained with the above skulls from the Isle of Pines, consisting of portions of six individuals, four males and two females, and including one perfect male pelvis*.

Presented by Captain Sir J. Everard Home, Bart., R.N.

* These specimens must have been collected between the years 1841 and 1846, the period during which Sir James Everard Home was in command of H.M.S. 'North Star' in the Pacific.

- 1120¹. The skull of a native of New Caledonia. Tribe "Bouloupari."

C. 498, L. 182, B. 126, Bi. 692, H. 138, Hi. 758, BN. 104, BA. 100, Ai. 962, Nh. 49, Nw. 24, Ni. 490, Ow. 38, Oh. 36, Oi. 947, Ca. 1360.

- 1120². The skull of a native of New Caledonia. Tribe "Moindou."

C. 479, L. 171, B. 130, Bi. 760, H. 136, Hi. 795, BN. 100, BA. 102, Ai. 1020, Nh. 44, Nw. 25, Ni. 568, Ow. 37, Oh. 30, Oi. 811, Ca. 1310.

- 1120³. The cranium of a native of New Caledonia. Tribe "Moindou."

C. 510, L. 187, B. 128, Bi. 684, H. 139, Hi. 743, BN. 104, BA. 108, Ai. 1038, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 33, Oi. 892, Ca. 1440.

The above three specimens were collected by E. L. Layard, Esq., H.M. Consul at Noumea, New Caledonia, at the request of Dr. George Bennett of Sydney, by whom they were presented to the Museum, March 1881.

- 1120⁴. The cranium of a native of New Caledonia.

C. 508, L. 186, B. 130, Bi. 699, H. 142, Hi. 763, BN. 103, BA. 105, Ai. 1019, Nh. 47, Nw. 25, Ni. 532, Ow. 39, Oh. 32, Oi. 821, Ca. 1340.

- 1120⁵. The cranium of a native of New Caledonia.

C. 508, L. 185, B. 131, Bi. 708, H. 138, Hi. 746, BN. 102, BA. 100, Ai. 980, Nh. 48, Nw. 24, Ni. 500, Ow. 36, Oh. 35, Oi. 972, Ca. 1365.

- 1120⁶. The cranium of a native of New Caledonia.

C. 475, L. 172, B. 123, Bi. 715, H. 129, Hi. 750, BN. 99, BA. 106, Ai. 1071, Nh. 46, Nw. 26, Ni. 565, Ow. 40, Oh. 32, Oi. 800, Ca. 1245.

- 1120⁷. Two lower jaws of natives of New Caledonia killed during the late rebellion. These and the three crania are "of the same tribe as those sent previously."

*The above four specimens presented by
Dr. George Bennett of Sydney, 1882.*

1121. The skull of a native of Lifu, the largest of the Loyalty Islands, near New Caledonia: ♂. O. C. 5399.

This skull and the three following, from the same locality, present both cranial and facial characters of the Malayo-Polynesian, rather than the Melanesian races—which accords perfectly with what is known of the external appearance and history of the people. The nasal index alone would be quite sufficient to distinguish them from any of the Melanesian or Australioid races.

C. 503, L. 175, B. 137, Bi. 783, H. 137, Hi. 783, BN. 109, BA. 106, Ai. 972, Nh. 61, Nw. 25, Ni. 410, Ow. 40, Oh. 38, Oi. 950, Ca. 1450.

Presented by Dr. George Bennett.

1122. The skull of a native of the Island of Lifu, Loyalty group: ♀. O. C. 5400.

The basilar suture has but recently united; and the third molars are not fully developed.

C. 485, L. 171, B. 135, Bi. 789, H. 127, Hi. 743, BN. 97, BA. 97, Ai. 1000, Nh. 48, Nw. 21, Ni. 438, Ow. 38, Oh. 36, Oi. 947, Ca. 1300.

Presented by Dr. George Bennett.

1123. The skull of a child from the Island of Lifu. O. C. 5401.

The first permanent molars, the permanent incisors, and the milk-molars are in place.

C. 444, L. 159, B. 122, Bi. 767, H. 125, Hi. 786.

Presented by Dr. George Bennett.

1124. The skull of a younger child from the Island of Lifu. O. C. 5402.

The milk-dentition only has been acquired.

C. 438, L. 155, B. 125, Bi. 806.

Presented by Dr. George Bennett.

- 1124¹. A skull from New Caledonia (mutilated).

C. 473, L. 173, B. 126, Bi. 728, H. 123, Hi. 711, BN. 90, Ow. 35, Oh. 34, Oi. 971.

Presented by Fred. W. Lucas, Esq., 1896.

C. FIJIAN GROUP.

The fourteen following specimens were obtained in August 1876, by Baron A. von Hügel, from a cave used as a burial-place by the Ngalimari tribe of Kai Colos, or Mountaineers of Fiji, at Wakuku, on the Siga Toka River, Nandronga district, in the island of Viti Levu.

1125. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♂.

From Baron A. von Hügel's collection *.

C. 532, L. 197, B. 129, Bi. 655, H. 146, Hi. 741, BN. 110, BA. 110, Ai. 1000, Nh. 46, Nw. 28, Ni. 609, Ow. 40, Oh. 34, Oi. 850, Ca. 1540.

Presented by Erasmus Wilson, Esq., 1879.

1126. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♂.

From Baron A. von Hügel's collection.

C. 523, L. 194, B. 120, Bi. 619, H. 141, Hi. 727, BN. 102, BA. 104, Ai. 1020, Nh. 47, Nw. 26, Ni. 553, Ow. 38, Oh. 32, Oi. 842, Ca. 1550.

Presented by Erasmus Wilson, Esq., 1879.

1127. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♂.

From Baron A. von Hügel's collection.

C. 531, L. 193, B. 134, Bi. 694, H. 143, Hi. 741, BN. 108, BA. 109, Ai. 1009, Nh. 54, Nw. 28, Ni. 519, Ow. 42, Oh. 35, Oi. 833, Ca. 1475.

Presented by Erasmus Wilson, Esq., 1879.

1128. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe. ♂.

From Baron A. von Hügel's collection.

C. 550, L. 203, B. 134, Bi. 660, H. 147, Hi. 724, BN. 99, BA. 104, Ai. 1051, Nh. 52, Nw. 29, Ni. 558, Ow. 41, Oh. 34, Oi. 829, Ca. 1660.

Presented by Erasmus Wilson, Esq., 1879.

* This collection, consisting of thirty-seven skulls of natives of islands in the Pacific Ocean, was purchased in 1879 by Mr. Erasmus Wilson, F.R.S., and by him presented to the College.

1129. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♂.

From Baron A. von Hügel's collection.

The squamosal joins the frontal on the left side. Most of the teeth have been lost during life.

C. 526, L. 193, B. 127, Bi. 658, H. 140, Hi. 725, BN. 103, Nh. 49, Nw. 30, Ni. 612, Ow. 39, Oh. 32, Oi. 821, Ca. 1370.

Presented by Erasmus Wilson, Esq., 1879.

1130. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♂.

From Baron A. von Hügel's collection.

All the teeth have been lost during life, and the alveolar margins of both jaws absorbed.

C. 519, L. 190, B. 125, Bi. 658, H. 138, Hi. 726, BN. 103, Nh. 45, Nw. 26, Ni. 578, Ow. 38, Oh. 32, Oi. 842, Ca. 1375.

Presented by Erasmus Wilson, Esq., 1879.

1131. The cranium of a mountaineer of Viti Levu, of the Ngalimari tribe : ♂.

From Baron A. von Hügel's collection.

All the teeth have been lost during life, and the alveolar walls absorbed.

C. 509, L. 186, B. 123, Bi. 661, H. 140, Hi. 753, BN. 98, Nh. 47, Nw. 28, Ni. 596, Ow. 38, Oh. 34, Oi. 895, Ca. 1350.

Presented by Erasmus Wilson, Esq., 1879.

1132. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♀.

From Baron A. von Hügel's collection.

Metopie.

C. 502, L. 181, B. 126, Bi. 696, H. 142, Hi. 785, BN. 104, BA. 105, Ai. 1010, Nh. 48, Nw. 28, Ni. 583, Ow. 38, Oh. 33, Oi. 868, Ca. 1300.

Presented by Erasmus Wilson, Esq., 1879.

1133. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♀.

From Baron A. von Hügel's collection.

C. 504, L. 185, B. 124, Bi. 670, H. 137, Hi. 741, BN. 96, BA. 102, Ai. 1063, Nh. 43, Nw. 24, Ni. 558, Ow. 36, Oh. 34, Oi. 944, Ca. 1380.

Presented by Erasmus Wilson, Esq., 1879.

1134. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♀.

From Baron A. von Hügel's collection.

C. 512, L. 190, B. 123, Bi. 647, H. 137, Hi. 721, BN. 95, BA. 98, Ai. 1032, Nh. 44, Nw. 25, Ni. 568, Ow. 35, Oh. 34, Oi. 971, Ca. 1355.

Presented by Erasmus Wilson, Esq., 1879.

1135. The skull of a mountaineer of Viti Levu, of the Ngalimari tribe : ♀.

From Baron A. von Hügel's collection.

C. 488, L. 180, B. 117, Bi. 650, H. 132, Hi. 733, BN. 97, BA. 105, Ai. 1082, Nh. 46, Nw. 25, Ni. 543, Ow. 35, Oh. 32, Oi. 914, Ca. 1250.

Presented by Erasmus Wilson, Esq., 1879.

1136. The cranium of a young mountaineer of Viti Levu, of the Ngalimari tribe.

From Baron A. von Hügel's collection.

All the molars have been developed : but the basilar suture is not consolidated.

C. 490, L. 183, B. 120, Bi. 656, H. 132, Hi. 721, BN. 97, BA. 99, Ai. 1021, Nh. 44, Nw. 23, Ni. 523, Ow. 36, Oh. 34, Oi. 944.

Presented by Erasmus Wilson, Esq., 1879.

1137. The cranium of a mountaineer of Viti Levu, of the Ngalimari tribe, somewhat younger than the last.

From Baron A. von Hügel's collection.

All the permanent teeth are in place, except the posterior molars. The basilar suture is open.

C. 486, L. 175, B. 125, Bi. 714, H. 137, Hi. 783, BN. 99, BA. 94, Ai. 949, Nh. 46, Nw. 22, Ni. 478, Ow. 37, Oh. 34, Oi. 919.

Presented by Erasmus Wilson, Esq., 1879.

1138. The skull of a child of the Ngalimari tribe of mountaineers of Viti Levu.

From Baron A. von Hügel's collection.

The milk-teeth only are in place.

C. 455, L. 169, B. 113, Bi. 669, Nh. 34, Nw. 16, Ni. 471, Ow. 30, Oh. 31, Oi. 1033.

Presented by Erasmus Wilson, Esq., 1879.

1139. The skull of a male Kai Colo, or mountaineer of Fiji, from Voresika, in the Na Drau district, Viti Levu.

From a man killed by a club in a fray with natives of another tribe.

From Baron A. von Hügel's collection.

C. 515, L. 187, B. 128, Bi. 684, H. 145, Hi. 775, BN. 104, BA. 106, Ai. 1019, Nh. 50, Nw. 30, Ni. 600, Ow. 41, Oh. 36, Oi. 878, Ca. 1445.

Presented by Erasmus Wilson, Esq., 1879.

1140. The skull of a male Kai Colo, or mountaineer of Fiji, from Voresika, in the Na Drau district, Viti Levu.

From a man killed by a blow with a club at the same time with the last.

The blow, inflicted just behind the left parietal eminence, has completely detached a nearly circular piece of the inner table of the skull about the size of a shilling.

The four upper incisors have been lost during life.

C. 520, L. 191, B. 128, Bi. 670, H. 141, Hi. 738, BN. 100, Nh. 49, Nw. 27, Ni. 551, Ow. 40, Oh. 33, Oi. 825, Ca. 1500.

Presented by Erasmus Wilson, Esq., 1879.

1141. The cranium of a man, an imbecile from birth, of Navolau, in the Raki-Raki district, coast of Viti Levu.

From Baron A. von Hügel's collection.

The bony palate is defective in the middle line as far forwards as the posterior edge of the second premolar tooth.

C. 486, L. 176, B. 121, Bi. 688, H. 139, Hi. 790, BN. 107, BA. 106, Ai. 991, Nh. 51, Nw. 26, Ni. 510, Ow. 42, Oh. 35, Oi. 833, Ca. 1250.

Presented by Erasmus Wilson, Esq., 1879.

1142. The cranium of a male native of Bau, Viti Levu (Coast tribe).

Killed by Kai Colos, or mountaineers, in 1871. The bony palate is widely defective.

From Baron A. von Hügel's collection.

C. 522, L. 189, B. 137, Bi. 725, H. 141, Hi. 746, BN. 105, BA. 106, Ai. 1010, Nh. 51, Nw. 27, Ni. 529, Ow. 40, Oh. 37, Oi. 925, Ca. 1540.

Presented by Erasmus Wilson, Esq., 1879.

1143. A cranium from Loma Loma, on the island of Vanua-Balavu, one of the Windward or Eastern Group of the Fiji Islands : ♂.

The natives of this island have a large infusion of Tongan blood.

From Baron A. von Hügel's collection.

C. 535, L. 192, B. 138, Bi. 719, H. 145, Hi. 755, BN. 108, BA. 106, Ai. 981, Nh. 53, Nw. 26, Ni. 491, Ow. 41, Oh. 35, Oi. 854, Ca. 1600.

Presented by Erasmus Wilson, Esq., 1879.

1144. A cranium from Loma Loma, on the island of Vanua-Balavu : ♂.

From Baron A. von Hügel's collection.

C. 530, L. 191, B. 132, Bi. 691, H. 138, Hi. 723, BN. 110, BA. 110, Ai. 1000, Nh. 53, Nw. 25, Ni. 472, Ow. 41, Oh. 36, Oi. 878.

Presented by Erasmus Wilson, Esq., 1879.

1145. A cranium from Loma Loma, on the island of Vanua-Balavu : ♂.

From Baron A. von Hügel's collection.

C. 514, L. 189, B. 131, Bi. 693, H. 143, Hi. 757, BN. 106, BA. 104, Ai. 981, Nh. 53, Nw. 28, Ni. 528, Ow. 41, Oh. 36, Oi. 878, Ca. 1390.

Presented by Erasmus Wilson, Esq., 1879.

1146. The skull of a child from Ovalau, Fiji Islands.

From Baron A. von Hügel's collection.

The milk-teeth only are in place. The left squamosal meets the frontal.

C. 472, L. 173, B. 119, Bi. 688, H. 124, Hi. 717, BN. 83, BA. 82, Ai. 988, Nh. 33, Nw. 22, Ni. 667, Ow. 35, Oh. 31, Oi. 886.

Presented by Erasmus Wilson, Esq., 1879.

The scaphocephalic cranium, No. 129, is also from Ovalau.

The following seven skulls were collected at Ovalau, Fiji Islands, by Mr. Boyd. Purchased and presented to the Museum by Luther Holden, Esq., President of the College, 1880.

- 1146¹. A skull, from Ovalau.

The lower jaw possibly from another individual.

C. 620, L. 189, B. 128, Bi. 677, H. 138, Hi. 730, BN. 100, BA. 104, Ai. 1040, Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 33, Oi. 846, Ca. 1490.

1146². A skull, from Ovalau.

C. 505, L. 184, B. 124, Bi. 674, H. 133, Hi. 723, BN. 98, BA. 105, Ai. 1071, Nh. 48, Nw. 26, Ni. 542, Ow. 39, Oh. 36, Oi. 923, Ca. 1485.

1146³. A skull, from Ovalau.

C. 495, L. 179, B. 125, Bi. 698, H. 131, Hi. 732, BN. 98, BA. 99, Ai. 1010, Nh. 47, Nw. 25, Ni. 532, Ow. 40, Oh. 33, Oi. 825.

1146⁴. The large cranium of a young person, from Ovalau.

C. 530, L. 195, B. 139, Bi. 713, H. 139, Hi. 713, BN. 99, BA. 102, Ai. 1030, Nh. 45, Nw. 28, Ni. 622, Ow. 38, Oh. 35, Oi. 921, Ca. 1680.

1146⁵. The skull of a young person, from Ovalau.

Right temporal missing. The third molars had not erupted.

C. 497, L. 184, B. 129, Bi. 701, H. 124, Hi. 674, BN. 92, BA. 94, Ai. 1022, Nh. 40, Nw. 22, Ni. 550, Ow. 35, Oh. 33, Oi. 943.

1146⁶. The cranium of a child, with the milk teeth and first permanent molars in place. From Ovalau.

1146⁷. The cranium of a child. The second milk molar is level with alveolus. From Ovalau.

1147. The skull of a male native of the Fiji Islands. O. C. 5388.

From a man who died in the hospital at Hobart Town, Tasmania. Like many of the natives of the coast districts, it presents more of the characteristics of the Polynesian than the Melanesian race. It is figured in Martin's 'Natural History of Quadrupeds, &c.,' (1840) p. 310.

C. 503, L. 179, B. 140, Bi. 782, H. 139, Hi. 777, BN. 109, BA. 107, Ai. 982, Nh. 54, Nw. 29, Ni. 537, Ow. 38, Oh. 38, Oi. 1000, Ca. 1425.

Presented by Dr. Hobson.

1147¹. The skull of a male Fijian.

C. 520, L. 190, B. 131, Bi. 689, H. 140, Hi. 737, BN. 106, BA. 109, Ai. 1028, Nh. 52, Nw. 27, Ni. 519, Ow. 41, Oh. 35, Oi. 584, Ca. 1620.

1147². The skull of a male Fijian.

C. 500, L. 177, B. 136, Bi. 768, H. 138, Hi. 780, BN. 104,
BA. 97, Ai. 933, Nh. 56, Nw. 25, Ni. 446, Ow. 39, Oh. 35,
Oi. 897, Ca. 1520.

1147³. The skull of a male Fijian.

C. 509, L. 184, B. 132, Bi. 717, H. 140, Hi. 761, BN. 105,
BA. 103, Ai. 981, Nh. 50, Nw. 27, Ni. 540, Ow. 39, Oh. 33,
Oi. 846, Ca. 1520.

1147⁴. The skull of a male Fijian.

C. 520, L. 190, B. 129, Bi. 679, H. 143, Hi. 753, BN. 100,
BA. 100, Ai. 1000, Nh. 46, Nw. 27, Ni. 587, Ow. 33, Oh. 32,
Oi. 970, Ca. 1515.

1147⁵. The skull of a male Fijian.

C. 516, L. 190, B. 138, Bi. 726, H. 143, Hi. 753, BN. 100,
BA. 100, Ai. 1000, Nh. 53, Nw. 27, Ni. 509, Ow. 41, Oh. 37,
Oi. 902, Ca. 1580.

1147⁶. The skull of a male Fijian.

C. 498, L. 183, B. 134, Bi. 732, H. 149, Hi. 814, BN. 108,
BA. 108, Ai. 1000, Nh. 48, Nw. 28, Ni. 583, Ow. 41, Oh. 37,
Oi. 902, Ca. 1520.

1147⁷. A skull from an old Fijian burial ground, from Bau.

C. 487, L. 175, B. 127, Bi. 726, H. 139, Hi. 794, BN. 99,
Nh. 50, Nw. 25, Ni. 510, Ow. 39, Oh. 35, Oi. 897, Ca. 1275.

1147⁸. A cranium from the same burial ground, from Bau.

C. 505, L. 187, B. 131, Bi. 701, H. 140, Hi. 749, BN. 103,
Ow. 40, Oh. 38, Oi. 950, Ca. 1460.

1147⁹. The skull of a female Fijian.

C. 488, L. 177, B. 128, Bi. 723, H. 131, Hi. 740, BN. 97,
BA. 102, Ai. 1052, Nh. 52, Nw. 28, Ni. 538, Ow. 39, Oh. 34,
Oi. 872, Ca. 1295.

1147¹⁰. The skull of a female Fijian.

C. 489, L. 177, B. 130, Bi. 734, H. 135, Hi. 763, BN. 100,
BA. 91, Ai. 910, Nh. 49, Nw. 24, Ni. 490, Ow. 39, Oh. 35,
Oi. 897, Ca. 1380.

*The above ten specimens were collected and presented by
B. Glanvill Corney, Esq., 1903.*

1148. The skull of a male native of Rotuma Island.

From a man who died in the Seamen's Hospital, Greenwich.

C. 517, L. 185, B. 137, Bi. 741, H. 140, Hi. 757, BN. 106,
BA. 112, Ai. 1057, Nh. 58, Nw. 25, Ni. 431, Ow. 39, Oh. 37,
Oi. 949, Ca. 1350.

Presented by George Busk, Esq., 1875.

D. TOKELAU or UNION GROUP.

1148¹. The skull of a male (æt. c. 50), from the island of Fakaofu.

C. 530, L. 188, B. 147, Bi. 782, H. 142, Hi. 755, BN. 104,
BA. 102, Ai. 981, Nh. 59, Nw. 27, Ni. 458, Ow. 43, Oh. 38,
Oi. 884, Ca. 1590.

1148². The skull of Langitasi, King of Fakaofu, aged c. 60.

C. 525, L. 188, B. 138, Bi. 734, H. 141, Hi. 750, BN. 104,
BA. 99, Ai. 952, Nh. 58, Nw. 28, Ni. 483, Ow. 42, Oh. 37,
Oi. 881, Ca. 1650.

1148³. A mutilated skull.1148⁴. A cranium.

C. 508, L. 176, B. 145, Bi. 824, H. 141, Hi. 801, BN. 112,
Nh. 56, Nw. 27, Ni. 482, Ow. 40, Oh. 34, Oi. 850, Ca. 1530.

1148⁵. A cranium.

C. 493, L. 166, B. 148, Bi. 892, H. 140, Hi. 843, BN. 101,
BA. 107, Ai. 1059, Nh. 55, Nw. 23, Ni. 418, Ow. 39, Oh. 34,
Oi. 872, Ca. 1555.

1148⁶. A cranium.

C. 540, L. 182, B. 152, Bi. 835, H. 150, Hi. 824, BN. 106,
BA. 100, Ai. 943, Nh. 53, Nw. 26, Ni. 491, Ow. 39, Oh. 35,
Oi. 897, Ca. 1885.

1148⁷. A cranium : ♀.

C. 485, L. 167, B. 139, Bi. 832, H. 132, Hi. 790, BN. 91,
BA. 91, Ai. 1000, Nh. 44, Nw. 23, Ni. 523, Ow. 37, Oh. 33,
Oi. 892, Ca. 1300.

1148⁸. A cranium : ♀.

C. 510, L. 177, B. 137, Bi. 774, H. 123, Hi. 695, BN. 93,
Nh. 47, Nw. 25, Ni. 532, Ow. 40, Oh. 33, Oi. 825, Ca. 1390.

1148⁹. The cranium of a child.

1148¹⁰. The cranium of a younger child.

*The above ten specimens presented by
J. Lister, Esq., 1891.*

1148¹¹. A skull from Rotuma Island.

C. 505, L. 175, B. 143, Bi. 817, H. 144, Hi. 823, BN. 101,
BA. 98, Ai. 970, Nh. 50, Nw. 22, Ni. 440, Ow. 39, Oh. 37,
Oi. 949, Ca. 1497.

1148¹². Portions of a skull and other bones from the same locality.

*The above two specimens presented by
F. W. Collingwood, Esq., 1901.*

E. NEW HEBRIDES GROUP.

1149. The cranium of a native of Tanna: ♂.

Obtained in Fiji by Baron A. von Hügel*.

C. 474, L. 167, B. 125, Bi. 749, H. 125, Hi. 749, BN. 92,
BA. 99, Ai. 1076, Nh. 49, Nw. 25, Ni. 510, Ow. 40, Oh. 33,
Oi. 825, Ca. 1145.

Presented by Erasmus Wilson, Esq., 1879.

1149¹. The skeleton of a native of Erromango, New Hebrides, from the same collection as the Mallicollo skulls 1161¹ to 1161¹⁰.

C. 510, L. 184, B. 134, Bi. 728, H. 141, Hi. 766, BN. 101,
BA. 102, Ai. 1010, Nh. 52, Nw. 26, Ni. 500, Ow. 41, Oh. 34,
Oi. 829, Ca. 1525.

Presented by Luther Holden, Esq., 1880.

1150. A skull of a native of Vati or Sandwich Island, New Hebrides: ♂.

C. 501, L. 178, B. 129, Bi. 725, H. 138, Hi. 775, BN. 100,
BA. 106, Ai. 1060, Nh. 51, Nw. 28, Ni. 549, Ow. 39, Oh. 34,
Oi. 875, Ca. 1330.

Purchased from Mr. Hugh Cuming, 1860.

* The New-Hebridean crania collected by Baron von Hügel were those of labourers imported into Fiji, and who died there. The localities from which they came were carefully authenticated.

1151. The skull of a native of Api : ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 478, L. 172, B. 127, Bi. 738, H. 126, Hi. 733, BN. 98, BA. 105, Ai. 1071, Nh. 50, Nw. 28, Ni. 560, Ow. 38, Oh. 34, Oi. 895, Ca. 1160.

Presented by Erasmus Wilson, Esq., 1879.

1152. The skull of a native of Api : ♂?

Obtained in Fiji by Baron A. von Hügel.

The palate is cleft; and the margins of the anterior nasal aperture are peculiarly rounded.

C. 483, L. 169, B. 131, Bi. 775, H. 137, Hi. 811, BN. 96, BA. 95, Ai. 990, Nh. 45, Nw. 21, Ni. 467, Ow. 38, Oh. 32, Oi. 842, Ca. 1375.

Presented by Erasmus Wilson, Esq., 1879.

1153. The skull of a native of Ambrym : ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 508, L. 181, B. 127, Bi. 702, H. 136, Hi. 751, BN. 104, BA. 116, Ai. 1115, Nh. 48, Nw. 27, Ni. 563, Ow. 43, Oh. 35, Oi. 814, Ca. 1305.

Presented by Erasmus Wilson, Esq., 1879.

1153¹. The cranium of a native of Ambrym : ♂.

C. 486, L. 174, B. 127, Bi. 730, H. 128, Hi. 736, BN. 96, Nh. 48, Nw. 27, Ni. 563, Ow. 37, Oh. 32, Oi. 865, Ca. 1215.

Presented by H. Ling Roth, Esq., 1888.

1153². The cranium of a native of Ambrym : ♂.

C. 489, L. 171, B. 132, Bi. 772, H. 125, Hi. 731, BN. 90, BA. 95, Ai. 1056, Nh. 42, Nw. 24, Ni. 571, Ow. 36, Oh. 32, Oi. 889, Ca. 1190.

Presented by H. Ling Roth, Esq., 1888.

1153³. The cranium of a native of Ambrym : ♂ (imperfect).

C. 490, L. 169, B. 134, Bi. 793, Nh. 44, Nw. 27, Ni. 614, Ow. 40, Oh. 34, Oi. 850.

Presented by H. Ling Roth, Esq., 1888.

The five following specimens from Mallicollo, with the two from Vanikoro, were collected by the late Commodore Goodenough, R.N., during his last cruise in H.M.S. 'Pearl,' in the

year 1875. They were presented by his widow to the donor. With those collected at the same time by Mr. Corrie, they form the subject of a memoir by Mr. Busk published in the 'Journal of the Anthropological Institute,' vol. vi, p. 200.

1154. A cranium from Cook's S.W. Bay, Island of Mallicollo :
♂.

The squamosals join the frontal largely on both sides.

C. 498, L. 177, B. 130, Bi. 734, H. 131, Hi. 740, BN. 96, BA. 99, Ai. 1031, Nh. 48, Nw. 25, Ni. 521, Ow. 39, Oh. 34, Oi. 872, Ca. 1400.

Presented by Major-General A. Lane Fox, 1876.

1155. A cranium from Cook's S.W. Bay, Mallicollo.

C. 513, L. 188, B. 127, Bi. 676, H. 138, Hi. 734, BN. 102, BA. 102, Ai. 1000, Nh. 52, Nw. 28, Ni. 538, Ow. 38, Oh. 38, Oi. 1000, Ca. 1410.

Presented by Major-General A. Lane Fox, 1876.

1156. A mutilated cranium from Cook's S.W. Bay, Mallicollo :
♀.

The calvarial sutures are nearly all obliterated ; yet traces of the frontal suture are to be seen.

C. 475, L. 170, B. 122, Bi. 718, H. 126, Hi. 741, BN. 93, BA. 47, Nw. 26, Ni. 553, Ow. 38, Oh. 33, Oi. 868.

Presented by Major-General A. Lane Fox, 1876.

1157. A cranium from Port Sandwich, Mallicollo : ♂.

The squamosals join the frontal on both sides.

C. 500, L. 181, B. 130, Bi. 718, H. 135, Hi. 746, BN. 98, BA. 108, Ai. 1102, Nh. 50, Nw. 28, Ni. 560, Ow. 40, Oh. 34, Oi. 850, Ca. 1300.

Presented by Major-General A. Lane Fox, 1876.

1158. A cranium from Port Sandwich, Mallicollo : ♂?

It is metopic. The squamosal joins the frontal on the right side.

C. 490, L. 176, B. 128, Bi. 727, H. 129, Hi. 733, BN. 92, BA. 95, Ai. 1033, Nh. 43, Nw. 24, Ni. 558, Ow. 37, Oh. 33, Oi. 892, Ca. 1225.

Presented by Major-General A. Lane Fox, 1876.

The three following specimens were collected by the donor in 1875, while Assistant Surgeon to H.M.S. 'Pearl.'

1159. A cranium from the island of Mallicollo : ♀ ?

The squamosals join the frontal largely on both sides.

C. 492, L. 176, B. 122, Bi. 693, H. 127, Hi. 722, BN. 91, BA. 98, Ai. 1077, Nh. 47, Nw. 26, Ni. 553, Ow. 39, Oh. 34, Oi. 872, Ca. 1250.

Presented by Alfred Corrie, Esq., R.N., 1875.

1160. A cranium from the island of Mallicollo : ♂.

The squamosals join the frontal largely on both sides.

C. 500, L. 180, B. 125, Bi. 694, H. 131, Hi. 728, BN. 91, BA. 96, Ai. 1055, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 36, Oi. 947, Ca. 1275.

Presented by Alfred Corrie, Esq., R.N., 1875.

1161. A cranium from the island of Mallicollo : ♀ ?

The squamosals join the frontal on both sides. The frontal suture is open, though both sagittal and coronal sutures are partially obliterated, and the skull shows signs of advanced age. It is probably to this cause that the great general depression of the cranium and widening of the temporal region is due, giving height and breadth indices quite unlike those of Melanesian skulls generally. As the normal form has evidently been altered by senile change, this cranium is excluded from the average measurements.

C. 490, L. 173, B. 132, Bi. 763, H. 118, Hi. 682, BN. 92, Nh. 49, Nw. 25, Ni. 510, Ow. 39, Oh. 36, Oi. 923, Ca. 1200.

Presented by Alfred Corrie, Esq., R.N., 1875.

N.B. The Mallicollo crania are all remarkable for the depression of the frontal region ; but it has not yet been ascertained whether this is a natural conformation, or due to artificial compression in infancy.

The following eleven specimens were collected in Mallicollo by Mr. Boyd, sent by him to Mr. Charles Thorpe of Croydon in 1880, and purchased and presented to the Museum by Luther Holden, Esq., President of the College, 1880.

They all bear traces of artificial deformation, flattening and elongation, some, especially the last, closely resembling the

Aymara (Lake Titicaca and Tiflis skulls). See letter from Mr. Thorpe, dated Dec. 7th, 1880, for details of modes of deformation.

1161¹. The preserved head of a Mallicollo Chief. The face is modelled in clay.

Described and figured by W. H. Flower in the *Journal of the Anthropological Institute*, 1881, Plate VI.

1161². The preserved head of a Mallicollo Chief with an artificial wig. The face is modelled in clay.

Described and figured with the above.

1161³. A preserved head.

1161⁴. A preserved head.

1161⁵. A preserved head. The material covering the face is nearly all removed by decay.

1161⁶. A skull with the face modelled in clay and vegetable fibre.

1161⁷. A skull.

The lower jaw is possibly from another individual.

C. 520, L. 188, B. 133, Bi. 707, H. 134, Hi. 713, BN. 103, BA. 107, Ai. 1039, Nh. 56, Nw. 27, Ni. 482, Ow. 41, Oh. 36, Oi. 878, Ca. 1555.

1161⁸. A skull.

C. 486, L. 172, B. 126, Bi. 733, H. 127, Hi. 738, BN. 88, Nh. 45, Nw. 25, Ni. 556, Ow. 35, Oh. 32, Oi. 914, Ca. 1265.

1161⁹. A skull.

C. 455, L. 165, B. 118, Bi. 715, H. 118, Hi. 715, BN. 90, Nh. 47, Nw. 26, Ni. 553, Ow. 36, Oh. 34, Oi. 944, Ca. 1135.

1161¹⁰. A cranium.

C. 490, L. 175, B. 125, Bi. 714, H. 134, Hi. 766, BN. 103, Nh. 50, Nw. 25, Ni. 500, Ow. 40, Oh. 34, Oi. 850, Ca. 1275.

1161¹¹. A cranium.

C. 450, L. 164, B. 118, Bi. 720, H. 125, Hi. 762, BN. 91, Nh. 46, Nw. 25, Ni. 543, Ow. 35, Oh. 33, Oi. 943, Ca. 1130.

See "On a collection of monumental heads and artificially deformed crania from the Island of Mallicollo," *Journal of Anthropological Institute*, 1881.

- 1161¹². A cranium, remarkably deformed.

Figured by W. H. Flower in "Lectures on Fashion and Deformity," Royal Institution, June 1880; and on a larger scale in Journ. Anthropol. Institute, 1881.

C. 462, L. 153, B. 138, Bi. 902, H. 164, Hi. 1072, BN. 90, BA. 88, Ai. 978, Nh. 44, Nw. 25, Ni. 568, Ow. 37, Oh. 36, Oi. 973, Ca. 1590.

- 1161¹³ A cranium from Lenua Bay, west side of Mallicollo, illustrating the custom of artificial compression practised by all the natives of the Island excepting a tribe at the north-east corner who also, unlike the rest, omit to slit the prepuce. [Donor's note.]

C. 490, L. 180, B. 128, Bi. 711, H. 127, Hi. 706, BN. 103, BA. 105, Ai. 1019, Nh. 51, Nw. 25, Ni. 490, Ow. 40, Oh. 36, Oi. 900, Ca. 1340.

- 1161¹⁴. A cranium (not deformed) from the north-east corner of Mallicollo.

C. 505, L. 180, B. 129, Bi. 717, H. 130, Hi. 722, BN. 100, Nh. 48, Nw. 28, Ni. 583, Ow. 37, Oh. 33, Oi. 892, Ca. 1370.

*The above two specimens presented by
Dr. G. Bolton Corney, Col. Surgeon, Fiji, 1884.*

- 1161¹⁵. A cranium showing deformation by compression. Malakula Island, New Hebrides.

C. 465, L. 168, B. 122, Bi. 726, H. 127, Hi. 756, BN. 96, BA. 106, Ai. 1104, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 33, Oi. 868, Ca. 1285.

Collected and presented by B. Glanvill Corney, Esq., 1903.

1162. The skull of a native of the Banks Islands: ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 498, L. 176, B. 129, Bi. 733, H. 129, Hi. 733, BN. 98, BA. 100, Ai. 1020, Nh. 54, Nw. 27, Ni. 500, Ow. 41, Oh. 34, Oi. 829, Ca. 1230.

Presented by Erasmus Wilson, Esq., 1879.

1163. The skull of a native of the Banks Islands: ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 483, L. 165, B. 132, Bi. 800, H. 130, Hi. 788, BN. 94, BA. 99, Ai. 1053, Nh. 53, Nw. 27, Ni. 508, Ow. 41, Oh. 35, Oi. 854, Ca. 1320.

Presented by Erasmus Wilson, Esq., 1879.

1164. The skull of a native of Cherry Island : ♂.

Obtained in Fiji by Baron A. von Hügel.

The right upper canine is almost completely embedded in the maxilla, the apex of the crown pointing upwards and outwards just below the infraorbital foramen, with its lingual surface forwards. There are but three lower incisors, the central one being placed close to the middle line ; the missing one appears to be the right lateral.

C. 500, L. 175, B. 136, Bi. 777, H. 152, Hi. 869, BN. 105, BA. 98, Ai. 933, Nh. 48, Nw. 25, Ni. 521, Ow. 40, Oh. 32, Oi. 800, Ca. 1500.

Presented by Erasmus Wilson, Esq., 1879.

1165. A skull from Direction Island, Vanikoro : ♂.

Obtained by Commodore Goodenough, R.N., in 1875.

C. 502, L. 180, B. 127, Bi. 706, H. 136, Hi. 756, BN. 100, BA. 111, Ai. 1110, Nh. 46, Nw. 24, Ni. 522, Ow. 39, Oh. 30, Oi. 769, Ca. 1350.

Presented by Major-General A. Lane Fox, 1876.

1166. A skull from Direction Island, Vanikoro : ♂.

Obtained by Commodore Goodenough, R.N., in 1875.

C. 483, L. 175, B. 125, Bi. 714, H. 140, Hi. 800, BN. 98, BA. 100, Ai. 1020, Nh. 46, Nw. 27, Ni. 587, Ow. 37, Oh. 32, Oi. 865, Ca. 1310.

Presented by Major-General A. Lane Fox, 1876.

1167. A skull said to have been brought from one of the islands of the New Hebrides : ♂.

This skull of a powerful man presents in an exaggerated degree the characters of the "hypsi-stenocephalic" Melanesian cranium, and its dimensions closely correspond to those of an inhabitant of Vati (or Fate) described in Dr. Barnard Davis's 'Thesaurus,' p. 311, No. 817.

C. 533, L. 199, B. 128, Bi. 643, H. 142, Hi. 714, BN. 108, BA. 115, Ai. 1065, Nh. 52, Nw. 29, Ni. 558, Ow. 43, Oh. 32, Oi. 744, Ca. 1475.

Purchased, 1876.

1168. A cranium of unknown locality, formerly assigned to New Zealand, but more probably from the New Hebrides : ♀.

In its general characters, allowing for the very well-marked sexual differences, it resembles the last. This cranium has been

described and figured by Professor Huxley in a memoir "On two widely-contrasted forms of the Human Cranium," 'Journal of Anatomy,' vol. i. p. 60 (1867). It has the lowest index of breadth of any normal cranium in the collection, except one of the Fiji mountaineers, No. 1126.

C. 510, L. 190, B. 120, Bi. 632, H. 135, Hi. 711, BN. 101, BA. 106, Ai. 1050, Nh. 49, Nw. 27, Ni. 551, Ow. 39, Oh. 34, Oi. 872, Ca. 1225.

Presented by Professor Huxley, 1876.

F. SOLOMON ISLANDS.

1169. The skull of a native of Ysabel : ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 505, L. 180, B. 135, Bi. 750, H. 136, Hi. 756, BN. 100, BA. 104, Ai. 1040, Nh. 53, Nw. 24, Ni. 453, Ow. 42, Oh. 35, Oi. 833, Ca. 1450.

Presented by Erasmus Wilson, Esq., 1879.

1169¹. The skull of a native of the Solomon Islands, preserved in the native fashion.

C. 478, L. 166, B. 133, Bi. 801, H. 123, Hi. 741, BN. 93, BA. 101, Ai. 1086, Nw. 23, Ow. 36, Oh. 34, Oi. 944, Ca. 1255.

*Collected and presented by
B. Glanvill Corney, Esq., 1903.*

1169². The skull of a male from the Solomon Islands.

C. 480, L. 169, B. 136, Bi. 805, H. 133, Hi. 787, BN. 96, BA. 94, Ai. 979, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 36, Oi. 947, Ca. 1300.

*Collected and presented by
B. Glanvill Corney, Esq., 1903.*

1170. The skull of a native of one of the Solomon Islands : ♂.

Obtained in Fiji by Baron A. von Hügel.

C. 503, L. 182, B. 132, Bi. 725, H. 139, Hi. 764, BN. 101, BA. 96, Ai. 950, Nh. 50, Nw. 23, Ni. 460, Ow. 36, Oh. 32, Oi. 889, Ca. 1300.

Presented by Erasmus Wilson, Esq., 1879.

1171. An artificially prepared head from Rubiana, a small island near New Georgia (Solomon Islands).

The face is ornamented with inlaid pieces of mother-of-pearl. Wooden teeth are fixed in the mouth in front of the real ones.

Some of the hair remains at the back of the head in distinct spirally-twisted tufts.

The following measurements are approximative only :—
C. 510, L. 181, B. 133, Bi. 735, Ca. 1300.

Presented by Dr. George Bennett, 1859.

1172. A similarly prepared skull from the same locality.

The face is inlaid in the same manner with pieces of mother-of-pearl, but in a different pattern.

Approximative measurements :—C. 515, L. 183, B. 140, Bi. 765, Ca. 1370.

Presented by Dr. George Bennett, 1859.

1172¹. The os innominatum and scapula of a native of New Britain.

The skull of the same man has been given to the Museum of the Royal Naval Hospital, Haslar. Scapular index 608.

Presented by Thomas E. H. Williams, Esq., 1880.

1172². A coloured mask, based upon the facial portion of a skull, used in their dances by the natives of New Britain.

Presented by Dr. George Bennett, 1881.

1172³. A similar mask from Keaira District, Blanch Bay, Gazelle Peninsula, New Britain.

Presented by Wilford Powell, Esq., 1882.

The following eight skulls from New Britain were collected from the bush in the neighbourhood of Herbertshohe, and presented by C. G. Seligmann, Esq., 1905.

1172⁴. Skull of a female.

C. 503, L. 179, B. 129, Bi. 721, H. 139, Hi. 777, BN. 94, BA. 107, Ai. 1138, Nh. 43, Nw. 28, Ni. 651, Ow. 39, Oh. 28, Oi. 718, Ca. 1445.

1172⁵. Skull of a female.

C. 476, L. 167, B. 132, Bi. 790, H. 131, Hi. 784, BN. 94, BA. 112, Ai. 1191, Nh. 45, Nw. 28, Ni. 622, Ow. 37, Oh. 30, Oi. 811, Ca. 1235.

1172⁶. Skull of a female.

C. 482, L. 169, B. 133, Bi. 787, H. 125, Hi. 740, BN. 93, BA. 99, Ai. 1065, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 32, Oi. 842, Ca. 1225.

1172⁷. Skull of a male.

C. 508, L. 180, B. 134, Bi. 744, H. 134, Hi. 744, BN. 97, BA. 108, Ai. 1113, Nh. 42, Nw. 23, Ni. 540, Ow. 40, Oh. 32, Oi. 800, Ca. 1300.

1172⁸. Skull of a male.

C. 515, L. 182, B. 142, Bi. 780, H. 136, Hi. 747, BN. 102, BA. 111, Ai. 1088, Nh. 50, Nw. 27, Ni. 540, Ow. 41, Oh. 33, Oi. 805, Ca. 1390.

1172⁹. Skull of a male.

C. 505, L. 180, B. 133, Bi. 739, H. 136, Hi. 756, BN. 99, BA. 104, Ai. 1051, Nh. 45, Nw. 33, Ni. 733, Ow. 39, Oh. 35, Oi. 897, Ca. 1350.

1172¹⁰. Skull of a male.

C. 496, L. 180, B. 132, Bi. 733, H. 129, Hi. 717, BN. 99, BA. 112, Ai. 1131, Nh. 42, Nw. 23, Ni. 548, Ow. 38, Oh. 32, Oi. 842, Ca. 1186.

1172¹¹. Skull of a male.

In the right occipital region there is an oval aperture measuring in chief vertical diameter 2·8 cm. and in smaller transverse diameter 2·2 cm.

It involves partly the posterior border of the right parietal about midway between the superior and inferior angles, and partly the adjacent portion of the occipital squama. In the latter position it lies altogether above the superior curved line.

With the exception of a minute lenticular osteoma on the left parietal, about 1 cm. from the sagittal suture and 4·5 cm. in front of the lambda, there is no sign of disease.

The edge of the aperture shelves regularly from the outer towards the inner aspect of the bone, the border of the opening being sharp and well defined.

The diplöe is nowhere exposed, showing that the injury has been repaired during life, the shelving edge being quite smooth and compact. The parieto-occipital suture is not obliterated on either side of the aperture.

C. 505, L. 179, B. 130, Bi. 726, H. 134, Hi. 749, BN. 105, Nh. 50, Nw. 27, Ni. 540, Ow. 37, Oh. 32, Oi. 865, Ca. 1200.

Presented by C. G. Seligmann, Esq., 1905.

G. PAPUA OR NEW GUINEA.

The following thirteen crania from the east part of New Guinea and the adjacent islands, were collected in 1874 by the donor during the cruise of H.M.S. 'Basilisk' (Captain J. Moresby, R.N.), and described in the 'Journal of the Anthropological Institute,' vol. vi. p. 102 (1876)*. Although the majority of them present the usual characteristics of the Melanesian race, some (as Nos. 1174, 1178, and 1185) evidently belong to different types—a circumstance which quite accords with evidence from other sources, indicating a considerable mixture of races among the inhabitants of this region of the world. The localities given are those in which they were obtained; but as the natives are great (and perhaps rather indiscriminate) head-collectors, they afford no proof of the original home of the person to whom the skull belonged.

1173. A skull from near South-east Cape, New Guinea: ♂?

C. 473, L. 172, B. 122, Bi. 709, H. 129, Hi. 750, BN. 93, BA. 97, Ai. 1043, Nh. 44, Nw. 24, Ni. 545, Ow. 38, Oh. 31, Oi. 816, Ca. 1150.

Presented by Dr. Peter Comrie, Staff-Surgeon R.N., 1877.

1174. A cranium from Traitor's Bay, near Riche Island, New Guinea: ♂.

The occipital region is injured, so that some of the measurements cannot be taken.

C. 474, L. 163, B. 132, Bi. 810, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 33, Oi. 868, Ca. 1090.

Presented by Dr. P. Comrie, R.N., 1877.

1175. A cranium from China Strait: ♂.

C. 503, L. 181, B. 128, Bi. 707, H. 127, Hi. 702, Nh. 50, Nw. 26, Ni. 520, Ow. 37, Oh. 30, Oi. 811, Ca. 1250.

Presented by Dr. P. Comrie, R.N., 1877.

* Two other crania of the same collection, and described in the paper above referred to, are now in the Anatomical Museum of the University of Edinburgh.

1176. A cranium from Skelton Island : ♂.

C. 490, L. 173, B. 130, Bi. 751, H. 130, Hi. 751, BN. 96, BA. 96, Ai. 1000, Nh. 55, Nw. 25, Ni. 455, Ow. 40, Oh. 35, Oi. 875, Ca. 1340.

Presented by Dr. P. Comrie, R.N., 1877.

1177. A cranium from Teste Island, south of Moresby Island : ♂.

C. 500, L. 182, B. 127, Bi. 698, H. 133, Hi. 731, BN. 97, BA. 98, Ai. 1010, Nh. 44, Nw. 25, Ni. 568, Ow. 37, Oh. 30, Oi. 811, Ca. 1390.

Presented by Dr. P. Comrie, R.N., 1877.

1178. A cranium from Lydia Island, near East Cape, New Guinea : ♂.

Found suspended to the figure-head of a canoe, March 4th, 1874.

Most of the teeth have been lost during life ; but obliteration of the sutures has only commenced at the pterion and lambda.

C. 480, L. 166, B. 137, Bi. 825, H. 127, Hi. 765, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 31, Oi. 816, Ca. 1240.

Presented by Dr. P. Comrie, R.N., 1877.

1179. A cranium from Lydia Island : ♂.

There is no trace of a sagittal suture, though the basilar suture has but recently united, and the teeth are unworn. This is evidently a premature synostosis, and may have affected the form of the head.

C. 515, L. 188, B. 132, Bi. 702, H. 135, Hi. 718, BN. 107, BA. 107, Ai. 1000, Nh. 50, Nw. 26, Ni. 520, Ow. 37, Oh. 32, Oi. 865, Ca. 1380.

Presented by Dr. P. Comrie, R.N., 1877.

1180. A cranium from Lydia Island : ♂.

C. 493, L. 176, B. 127, Bi. 722, H. 130, Hi. 739, BN. 96, BA. 100, Ai. 1042, Nh. 48, Nw. 24, Ni. 500, Ow. 37, Oh. 30, Oi. 811, Ca. 1290.

Presented by Dr. P. Comrie, R.N., 1877.

1181. A cranium from Lydia Island : ♀.

C. 482, L. 176, B. 123, Bi. 699, H. 134, Hi. 761, BN. 97, BA. 102, Ai. 1052, Nh. 49, Nw. 26, Ni. 531, Ow. 37, Oh. 30, Oi. 811, Ca. 1300.

Presented by Dr. P. Comrie, R.N., 1877.

1182. A cranium from Lydia Island : ♀ .

C. 468, L. 176, B. 117, Bi. 665, H. 127, Hi. 722, BN. 101, BA. 105, Ai. 1040, Nh. 46, Nw. 25, Ni. 543, Ow. 37, Oh. 28, Oi. 757, Ca. 1080.

Presented by Dr. P. Comrie, R.N., 1877.

1183. A cranium from Moresby Island : ♀ .

C. 466, L. 168, B. 122, Bi. 726, H. 129, Hi. 768, BN. 92, BA. 95, Ai. 1033, Nh. 47, Nw. 26, Ni. 553, Ow. 36, Oh. 31, Oi. 861, Ca. 1175.

Presented by Dr. P. Comrie, R.N., 1877.

1184. A cranium from Tub Bay, D'Entrecasteaux Islands : ♀ .

The right squamosal joins the frontal.

C. 483, L. 176, B. 125, Bi. 710, H. 126, Hi. 716, BN. 97, BA. 101, Ai. 1041, Nh. 50, Nw. 24, Ni. 480, Ow. 39, Oh. 32, Oi. 820, Ca. 1190.

Presented by Dr. P. Comrie, R.N., 1877.

1185. A cranium from the D'Entrecasteaux Islands : ♀ .

An articular surface for the odontoid process is developed on the basion.

C. 507, L. 178, B. 137, Bi. 770, H. 137, Hi. 770, BN. 97, BA. 101, Ai. 1041, Nh. 51, Nw. 25, Ni. 490, Ow. 37, Oh. 34, Oi. 919, Ca. 1450.

Presented by Dr. P. Comrie, R.N., 1877.

1186. A mandible from the same collection, not belonging to either of the crania.

Presented by Dr. P. Comrie, R.N., 1877.

- 1186¹. The skull of a male from New Guinea.

C. 497, L. 179, B. 129, Bi. 721, H. 130, Hi. 726, BN. 99, BA. 109, Ai. 1101, Nh. 47, Nw. 26, Ni. 553, Ow. 41, Oh. 33, Oi. 805.

Purchased, 1885.

- 1186². The skull of a male from New Guinea.

C. 498, L. 182, B. 125, Bi. 687, H. 132, Hi. 725, BN. 103, BA. 103, Ai. 1000, Nh. 49, Nw. 27, Ni. 551, Ow. 39, Oh. 31, Oi. 795, Ca. 1250.

Purchased, 1885.

- 1186³. A cranium from Goaribari, Aird River delta, New Guinea, ornamented in the native fashion.

C. 465, L. 162, B. 130, Bi. 802.

Presented by C. G. Seligmann, Esq., 1905.

- 1186⁴. Incomplete skeleton, and a second saerum from New Guinea. No skull.

Collocted at Bonagai, Murua, and probably the skeleton of a Murua native.

Presented by C. G. Seligmann, Esq., 1905.

1187. A eranium, with the right half of the faec broken away, from Wyer, an island at the eastern extremity of Torres Strait. O. C. 5348.

This and the other specimens from Torres Strait, presented by Mr. Jukes, were collected on the surveying voyage of H.M.S. 'Fly' (Captain Blackwood), during the years 1842-1846.

C. 496, L. 175, B. 134, Bi. 766, H. 134, Hi. 766, BN. 96, Ow. 40, Oh. 33, Oi. 825, Ca. 1365.

Presented by J. Bete Jukes, Esq., 1846.

1188. The articulated skeleton of a male inhabitant of Erroob, or Darnley Island, in Torres Strait.

Prepared from a dried mummy obtained in Erroob, in 1872, by Mr. Charles Lemaistro, Master of the French brig 'Victorine.' A description and figure of the mummy, with observations upon its mode of preservation, are given in the 'Journal of the Anthropological Institute,' vol. viii. (1879); and a photograph, taken as it was received, extended upon a wooden framework of native manufacture, is placed with the skeleton.

The skull has some appearance of having been artifically flattened.

Height of skeleton 5 feet 3·9 inches = 1623.

Clavicle, *r.* 150, *l.* 150; humerus, *r.* 324, *l.* 327; radius, *r.* 263, *l.* 260; femur, *r.* 466, *l.* 473; tibia, *r.* 387, *l.* 387.

Cranium: C. 505, L. 175, B. 132, Bi. 754, H. 136, Hi. 777, BN. 108, BA. 110, Ai. 1019, Nh. 54, Nw. 27, Ni. 500, Ow. 41, Oh. 34, Oi. 829, Ca. 1280.

Purchased, 1879.

- 1188¹. The mummy of a child from New Guinea, probably from Darnley Island.

Presented by the Corporation Museum, Leicester, 1900.

1189. The artificially prepared head of a Papuan, from Erroob, or Darnley Island: ♂. O. C. 5351.

The dried integuments of the face have been painted red, and artificial eyes of mother-of-pearl inserted in the orbits, as was the case in No. 1188.

C. 510, L. 183, B. 137, Bi. 749, H. 135, Hi. 738, Ca. 1280.

Presented by Lieut. Ince, R.N., 1846.

1190. The skull of a Papuan, from Erroob, or Darnley Island, which has been prepared in a similar manner: ♂.

Obtained by Prof. Huxley, while Assistant Surgeon to H.M.S. 'Rattlesnake,' during Captain Owen Stanley's survey of Torres Strait (1847-50).

C. 500, L. 182, B. 129, Bi. 709, H. 130, Hi. 714, BN. 105, BA. 111, Ai. 1057, Nh. 50, Nw. 25, Ni. 500, Ow. 40, Oh. 33, Oi. 825, Ca. 1225.

Presented by George Busk, Esq., 1864.

1191. The skull of a Papuan, from Erroob, or Darnley Island, Torres Strait: ♂. O. C. 5349.

C. 533, L. 196, B. 136, Bi. 694, H. 138, Hi. 704, BN. 104, BA. 112, Ai. 1077, Nh. 50, Nw. 26, Ni. 520, Ow. 42, Oh. 32, Oi. 762, Ca. 1510.

Presented by J. Bete Jukes, Esq., 1846.

1192. The skull of a young Papuan, from Erroob, or Darnley Island. O. C. 5350.

The basilar suture is not closed; and the posterior molars are not in place, though all the other permanent teeth have been cut.

C. 470, L. 167, B. 129, Bi. 772, H. 125, Hi. 749, BN. 93, BA. 95, Ai. 1022, Nh. 45, Nw. 23, Ni. 511, Ow. 33, Oh. 32, Oi. 970, Ca. 1220.

Presented by J. Bete Jukes, Esq., 1846.

1193. The cranium of a Papuan, from one of the islands in Torres Strait: ♂. O. C. 5347.

The left squamosal sends out a *processus frontalis*, which, however, does not quite meet the frontal bone.

C. 498, L. 174, B. 138, Bi. 793, H. 140, Hi. 805, BN. 102,

BA. 110, Ai. 1078, Nh. 52, Nw. 25, Ni. 481, Ow. 42, Oh. 35, Oi. 833, Ca. 1260.

Presented by J. Bete Jukes, Esq., 1846.

1194. The cranium of a Papuan, from one of the islands in Torres Strait: ♂. O. C. 5346.

The sagittal suture is obliterated in the region of the obelion, where there is a large irregular depression.

C. 510, L. 185, B. 129, Bi. 697, H. 135, Hi. 730, BN. 99, BA. 103, Ai. 1040, Nh. 51, Nw. 30, Ni. 588, Ow. 43, Oh. 38, Oi. 884, Ca. 1300.

Presented by J. Bete Jukes, Esq., 1846.

1195. The cranium of a Kowrarega, or inhabitant of Prince-of-Wales's Island, Torres Strait: ♂.

Described by the donor as "a mixed race, Papuan and Australian" *.

C. 502, L. 185, B. 128, Bi. 692, H. 137, Hi. 741, BN. 99, BA. 102, Ai. 1030, Nh. 47, Nw. 29, Ni. 617, Ow. 43, Oh. 35, Oi. 814, Ca. 1260.

Presented by Lieut. R. H. Armit, R.N., 1870.

- 1195¹. A skull from Thursday Island, Prince-of-Wales's Group, Torres Strait: ♂.

C. 495, L. 175, B. 141, Bi. 806, H. 138, Hi. 789, BN. 109, BA. 111, Ai. 1018, Nh. 54, Nw. 26, Ni. 481, Ow. 42, Oh. 32, Oi. 762, Ca. 1430.

Presented by Captain J. P. Maclear, R.N., 1882.

- 1195². A cranium from Bank's Island, Torres Strait: ♂ adult.

C. 518, L. 176, B. 146, Bi. 830, H. 132, Hi. 750, BN. 102, BA. 112, Ai. 1098, Nh. 48, Nw. 26, Ni. 542, Ow. 41, Oh. 30, Oi. 732, Ca. 1350.

Purchased, 1886.

* "The Kowraregas inhabit the Prince-of-Wales Group. I believe them to be a Papuanized colony of Australians; in fact one might hesitate whether to consider them as Papuans or Australians, so complete is the fusion of the two races. Still the natives of the Prince-of-Wales Islands rank themselves with the islanders, and exhibit a degree of conscious superiority over their neighbours on the mainland, and with some show of reason; although themselves inferior to all the other islanders, they have at least made with them the great advance in civilization of having learned to cultivate the ground—a process which is practised by none of the Australian aborigines."—MACGILLIVRAY, *Narrative of the Voyage of H.M.S. 'Rattlesnake,' 1852.*

1196. The cranium of an inhabitant of Wallis Island, Endeavour Strait : ♀. O. C. 5352.

C. 483, L. 174, B. 127, Bi. 730, H. 122, Hi. 701, BN. 93, BA. 104, Ai. 1118, Nh. 46, Nw. 26, Ni. 565, Ow. 40, Oh. 32, Oi. 800, Ca. 1100.

Presented by J. Bete Jukes, Esq., 1846.

1197. An artificially prepared and ornamented head from the south coast of New Guinea. Probably ♀. O. C. 5355.

From a young individual : the basilar suture is not united ; nor are the last molar teeth come into place in either jaw. The other permanent teeth are all present.

Discovered May 30, 1845, with a large number of others similarly prepared, by an exploring party from H.M.S. 'Fly' (Captain Blackwood, R.N.), in a large native house on the banks of Aird's River, Gulf of Papua, suspended by the quasi-beard from a frame under the middle of the roof. See Jukes's 'Narrative of the Surveying Voyage of H.M.S. Fly' (1847), vol. i. p. 274.

C. 450, L. 160, B. 129, Bi. 806, H. 128, Hi. 800, Ca. 1100.

Presented by Captain Philip Blackwood, R.N., 1846.

1198. A similarly prepared head of an adult : ♂. O. C. 5356.

Obtained with the last. The squamosals join the frontal on both sides.

C. 482, L. 168, B. 136, Bi. 810, H. 137, Hi. 815, Ca. 1320.

Presented by Captain Philip Blackwood, R.N., 1846.

1199. The cranium of a young Papuan. O. C. 5354.

The basilar suture is not united ; and the last molars are not in place.

C. 450, L. 164, B. 117, Bi. 713, H. 127, Hi. 774, BN. 87, BA. 86, Ai. 989, Nh. 39, Nw. 21, Ni. 538, Ow. 34, Oh. 32, Oi. 941, Ca. 1100.

Presented by J. Bete Jukes, Esq., 1846.

- 1199¹. A cranium from South-east New Guinea, about 20 miles inland from Port Moresby.

C. 515, L. 186, B. 133, Bi. 715, H. 138, Hi. 742, BN. 104, BA. 105, Ai. 1010, Nh. 52, Nw. 25, Ni. 481, Ow. 39, Oh. 34, Oi. 872, Ca. 1450.

Collected by Mr. A. Goldie and purchased, 1880.

- 1199². A cranium from the same place.

C. 498, L. 177, B. 135, Bi. 763, H. 135, Hi. 763, BN. 94, BA. 94, Ai. 1000, Nh. 53, Nw. 25, Ni. 472, Ow. 37, Oh. 34, Oi. 919, Ca. 1460.

Purchased, 1880.

- 1199³. A cranium from the same place.

C. 493, L. 185, B. 129, Bi. 697, H. 135, Hi. 730, BN. 99, BA. 94, Ai. 949, Nh. 48, Nw. 27, Ni. 563, Ow. 37, Oh. 34, Oi. 919, Ca. 1430.

Purchased, 1880.

1200. The cranium of a Papuan: ♂. O. C. 5353.

C. 512, L. 187, B. 127, Bi. 679, H. 139, Hi. 743, BN. 98, BA. 102, Ai. 1041, Nh. 47, Nw. 26, Ni. 553, Ow. 40, Oh. 34, Oi. 850, Ca. 1435.

- 1200^{1 2 3}. Casts of Papuan crania from Geelvink's Bay.

Nos. 70, 97, and 166 of Dr. Meyer's series of 135 Papuan skulls described and figured in his *Memoir in the Mitth. Zool. Museum z. Dresden*, 1875, pp. 60-83 and 165-204. They are the most Brachycephalic of the whole series and are considered by Quatrefages and Harvey (*Crania Ethnica*, p. 205) as crania of Negritos, an opinion with which Meyer does not agree.

- 1200⁴. A cast of the interior of the largest of the same series, No. 87.

Meyer, *l. c.* page 175. The skull is figured on Pl. II.

Presented by Dr. A. B. Meyer, Director of the Royal Natural History and Ethnology Museum, Dresden, 1880.

1201. A cast of the cranium of a brachycephalic Papuan, from the Island of Rawak, near Waigioe, at the north-west extremity of New Guinea.

The original is in the Muséum d'Histoire Naturelle at Paris, and is figured in the 'Zoologie du Voyage de Freycinet' (l'Uranie), by Quoy and Gaimard, plate 1.

C. 538, L. 178, B. 159, Bi. 893, H. 144, Hi. 809.

Presented by the "Professeurs-Administrateurs du Musée d'Histoire Naturelle à Paris, per M. de Quatrefages, 1875.

- 1201¹. The skull of a male from Milne Bay, New Guinea.

C. 488, L. 166, B. 136, Bi. 819, H. 120, Hi. 723, BN. 90,
BA. 93, Ai. 1033, Nh. 50, Nw. 22, Ni. 440, Ow. 36, Oh. 30,
Oi. 833, Ca. 1330.

Purchased, 1890.

- 1201². A cranium, from Orangerie Bay, New Guinea.

C. 464, L. 166, B. 117, Bi. 705, H. 128, Hi. 771, BN. 100,
BA. 107, Ai. 1070, Nh. 44, Nw. 24, Ni. 545, Ow. 38, Oh. 30,
Oi. 789.

Purchased, 1890.

- 1201³. A skull from Alele River, near Aird River, New Guinea,
with carving on the frontal bone : ♂.

C. 483, L. 174, B. 127, Bi. 730, H. 127, Hi. 730, BN. 97,
BA. 103, Ai. 1062, Nh. 51, Nw. 27, Ni. 529, Ow. 38, Oh. 35,
Oi. 921, Ca. 1225.

Purchased, 1893.

- 1201⁴. A skull from Alele River, New Guinea.

The squamosal meets the frontal on the left side.

C. 490, L. 181, B. 121, Bi. 669, H. 133, Hi. 735, BN. 103,
BA. 104, Ai. 1010, Nh. 50, Nw. 28, Ni. 560, Ow. 37, Oh. 31,
Oi. 838, Ca. 1290.

Purchased, 1893.

- 1201⁵. A skull from Alele River, New Guinea.

The squamosal meets the frontal on the left side.

C. 505, L. 190, B. 119, Bi. 626, H. 133, Hi. 700, BN. 100,
BA. 110, Ai. 1100, Nh. 51, Nw. 27, Ni. 529, Ow. 39, Oh. 31,
Oi. 795, Ca. 1355.

Purchased, 1893.

- 1201⁶. A skull from Alele River, New Guinea : ♂.

C. 500, L. 182, B. 125, Bi. 687, H. 131, Hi. 720, BN. 102,
BA. 110, Ai. 1078, Nh. 53, Nw. 28, Ni. 528, Ow. 39, Oh. 35,
Oi. 897, Ca. 1230.

Purchased, 1893.

- 1201⁷. A skull from Alele River, New Guinea : ♂.

C. 466, L. 169, B. 119, Bi. 704, H. 123, Hi. 728, BN. 97,
BA. 100, Ai. 1031, Nh. 49, Nw. 24, Ni. 490, Ow. 37, Oh. 31,
Oi. 838, Ca. 1200.

1201⁸. A skull from Marpoa River, New Guinea.

C. 507, L. 185, B. 125, Bi. 676, H. 140, Hi. 757, BN. 103, BA. 103, Ai. 1000, Nh. 55, Nw. 26, Ni. 473, Ow. 38, Oh. 37, Oi. 974, Ca. 1390.

Purchased, 1894.

1201⁹. A skull from Marpoa River, New Guinea.

C. 480, L. 179, B. 119, Bi. 665, H. 129, Hi. 721, BN. 95, BA. 103, Ai. 1084, Nh. 55, Nw. 24, Ni. 436, Ow. 38, Oh. 38, Oi. 1000, Ca. 1230.

Purchased, 1894.

H. MOLUCCAS.

1201¹⁰. A cranium from the Island of Buru.

C. 503, L. 177, B. 141, Bi. 797, H. 139, Hi. 785, BN. 99, BA. 98, Ai. 990, Nh. 53, Nw. 35, Ni. 660, Ow. 38, Oh. 30, Oi. 789, Ca. 1480.

1898.

1201¹¹. A cranium from the same place.

C. 475, L. 172, B. 131, Bi. 762, H. 123, Hi. 715, BN. 91, BA. 90, Ai. 989, Nh. 45, Nw. 22, Ni. 489, Ow. 36, Oh. 35, Oi. 972, Ca. 1250.

1898.

I. THE ANDAMAN ISLANDS.

The following specimens of skeletons and skulls of the natives of the Andaman Islands (except 1205^{1*}–1205^{5*} & 1216¹) are all from the vicinity of Port Blair, in South Andaman. A fuller description, in which they are compared with additional specimens of the same race from other collections, will be found in a memoir by W. H. Flower “On the Osteology and Affinities of the Natives of the Andaman Islands,” read before the Anthropological Institute of Great Britain and Ireland, at the meeting of June 24, 1879, and published in the Journal of the Institute, vol. ix. p. 108.

1202. The cranium of a male native of the Andaman Islands.

It is preserved in the condition in which it was obtained from the widow, who wore it suspended round her neck by a netted band, as is the custom among the Andaman Islanders. It has been stained with red ochre, adorned with tassels composed of threaded pieces of the shell of *Dentalium*, and contains within the cavity several valves of *Novaculina olivacea*.

The teeth have all been removed, except a left upper canine, which is permanently buried in the alveolus.

Obtained in the Andamans by Captain Montagu Prothero.

C. 475, L. 165, B. 137, Bi. 830, H. 134, Hi. 812, BN. 92, BA. 89, Ai. 967, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 33, Oi. 917, Ca. 1260.

Presented by Dr. Prothero Smith, 1877.

1203. The articulated skeleton of a female native of the Andaman Islands.

Height of skeleton 4 feet 4 inches=1320.

Clavicle, *r.* 107, *l.* 107; humerus, *r.* 249, *l.* 247; radius, *r.* 201, *l.* 200; femur, *r.* 367, *l.* 370; tibia, *r.* 294, *l.* 291.

Cranium: C. 455, L. 152, B. 132, Bi. 868, H. 125, Hi. 822, BN. 87, BA. 88, Ai. 1011, Nh. 43, Nw. 22, Ni. 512, Ow. 35, Oh. 32, Oi. 914, Ca. 1080.

Received in exchange from the Calcutta Museum, per Dr. J. Anderson, 1878.

1204. The skull of a female native of the Andaman Islands.

From a woman said to have been eighteen years of age. The basilar suture has united, though not very firmly; and the third molars are rising into place.

C. 465, L. 165, B. 131, Bi. 794, H. 126, Hi. 764, BN. 90, BA. 93, Ai. 1033, Nh. 43, Nw. 21, Ni. 488, Ow. 35, Oh. 33, Oi. 943, Ca. 1125.

Presented by Surgeon-Major Francis Day, 1870.

1205. The skull of a male native of the Andaman Islands.

It is that of a man named "Bibi tôle," who lived at Brigade Creek, and was supposed to be about twenty-five years of age when he died.

C. 483, L. 166, B. 139, Bi. 837, H. 124, Hi. 747, BN. 93, BA. 93, Ai. 1000, Nh. 47, Nw. 24, Ni. 511, Ow. 36, Oh. 34, Oi. 944, Ca. 1280.

Presented by Dr. Alfred J. Wall and Sir Joseph Fayrer, M.D., K.C.S.I., 1877.

- 1205^{1*}. The cranium of a young native of the Andaman Islands.

Presented by Lt.-Col. Sir R. H. Charles, I.M.S., K.C.V.O., 1906.

- 1205^{2*}. The cranium of a native of the Andaman Islands, ornamented in the native fashion.

C. 468, L. 160, B. 140, Bi. 875, H. 122, Hi. 763, BN. 90, BA. 94, Ai. 1044, Nh. 46, Nw. 23, Ni. 500, Ow. 35, Oh. 31, Oi. 886, Ca. 1120.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

- 1205^{3*}. The cranium of a native of the Andaman Islands, ornamented in the native fashion.

C. 475, L. 167, B. 137, Bi. 820, H. 130, Hi. 778, BN. 93, BA. 101, Ai. 1086, Nh. 48, Nw. 24, Ni. 500, Ow. 35, Oh. 33, Oi. 943, Ca. 1180.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

- 1205^{4*}. The cranium of a native of the Andaman Islands, ornamented in the native fashion.

C. 460, L. 158, B. 128, Bi. 810, H. 124, Hi. 785, BN. 89, BA. 87, Ai. 978, Nh. 42, Nw. 18, Ni. 429, Ow. 35, Oh. 32, Oi. 914, Ca. 1115.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

- 1205^{5*}. The cranium of a native of the Andaman Islands, ornamented in the native fashion.

C. 463, L. 163, B. 135, Bi. 828, H. 123, Hi. 755, BN. 90, BA. 86, Ai. 956, Nh. 41, Nw. 21, Ni. 512, Ow. 36, Oh. 32, Oi. 889, Ca. 1170.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

The following eleven specimens were presented by the late Dr. Dougall, at the request of Sir Joseph Fayrer, M.D., K.C.S.I., President of the Indian Medical Board.

1206. The skeleton of a male native of the Andaman Islands.

Six cervical and two dorsal vertebræ, with most of the bones of the hands and feet, are missing.

Clavicle, *r.* 109, *l.* 109; humerus, *r.* 281, *l.* 278; radius, *r.* 202, *l.* 206; femur, *r.* 382, *l.* 382; tibia, *r.* 311, *l.* 310.

Cranium: C. 482, L. 171, B. 133, Bi. 778, H. 133, Hi. 778.

BN. 92, BA. 92, Ai. 1000, Nh. 40, Nw. 21, Ni. 525, Ow. 36, Oh. 31, Oi. 861, Ca. 1195.

*Presented by Surgeon-Major Joseph Dougall, M.D.,
Senior Medical Officer, Andaman Islands, 1878.*

1207. The skeleton of a male native of the Andaman Islands.

From a man who died in March 1876 from the effects of a blow on the occiput inflicted by a runaway convict.

The sternum, two ribs, a patella, and most of the bones of the hands and feet are missing.

Clavicle, *r.* 123, *l.* 121; humerus, *l.* 266; radius, *r.* 232, *l.* 232; femur, *r.* 393, *l.* 394; tibia, *r.* 337, *l.* 333.

Cranium: C. 490, L. 168*, B. 138, Bi. 821, H. 132, Hi. 786, BN. 96, BA. 98, Ai. 1021, Nh. 46, Nw. 24, Ni. 522, Ow. 35, Oh. 32, Oi. 914, Ca. 1330.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1208. The skeleton of a male native of the Andaman Islands, wanting the skull.

The right clavicle, the atlas and axis, two ribs, and many of the bones of the hands and feet are also missing.

Clavicle, *l.* 107; humerus, *r.* 276; radius, *r.* 226; femur, *r.* 410; tibia, *r.* 330, *l.* 329.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1209. The skeleton of a male native of the Andaman Islands, wanting the skull.

The right radius, three of the ribs, the patellæ, and bones of the hands and feet are also wanting.

Clavicle, *r.* 114, *l.* 112; humerus, *r.* 267, *l.* 264; radius, *l.* 213; femur, *r.* 378, *l.* 384; tibia, *r.* 302, *l.* 304.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1210. The skeleton of a male native of the Andaman Islands, wanting the skull.

Four ribs, one patella, and many of the bones of the hands are also missing.

Clavicle, *r.* 124, *l.* 116; humerus, *r.* 294, *l.* 293; radius, *r.* 243, *l.* 238; femur, *r.* 397, *l.* 400; tibia, *r.* 335, *l.* 334.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

* Approximately, owing to injury to occipital region.

1211. The cranium of a native of the Andaman Islands : ♂.

C. 492, L. 171, B. 135, Bi. 789, H. 130, Hi. 760, BN. 95, BA. 102, Ai. 1074, Nh. 49, Nw. 25, Ni. 510, Ow. 36, Oh. 34, Oi. 944, Ca. 1360.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1212. The skeleton of a female native of the Andaman Islands.

Many of the ribs and most of the bones of the hands and feet are missing.

Clavicle, *r.* 110, *l.* 107; humerus, *r.* 279, *l.* 275; radius, *r.* 217, *l.* 211; femur, *r.* 390, *l.* 393; tibia, *r.* 318, *l.* 318.

Cranium: C. 468, L. 161, B. 136, Bi. 845, H. 122, Hi. 758, BN. 88, BA. 86, Ai. 977, Nh. 42, Nw. 22, Ni. 524, Ow. 36, Oh. 32, Oi. 889, Ca. 1180.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1213. The skeleton of a female native of the Andaman Islands.

Four of the vertebræ, the left scapula, the right radius, and most of the bones of the hands and feet are missing.

Clavicle, *r.* 97; humerus, *r.* 248, *l.* 245; radius, *l.* 200; femur, *r.* 359, *l.* 360; tibia, *r.* 295, *l.* 298.

Cranium: C. 455, L. 159, B. 131, Bi. 824, H. 126, Hi. 792, BN. 91, BA. 92, Ai. 1011, Nh. 43, Nw. 21, Ni. 488, Ow. 34, Oh. 32, Oi. 941, Ca. 1110.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1214. The skeleton of a female native of the Andaman Islands.

Complete, with the exception of a few small bones of the hands and feet.

Clavicle, *r.* 102, *l.* 103; humerus, *r.* 262, *l.* 255; radius, *r.* 211, *l.* 208; femur, *r.* 384, *l.* 380; tibia, *r.* 315, *l.* 316.

Cranium: C. 456, L. 156, B. 132, Bi. 846, H. 125, Hi. 801, BN. 88, BA. 95, Ai. 1080, Nh. 43, Nw. 23, Ni. 535, Ow. 35, Oh. 30, Oi. 857, Ca. 1025.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1215. The skeleton of a female native of the Andaman Islands.

The left humerus, the sacrum, eight of the vertebræ, seven ribs, and the bones of the hands and feet are missing.

Clavicle, *r.* 114, *l.* 114; humerus, *r.* 256; radius, *r.* 214, *l.* 210; femur, *r.* 380, *l.* 381; tibia, *r.* 308, *l.* 306.

Cranium: C. 454, L. 157, B. 131, Bi. 834, H. 120, Hi. 764, BN. 86, BA. 92, Ai. 1070, Nh. 42, Nw. 21, Ni. 500, Ow. 34, Oh. 32, Oi. 941, Ca. 1100.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1216. The skeleton of a female native of the Andaman Islands.

The atlas and axis, right clavicle, one rib, the manubrium sterni, and most of the bones of the hands and feet are wanting.

Clavicle, *l.* 97; humerus, *r.* 244, *l.* 242; radius, *r.* 198, *l.* 197; femur, *r.* 358, *l.* 353; tibia, *r.* 294, *l.* 295.

Cranium: C. 462, L. 160, B. 135, Bi. 844, H. 126, Hi. 788, BN. 90, BA. 88, Ai. 978, Nh. 42, Nw. 22, Ni. 524, Ow. 35, Oh. 32, Oi. 914, Ca. 1110.

Presented by Surgeon-Major J. Dougall, M.D., 1878.

1216¹. The skeleton of a male native of the Andaman Islands.

Metopic.

C. 506, L. 175, B. 141, Bi. 806, H. 140, Hi. 800, BN. 95, BA. 92, Ai. 968, Nh. 46, Nw. 25, Ni. 543, Ow. 37, Oh. 35, Oi. 946, Ca. 1520.

Presented by W. Beatson, Esq., Bengal Civil Service, 1882.

1217. The skeleton of a male native of the Andaman Islands.

Many of the bones are affected by syphilitic necrosis.

Humerus, *r.* 281; radius, *r.* 234; femur, *l.* 410; tibia, *l.* 326.

Cranium: C. 470, L. 166, B. 130, Bi. 783, H. 128, Hi. 771, BN. 97, BA. 97, Ai. 1000, Nh. 47, Nw. 21, Ni. 447, Ow. 36, Oh. 33, Oi. 917, Ca. 1170.

Presented by Major-General H. Man at the request of J. R. Mummery, Esq., 1879.

1218. The skeleton of a female native of the Andaman Islands.

Clavicle, *r.* 112, *l.* 116; humerus, *r.* 279, *l.* 274; radius, *r.* 217, *l.* 213; femur, *r.* 393, *l.* 391; tibia, *r.* 324, *l.* 322.

Cranium: C. 474, L. 165, B. 134, Bi. 812, H. 124, Hi. 756, BN. 92, BA. 97, Ai. 1054, Nh. 45, Nw. 23, Ni. 511, Ow. 35, Oh. 33, Oi. 943, Ca. 1210.

Presented by Major-General H. Man, 1879.

8. AFRICA SOUTH OF THE SAHARA*.

A. AFRICAN NEGROES OF UNKNOWN LOCALITY.

1219. The articulated skeleton of a male African Negro.
O. C. 5372.

Height 5 feet 1·7 inches = 1567.

Clavicle, *r.* 153, *l.* 153; humerus, *r.* 312, *l.* 308; radius, *r.* 237, *l.* 237; femur, *r.* 425, *l.* 428; tibia, *r.* 358, *l.* 358.

Cranium: C. 512, L. 184, B. 135, Bi. 734, H. 138, Hi. 750, BN. 100, Nh. 47, Nw. 30, Ni. 638, Ow. 40, Oh. 36, Oi. 900, Ca. 1290.

Purchased from Mr. George Evans, 1840.

1220. The cranium of an African Negro: ♂. O. C. 5362.

There is a large right epipteric or, rather, suprasquamous bone.

C. 493, L. 175, B. 136, Bi. 777, H. 135, Hi. 771, BN. 100, BA. 104, Ai. 1040, Nh. 47, Nw. 26, Ni. 553, Ow. 39, Oh. 33, Oi. 846, Ca. 1350.

Hunterian.

1221. The skull of an African Negro: ♂. O. C. 5379.

C. 515, L. 187, B. 134, Bi. 717, H. 128, Hi. 684, BN. 97, BA. 102, Ai. 1052, Nh. 52, Nw. 27, Ni. 519, Ow. 37, Oh. 34, Oi. 919, Ca. 1370.

Hunterian.

1222. The cranium of an African Negro: ♂. O. C. 5381.

There is a broad lozenge-shaped epactal bone in the supra-occipital.

C. 500, L. 178, B. 130, Bi. 730, H. 135, Hi. 758, BN. 98, BA. 99, Ai. 1010, Nh. 47, Nw. 26, Ni. 553, Ow. 38, Oh. 31, Oi. 816, Ca. 1310.

Hunterian.

1223. The cranium of an African Negro: ♀. O. C. 5385 & 5757.

C. 495, L. 177, B. 134, Bi. 757, H. 130, Hi. 734, BN. 94, BA. 99, Ai. 1053, Nh. 40, Nw. 26, Ni. 650, Ow. 38, Oh. 33, Oi. 868, Ca. 1280.

Hunterian.

* The region mainly inhabited by frizzly-haired races, and nearly corresponding with the Ethiopian Region of zoologists.

1224. The skull of a young African Negro. O. C. 5380.

The basilar suture is open. All the permanent teeth have been acquired, except the last molars.

C. 478, L. 172, B. 128, Bi. 744, H. 128, Hi. 744, BN. 95, BA. 98, Ai. 1032, Nh. 46, Nw. 23, Ni. 500, Ow. 38, Oh. 33, Oi. 868.

Hunterian.

1225. The cranium of a young African Negro: ♀. O. C. 5382.

The basilar suture is open, but all the permanent teeth have been acquired.

C. 477, L. 173, B. 124, Bi. 717, H. 127, Hi. 734, BN. 95, BA. 102, Ai. 1074, Nh. 43, Nw. 24, Ni. 558, Ow. 38, Oh. 30, Oi. 789.

Purchased.

1226. The cranium of an African Negro: ♂. O. C. 5384 & 5756.

C. 534, L. 195, B. 138, Bi. 708, H. 137, Hi. 703, BN. 105, BA. 106, Ai. 1010, Nh. 47, Nw. 29, Ni. 617, Ow. 40, Oh. 34, Oi. 850, Ca. 1550.

Purchased.

1227. The skull of an African Negro: ♂. O. C. 5363.

There is a large epactal bone in the supraoccipital.

C. 517, L. 186, B. 140, Bi. 753, H. 135, Hi. 726, BN. 99, BA. 106, Ai. 1071, Nh. 51, Nw. 24, Ni. 471, Ow. 40, Oh. 37, Oi. 925, Ca. 1325.

Presented by Henry Cline, Esq.

1228. The cranium of an African Negro: ♂. O. C. 5376.

It is remarkable for the shortness of the face, breadth of the nasal aperture, lowness of the orbits, and extreme prognathism.

C. 522, L. 188, B. 138, Bi. 734, H. 128, Hi. 681, BN. 101, BA. 116, Ai. 1149, Nh. 39, Nw. 28, Ni. 718, Ow. 39, Oh. 29, Oi. 744, Ca. 1360.

Purchased.

1229. The cranium of an African Negro: ♂. O. C. 5377.

C. 528, L. 190, B. 143, Bi. 753, H. 142, Hi. 747, BN. 113, BA. 118, Ai. 1044, Nh. 45, Nw. 28, Ni. 622, Ow. 45, Oh. 34, Oi. 756, Ca. 1420.

Presented by Sir William Blizard.

1230. The cranium of an African Negro : ♀. O. C. 5374.

C. 490, L. 178, B. 124, Bi. 697, H. 139, Hi. 781, BN. 99, BA. 98, Ai. 990, Nh. 45, Nw. 25, Ni. 556, Ow. 37, Oh. 31, Oi. 838, Ca. 1380.

Purchased.

1231. The cranium of an African Negro : ♂. O. C. 5761.

A vertical section has been made through the middle of the left orbit. See description in O. C. p. 888.

C. 515, L. 185, B. 135, Bi. 730, H. 140, Hi. 757, BN. 98, BA. 102, Ai. 1041, Nh. 49, Nw. 27, Ni. 551, Ow. 39, Oh. 36, Oi. 923, Ca. 1450.

1232. The skull of an African Negro.

C. 507, L. 183, B. 133, Bi. 727, H. 132, Hi. 721, BN. 99, BA. 105, Ai. 1061, Nh. 49, Nw. 28, Ni. 571, Ow. 38, Oh. 32, Oi. 842, Ca. 1340.

Presented by John Evans, Esq., 1864.

1233. The skull of an African Negro : ♀.

There is a large lozenge-shaped epactal in the supraoccipital.

C. 517, L. 196, B. 126, Bi. 643, H. 134, Hi. 684, BN. 101, BA. 105, Ai. 1040, Nh. 48, Nw. 26, Ni. 542, Ow. 40, Oh. 32, Oi. 800, Ca. 1340.

Presented by John Evans, Esq., 1864.

- 1233^{1*}. The cranium of a male African Negro.

C. 527, L. 185, B. 145, Bi. 784, H. 145, Hi. 784, BN. 113, BA. 112, Ai. 991, Nh. 62, Nw. 26, Ni. 419, Ow. 38, Oh. 38, Oi. 1000, Ca. 1545.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

- 1233^{2*}. The mutilated cranium of an African Negro.

B. 147, Nh. 48, Nw. 29, Ni. 604, Ow. 43, Oh. 31, Oi. 721.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

1234. The cranium of a male Negro slave, who died in the hospital at Demerara. O. C. 5366.

C. 545, L. 193, B. 150, Bi. 777, H. 141, Hi. 731, BN. 100, BA. 113, Ai. 1130, Nh. 50, Nw. 30, Ni. 600, Ow. 42, Oh. 34, Oi. 810, Ca. 1525.

Presented by Sir Robert J. Schomburgk, 1844.

1235. The skull of a female Negro slave, who died in the hospital at Demerara. O. C. 5367.

C. 492, L. 176, B. 129, Bi. 733, H. 137, Hi. 778, BN. 108, BA. 111, Ai. 1028, Nh. 47, Nw. 28, Ni. 596, Ow. 39, Oh. 35, Oi. 897, Ca. 1120.

Presented by Sir Robert H. Schomburgk, 1844.

1236. The skull, pelvis, and most of the other bones of the skeleton of a South-American female Negro slave.

Cranium: C. 505, L. 178, B. 140, Bi. 787, H. 134, Hi. 753, BN. 100, BA. 100, Ai. 1000, Nh. 51, Nw. 26, Ni. 510, Ow. 36, Oh. 36, Oi. 1000, Ca. 1360.

Presented by Sir Robert H. Schomburgk.

- 1236¹. The skull of a Negress, aged 50.

C. 495, L. 175, B. 134, Bi. 766, H. 126, Hi. 720, BN. 101, BA. 105, Ai. 1040, Nh. 45, Nw. 28, Ni. 622, Ow. 38, Oh. 32, Oi. 842, Ca. 1225.

J. H. Spitzly Collection, 1901.

1237. The cranium of a Negress, said to be eighteen years of age, born in the island of Jamaica. O. C. 5365.

Union of the basilar suture is almost complete. The third molars are in place. There is perfect sagittal synostosis, without any scaphocephaly or even dolichocephaly.

C. 472, L. 166, B. 132, Bi. 795, H. 124, Hi. 747, BN. 92, BA. 99, Ai. 1076, Nh. 48, Nw. 23, Ni. 479, Ow. 36, Oh. 34, Oi. 944, Ca. 1190.

Purchased, 1844.

1238. The articulated skeleton of a Negress, born in the United States of North America, and about sixteen years of age.

She is said to have presented all the external characters indicating purity of race.

The larger epiphyses are not united to the shafts of the long bones. The basilar suture is open; and the posterior molars are not yet in place.

Height of skeleton 4 feet 11·8 inches = 1520.

Clavicle 120; humerus, *r.* 308, *l.* 305; radius, *l.* 226; femur, *r.* 447, *l.* 449; tibia, *r.* 368, *l.* 367.

Cranium: C. 497, L. 175, B. 142, Bi. 811, H. 129, Hi. 737, BN. 89, BA. 93, Ai. 1045, Nh. 43, Nw. 22, Ni. 512, Ow. 36, Oh. 33, Oi. 917, Ca. 1430.

Presented by Professor L. J. Sanford, of Yale College, 1867.

1239. The skull of a male Negro slave from a plantation in the State of Mississippi.

The last molars have been acquired.

C. 513, L. 181, B. 138, Bi. 762, H. 127, Hi. 702, BN. 101, BA. 108, Ai. 1069, Nh. 51, Nw. 30, Ni. 588, Ow. 41, Oh. 40, Oi. 976.

*Purchased, 1860 *.*

1240. The skull of a female Negro slave from Arkansas State.

"Taken from a burial-ground on the west bank of the Mississippi, opposite President's Island, six miles from Memphis."

C. 497, L. 177, B. 137, Bi. 774, H. 125, Hi. 706, BN. 94, BA. 97, Ai. 1032, Nh. 44, Nw. 24, Ni. 545, Ow. 41, Oh. 35, Oi. 854, Ca. 1290.

Purchased, 1860.

1241. The pelvis of a male Negro.

From the man whose skull is No. 146.

Prepared in 1870.

- 1241¹. The skull of a Negro. Tribe unknown : ♂.

C. 502, L. 175, B. 137, Bi. 783, H. 146, Hi. 834, BN. 101, BA. 99, Ai. 980, Nh. 52, Nw. 27, Ni. 519, Ow. 41, Oh. 37, Oi. 902, Ca. 1535.

Anthropol. Soc., No. 36.

B. WEST COAST OF AFRICA.

1242. The skull of a male Negro, a native of Brava, one of the Cape-Verd Islands.

He was a powerful man, 6 feet 4 inches (193 cm.) high, and had been a harpooner in a South-Sea whaler. He died in the Seamen's Hospital, Greenwich, about 1835.

C. 530, L. 189, B. 144, Bi. 762, H. 136, Hi. 720, BN. 108, BA. 118, Ai. 1093, Nh. 54, Nw. 29, Ni. 537, Ow. 44, Oh. 37, Oi. 841, Ca. 1457.

Presented by George Busk, Esq., 1875.

* From Mr. George Russell, with the American skulls Nos. 863 to 874.

1243. The skull of a West-African Negro : ♂.

There is a small conical supernumerary tooth between the upper right lateral incisor and canine.

C. 542, L. 197, B. 144, Bi. 731, H. 145, Hi. 736, BN. 102, BA. 110, Ai. 1078, Nh. 49, Nw. 28, Ni. 571, Ow. 39, Oh. 32, Oi. 820, Ca. 1590.

In Museum before 1862.

1243¹. The skull of a Negro from the Fernando Vax River : ♀.

C. 455, L. 163, B. 123, Bi. 755, H. 125, Hi. 767, BN. 94, BA. 95, Ai. 1011, Nh. 41, Nw. 23, Ni. 561, Ow. 37, Oh. 33, Oi. 892, Ca. 1115.

Anthropol. Soc., No. 24.

1243². The skull of a Negro, N'Kâmi or Camma, from the Fernando Vax River : ♀.

C. 485, L. 169, B. 140, Bi. 828, H. 128, Hi. 757, BN. 98, BA. 99, Ai. 1010, Nh. 46, Nw. 26, Ni. 565, Ow. 40, Oh. 36, Oi. 900.

Anthropol. Soc., No. 32.

1243³. The cranium of a Negro, N'Kâmi—Akeli or Bakeli tribe.

C. 485, L. 172, B. 133, Bi. 773, H. 137, Hi. 797, BN. 99, BA. 104, Ai. 1051, Nh. 48, Nw. 30, Ni. 625, Ow. 39, Oh. 35, Oi. 897.

Anthropol. Soc., No. 34.

1243⁴. The cranium of a Negro, N'Kâmi or Camma, from the Fernando Vax River : ♂.

C. 510, L. 185, B. 130, Bi. 703, H. 143, Hi. 773, BN. 106, BA. 110, Ai. 1038, Nh. 48, Nw. 40, Ni. 833, Ow. 40, Oh. 34, Oi. 850.

Anthropol. Soc., No. 41.

1243⁵. A cranium from the Fernando Vax River, Camma (?)

C. 518, L. 186, B. 133, Bi. 715, H. 146, Hi. 785, BN. 102, BA. 100, Ai. 980, Nh. 53, Nw. 26, Ni. 491, Ow. 40, Oh. 37, Oi. 925, Ca. 1550.

Anthropol. Soc., No. 23.

1243⁶. An aged cranium from the Fernando Vax River.

C. 485, L. 170, B. 132, Bi. 776, H. 129, Hi. 759, BN. 100, BA. 101, Ai. 1010, Nh. 44, Nw. 23, Ni. 523, Ow. 39, Oh. 35, Oi. 897, Ca. 1350.

Anthropol. Soc., No. 26.

1244. The skull of a West African Negro: ♂.

C. 520, L. 188, B. 133, Bi. 707, H. 137, Hi. 729, BN. 101, BA. 105, Ai. 1040, Nh. 47, Nw. 27, Ni. 574, Ow. 40, Oh. 33, Oi. 825, Ca. 1400.

In Muscum before 1862.

1244¹. A cranium. Alombo, from the Gaboon: ♀.

C. 500, L. 176, B. 136, Bi. 773, H. 132, Hi. 750, BN. 99, BA. 102, Ai. 1030, Nh. 49, Nw. 28, Ni. 571, Ow. 40, Oh. 33, Oi. 825, Ca. 1325.

Anthropol. Soc., No. 76.

1244². A cranium. Alombo: ♀.

C. 488, L. 176, B. 126, Bi. 716, H. 132, Hi. 750, BN. 100, Nh. 42, Nw. 28, Ni. 667, Ow. 38, Oh. 36, Oi. 947, Ca. 1305.

Anthropol. Soc., No. 82.

1244³. A cranium. Alombo: ♂, mutilated.

C. 507, L. 178, B. 141, Bi. 792, Nh. 49, Nw. 30, Ni. 612, Ow. 43, Oh. 38, Oi. 884, Ca. 1415.

Anthropol. Soc., No. 83.

1244⁴. A cranium. Alombo: ♀.

The basilar suture is open.

C. 479, L. 170, B. 126, Bi. 741, H. 132, Hi. 776, BN. 97, BA. 91, Ai. 938, Nh. 41, Nw. 26, Ni. 634, Ow. 37, Oh. 36, Oi. 973, Ca. 1250.

Anthropol. Soc., No. 132.

1244⁵. The cranium of a male Gura.

C. 525, L. 190, B. 140, Bi. 737, H. 142, Hi. 747, BN. 108, BA. 107, Ai. 991, Nh. 50, Nw. 25, Ni. 500, Ow. 41, Oh. 33, Oi. 805, Ca. 1620.

Anthropol. Soc., No. 47.

1244⁶. The cranium of a slave from Prince's Island: ♂.

C. 515, L. 188, B. 135, Bi. 718, H. 136, Hi. 723, BN. 107, Nh. 48, Nw. 25, Ni. 521, Ow. 39, Oh. 34, Oi. 872, Ca. 1565.

Anthropol. Soc., No. 31.

1244⁷. A calvaria. Apono: ♂.

C. 512, L. 180, B. 143, Bi. 794, H. 137, Hi. 761, Ca. 1495.

Anthropol. Soc., No. 127.

1245. The skull of a male African from the West Coast.

From a man who died in the Seamen's Hospital, Greenwich.

C. 466, L. 168, B. 126, Bi. 750, H. 130, Hi. 774, BN. 102, BA. 114, Ai. 1118, Nh. 51, Nw. 27, Ni. 529, Ow. 38, Oh. 31, Oi. 816, Ca. 1110.

Presented by George Busk, Esq., 1864.

1245¹. The skull of a male African from the West Coast.

From a man who died in the Seamen's Hospital, Greenwich.

C. 493, L. 178, B. 126, Bi. 703, H. 129, Hi. 725, BN. 99, BA. 102, Ai. 1030, Nh. 41, Nw. 28, Ni. 683, Ow. 39, Oh. 35, Oi. 897, Ca. 1285.

Presented by George Busk, Esq., 1881.

1245². A cranium. Osyekani: ♂.

Calvarial sutures almost obliterated.

C. 515, L. 184, B. 139, Bi. 755, H. 144, Hi. 783, BN. 108, BA. 111, Ai. 1028, Nh. 50, Nw. 26, Ni. 520, Ow. 41, Oh. 37, Oi. 902, Ca. 1565.

Anthropol. Soc., No. 84.

1245³. The cranium of a Negro slave from Banoko: ♂.
Osyebea?

C. 518, L. 186, B. 139, Bi. 747, H. 144, Hi. 774, BN. 104, BA. 100, Ai. 962, Nh. 43, Nw. 23, Ni. 535, Ow. 38, Oh. 34, Oi. 895, Ca. 1550.

Anthropol. Soc., No. 40.

1245⁴. The cranium of a Negro. Osyebea slave from Banoko: ♂.

C. 509, L. 185, B. 126, Bi. 681, H. 123, Hi. 665, BN. 99, BA. 107, Ai. 1081, Nh. 49, Nw. 30, Ni. 612, Ow. 39, Oh. 32, Oi. 821, Ca. 1250.

Anthropol. Soc., No. 191.

1245⁵. The cranium of a Negro slave from Banoko.

C. 503, L. 175, B. 138, Bi. 789, H. 133, Hi. 760, BN. 107, BA. 111, Ai. 1037, Nh. 50, Nw. 27, Ni. 540, Ow. 38, Oh. 35, Oi. 921, Ca. 1465.

Anthropol. Soc., No. 22.

1245⁶. The cranium of a Negro. Oseykani (Oaka, Okota, or Osyebea?): ♀.

C. 465, L. 165, B. 128, Bi. 776, H. 125, Hi. 758, BN. 89, BA. 90, Ai. 1011, Nh. 39, Nw. 22, Ni. 564, Ow. 34, Oh. 32, Oi. 941, Ca. 1175.

Anthropol. Soc., No. 29.

1245⁷. A cranium. Osyeba, Osyekani : ♀ .

C. 466, L. 168, B. 123, Bi. 732, H. 132, Hi. 786, BN. 96,
BA. 98, Ai. 1021, Nh. 40, Nw. 22, Ni. 550, Ow. 36, Oh. 33,
Oi. 917, Ca. 1275.

Anthropol. Soc., No. 35.

1245⁸. A cranium. Dibeia ♂ .

C. 500, L. 171, B. 138, Bi. 807, H. 138, Hi. 807, BN. 107,
BA. 111, Ai. 1037, Nh. 53, Nw. 31, Ni. 585, Ow. 41, Oh. 41,
Oi. 1000, Ca. 1380.

Anthropol. Soc., No. 44.

1245⁹. A cranium. Dibeia ♂ .

C. 507, L. 186, B. 125, Bi. 672, H. 133, Hi. 715, BN. 108,
Nh. 29, Ow. 38, Oh. 31, Oi. 816, Ca. 1355.

Anthropol. Soc., No. 43.

1245¹⁰. A cranium, mutilated. Dibeia ♀ .

C. 470, L. 166, B. 128, Bi. 771, H. 132, Hi. 795, BN. 102,
BA. 105, Ai. 1029, Nh. 48, Nw. 26, Ni. 542, Ow. 39, Oh. 36,
Oi. 923, Ca. 1225.

Anthropol. Soc., No. 46.

1245¹¹. A cranium. Dibeia ♀ .

C. 480, L. 169, B. 132, Bi. 781, H. 131, Hi. 775, BN. 102,
Ow. 40, Oh. 37, Oi. 925, Ca. 1170.

Anthropol. Soc., No. 45.

1245¹². The calvaria of a Negro. Dibeia ♂ .

C. 505, L. 173, B. 139, Bi. 803, H. 133, Hi. 769.

Anthropol. Soc., No. 126.

1245¹³. The cranium of a Mulatto (Portuguese and Negro), ♂ ,
Annabom.

C. 505, L. 183, B. 135, Bi. 738, H. 142, Hi. 776, BN. 106,
BA. 107, Ai. 1009, Nh. 47, Nw. 29, Ni. 617, Ow. 41, Oh. 32,
Oi. 780.

Anthropol. Soc., No. 2.

1245¹⁴. The cranium of a Mulatto (Portuguese and Negro), ♀ ,
Annabom.

C. 473, L. 168, B. 131, Bi. 780, H. 125, Hi. 744, BN. 88,

BA. 97, Ai. 1102, Nh. 43, Nw. 26, Ni. 605, Ow. 36, Oh. 33, Oi. 917, Ca. 1170.

Anthropol. Rev. (Journ. Anthropol. Soc.) vol. ii. 1864, p. ccxxx.

Anthropol. Soc., No. 1.

1245¹⁵. A skull. Ba-Fanh tribe (Ashira) : ♂.

C. 508, L. 183, B. 133, Bi. 727, H. 133, Hi. 727, BN. 105, BA. 109, Ai. 1038, Nh. 50, Nw. 28, Ni. 560, Ow. 38, Oh. 35, Oi. 921, Ca. 1400.

Anthropol. Soc., No. 33.

1245¹⁶. A skull. Ba-Fanh tribe (Ashira) : ♀.

Anthropol. Rev. (Journ. Anthropol. Soc.) vol. vi. p. lxii.

C. 460, L. 157, B. 134, Bi. 854, H. 120, Hi. 764, BN. 81, BA. 91, Ai. 1123, Nh. 40, Nw. 22, Ni. 550, Ow. 33, Oh. 29, Oi. 879, Ca. 1250.

Anthropol. Soc., No. 27.

1245¹⁷. A cranium. Bakēiē ; ♂.

C. 485, L. 170, B. 130, Bi. 765, H. 137, Hi. 806, BN. 97, BA. 99, Ai. 1021, Nh. 46, Nw. 25, Ni. 543, Ow. 41, Oh. 36, Oi. 878, Ca. 1685.

Anthropol. Soc., No. 30.

1245¹⁸. The cranium of a Negro.

C. 530, L. 195, B. 133, Bi. 682, H. 139, Hi. 713, BN. 100, BA. 97, Ai. 970, Nh. 53, Nw. 28, Ni. 528, Ow. 42, Oh. 38, Oi. 905, Ca. 1685.

Anthropol. Soc., No. 42.

1245¹⁹. A cranium. Okeli (Okanda?) : ♂.

C. 500, L. 172, B. 141, Bi. 820, H. 137, Hi. 797, BN. 101, BA. 103, Ai. 1020, Nh. 49, Nw. 28, Ni. 571, Ow. 38, Oh. 33, Oi. 868, Ca. 1425.

Anthropol. Soc., No. 38.

1246. The cranium of a Krooman.

C. 516, L. 189, B. 130, Bi. 688, H. 141, Hi. 746, BN. 110, BA. 115, Ai. 1045, Nh. 48, Nw. 27, Ni. 563, Ow. 41, Oh. 33, Oi. 805, Ca. 1350.

Purchased, 1853.

1247. The cranium of a Krooman.

C. 532, L. 188, B. 141, Bi. 750, H. 141, Hi. 750, BN. 107, BA. 111, Ai. 1037, Nh. 50, Nw. 31, Ni. 620, Ow. 42, Oh. 36, Oi. 857, Ca. 1580.

Purchased, 1858.

- 1247¹. The skull of a Negro of the Yoruba Race. From the Egba district of the Slave Coast.

C. 517, L. 186, B. 137, Bi. 737, H. 133, Hi. 715, BN. 97, BA. 97, Ai. 1000, Nh. 46, Nw. 26, Ni. 565, Ow. 38, Oh. 33, Oi. 868, Ca. 1480.

Anthropol. Soc., No. 21.

- 1247². The cranium of a Negro of the Yoruba Race: ♂. From the Egba district.

C. 492, L. 172, B. 134, Bi. 779, H. 141, Hi. 820, BN. 105, BA. 97, Ai. 924, Nh. 47, Nw. 38, Ni. 809, Ow. 38, Oh. 35, Oi. 921, Ca. 1445.

Anthropol. Soc., No. 135.

- 1247³. The cranium of a Negro, ♂, of the Yoruba Race, found in a Jeba village, 1864.

C. 475, L. 169, B. 127, Bi. 751, H. 128, Hi. 757, BN. 100, Nw. 27, Ow. 39, Oh. 32, Oi. 821, Ca. 1125.

Anthropol. Soc., No. 28.

- 1247⁴. The skull of a Negro of the Yoruba Race? From the Egba district.

C. 499, L. 181, B. 130, Bi. 718, H. 125, Hi. 691, BN. 94, BA. 98, Ai. 1043, Nh. 46, Nw. 26, Ni. 565, Ow. 38, Oh. 33, Oi. 868, Ca. 1300.

Anthropol. Soc., No. 182.

- 1247⁵. A cranium from the Egba district.

The basilar suture is open.

C. 478, L. 174, B. 125, Bi. 718, H. 123, Hi. 707, BN. 85, BA. 80, Ai. 941, Nh. 31, Nw. 22, Ni. 710, Ow. 33, Oh. 30, Oi. 909, Ca. 1285.

Anthropol. Soc., No. 177.

1248. The skull of a Negro from the Gold Coast: ♂. O.C. 5364.

C. 522, L. 183, B. 145, Bi. 792, H. 144, Hi. 787, BN. 99, BA. 96, Ai. 970, Nh. 53, Nw. 29, Ni. 547, Ow. 41, Oh. 35, Oi. 854, Ca. 1610.

Hunterian.

1249. The articulated skeleton of a male Negro from the Gold Coast.

Thus described by the donor:—"Abookee, a donkoh (or slave); complexion very black. Had three perpendicular cuts on each cheek *. Was a native of a tract lying to the north of Ashantee. Spoke the Mooree language. Was of unmixed Negro blood, having been brought from Coomassie in 1866 by Mr. W. C. Fynn."

The right squamosal joins the frontal.

Height 5 feet 0.5 inch=1536.

Clavicle 132; humerus, *r.* 304, *l.* 305; radius, *r.* 246, *l.* 243; femur, *r.* 445, *l.* 443; tibia, *r.* 356, *l.* 353.

Cranium: C. 482, L. 174, B. 135, Bi. 776, H. 133, Hi. 764, BN. 97, BA. 95, Ai. 979, Nh. 43, Nw. 26, Ni. 605, Ow. 38, Oh. 33, Oi. 868, Ca. 1215.

*Presented by Staff-Surgeon J. R. Thomas and
Professor Huxley, 1868.*

1250. The articulated skeleton of a young female Negro from the Gold Coast.

"Abinamah, a pure-blooded Negress, brought from Coomassie at the same time as Abookee. A native of the Ingreezi country, lying to the N.W. of Ashantee. Had two cuts, forming a <, on each cheek, the cuts meeting on the cheek, and diverging forwards to enclose the corners of the mouth. She had menstruated but once, a few days before her death. Probable age fourteen or fifteen."

The sternum and many of the bones of the hands and feet are wanting.

The basilar suture is open; the last molars are not in place; and the epiphyses of most of the long bones are not united to the shafts. The pelvis is very infantile in form, not presenting the distinguishing characters of the female sex. The squamosal joins the frontal on the left side.

Height 4 feet 9.6 inches=1463.

Clavicle 112; humerus, *r.* 298, *l.* 291; radius 240 (approximately); femur, *r.* 428, *l.* 425; tibia, *r.* 372, *l.* 373.

Cranium: C. 469, L. 172, B. 122, Bi. 709, H. 126, Hi. 733, BN. 94, BA. 100, Ai. 1064, Nh. 41, Nw. 26, Ni. 634, Ow. 35, Oh. 30, Oi. 857, Ca. 1200.

*Presented by Staff-Surgeon J. R. Thomas and
Professor Huxley, 1868.*

* "A correct description of the pattern of the cuts and tattooing enables one to distinguish the particular tribe to which the slaves belong."—J. R. T.

- 1250¹. The cranium of a Negro : ♂. From Gallinas Country, Sierra Leone.

C. 525, L. 186, B. 137, Bi. 737, H. 134, Hi. 720, BN. 106, BA. 111, Ai. 1047, Nh. 50, Nw. 39, Ni. 780, Ow. 39, Oh. 36, Oi. 923, Ca. 1445.

Anthropol. Soc., No. 140.

- 1250². A cranium. Kru ♂.

C. 525, L. 189, B. 143, Bi. 757, H. 142, Hi. 751, BN. 103, BA. 105, Ai. 1047, Nh. 50, Nw. 25, Ni. 500, Ow. 39, Oh. 32, Oi. 821, Ca. 1550.

Anthropol. Soc., No. 208.

1251. The cranium of a Negro from Ashantee : ♂. O.C. 5378.

The squamosals unite with the frontal for the space of half an inch on both sides.

C. 485, L. 176, B. 127, Bi. 722, H. 137, Hi. 778, BN. 101, BA. 101, Ai. 1000, Nh. 48, Nw. 27, Ni. 563, Ow. 40, Oh. 30, Oi. 750, Ca. 1300.

*Presented by Robert Morrison, Esq., Surgeon R.N.**

- 1251¹. The cranium of a native of Ashantee, killed in the war of 1872, and picked up by the donor in 1881 at the village of Abrukampa, about 16 miles inland from Cape Coast Castle, where it had been lying with about 200 others since the war.

C. 525, L. 185, B. 144, Bi. 778, H. 148, Hi. 800, BN. 101, BA. 94, Ai. 931, Nh. 44, Nw. 23, Ni. 523, Ow. 38, Oh. 34, Oi. 895, Ca. 1670.

Presented by Edward Nundy, Esq., 1883.

1252. The cranium of a male Ashantee Negro.

Obtained at Amoaful, February 1874, during the Ashantee war, by Lieut. Wyatt Rawson, R.N.

C. 492, L. 179, B. 124, Bi. 693, H. 140, Hi. 782, BN. 100, BA. 106, Ai. 1060, Nh. 47, Nw. 27, Ni. 574, Ow. 37, Oh. 32, Oi. 865, Ca. 1480.

Presented by Captain H. W. Feilden, R.A., 1877.

* This gentleman accompanied Captain Clapperton in his expedition to Timbuctoo in 1825, and with him fell a victim to the climate and fatigues of the journey.

- 1252¹. The skull of a male Ashantee Negro, from Coomassie.

C. 500, L. 182, B. 133, Bi. 731, H. 141, Hi. 775, BN. 104, BA. 102, Ai. 981, Nh. 50, Nw. 31, Ni. 620, Ow. 39, Oh. 34, Oi. 872, Ca. 1415.

*Presented by Surgeon-Captain C. L. Gosling,
Medical Army Staff, 1896.*

1253. The cranium of an Ashantee chief.

During the Ashantee war of 1873-74, a party of natives carrying the dead body of a chief were surprised by the English, and ran away, leaving the body on the ground. The head was secured by the donor.

All the molar and premolar teeth have been lost during life, and the calvarial sutures are completely obliterated.

C. 510, L. 185, B. 129, Bi. 697, H. 139, Hi. 751, BN. 103, BA. 102, Ai. 990, Nh. 50, Nw. 30, Ni. 600, Ow. 38, Oh. 35, Oi. 931, Ca. 1380.

Presented by Captain Mark S. Bell, R.E., V.C., 1877.

- 1253¹. The cranium of a Negro. Fanti ♂.

C. 503, L. 176, B. 143, Bi. 813, H. 144, Hi. 818, BN. 100, BA. 97, Ai. 970, Nh. 50, Nw. 27, Ni. 540, Ow. 38, Oh. 37, Oi. 974, Ca. 1400.

Anthropol. Soc., No. 136.

- 1253². The cranium of a Negro. Fanti ♂.

C. 488, L. 176, B. 131, Bi. 744, H. 134, Hi. 761, BN. 106, BA. 104, Ai. 981, Nh. 45, Nw. 27, Ni. 600, Ow. 39, Oh. 32, Oi. 821, Ca. 1335.

Anthropol. Soc., No. 138.

- 1253³. The cranium of a Negro. Fanti ♂.

C. 525, L. 185, B. 140, Bi. 757, H. 144, Hi. 778, BN. 99, BA. 100, Ai. 1010.

Anthropol. Soc., No. 139.

1254. The cranium of a Negro child.

Brought from Fernando Po by Sir Joseph Hooker.

The milk-teeth are in place. The basi- and exoccipitals are wanting.

C. 448, L. 159, B. 121, Bi. 761, Nh. 29, Nw. 20, Ni. 690, Ow. 33, Oh. 30, Oi. 909.

Presented by Professor Huxley, 1879.

- 1254¹. The cranium of a young Negro slave, from Old Calabar: ♀.

C. 483, L. 173, B. 130, Bi. 751, H. 125, Hi. 723, BN. 94, BA. 97, Ai. 1032, Nh. 41, Nw. 26, Ni. 634, Ow. 36, Oh. 31, Oi. 861, Ca. 1265.

- 1254². The cranium of a young Negro slave, from Old Calabar: ♀.

C. 502, L. 182, B. 127, Bi. 698, H. 132, Hi. 725, BN. 102, BA. 102, Ai. 1000, Nh. 47, Nw. 26, Ni. 553, Ow. 40, Oh. 35, Oi. 875, Ca. 1350.

- 1254³. The cranium of a Negro from Old Calabar: ♂.

C. 465, L. 160, B. 133, Bi. 831, H. 125, Hi. 781, Ow. 35, Oh. 33, Oi. 943.

Anthropol. Soc., No. 125.

- 1254⁴. The skull of a Negro from the Gaboon: ♂.

Lower jaw doubtful.

C. 490, L. 173, B. 130, Bi. 751, H. 156, Hi. 786, BN. 104, Nh. 46, Nw. 27, Ni. 587, Ow. 40, Oh. 37, Oi. 925, Ca. 1285.

- 1254⁵. The cranium of a Negro from the West Coast, labelled "Ogoni"; the tribe or place is not known.

C. 495, L. 168, B. 139, Bi. 827, H. 128, Hi. 762, BN. 91, BA. 88, Ai. 967, Nh. 42, Nw. 22, Ni. 524, Ow. 34, Oh. 29, Oi. 853, Ca. 1350.

The above four specimens, 1254^{1 2 4 5}, were collected in 1879 by the late Robert B. Dohree, Esq., and presented by him to the Museum, February 20th, 1880.

- 1254⁶. The skull and both femora of a Negro girl from the interior of Africa in the Niger District.

Being those of Amelia John, who died at Onitsha in 1877.

C. 470, L. 169, B. 124, Bi. 734, H. 126, Hi. 746, BN. 96, BA. 96, Ai. 1000, Nh. 46, Nw. 23, Ni. 500, Ow. 34, Oh. 33, Oi. 971.

Presented by the Hon. T. Risely Griffith, Colonial Secretary & Treasurer, Sierra Leone, 1883.

- 1254⁷. The cranium (wanting the nasal bones) of a native of the Upper Congo Region.

Marked "Skull of male Bayunoi Mlongo, Upper Congo," brought from thence by the donor, 1883.

It is very small and feminine if really a male as the donor believes.

C. 490, L. 174, B. 122, Bi. 701, H. 128, Hi. 736, BN. 91, BA. 95, Ai. 1044, Nh. 41, Nw. 25, Ni. 610, Ow. 36, Oh. 32, Oi. 889, Ca. 1220.

Presented by H. H. Johnston, Esq., 1884.

1255. The skull of a Negro from Novo Redondo, south of Angola : ♂.

Brought home by Mr. J. J. Monteiro, Jun.

C. 520, L. 187, B. 134, Bi. 717, H. 144, Hi. 770, BN. 104, BA. 107, Ai. 1029, Nh. 50, Nw. 27, Ni. 540, Ow. 39, Oh. 34, Oi. 872, Ca. 1510.

Presented by Professor Huxley, 1864.

1256. The cranium of a Negro of the Mondombe tribe.

A tribe inhabiting the country between Benguela and Mossamedes (Little Fish Bay), from 12° to 16° S. lat.

Brought home by Mr. J. J. Monteiro, Jun.

C. 510, L. 180, B. 133, Bi. 739, H. 122, Hi. 678, BN. 91, Nh. 50, Nw. 26, Ni. 520, Ow. 38, Oh. 34, Oi. 895, Ca. 1235.

Presented by Professor Huxley, 1864.

1256¹–1256⁵. A series of five skulls, taken on October 20th, 1886, during the action at Beaufort Island, 400 miles up the River Niger (W. Africa), from an outhouse of the palace of King Abadge, most probably the torture house. They belonged to either Negro or Arab prisoners of war. The lower jaws have been taken away, probab'y to serve as a fetish. Most of the skulls show marks of violence.

1256¹. C. 520, L. 184, B. 136, Bi. 739, H. 137, Hi. 745, BN. 100, BA. 101, Ai. 1010, Nh. 49, Nw. 28, Ni. 571, Ow. 42, Oh. 36, Oi. 857, Ca. 1445.

1256². C. 513, L. 187, B. 129, Bi. 690, H. 132, Hi. 706, BN. 108, Nh. 58, Nw. 27, Ni. 466, Ow. 41, Oh. 37, Oi. 902, Ca. 1480.

1256³. C. 523, L. 186, B. 144, Bi. 774, Nh. 54, Nw. 29, Ni. 537, Ow. 42, Oh. 33, Oi. 786, Ca. 1590.

1256⁴. C. 505, L. 183, B. 130, Bi. 710, H. 140, Hi. 765, BN. 106, Nh. 49, Nw. 30, Ni. 612, Ow. 41, Oh. 35, Oi. 854, Ca. 1460.

1256⁵. C. 515, L. 184, B. 142, Bi. 772, Nh. 49, Nw. 27, Ni. 551, Ow. 41, Oh. 32, Oi. 780.

*Presented by W. H. Crosse, Esq.,
of the Royal Niger Company, 1890.*

1256⁶. The skull of a Negro from the West Coast.

C. 540, L. 194, B. 136, Bi. 701, H. 138, Hi. 711, BN. 104, BA. 106, Ai. 1019, Nh. 48, Nw. 27, Ni. 563, Ow. 39, Oh. 32, Oi. 821, Ca. 1625.

Presented by W. H. Crosse, Esq., 1892.

1256⁷. The skull of a Negro from West Coast.

C. 505, L. 183, B. 129, Bi. 705, H. 132, Hi. 721, BN. 99, BA. 98, Ai. 990, Nh. 48, Nw. 30, Ni. 625, Ow. 33, Oh. 36, Oi. 1091.

Presented by W. H. Crosse, Esq., 1892.

1256⁸. A skull from Benin.

C. 490, L. 177, B. 128, Bi. 723, H. 132, Hi. 746, BN. 97, BA. 101, Ai. 1041, Nh. 43, Nw. 27, Ni. 628, Ow. 38, Oh. 32, Oi. 842, Ca. 1275.

Presented by F. Winn Sampson, Esq., 1900.

C. THE SOUDAN AND CENTRAL AFRICA.

1257. A cranium (wanting the occipital bone) of a Negro of the Bari tribe.

Obtained by Lieut. Chippendale, R.E., of Colonel Gordon's Nile expedition, near Ragaff.

The basilar suture is not united; but all the permanent teeth have been acquired.

Nh. 44, Nw. 26, Ni. 591, Ow. 38, Oh. 33, Oi. 868.

Presented by Colonel J. A. Grant, C.B., 1876.

1257¹. The skeleton of Hanes Mohamed, an Abyssinian or Habsee Negro, aged about 35 years.

A sailor on an Arab ship, who died in the Campbell Hospital, Calcutta, on the 6th of April, 1880.

C. 480, L. 167, B. 133, Bi. 796, H. 132, Hi. 790, BN. 107, BA. 104, Ai. 972, Nh. 52, Nw. 26, Ni. 500, Ow. 39, Oh. 35, Oi. 897, Ca. 1250.

*Presented by Dr. S. Coull Mackenzie,
Surg.-Major Bombay Army, 1881.*

- 1257². The skeleton of a male Negro, Amber Babooni, aged 30 years.

A fireman or stoker on board a steamer; a native of Abyssinia, Mahomedan by caste, who died in the Campbell Hospital, Calcutta, January 12th, 1882.

C. 505, L. 180, B. 128, Bi. 711, H. 135, Hi. 750, BN. 102, BA. 100, Ai. 980, Nh. 49, Nw. 32, Ni. 633, Ow. 39, Oh. 36, Oi. 923, Ca. 1315.

*Presented by Dr. S. Coull Mackenzie,
Surgeon-Major Bengal Army, 1882.*

- 1257³. A skull. Mangberé tribe of the Monbuttu.

Supernumerary left upper third molar, teeth complete.

C. 495, L. 178, B. 136, Bi. 764, H. 124, Hi. 697, BN. 95, BA. 103, Ai. 1084, Nh. 48, Nw. 24, Ni. 500, Ow. 36, Oh. 35, Oi. 972, Ca. 1320.

- 1257⁴. A skull. Akossi tribe of the Mornon (Monbuttu).

Teeth complete, middle incisors (as in the last) filed.

C. 500, L. 176, B. 137, Bi. 778, H. 134, Hi. 761, BN. 99, BA. 105, Ai. 1061, Nh. 50, Nw. 28, Ni. 560, Ow. 38, Oh. 34, Oi. 895, Ca. 1390.

These two fine skulls were sent direct from the Soudan by
Dr. Emin Bey, 1883.

- 1257⁵. The skull of a male of the Niam Niam Country.

C. 520, L. 188, B. 130, Bi. 691, H. 131, Hi. 697, BN. 105, BA. 102, Ai. 971, Nh. 49, Nw. 29, Ni. 592, Ow. 37, Oh. 33, Oi. 892, Ca. 1485.

Purchased, 1884.

- 1257⁶. The skull of a male of the Niam Niam Country.

C. 512, L. 185, B. 124, Bi. 670, H. 138, Hi. 746, BN. 101, BA. 104, Ai. 1030, Nh. 44, Nw. 23, Ni. 523, Ow. 38, Oh. 33, Oi. 868, Ca. 1445.

Purchased, 1884.

- 1257⁷. The skull of a female of the Niam Niam Country.

Atlas ankylosed and atrophied.

C. 477, L. 168, B. 127, Bi. 756, H. 122, Hi. 726, BN. 90, BA. 91, Ai. 1011, Nh. 45, Nw. 26, Ni. 578, Ow. 38, Oh. 33, Oi. 868, Ca. 1225.

Purchased, 1884.

- 1257⁸. The skull of a child, Niam Niam Country.

Purchased, 1884.

- 1257⁹. The cranium of a Negro found at Ikondou ?

C. 480, L. 171, B. 130, Bi. 760, Nh. 36, Nw. 21, Ni. 583,
Ow. 33, Oh. 30, Oi. 909.

Anthropol. Soc., No. 133.

- 1257¹⁰. The cranium of a Negro, Banaga ?

C. 498, L. 175, B. 136, Bi. 777, H. 135, Hi. 771, BN. 103,
BA. 101, Ai. 981, Nh. 47, Nw. 24, Ni. 511, Ow. 40, Oh. 37,
Oi. 925, Ca. 1375.

Anthropol. Soc., No. 124.

- 1257¹¹. The skull of a male of the Bantu Nation, Tribe Ajawa
or Yao, section Kawaiga.

Killed at Chikula in the Shiré Highlands, 1895. Brought
over in 1897 by Wordsworth Poole, Esq., M.B., B.C., M.R.C.S.,
Principal Medical Officer, Central Africa Administration.

C. 512, L. 185, B. 133, Bi. 719, H. 131, Hi. 708, BN. 103,
BA. 102, Ai. 990, Nh. 44, Nw. 22, Ni. 500, Ow. 40, Oh. 33,
Oi. 825, Ca. 1470.

Presented by C. H. Golding-Bird, Esq., 1898.

- 1257¹². The skull of a Dervish from the battlefield of Omdurman.

C. 497, L. 179, B. 128, Bi. 715, H. 130, Hi. 726, BN. 99,
BA. 97, Ai. 980, Nh. 51, Nw. 25, Ni. 490, Ow. 39, Oh. 32,
Oi. 821, Ca. 1375.

- 1257¹³. A cranium from the same battlefield.

C. 515, L. 190, B. 134, Bi. 705, H. 134, Hi. 705, BN. 104,
Nh. 47, Nw. 30, Ni. 638, Ca. 1535.

- 1257¹⁴. A cranium from the same battlefield.

C. 503, B. 129, H. 134, BN. 98, BA. 113, Ai. 1153, Nh. 46,
Nw. 26, Ni. 565, Ow. 38, Oh. 32, Oi. 842.

*The above three specimens presented by
Henry S. Wellcome, Esq.*, 1902.

- 1257¹⁵. A cranium, from Bunder Abbas near Berberah, Somali
Country.

C. 506, L. 180, B. 137, Bi. 761, H. 135, Hi. 750, BN. 96,
BA. 90, Ai. 938, Nh. 43, Nw. 24, Ni. 558, Ow. 40, Oh. 35,
Oi. 875, Ca. 1400.

Anthropol. Soc., No. 53.

- 1257¹⁶. The cranium of a Somali from Aden: ♀.

C. 454, L. 159, B. 126, Bi. 792, H. 124, Hi. 780, BN. 85,
BA. 95, Ai. 1118, Nh. 33, Nw. 22, Ni. 667, Ow. 34, Oh. 35,
Oi. 1029, Ca. 1155.

Anthropol. Soc., No. 55.

1257^{1*}. The mutilated cranium of a Negro from the Soudan.

Metopic.

C. 498, L. 175, B. 135, Bi. 771, H. 139, Hi. 794, BN. 95,
Nh. 46, Nw. 23, Ni. 500, Ow. 33, Oh. 31, Oi. 939.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

1257^{2*}. The skull of a native of Abyssinia.

C. 489, L. 175, B. 134, Bi. 766, H. 133, Hi. 760, BN. 100,
BA. 92, Ai. 920, Nh. 50 ?, Nw. 23, Ni. 460, Ow. 36, Oh. 30,
Oi. 833, Ca. 1305.

*Presented by Lt.-Col. Sir R. H. Charles,
I.M.S., K.C.V.O., 1906.*

D. EASTERN AFRICA.

The twenty following specimens were obtained at Quiloa by Captains Burton and Speke. They belonged to slaves of various tribes of the interior, who died from an epidemic of cholera, while waiting exportation. The first six are skulls of adult persons, the basilar suture being closed and all the permanent teeth having come into place. The remainder are immature. Said to be chiefly of the Wahiou tribe. Dr. Barnard Davis, *Thesaurus Craniorum*, p. 207.

1258. The cranium of a Negro from Quiloa : ♂.

C. 522, L. 189, B. 133, Bi. 704, H. 132, Hi. 698, BN. 109,
Nh. 48, Nw. 25, Ni. 521, Ow. 40, Oh. 34, Oi. 850, Ca. 1340.

Presented by the Council of the Royal Geographical Society, 1859.

1259. The cranium of a Negro from Quiloa : ♂ ?

C. 515, L. 186, B. 135, Bi. 726, H. 130, Hi. 699, BN. 102,
BA. 109, Ai. 1069, Nh. 54, Nw. 27, Ni. 500, Ow. 40, Oh. 36,
Oi. 900, Ca. 1300.

Presented by the Council of the Royal Geographical Society, 1859.

1260. The cranium of a Negro from Quiloa : ♀.

C. 492, L. 174, B. 135, Bi. 776, H. 133, Hi. 764, BN. 106,
BA. 105, Ai. 991, Nh. 45, Nw. 27, Ni. 600, Ow. 38, Oh. 33,
Oi. 868, Ca. 1325.

Presented by the Council of the Royal Geographical Society, 1859.

1261. The cranium of a Negro from Quiloa : ♂.

C. 515, L. 186, B. 139, Bi. 747, H. 128, Hi. 688, BN. 103,
BA. 102, Ai. 990, Nh. 49, Nw. 27, Ni. 551, Ow. 38, Oh. 33,
Oi. 868, Ca. 1325.

Presented by the Council of the Royal Geographical Society, 1859.

1262. The cranium of a Negro from Quiloa : ♂.

C. 488, L. 176, B. 127, Bi. 722, H. 129, Hi. 733, BN. 100,
BA. 105, Ai. 1050, Nh. 48, Nw. 26, Ni. 542, Ow. 35, Oh. 33,
Oi. 943, Ca. 1190.

Presented by the Council of the Royal Geographical Society, 1859.

1263. The cranium of a Negro from Quiloa : ♀.

There is complete synostosis of the sagittal suture, though
the molar teeth are unworn.

C. 490, L. 178, B. 125, Bi. 702, H. 125, Hi. 702, BN. 98,
BA. 106, Ai. 1082, Nh. 46, Nw. 27, Ni. 587, Ow. 38, Oh. 34,
Oi. 895, Ca. 1120.

Presented by the Council of the Royal Geographical Society, 1859.

In all the remaining skulls of this series the basilar suture is still
open.

In the four following the third molar is quite or very nearly in
place.

1264. The cranium of a young Negro from Quiloa

C. 498, L. 183, B. 127, Bi. 694, H. 129, Hi. 705, BN. 105,
BA. 109, Ai. 1038, Nh. 43, Nw. 30, Ni. 698, Ow. 37, Oh. 28,
Oi. 757.

Presented by the Council of the Royal Geographical Society, 1859.

1265. The cranium of a young Negro from Quiloa.

C. 513, L. 184, B. 135, Bi. 734, H. 125, Hi. 679, BN. 96,
Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 37, Oi. 974.

Presented by the Council of the Royal Geographical Society, 1859.

1266. The cranium of a young Negro from Quiloa.

C. 517, L. 184, B. 139, Bi. 755, H. 143, Hi. 777, BN. 95,
BA. 98, Ai. 1032, Nh. 47, Nw. 27, Ni. 574, Ow. 36, Oh. 36,
Oi. 1000.

Presented by the Council of the Royal Geographical Society, 1859.

1267. The cranium of a young Negro from Quiloa.

C. 488, L. 175, B. 125, Bi. 714, H. 130, Hi. 743, BN. 93,
BA. 96, Ai. 1032, Nh. 44, Nw. 23, Ni. 523, Ow. 36, Oh. 34,
Oi. 944.

Presented by the Council of the Royal Geographical Society, 1859.

In the four following specimens all the milk-teeth have been shed, the second permanent molar is in place, but the third is still concealed in the alveolus.

1268. The cranium of a young Negro from Quiloa.

C. 492, L. 178, B. 127, Bi. 713, H. 125, Hi. 702, BN. 90,
BA. 95, Ai. 1056, Nh. 45, Nw. 23, Ni. 511, Ow. 34, Oh. 33,
Oi. 971.

Presented by the Council of the Royal Geographical Society, 1859.

1269. The cranium of a young Negro from Quiloa.

C. 498, L. 181, B. 130, Bi. 718, H. 128, Hi. 707, BN. 92,
BA. 98, Ai. 1065, Nh. 44, Nw. 23, Ni. 523, Ow. 39, Oh. 34,
Oi. 872.

Presented by the Council of the Royal Geographical Society, 1859.

1270. The cranium of a young Negro from Quiloa.

C. 497, L. 180, B. 130, Bi. 722, H. 134, Hi. 744, BN. 93,
BA. 96, Ai. 1032, Nh. 42, Nw. 26, Ni. 619, Ow. 37, Oh. 30,
Oi. 811.

Presented by the Council of the Royal Geographical Society, 1859.

1271. The cranium of a young Negro from Quiloa.

C. 473, L. 175, B. 125, Bi. 714, H. 133, Hi. 760, BN. 96,
BA. 99, Ai. 1031, Nh. 41, Nw. 25, Ni. 610, Ow. 35, Oh. 33,
Oi. 943.

Presented by the Council of the Royal Geographical Society, 1859.

In the three following the second milk-molars are retained, and the second permanent molars are coming into place.

1272. The cranium of a Negro child from Quiloa.

C. 495, L. 183, B. 132, Bi. 721, H. 130, Hi. 710, BN. 91,
BA. 93, Ai. 1022, Nh. 42, Nw. 26, Ni. 619, Ow. 36, Oh. 33,
Oi. 917.

Presented by the Council of the Royal Geographical Society, 1859.

1273. The cranium of a Negro child from Quiloa.

C. 491, L. 175, B. 132, Bi. 754, H. 130, Hi. 743, BN. 94, BA. 97, Ai. 1032, Nh. 46, Nw. 27, Ni. 587, Ow. 37, Oh. 34, Oi. 919.

Presented by the Council of the Royal Geographical Society, 1859.

1274. The cranium of a Negro child from Quiloa.

C. 500, L. 185, B. 130, Bi. 703, H. 126, Hi. 681, BN. 92, BA. 95, Ai. 1033, Nh. 41, Nw. 23, Ni. 561, Ow. 36, Oh. 32, Oi. 889.

Presented by the Council of the Royal Geographical Society, 1859.

In the three following both the milk-molars and the first permanent molars are in place.

1275. The cranium of a Negro child from Quiloa.

C. 481, L. 175, B. 130, Bi. 743, H. 129, Hi. 737, BN. 86, BA. 87, Ai. 1012, Nh. 37, Nw. 23, Ni. 622, Ow. 35, Oh. 31, Oi. 886.

Presented by the Council of the Royal Geographical Society, 1859.

1276. The cranium of a Negro child from Quiloa.

There is synostosis of the posterior two thirds of the sagittal suture.

C. 470, L. 173, B. 119, Bi. 688, H. 119, Hi. 688, BN. 88, BA. 87, Ai. 989, Nh. 41, Nw. 25, Ni. 610, Ow. 35, Oh. 31, Oi. 886.

Presented by the Council of the Royal Geographical Society, 1859.

1277. The cranium of a Negro child from Quiloa.

C. 470, L. 173, B. 123, Bi. 711, H. 118, Hi. 682, BN. 86, BA. 87, Ai. 1012, Nh. 34, Nw. 20, Ni. 588, Ow. 34, Oh. 27, Oi. 794.

Presented by the Council of the Royal Geographical Society, 1859.

1277¹. A cranium, from Quiloa : ♂.

Metopic.

C. 506, L. 177, B. 138, Bi. 780, H. 141, Hi. 797, BN. 103, BA. 108, Ai. 1049, Nh. 51, Nw. 26, Ni. 510, Ow. 39, Oh. 33, Oi. 846, Ca. 1410.

Anthropol. Soc.. No. 85.

The five following specimens were collected near the river Shiré, in 1863, by Dr. Kirk, attached to Livingstone's second expedition.

In all which retain the incisors, these teeth are deeply notched with a file in the middle of the cutting-edge.

1278. The skull of a Manganja Negro : ♂.

Metopic.

C. 512, L. 183, B. 134, Bi. 732, H. 129, Hi. 705, BN. 97, Nh. 45, Nw. 26, Ni. 578, Ow. 37, Oh. 31, Oi. 838, Ca. 1280.

Presented by Dr. John Kirk, 1864.

1279. The skull of a Manganja Negro.

C. 502, L. 182, B. 131, Bi. 720, H. 134, Hi. 736, BN. 100, Nh. 47, Nw. 27, Ni. 574, Ow. 39, Oh. 34, Oi. 872, Ca. 1235.

Presented by Dr. John Kirk, 1864.

1280. The skull of a Manganja Negro.

C. 485, L. 176, B. 125, Bi. 710, H. 132, Hi. 750, BN. 99, Nh. 47, Nw. 26, Ni. 553, Ow. 37, Oh. 32, Oi. 865, Ca. 1210.

Presented by Dr. John Kirk, 1864.

1281. The skull of a Manganja Negro.

The right squamosal meets the frontal.

C. 482, L. 177, B. 122, Bi. 689, H. 124, Hi. 701, BN. 97, BA. 102, Ai. 1052, Nh. 42, Nw. 24, Ni. 571, Ow. 36, Oh. 30, Oi. 833, Ca. 1180.

Presented by Dr. John Kirk, 1864.

1282. The skull of a young Manganja Negro.

The basilar suture is open. The third molars are not in place. The second upper milk-molar is retained.

C. 478, L. 173, B. 128, Bi. 740, H. 128, Hi. 740, BN. 96, BA. 104, Ai. 1083, Nh. 43, Nw. 23, Ni. 535, Ow. 37, Oh. 33, Oi. 892, Ca. 1260.

Presented by Dr. John Kirk, 1864.

1282¹. The cranium of a male Masai from Nairobi, British East Africa.

C. 522, L. 188, B. 136, Bi. 723, H. 131, Hi. 697, BN. 97, BA. 100, Ai. 1031, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 35, Oi. 921, Ca. 1525.

Presented by R. Meinertzhagen, Esq., 1906.

The following seven specimens were presented by Dr. A. Sieveking in 1901.

- 1282³. The skull of a male Masai from East Africa. The lower incisors are removed as a tribal mark.

C. 492, L. 175, B. 132, Bi. 754, H. 130, Hi. 743, BN. 109, BA. 123, Ai. 1128, Nh. 45, Nw. 30, Ni. 667, Ow. 38, Oh. 32, Oi. 842, Ca. 1195.

- 1282³. The cranium of a male Wa Soga from U. Soga.

C. 513, L. 183, B. 136, Bi. 743, H. 126, Hi. 689, BN. 93, BA. 96, Ai. 1032, Nh. 42, Nw. 26, Ni. 619, Ow. 37, Oh. 32, Oi. 865, Ca. 1435.

- 1282⁴. The cranium of a male Wa Soga from U. Soga.

C. 490, L. 172, B. 136, Bi. 791, H. 132, Hi. 767, BN. 96, BA. 99, Ai. 1031, Nh. 48, Nw. 28, Ni. 583, Ow. 38, Oh. 35, Oi. 921, Ca. 1350.

- 1282⁵. The cranium of a male Wa Soga from U. Soga.

C. 505, L. 186, B. 129, Bi. 694, H. 130, Hi. 699, BN. 100, BA. 94, Ai. 940, Nh. 46, Nw. 27, Ni. 587, Ow. 40, Oh. 33, Oi. 825, Ca. 1360.

- 1282⁶. The cranium of a male Wa Kamba from U. Kambani.

Two of the incisors are filed to a point as a tribal mark.

C. 498, L. 184, B. 128, Bi. 696, H. 137, Hi. 745, BN. 110, BA. 112, Ai. 1018, Nh. 51, Nw. 29, Ni. 569, Ow. 41, Oh. 36, Oi. 878, Ca. 1395.

- 1282⁷. The cranium of a male Wa Kamba from U. Kambani.

One incisor remains and shows the tribal mark.

C. 507, L. 181, B. 132, Bi. 729, H. 129, Hi. 713, BN. 95, BA. 100, Ai. 1053, Nh. 52, Nw. 25, Ni. 481, Ow. 41, Oh. 34, Oi. 829, Ca. 1410.

- 1282⁸. The cranium of a female Wa Kamba from U. Kambani.

C. 468, L. 166, B. 125, Bi. 753, H. 128, Hi. 771, BN. 96, BA. 93, Ai. 969, Nh. 47, Nw. 23, Ni. 489, Ow. 36, Oh. 35, Oi. 972, Ca. 1240.

- 1282⁹. The skull of a Nandi man, from Nandi, British East Africa.

C. 524, L. 190, B. 133, Bi. 700, H. 134, Hi. 705, BN. 105, BA. 104, Ai. 990, Nh. 56, Nw. 29, Ni. 518, Ow. 39, Oh. 37, Oi. 949, Ca. 1450.

Presented by R. Meinertzhagen, 1906.

- 1282¹⁰. The cranium of a Nandi man, from Nandi, British East Africa.

C. 541, L. 197, B. 139, Bi. 706, H. 139, Hi. 706, BN. 106, BA. 103, Ai. 972, Nh. 48, Nw. 25, Ni. 521, Ow. 39, Oh. 35, Oi. 897, Ca. 1625.

Presented by R. Meinertzhagen, 1906.

E. SOUTH AFRICA.

1283. The skull of a Zulu : ♂.

Obtained from a native battle-field by Major Blair, who presented it to the donor.

On the left side the squamosal reaches to the frontal; on the right an epipteric bone is interposed.

C. 514, L. 181, B. 139, Bi. 768, H. 145, Hi. 801, BN. 101, BA. 96, Ai. 950, Nh. 43, Nw. 26, Ni. 605, Ow. 39, Oh. 34, Oi. 872, Ca. 1480.

Presented by George Busk, Esq., 1868.

1284. The cranium of a Zulu : ♂.

This and the following specimen were obtained in Natal by Dr. Frank, Assistant-Surgeon H.M. Army, and by him presented to the donor.

C. 520, L. 190, B. 132, Bi. 695, H. 139, Hi. 732, BN. 102, BA. 107, Ai. 1049, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 30, Oi. 789, Ca. 1430.

Presented by T. Spencer Wells, Esq., 1865.

1285. The cranium of a Zulu : ♀.

There is complete synostosis of the sagittal and of the sphenofrontal sutures.

C. 496, L. 176, B. 132, Bi. 750, H. 133, Hi. 756, BN. 96, BA. 100, Ai. 1042, Nh. 48, Nw. 26, Ni. 542, Ow. 37, Oh. 32, Oi. 865, Ca. 1240.

Presented by T. Spencer Wells, Esq., 1865.

The four following erania of male Zulus were obtained on Dec. 9th, 1879, by Henry F. Flynn, Esq., Resident Magistrate, Umsinga Division, on the battlefield of Isandhlwana from the place where the "Ngobamosi Regiment," a pure Zulu Battalion, attacked the camp, January 22nd, 1879.

1285¹. Skull of a male Zulu.

C. 515, L. 182, B. 135, Bi. 742, H. 137, Hi. 753, BN. 103, BA. 100, Ai. 971, Nh. 49, Nw. 29, Ni. 592, Ow. 40, Oh. 32, Oi. 800, Ca. 1460.

1285². Cranium of a male Zulu.

C. 525, L. 187, B. 139, Bi. 743, H. 148, Hi. 791, BN. 107, BA. 107, Ai. 1000, Nh. 47, Nw. 28, Ni. 596, Ow. 37, Oh. 30, Oi. 811, Ca. 1490.

(A portion of scalp with hair of this specimen preserved.)

1285³. Cranium of a male Zulu.

C. 546, L. 198, B. 134, Bi. 722, H. 142, Hi. 717, BN. 103, BA. 105, Ai. 1019, Nh. 46, Nw. 29, Ni. 630, Ow. 41, Oh. 34, Oi. 829, Ca. 1745.

1285⁴. Cranium of a male Zulu, with a bullet hole passing through parietals.

C. 528, L. 188, B. 145, Bi. 771, H. 148, Hi. 787, BN. 108, BA. 109, Ai. 1009, Nh. 46, Nw. 29, Ni. 630, Ow. 41, Oh. 34, Oi. 829, Ca. 1625.

1284⁵. Skull of an aged Zulu woman.

This, obtained by Mr. Flynn at the same time as the above, is the skull of an aged Zulu woman in all probability of the same tribe, whose body was found in the crags and is supposed to have died there in taking shelter from the cold rains.

C. 510, L. 180, B. 140, Bi. 778, H. 141, Hi. 783, BN. 102, BA. 104, Ai. 1020, Nh. 46, Nw. 27, Ni. 587, Ow. 37, Oh. 31, Oi. 838, Ca. 1425.

The above five specimens presented by H. F. Flynn, Esq., Col. C. B. H. Mitchell, and Dr. R. J. Mann, 1880.

1285⁶. The cranium of a male Zulu.

C. 510, L. 180, B. 135, Bi. 750, H. 138, Hi. 767, BN. 105, BA. 102, Ai. 971, Nh. 51, Nw. 28, Ni. 549, Ow. 39, Oh. 33, Oi. 846, Ca. 1440.

1285⁷. The cranium of a male Zulu.

C. 510, L. 177, B. 139, Bi. 785, H. 137, Hi. 774, BN. 99, BA. 100, Ai. 1010, Nh. 49, Nw. 31, Ni. 633, Ow. 39, Oh. 32, Oi. 821, Ca. 1495.

1285⁸. A lower jaw.

1285⁹. A lower jaw.

The above four specimens are from warriors of the Zulu army who fell at Isandhlwana. The donor writes (Oct. 15, 1882):—

“I found the skeletons (perhaps ten or twelve) huddled together among the rocks some five or six hundred yards in advance of where the British camp stood. They must have been shot when advancing to the attack. Beside the skeletons lay their bleached assegais, and the rings (showing that the wearers were adult) still encircled the skulls.”

1285¹⁰. The cranium of a Zulu warrior killed at Ulundi.

In reference to the injury on the left frontal region, see Major Fielden's letter, Oct. 15th, 1882.

C. 515, L. 182, B. 138, Bi. 758, H. 134, Hi. 736, BN. 100, BA. 94, Ai. 940, Nh. 48, Nw. 28, Ni. 583, Ow. 39, Oh. 35, Oi. 897, Ca. 1570.

1285¹¹. The cranium of a Zulu warrior killed at Ulundi.

Found by the donor with the last, Sept. 1st, 1881. It is quite impossible that any but those who belonged to the Zulu Army could be lying about, for the few British that fell on that occasion were carefully buried.

C. 513, L. 178, B. 145, Bi. 815, H. 142, Hi. 798, BN. 98, BA. 96, Ai. 980, Nh. 52, Nw. 26, Ni. 500, Ow. 39, Oh. 33, Oi. 846, Ca. 1450.

1285¹². The cranium of a Kaffir (♀?).

Procured by the donor “from a cave in Ilovo District, Natal, where the unfortunate inhabitants retreated from the fury of the relentless destroyer Chaka, the founder of the Zulu Dynasty, between the years 1810–20.”

C. 515, L. 138, B. 144, Bi. 787, H. 131, Hi. 716, BN. 95, BA. 97, Ai. 1021, Nh. 48, Nw. 31, Ni. 646, Ow. 37, Oh. 33, Oi. 892, Ca. 1420.

*The above seven specimens presented by
Major H. W. Fielden, 1882.*

- 1285¹³. The cranium of a male Zulu. From the battlefield of Isandula.

C. 550, L. 192, B. 149, Bi. 776, H. 140, Hi. 729, BN. 107, BA. 104, Ai. 972, Nh. 50, Nw. 28, Ni. 560, Ow. 38, Oh. 34, Oi. 895, Ca. 1750.

- 1285¹⁴. The cranium (with extensive fractures of the right side) of a male Zulu. Found at the same time and place as the last.

L. 174, H. 136, Hi. 782, BN. 98, BA. 102, Ai. 1041, Nh. 47, Nw. 25, Ni. 532, Ow. 38, Oh. 33, Oi. 868.

Presented with the preceding by Lawson Tait, Esq., 1882.

- 1285¹⁵. The cranium of a Zulu, ♀, with parietal synostosis.

Sent to England by an officer who served in the Zulu war of 1879.

C. 490, L. 182, B. 120, Bi. 659, H. 128, Hi. 703, BN. 103, BA. 99, Ai. 961, Nh. 46, Nw. 24, Ni. 522, Ow. 36, Oh. 33, Oi. 917, Ca. 1270.

Presented by Mrs. George Thornton Mostyn, 1883.

- 1285¹⁶. The cranium of a Matabele.

C. 480, L. 175, B. 125, Bi. 714, H. 129, Hi. 737, BN. 100, Nh. 44, Nw. 27, Ni. 614, Ow. 39, Oh. 35, Oi. 897, Ca. 1180.

Presented by A. E. Stevens, Esq., 1900.

- 1285¹⁷. The cranium of a Matabele.

C. 490, L. 177, B. 124, Bi. 701, H. 125, Hi. 706, BN. 91, BA. 92, Ai. 1011, Nh. 44, Nw. 27, Ni. 614, Ow. 34, Oh. 29, Oi. 853, Ca. 1215.

Presented by A. E. Stevens, Esq., 1900.

1286. The skull of a female Kaffir, of the Amabaca tribe, from Natal.

“Her age was about twenty. She was rather below the average height (being about five feet), of excellent character, and giving great promise of steady perseverance as a useful domestic servant.”

C. 495, L. 178, B. 129, Bi. 725, H. 134, Hi. 753, BN. 99, BA. 97, Ai. 980, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 33, Oi. 868, Ca. 1300.

Presented by Dr. P. C. Sutherland, Surveyor-General of Natal, 1879.

1287. The cranium of a male Kaffir. O. C. 5360.

An unusually heavy cranium. The squamosal joins the frontal on both sides.

C. 538, L. 192, B. 139, Bi. 724, H. 139, Hi. 724, BN. 107, BA. 114, Ai. 1065, Nh. 50, Nw. 31, Ni. 620, Ow. 40, Oh. 33, Oi. 825, Ca. 1550.

Presented by Benjamin Travers, Esq., jun., 1849.

1288. The skull of a Kaffir. O. C. 5361.

C. 510, L. 183, B. 137, Bi. 749, H. 132, Hi. 721, BN. 98, BA. 102, Ai. 1041, Nh. 48, Nw. 27, Ni. 563, Ow. 38, Oh. 36, Oi. 947, Ca. 1240.

From the Collection of J. F. South, Esq. Purchased, 1835.

1289. The cranium of a young Kaffir.

"Taken from a native burial-ground by a medical officer attached to the British Army during the Kaffir war."

All the permanent teeth have been acquired; but the basilar suture is still open.

C. 484, L. 173, B. 132, Bi. 763, H. 129, Hi. 746, BN. 99, BA. 99, Ai. 1000, Nh. 45, Nw. 27, Ni. 600, Ow. 38, Oh. 32, Oi. 842, Ca. 1225.

Presented by Frank T. Buckland, Esq., 1862.

The following five specimens of Kaffir skulls from the same source as 1289, were presented by Mr. Frank Buckland, 1880.

- 1289¹. Cranium of adult Kaffir: ♀.

C. 525, L. 190, B. 138, Bi. 726, H. 142, Hi. 747, BN. 111, BA. 113, Ai. 1018, Nh. 48, Nw. 28, Ni. 583, Ow. 41, Oh. 38, Oi. 927, Ca. 1450.

- 1289². Cranium of a child with milk teeth and 1st true molars.

- 1289³. Cranium of a child with milk teeth only.

- 1289⁴. Calvaria.

- 1289⁵. Calvaria.

1290. The skull of a Kaffir: ♂.

From a "head man," or chief, shot by a party of the Rifle

Brigade at Mount Coke, British Kaffraria, during the war in May 1847. Prepared on the spot by the donor.

C. 507, L. 181, B. 137, Bi. 757, H. 143, Hi. 790, BN. 110, BA. 107, Ai. 973, Nh. 51, Nw. 26, Ni. 510, Ow. 39, Oh. 33, Oi. 846, Ca. 1400.

*Presented by W. T. Black, Esq., Staff-Surgeon
H.M. Army, 1866.*

1291. The skull of a Kaffir: ♂.

Inscribed "Kaffir; Amaxosa; tribe Ngika. Male. Cradock, South Africa; May 1865. G. G."

There are still traces of the basilar suture; and the last molar teeth have been but recently acquired.

C. 520, L. 188, B. 138, Bi. 734, H. 134, Hi. 713, BN. 99, BA. 101, Ai. 1020, Nh. 46, Nw. 26, Ni. 565, Ow. 39, Oh. 36, Oi. 923, Ca. 1525.

Presented by Professor Huxley, 1866.

1292. The skull of a Kaffir: ♂.

Inscribed "Kaffir; Basuto; tribe Moshesh. Male. Cradock, South Africa; May 1865. G. G."

It is metopic; but the posterior part of the sagittal suture is consolidated. The first right upper premolar is displaced inwards, the canine and second premolar coming in contact.

C. 528, L. 191, B. 136, Bi. 712, H. 139, Hi. 728, BN. 104, BA. 105, Ai. 1010, Nh. 51, Nw. 30, Ni. 588, Ow. 38, Oh. 35, Oi. 921, Ca. 1610.

Presented by Professor Huxley, 1866.

1293. The skull of a male Kaffir.

This specimen was obtained by the donor while District Surgeon at Middleburg, South Africa, from a man who was killed by lightning while watching sheep near that place.

C. 513, L. 186, B. 133, Bi. 715, H. 130, Hi. 699, BN. 104, BA. 102, Ai. 981, Nh. 48, Nw. 24, Ni. 500, Ow. 38, Oh. 34, Oi. 895, Ca. 1400.

Presented by James E. Coward, Esq., 1878.

1293¹. The skull of a male Kaffir from Transkei Country, S. Africa.

C. 505, L. 180, B. 136, Bi. 756, H. 137, Hi. 761, BN. 102, BA. 102, Ai. 1000, Nh. 47, Nw. 27, Ni. 574, Ow. 38, Oh. 32, Oi. 842, Ca. 1430.

1293². The cranium of a female Kaffir from Transkei Country.

C. 515, L. 186, B. 135, Bi. 726, H. 123, Hi. 661, BN. 89, BA. 94, Ai. 1056, Nh. 39, Nw. 28, Ni. 718, Ow. 38, Oh. 33, Oi. 868, Ca. 1410.

1293³. The cranium of an adult male Kaffir from Transkei Country.

C. 525, L. 191, B. 136, Bi. 712, H. 134, Hi. 702, BN. 102, BA. 102, Ai. 1000, Nh. 45, Nw. 30, Ni. 667, Ow. 39, Oh. 31, Oi. 795, Ca. 1480.

1293¹ & 1293³ belonged to warriors of the Gaika tribe, who about the year 1865 dwelt on the eastern portion of Cape Colony under their chief Iandilli.

*The above three specimens presented by
Arthur Maude, Esq., 1887.*

1293⁴. Mandible, humeri, femora and tibiæ belonging to the same race as the above.

Presented by Arthur Maude, Esq., 1897.

1293⁵. The skull of a Kaffir: ♂.

C. 535, L. 195, B. 135, Bi. 692, H. 139, Hi. 713, BN. 109, BA. 113, Ai. 1037, Nh. 47, Nw. 30, Ni. 638, Ow. 42, Oh. 33, Oi. 786, Ca. 1575.

Purchased, 1893.

1294. The skull of a Kaffir: ♀.

The basilar suture has but recently united.

C. 500, L. 180, B. 128, Bi. 711, H. 132, Hi. 733, BN. 102, BA. 105, Ai. 1029, Nh. 48, Nw. 26, Ni. 542, Ow. 39, Oh. 34, Oi. 872, Ca. 1280.

1294¹. The cranium of a Kaffir: ♂.

C. 528, L. 189, B. 148, Bi. 783, BN. 101, BA. 102, Ai. 1010, Nh. 46, Nw. 29, Ni. 630, Ow. 38, Oh. 29, Oi. 963, Ca. 1615.

Anthropol. Soc., No. 106.

1294². The cranium of a Kaffir: ♂. Killed at Kafir Kloof, 1857.

C. 515, L. 186, B. 135, Bi. 726, H. 135, Hi. 726, BN. 106, BA. 101, Ai. 953, Nh. 45, Nw. 35, Ni. 778, Ow. 40, Oh. 33, Oi. 825, Ca. 1465.

Anthropol. Soc., No. 108.

- 1294³. The skull of a Kaffir (a native policeman).

C. 497, L. 178, B. 137, Bi. 770, H. 137, Hi. 770, BN. 98, BA. 100, Ai. 1020, Nh. 50, Nw. 30, Ni. 600, Ow. 40, Oh. 37, Oi. 925, Ca. 1295.

Anthropol. Soc., No. 134.

- 1294⁴. The cranium of an Amatola Kaffir : ♂.

C. 512, L. 186, B. 138, Bi. 742, H. 141, Hi. 758, BN. 101, BA. 105, Ai. 1040, Nh. 46, Nw. 28, Ni. 609, Ow. 38, Oh. 33, Oi. 868, Ca. 1560.

Anthropol. Soc., No. 25.

- 1294⁵. The cranium of a Bechuana Kaffir : ♂?

(*Anthropol. Rev.* (*Jour. Anth. Soc.*) vol. v. (1867) pp. cliv-vi.)

C. 516, L. 188, B. 131, Bi. 697, H. 133, Hi. 707, BN. 99, BA. 101, Ai. 1020, Nh. 46, Nw. 27, Ni. 587, Ow. 40, Oh. 35, Oi. 875, Ca. 1450.

Anthropol. Soc., No. 105.

- 1294⁶. The cranium of a Kaffir : ♂.

C. 523, L. 185, B. 145, Bi. 784, H. 142, Hi. 768, BN. 101, BA. 98, Ai. 970, Nh. 49, Nw. 27, Ni. 551, Ow. 35, Oh. 31, Oi. 886, Ca. 1655.

Anthropol. Soc., No. 107.

- 1294⁷. The cranium of a Kaffir from Tembuland, S. Africa.

C. 520, L. 188, B. 138, Bi. 734, H. 136, Hi. 723, BN. 106, BA. 105, Ai. 991, Ow. 37, Oh. 31, Oi. 838, Ca. 1475.

Presented by H. Havelock Sturge, Esq., 1899.

1295. The mutilated cranium of a South-African of the Baguani (Bechuana?) tribe. O. C. 5375.

The left side of the coronal suture is obliterated.

C. 530, L. 196, B. 134, Bi. 684, H. 132, Hi. 673, Ca. 1430.

Purchased from Mr. E. Pearson, 1846.

1296. The skull of a Hottentot : ♂.

Obtained and prepared by the donor when stationed at Whittlesea, North Victoria, Cape of Good Hope. It belonged to a rebel killed in the siege and capture of Shiloh from the Hottentots, February 1851, by the British forces under Major Tylden, R.E.

C. 507, L. 185, B. 130, Bi. 703, H. 138, Hi. 746, BN. 107, BA. 112, Ai. 1047, Nh. 44, Nw. 27, Ni. 614, Ow. 43, Oh. 31, Oi. 721, Ca. 1400.

*Presented by W. T. Black, Esq., Staff-Surgeon
H.M. Army, 1866.*

1297. A remarkably malformed skull of a male Hottentot.

From a man, about 45 years of age, who died of a cancerous tumour (which has destroyed a considerable part of the base of the cranium) at Middleburg, South Africa, under the care of the donor, who says :—" For a Hottentot he was very intelligent, and had learned the trade of a carpenter and earned his living by it from his youth ; he conversed as well as any of his caste, and had his reasoning faculties fairly developed."

The frontal region is as much depressed as in any of the artificially deformed Peruvian skulls (compare Nos. 999 and 1000); but there is no evidence of counter-pressure on the occiput. The complete consolidation of the sutures, and the extent to which the teeth are worn, seem to indicate a greater age than that assigned to the man during life.

C. 492, L. 178, B. 130, Bi. 730, Nh. 49, Nw. 26, Ni. 531, Ow. 38, Oh. 34, Oi. 895, Ca. 1360.

Presented by James E. Coward, Esq., 1878.

1298. The cranium of a Hottentot : ♀ . O.C. 5359.

C. 502, L. 180, B. 135, Bi. 750, H. 130, Hi. 722, BN. 97, BA. 90, Ai. 928, Nh. 45, Nw. 26, Ni. 578, Ow. 39, Oh. 32, Oi. 821, Ca. 1380.

Purchased.

1298¹. The skull of a Hottentot ♀ , found with other bones in a shell-midden or heap, probably 150 years old, if not more, near Cape St. Francis. Teeth complete.

C. 505, L. 179, B. 141, Bi. 788, H. 123, Hi. 687, BN. 91, BA. 93, Ai. 1022, Nh. 40, Nw. 25, Ni. 625, Ow. 36, Oh. 27, Oi. 750, Ca. 1320.

*Presented by John Noble, Esq., Clerk to the Legislative
Assembly, Cape of Good Hope, 1883.*

1299. The cranium of a Koranna : ♂ .

Sent from the Cape of Good Hope to the donor by the Rev. G. Williams.

C. 532, L. 193, B. 140, Bi. 725, H. 134, Hi. 694, BN. 98, BA. 104, Ai. 1061, Nh. 48, Nw. 27, Ni. 563, Ow. 37, Oh. 32, Oi. 865, Ca. 1490.

Presented by Sir John Lubbock, Bart., 1874.

1299¹. A metopic cranium.

C. 515, L. 184, B. 129, Bi. 701, H. 133, Hi. 723, BN. 105, BA. 105, Ai. 1000, Nh. 47, Nw. 25, Ni. 532, Ow. 37, Oh. 34, Oi. 919, Ca. 1445.

1299². A cranium.

C. 510, L. 185, B. 128, Bi. 692, BN. 98, BA. 100, Ai. 1020, Nh. 55, Nw. 28, Ni. 509, Ow. 36, Oh. 39, Oi. 1083, Ca. 1350.

1299³. A cranium.

C. 501, L. 182, B. 124, Bi. 681, H. 129, Hi. 709, BN. 96, BA. 95, Ai. 990, Nh. 43, Nw. 26, Ni. 605, Ow. 37, Oh. 32, Oi. 865, Ca. 1275.

1299⁴. A cranium (14).

C. 492, L. 178, B. 128, Bi. 719, H. 128, Hi. 719, BN. 95, BA. 94, Ai. 989, Nh. 38, Nw. 22, Ni. 579, Ow. 38, Oh. 30, Oi. 789, Ca. 1305.

1299⁵. A cranium (13).

C. 500, L. 181, B. 131, Bi. 724, H. 128, Hi. 707, BN. 90, BA. 91, Ai. 1011, Nh. 45, Nw. 22, Ni. 489, Ow. 34, Oh. 31, Oi. 912, Ca. 1530.

1299⁶. A cranium (12).

C. 485, L. 175, B. 127, Bi. 726, H. 126, Hi. 720, BN. 92, BA. 97, Ai. 1054, Nh. 36, Nw. 22, Ni. 611, Ow. 36, Oh. 30, Oi. 833, Ca. 1340.

The above six crania are from the Makapan's cave, and probably belong to the Makapan Tribe, Waterbery District, Transvaal.

Presented by W. L. Distant, Esq., 1892.

1300. The articulated skeleton of an adult male Bushman.

O. C. 5357.

Most of the teeth have been lost during life; and the calvarial sutures are partly united.

Height 4 feet 4·5 inches = 1333.

Clavicle 131; humerus, *r.* 255, *l.* 250; radius, *r.* 208, *l.* 207; femur, *r.* 356, *l.* 363; tibia, *r.* 299, *l.* 302.

Cranium: C. 500, L. 175, B. 134, Bi. 766, H. 128, Hi. 731, BN. 91, Nh. 46, Nw. 29, Ni. 630, Ow. 38, Oh. 29, Oi. 763, Ca. 1260.

Presented by Henry Bickersteth, Esq., Surgeon to the Somerset Hospital, Capetown, 1849.

1301. The articulated skeleton of a young female Bushman.

The larger epiphyses are not united to the shafts of the long bones. The basilar suture has recently closed. The third molars are not yet in place. The skull is metopie, and has a large median Wormian bone in the hinder part of the sagittal suture.

Height 4 feet 7·2 inches = 1400.

Clavicle 116; humerus, *r.* 270, *l.* 263; radius, *r.* 210, *l.* 208; femur, *r.* 380, *l.* 380; tibia, *r.* 332, *l.* 331.

Cranium: C. 486, L. 171, B. 134, Bi. 784, H. 124, Hi. 725, BN. 91, BA. 90, Ai. 989, Nh. 44, Nw. 24, Ni. 545, Ow. 37, Oh. 32, Oi. 865, Ca. 1250.

Presented by Henry Bickersteth, Esq., 1850.

1302. The skeleton of a female of the Bushman race, about 22 years of age.

She died in London, June 16th, 1864, and was dissected at the College. A description and drawing of her and her brother (called "Earthmen, from Orange-River Settlement") were given in the 'Illustrated London News' for November 6th, 1852; and an account of the dissection, by W. H. Flower and J. Murie, M.D., in 'The Journal of Anatomy' for May 1867. Most of the bones are mounted in the "separate series of homologous bones."

The basilar suture is united; and the third molars (except the right upper) are in place.

Clavicle, *r.* 121, *l.* 120; humerus, *r.* 257, *l.* 247; radius, *r.* 186, *l.* 185; femur, *r.* 376, *l.* 378; tibia, *r.* 288, *l.* 288.

Cranium: C. 477, L. 170, B. 130, Bi. 765, H. 125, Hi. 735, BN. 90, BA. 87, Ai. 697, Nh. 44, Nw. 27, Ni. 614, Ow. 38, Oh. 31, Oi. 816, Ca. 1170.

1303. The skull of a Bushman: ♂.

Received from the Cape of Good Hope, with the skin and hair (which presented all the characteristics of the race) still upon it.

Many of the teeth have been lost during life; and the remainder have been worn down to the roots.

C. 522, L. 185, B. 140, Bi. 757, H. 134, Hi. 724, BN. 103, Nh. 48, Nw. 29, Ni. 604, Ow. 40, Oh. 30, Oi. 750, Ca. 1400.

Presented by Christopher Heath, Esq., 1867.

- 1303¹. The cranium of a Bushman, ♂, from Kruis River, Cango District, Oudtshoorn.

C. 509, L. 185, B. 136, Bi. 735, H. 121, Hi. 654, BN. 97, BA. 93, Ai. 959, Nh. 45, Nw. 23, Ni. 511, Ow. 39, Oh. 31, Oi. 795.

Presented by G. J. Romanes, Esq., 1885.

- 1303². The skull of a female Bushman : adult.

C. 483, L. 170, B. 134, Bi. 788, H. 123, Hi. 724, BN. 98, BA. 93, Ai. 949, Nh. 45, Nw. 24, Ni. 533, Ow. 36, Oh. 30, Oi. 833, Ca. 1110.

Presented by G. J. Romanes, Esq., 1885.

- 1303³. The cranium of a Bushman : adult male.

C. 512, L. 181, B. 137, Bi. 757, H. 127, Hi. 702, BN. 93, BA. 100, Ai. 1075, Nh. 48, Nw. 25, Ni. 521, Ow. 39, Oh. 31, Oi. 795.

- 1303⁴. The cranium of a female Bushman : adult.

C. 494, L. 177, B. 131, Bi. 740, H. 120, Hi. 678, BN. 94, BA. 96, Ai. 1021, Nh. 44, Nw. 24, Ni. 545, Ow. 35, Oh. 33, Oi. 943, Ca. 1235.

Presented by Miss Waterston, 1888.

- 1303⁵. The skull of a Bushman, Namaqualand, S. Africa.

C. 487, L. 171, B. 137, Bi. 801, H. 125, Hi. 731, BN. 90, BA. 91, Ai. 1011, Nh. 37, Nw. 25, Ni. 676, Ow. 36, Oh. 34, Oi. 944, Ca. 1280.

Anthropol. Soc., No. 109.

- 1303⁶. The cranium of a Hottentot, from Otjimbingue, Namaqualand : ♂.

C. 525, L. 189, B. 135, Bi. 714, H. 132, Hi. 698, BN. 102, BA. 99, Ai. 971, Nh. 44, Nw. 27, Ni. 614, Ow. 37, Oh. 39, Oi. 1054, Ca. 1430.

Anthropol. Soc., No. 54.

- 1303⁷. The cranium of a Bushman from the Cape : ♂.

C. 528, L. 189, B. 139, Bi. 735, H. 126, Hi. 667, BN. 94, BA. 88, Ai. 936, Nh. 35, Nw. 25, Ni. 714, Ow. 39, Oh. 32, Oi. 821, Ca. 1505.

Anthropol. Soc., No. 71.

1304. The skull of a young female Bushman. O. C. 5358.

There is complete synostosis of the sagittal suture, though the basilar suture is not united, and the third molars are not in place.

C. 503, L. 180, B. 137, Bi. 761, H. 125, Hi. 594, BN. 92, BA. 90, Ai. 978, Nh. 43, Nw. 25, Ni. 581, Ow. 34, Oh. 30, Oi. 882, Ca. 1360.

Presented by Henry Bickersteth, Esq.

1305. A calvaria, probably that of a Bushman : ♀.

Sent from the Cape of Good Hope, with flint implements, to Sir John Lubbock, 1870.

C. 480, L. 171, B. 132, Bi. 772, H. 119, Hi. 696, Ca. 1075.

Presented by George Busk, Esq., 1878.

F. MADAGASCAR.

1306. A cranium from Majambo Bay, N.W. coast of Madagascar. O. C. 5368.

C. 524, L. 186, B. 141, Bi. 758, H. 127, Hi. 683, BN. 95, BA. 102, Ai. 1074, Nh. 49, Nw. 27, Ni. 551, Ow. 40, Oh. 33, Oi. 825, Ca. 1460.

Presented by Admiral Sir Edward Belcher, K.C.B., 1843.

- 1306¹. The cranium of a Hova from Madagascar : ♀.

C. 505, L. 180, B. 133, Bi. 739, H. 129, Hi. 717, BN. 99, BA. 95, Ai. 960, Nh. 50, Nw. 28, Ni. 560, Ow. 40, Oh. 35, Oi. 875, Ca. 1450.

Anthropol. Soc., No. 94.

- 1306². A cranium from Madagascar.

C. 495, L. 169, B. 139, Bi. 822, H. 129, Hi. 763, BN. 96, BA. 95, Ai. 990, Nh. 49, Nw. 25, Ni. 510, Ow. 38, Oh. 35, Oi. 921, Ca. 1460.

Presented by J. H. Fenn, Esq., 1895.

ON THE CRANIAL MEASUREMENTS AS
CHARACTERISTIC OF RACE.

THE various groups of Mankind—owing to their probable unity of origin, the great variability of individuals, and the possibility of all degrees of intermixture of races at remote or recent periods of the history of the species—have so much in common that it is extremely difficult to find distinctive characters, capable of strict definition, by which they may be differentiated.

It is more by the preponderance of certain characters in a large number of members of a group, than by the exclusive or even constant possession of these characters in each of its members, that the group as a whole must be characterized. Hence, in all cases in which distinctions can be expressed by the numerical method, the great value of *averages*. Provided that the data upon which these averages are based shall have been obtained from a sufficient number of individuals, they can be absolutely relied upon to express the prevailing or most characteristic development of each particular feature in any group, and permit satisfactory comparisons between the condition of that feature in different groups.

For this purpose the more important measurements given in this Catalogue have been collected, reduced to averages in each group, and tabulated (see pp. 422, 423). Although these Tables are very imperfect, owing to many of the groups being unfortunately at present but poorly represented, it is thought that the conclusions derived from a collection of such magnitude must be of some interest as a contribution to our knowledge of the physical characters of man, especially when compared with and corrected by similar tables based on other collections.

In the averages of the different groups, only adult skulls (those in which the basilar suture has been consolidated) have been taken, and all measurements which may have been affected either by artificial or pathological deformation have been rejected. Both sexes are included in the indices, as the numbers

are generally not sufficient to allow of separation, and the sexual differences (except perhaps in the case of the orbital index) are usually very inconsiderable. For the cranial capacities, however, the skulls of males only have been used. By doing so the number available for the averages has certainly been diminished; but this is a less disadvantage than the vitiation of the comparison which would be occasioned by a mixture of the two sexes in unequal proportions in different groups.

The number of individual measurements upon which each average is based is placed below it in smaller figures within brackets, as thereby some estimate may be formed of the relative value of the conclusion. When the number is high the average is more to be relied on than when it is low.

The characters derived from measurements are conveniently expressed in a nomenclature due in great part to Broca, and founded on the principle that a certain general or medium conformation can be assumed in each case. Those indices which come near to this constitute one group; those removed in either direction form other groups; so that in each case a threefold division results. For some purposes it may be convenient to multiply the divisions still further, as is done by Broca in the case of the important latitudinal or cephalic index; but for ordinary use the division into three is most convenient.

The indices of breadth (latitudinal or cephalic indices) are* :—

<i>Dolichocephalic</i>	below 750
<i>Mesaticephalic</i>	750 to 800
<i>Brachycephalic</i>	above 800

The index of height is not usually divided into special groups, as its chief interest lies in its relation to the breadth index,

* Broca's division is :—

1. True dolichocephalic	below 750
2. Sub-dolichocephalic	750 to 778
3. Mesaticephalic	778 to 800
4. Sub-brachycephalic	800 to 833
5. True brachycephalic	above 833

“Sur la Classification et la Nomenclature Crâniologiques d'après les Indices Céphaliques” (Revue d'Anthropologie, tome i. p. 385: 1872).

especially as to whether it is greater or less. In the former case it may be called *hypsicephalic*, in the latter *tapeinocephalic*, though these terms are generally reserved for extreme variations in these directions.

Alveolar indices :

<i>Orthognathous</i>	below 980
<i>Mesognathous</i>	980 to 1020
<i>Prognathous</i>	above 1030

Nasal indices :

<i>Leptorhine</i>	below 480
<i>Mesorhine</i>	480 to 530
<i>Platyrrhine</i>	above 530

Orbital indices :

<i>Microseme</i>	below 840
<i>Mesoseme</i>	840 to 890
<i>Megaseme</i>	above 890

It will be observed that in each case a range of $\frac{5}{100}$ is allowed for the central series, the middle of which is assumed to be the general average for the whole species. Beyond this limit the two extremes may be considered to commence.

In the same way the cerebral capacities may be classed as

		cub. centims.
<i>Microcephalic</i>	below 1350
<i>Mesocephalic</i>	1350 to 1450
<i>Megacephalic</i>	above 1450

1400 cubic centimetres being the assumed general average of the whole species.

These artificial divisions, although convenient to assist the memory, and to give some general idea of the position of any index in relation to others, do not suffice for accurate comparisons. It is often necessary, for instance, to know of an index in the middle series whether it tends to either extreme, or of one in an outside series whether the deviation from the medium form is moderate or excessive. For such purposes the numbers must be used, as they express more truly the exact position held by the index in the whole series.

Moreover, though the averages are valuable as general indications of the prevailing characteristics of the groups, they alone are not sufficient for the complete knowledge of these characteristics, as without a further analysis of the individual indices it is not possible to say whether there is much variation among the different members of the group thus classed together or whether a considerable number come close to the general average. In the former case it will be suspected that the group is a compound one, derived from the crossing of others, which, in this character at least, differed from one another; or at all events that this particular character is one of comparatively little importance. In the latter case the group may be assumed to be more pure, and the character in question will become of value as one of its distinctive features; and the larger the number of characters presenting a small tendency to variation, the more pure the race may be considered, and the more capable of ready diagnosis by its physical structure.

It is obvious that such a method of analysis can only be applied with success to a large series of individuals—larger than most of those to be found in the present Catalogue; but some examples will suffice to show the kind of results to be obtained from it.

In the first group (the inhabitants of Europe generally) it will be seen, by a reference to the pages of the Catalogue, that the indices of breadth, though giving an average of 787, and thus placing it in the series of mesaticephalic races, vary greatly in different individuals; and of the whole number 43·7 per cent. are brachycephalic, 39·4 mesaticephalic, and 16·9 dolichocephalic. There are therefore actually more crania belonging to the first category than to that to which the general average belongs; and probably but for the large proportion of short-headed Southern Europeans which the collection happens to contain, the numbers would be more equally distributed through the three series. Hence no special form of cranium, as shown by the latitudinal index, can be held as characteristic of this group. In drawing distinctions, however, among its various subdivisions, this index may become of importance; but the materials available in the collection are not sufficient to pursue this branch of the subject further with advantage. In the

	Bi.	Hi.	Ai.	Ni.	Oi.	Capacity.
Mixed European (including English)	787 (223) <i>Mesaticephalic.</i>	736 (218)	962 (184) <i>Orthognathous.</i>	470 (207) <i>Leptorhine.</i>	870 (208) <i>Mesoseme.</i>	1497 (138) <i>Megacephalic.</i>
English alone (mostly of lowest class)	762 (37) <i>Mesaticephalic.</i>	714 (36)	956 (31) <i>Orthognathous.</i>	460 (33) <i>Leptorhine.</i>	884 (33) <i>Mesoseme.</i>	1511 (24) <i>Megacephalic.</i>
Guanches	765 (6) <i>Mesaticephalic.</i>	726 (6)	971 (6) <i>Orthognathous.</i>	490 (6) <i>Leptorhine.</i>	796 (6) <i>Microseme.</i>	1492 (6) <i>Megacephalic.</i>
Ancient Egyptians	756 (30) <i>Mesaticephalic.</i>	731 (28)	950 (22) <i>Orthognathous.</i>	487 (25) <i>Leptorhine.</i>	862 (28) <i>Mesoseme.</i>	1454 (18) <i>Megacephalic.</i>
Mixed inhabitants of Hindustan (chiefly Maravars and other low-caste natives)	754 (34) <i>Mesaticephalic.</i>	758 (34)	987 (29) <i>Mesognathous.</i>	502 (33) <i>Mesorhine.</i>	874 (34) <i>Mesoseme.</i>	1313 (22) <i>Microcephalic.</i>
Veddahs	711 (7) <i>Dolichocephalic.</i>	747 (7)	963 (6) <i>Orthognathous.</i>	503 (5) <i>Mesorhine.</i>	853 (7) <i>Mesoseme.</i>	1259 (5) <i>Microcephalic.</i>
Mongolians of Siberia and Central Asia	880 (5) <i>Dolichocephalic.</i>	728 (5)	1031 (3) <i>Prognathous.</i>	444 (4) <i>Leptorhine.</i>	881 (4) <i>Mesoseme.</i>	1473 (3) <i>Megacephalic.</i>
Chinese	788 (17) <i>Mesaticephalic.</i>	752 (17)	990 (17) <i>Mesognathous.</i>	498 (18) <i>Mesorhine.</i>	899 (18) <i>Mesoseme.</i>	1424 (16) <i>Mesocephalic.</i>
Japanese	768 (7) <i>Mesaticephalic.</i>	753 (7)	984 (7) <i>Mesognathous.</i>	473 (7) <i>Leptorhine.</i>	925 (7) <i>Megaseme.</i>	1486 (6) <i>Megacephalic.</i>
Burmese	826 (4) <i>Brachycephalic.</i>	807 (4)	997 (4) <i>Mesognathous.</i>	482 (4) <i>Mesorhine.</i>	878 (4) <i>Mesoseme.</i>	1473 (4) <i>Megacephalic.</i>
Mixed inhabitants of the Indo-Malayan archipelago, mostly Malays of various tribes	806 (19) <i>Brachycephalic.</i>	769 (18)	996 (13) <i>Mesognathous.</i>	497 (17) <i>Mesorhine.</i>	882 (17) <i>Mesoseme.</i>	1429 (16) <i>Mesocephalic.</i>

Mixed Polynesians, containing a large proportion of Maories	759 (50) <i>Mesaticephalic.</i>	755 (42)	986 (38) <i>Mesognathous.</i>	477 (48) <i>Leptorhine.</i>	912 (48) <i>Megaseine.</i>	1469 (26) <i>Megacephalic.</i>
Eskimo	722 (27) <i>Dolichocephalic.</i>	737 (27)	1006 (24) <i>Mesognathous.</i>	437 (24) <i>Leptorhine.</i>	890 (24) <i>Megaseine.</i>	1546 (17) <i>Megacephalic.</i>
American Indians of all tribes, including a large proportion of Ancient Peruvians (obviously deformed crania being omitted) . . .	839 (103) <i>Brachycephalic.</i>	782 (106)	1020 (109) <i>Mesognathous.</i>	472 (123) <i>Leptorhine.</i>	915 (127) <i>Megaseine.</i>	1368 (53) <i>Mesocephalic.</i>
Australians	710 (53) <i>Dolichocephalic.</i>	715 (53)	1036 (51) <i>Prognathous.</i>	569 (50) <i>Platyrrhine.</i>	809 (51) <i>Microseine.</i>	1298 (32) <i>Microcephalic.</i>
Tasmanians	763 (14)	726 (14)	1033 (11)	574 (14)	808 (14) ♂ 767, ♀ 849 <i>Microseine.</i>	1309 (6) <i>Microcephalic.</i>
Other Melanesians, including some intermixture of Polynesians, Malays, and Negritos (Andamanese omitted)	714 (72) <i>Dolichocephalic.</i>	749 (69)	1034 (58) <i>Prognathous.</i>	536 (67) <i>Platyrrhine.</i>	851 (68) <i>Mesoseine.</i>	1345 (42) <i>Microcephalic.</i>
Fijian mountaineers alone (pure Melanesians)	663 (13) <i>Dolichocephalic.</i>	741 (13)	1032 (9) <i>Prognathous.</i>	571 (13) <i>Platyrrhine.</i>	870 (13) <i>Mesoseine.</i>	1482 (8) <i>Megacephalic.</i>
Andamanese	821 (14) <i>Brachycephalic.</i>	779 (14)	1020 (14) <i>Mesognathous.</i>	509 (14) <i>Mesorhine.</i>	917 (14) <i>Megaseine.</i>	1266 (6) <i>Microcephalic.</i>
African Negroes of various tribes.	736 (42) <i>Dolichocephalic.</i>	735 (42)	1044 (36) <i>Prognathous.</i>	568 (43) <i>Platyrrhine.</i>	863 (43) <i>Mesoseine.</i>	1388 (26) <i>Mesocephalic.</i>
Kaffirs and Zulus	731 (11) <i>Dolichocephalic.</i>	741 (11)	1013 (11) <i>Mesognathous.</i>	553 (11) <i>Platyrrhine.</i>	875 (11) <i>Mesoseine.</i>	1485 (7) <i>Megacephalic.</i>
Bushmen	768 (6) <i>Mesaticephalic.</i>	716 (6)	978 (3) <i>Orthognathous.</i>	595 (5) <i>Platyrrhine.</i>	815 (5) <i>Microseine.</i>	1330 (2) <i>Microcephalic.</i>

English however, judging from the small series at present available, brachycephaly is rare ; while among the Lapps, on the other hand, it prevails almost exclusively.

If we turn to the facial, especially the alveolar and nasal, indices of the Europeans, we shall find that they are far less variable than those of the cranium. Of the specimens that permitted measurement for these indices, 73·4 per cent. are orthognathous, 20·1 mesognathous, and only 6·5 prognathous, and 59·5 are leptorhine, 33·2 mesorhine, and only 7·3 platyrhine. It is therefore clear that the latter classes are quite exceptional, and that orthognathy and (though not quite to the same degree) leptorhiny are strong characteristics of the races inhabiting the European continent.

To take our next example from a very different group, the Australian (of which race the collection contains a fairly representative series) it will be seen that the average breadth-index is 710, placing it low down in the dolichocephalic series ; and the analysis of the individuals perfectly accords with this position, as 96·5 per cent. are dolichocephalic, only 3·5 mesati-cephalic, and not one brachycephalic. Hence the form of cranium, as shown by the latitudinal index, is a very important characteristic of the Australian race. Not less uniform and opposed to those of the European races are the alveolar and nasal indices, 62·7 per cent. being prognathous, 29·5 mesognathous, and only 7·8 orthognathous ; 78 per cent. being platyrhine, 20 mesorhine, and 2 leptorhine. The low orbital indices and small cranial capacities are also very distinctive of this race.

The series of thirteen mountaineers of the Fiji Islands, judged by this test, should belong to a remarkably pure race, as *all* are strongly dolichocephalic (in not one is the index as high as 700), *all* have the alveolar index exceeding 1000, *all* have the nasal index exceeding 500, and, with only one exception, so high as to be placed in the platyrhine division ; and they also show a great uniformity in the orbital indices, that of the males scarcely passing the boundaries on either side of the mesoseme division, while the females are all megaseme. The number of the latter sex, however, is too small for generalization.

Without entering into further details, which can be obtained by any one from an examination of the measurements given in the Catalogue, the general result may be stated to be that the prevailing characteristics of all the races placed first on the list (including those of Europe, North Africa, and South-west Asia) are a variable or moderate latitudinal index, a low alveolar index, a low nasal index, a moderate orbital index, and a high cerebral capacity. In other words, they are mesocephalic, orthognathous, leptorhine, megaseme, and megacephalic.

The next group, or Mongoloid races, also vary much as to latitudinal index, including the extremely brachycephalic Siberian Mongols and Peruvians and the extremely dolichocephalic Eskimo. They are rarely either truly orthognathous or prognathous, though with a great tendency to the latter, especially in the American branches. The nasal index is usually low; and the Eskimo are the most leptorhine of all known races. The orbital index is usually high, and the cranial capacity very variable.

In the Australian and the dark races with frizzly hair, dolichocephaly prevails almost universally, reaching its extreme in certain Melanesians. These races are equally characterized by prognathism, by the high nasal index (all the true platyrhine races belonging to this group), and by moderate or small cranial capacities. The Negritos of the Indo-Malayan archipelago (represented in the collection by the Andamanese) and, to a less extent, the Bushmen of South Africa present certain exceptional characters of great interest.

It may fairly be inferred from these examples of the results of what is only an elementary and imperfect system of mensuration applied to crania, that when pursued in greater detail, with more ample materials and with more extended experience of what is important and what only of secondary value, this method of investigation, so far from being profitless, as some anthropologists have assumed, will prove of the greatest value in determining the nature and amount of the resemblances and differences in the physical characters of the various groups into which the human species is divided, and thereby in throwing light upon their relations to one another, their history, and their origin.

TABLES FOR

TABLE I.—

	150	151	152	153	154	155	156	157	158	159	160	161	162	163
115	767	762	757	752	747	742	737	732	728	723	719	714	710	706
116	773	768	763	758	753	748	744	739	734	730	725	720	716	712
117	780	775	770	765	760	755	750	745	741	736	731	727	722	718
118	787	781	776	771	766	761	756	752	747	742	738	733	728	724
119	793	788	783	778	773	768	763	758	753	748	744	739	735	730
120	800	795	789	784	779	774	769	764	759	755	750	745	741	736
121	807	801	796	791	786	781	776	771	766	761	756	752	747	742
122	813	808	803	797	792	787	782	777	772	767	763	758	753	748
123	820	815	809	804	799	794	788	783	778	774	769	764	759	755
124	827	821	816	810	805	800	795	790	785	780	775	770	765	761
125	833	828	822	817	812	806	801	796	791	786	781	776	772	767
126	840	834	829	824	818	813	808	803	797	792	788	783	778	773
127	847	841	836	830	825	819	814	809	804	799	794	789	784	779
128	853	848	842	837	831	826	821	815	810	805	800	795	790	785
129	860	854	849	843	838	832	827	822	816	811	806	801	796	791
130	867	861	855	850	844	839	833	828	823	818	813	807	802	798
131	873	868	862	856	851	845	840	834	829	824	819	814	809	804
132	880	874	868	863	857	852	846	841	835	830	825	820	815	810
133	887	881	875	869	864	858	853	847	842	836	831	826	821	816
134	893	887	882	876	870	865	859	854	848	843	838	832	827	822
135	900	894	888	882	877	871	865	860	854	849	844	839	833	828
136	907	901	895	889	883	877	872	866	861	855	850	845	840	834
137	913	907	901	895	890	884	878	873	867	862	856	851	846	840
138	920	914	908	902	896	890	885	879	873	868	863	857	852	847
139	927	921	914	908	903	897	891	885	880	874	869	863	858	853
140	933	927	921	915	909	903	897	892	886	881	875	870	864	859
141	940	934	928	922	916	910	904	898	892	887	881	876	870	865
142	947	940	934	928	922	916	910	904	899	893	888	882	877	871
143	953	947	941	935	929	923	917	911	905	899	894	888	883	877
144	960	954	947	941	935	929	923	917	911	906	900	894	889	883
145	967	960	954	948	942	935	929	924	918	912	906	901	895	890
146	973	967	961	954	948	942	936	930	924	918	913	907	901	896
147	980	974	967	961	955	948	942	936	930	925	919	913	907	902
148	987	980	974	967	961	955	949	943	937	931	925	919	914	908
149	993	987	980	974	968	961	955	949	943	937	931	925	920	914
150	1000	993	987	980	974	968	962	955	949	943	938	932	926	920
151	1007	1000	993	987	981	974	968	962	956	950	944	938	932	926
152	1013	1007	1000	993	987	981	974	968	962	956	950	944	938	933
153	1020	1013	1007	1000	994	987	981	975	968	962	956	950	944	939
154	1027	1020	1013	1007	1000	994	987	981	975	969	963	957	951	945
155	1033	1026	1020	1013	1006	1000	994	987	981	975	969	963	957	951
156	1040	1033	1026	1020	1013	1006	1000	994	987	981	975	969	963	957
157	1047	1040	1033	1026	1019	1013	1006	1000	994	987	981	975	969	963
158	1053	1046	1039	1033	1026	1019	1013	1006	1000	994	988	981	975	969
159	1060	1053	1046	1039	1032	1026	1019	1013	1006	1000	994	988	981	975
160	1067	1060	1053	1046	1039	1032	1026	1019	1013	1006	1000	994	988	982
161	1073	1066	1059	1052	1045	1039	1032	1025	1019	1013	1006	1000	994	988
162	1080	1073	1066	1059	1052	1045	1038	1032	1025	1019	1013	1006	1000	994
163	1087	1079	1072	1065	1058	1052	1045	1038	1032	1025	1019	1012	1006	1000
164	1093	1086	1079	1072	1065	1058	1051	1045	1038	1031	1025	1019	1012	1006
165	1100	1093	1086	1078	1071	1065	1058	1051	1044	1038	1031	1025	1019	1012
	150	151	152	153	154	155	156	157	158	159	160	161	162	163

CALCULATING INDICES.

Breadth and Height Index.

	164	165	166	167	168	169	170	171	172	173	174	175	176	177	
115	701	697	693	689	685	680	676	673	669	665	661	657	653	650	115
116	707	703	699	695	690	686	682	678	674	671	667	663	659	655	116
117	713	709	705	701	696	692	688	684	680	676	672	669	665	661	117
118	720	715	711	707	702	698	694	690	686	682	678	674	670	667	118
119	726	721	717	713	708	704	700	696	692	688	684	680	676	672	119
120	732	727	723	719	714	710	706	702	698	694	690	686	682	678	120
121	738	733	729	725	720	716	712	708	703	699	695	691	688	684	121
122	744	739	735	731	726	722	718	713	709	705	701	697	693	689	122
123	750	745	741	737	732	728	724	719	715	711	707	703	699	695	123
124	756	752	747	743	738	734	729	725	721	717	713	709	705	701	124
125	762	758	753	749	744	740	735	731	727	723	718	714	710	706	125
126	768	764	759	754	750	746	741	737	733	728	724	720	716	712	126
127	774	770	765	760	756	751	747	743	738	734	730	726	722	718	127
128	780	776	771	766	762	757	753	749	744	740	736	731	727	723	128
129	787	782	777	772	768	763	759	754	750	746	741	737	733	729	129
130	793	788	783	778	774	769	765	760	756	751	747	743	739	734	130
131	799	794	789	784	780	775	771	766	762	757	753	749	744	740	131
132	805	800	795	790	786	781	776	772	767	763	759	754	750	746	132
133	811	806	801	796	792	787	782	778	773	769	764	760	756	751	133
134	817	812	807	802	798	793	788	784	779	775	770	766	761	757	134
135	823	818	813	808	804	799	794	789	785	780	776	771	767	763	135
136	829	824	819	814	810	805	800	795	791	786	782	777	773	768	136
137	835	830	825	820	815	811	806	801	797	792	787	783	778	774	137
138	841	836	831	826	821	817	812	807	802	798	793	789	784	780	138
139	848	842	837	832	827	822	818	813	808	803	799	794	790	785	139
140	854	848	843	838	833	828	824	819	814	809	805	800	795	791	140
141	860	855	849	844	839	834	829	825	820	815	810	806	801	797	141
142	866	861	855	850	845	840	835	830	826	821	816	811	807	802	142
143	872	867	861	856	851	846	841	836	831	827	822	817	813	808	143
144	878	873	867	862	857	852	847	842	837	832	828	823	818	814	144
145	884	879	873	868	863	858	853	848	843	838	833	829	824	819	145
146	890	885	880	874	869	864	859	854	849	844	839	834	830	825	146
147	896	891	886	880	875	870	865	860	855	850	845	840	835	831	147
148	902	897	892	886	881	876	871	865	860	855	851	846	841	836	148
149	909	903	898	892	887	882	876	871	866	861	856	851	847	842	149
150	915	909	904	898	893	888	882	877	872	867	862	857	852	847	150
151	921	915	910	904	899	893	888	883	878	873	868	863	858	853	151
152	927	921	916	910	905	899	894	889	884	879	874	869	864	859	152
153	933	927	922	916	911	905	900	895	890	884	879	874	869	864	153
154	939	933	928	922	917	911	906	901	895	890	885	880	875	870	154
155	945	939	934	928	923	917	912	906	901	896	891	886	881	876	155
156	951	945	940	934	929	923	918	912	907	902	897	891	886	881	156
157	957	952	946	940	935	929	924	918	913	908	902	897	892	887	157
158	963	958	952	946	940	935	929	924	919	913	908	903	898	893	158
159	970	964	958	952	946	941	935	930	924	919	914	909	903	898	159
160	976	970	964	958	952	947	941	936	930	925	920	914	909	904	160
161	982	976	970	964	958	953	947	942	936	931	925	920	915	910	161
162	988	982	976	970	964	959	953	947	942	936	931	926	920	915	162
163	994	988	982	976	970	964	959	953	948	942	937	931	926	921	163
164	1000	994	988	982	976	970	965	959	953	948	943	937	932	927	164
165	1006	1000	994	988	982	976	971	965	959	954	948	943	938	932	165
	164	165	166	167	168	169	170	171	172	173	174	175	176	177	

	178	179	180	181	182	183	184	185	186	187	188	189	190	191	
115	646	642	639	635	632	628	625	622	618	615	612	608	605	602	115
116	652	648	644	641	637	634	630	627	624	620	617	614	611	607	116
117	657	654	650	646	643	639	636	637	629	626	622	619	616	613	117
118	663	659	656	652	648	645	641	638	634	631	628	624	621	618	118
119	669	665	661	657	654	650	647	643	640	636	633	630	626	623	119
120	674	670	667	663	659	656	652	649	645	642	638	635	632	628	120
121	680	676	672	669	665	661	658	654	651	647	644	640	637	634	121
122	685	682	678	674	670	667	663	659	656	652	649	646	642	639	122
123	691	687	683	680	676	672	668	665	661	658	654	651	647	644	123
124	697	693	689	685	681	678	674	670	667	663	660	656	653	649	124
125	702	698	694	691	687	683	679	676	672	668	665	661	658	654	125
126	708	704	700	696	692	689	685	681	677	674	670	667	663	660	126
127	713	709	706	702	698	694	690	686	683	679	676	672	668	665	127
128	719	715	711	707	703	699	696	692	688	684	681	677	674	670	128
129	725	721	717	713	709	705	701	697	694	690	686	683	679	675	129
130	730	726	722	718	714	710	707	703	699	695	691	688	684	681	130
131	736	732	728	724	720	716	712	708	704	701	697	693	689	686	131
132	742	737	733	729	725	721	717	714	710	706	702	698	695	691	132
133	747	743	739	735	731	727	723	719	715	711	707	704	700	696	133
134	753	749	744	740	736	732	728	724	720	717	713	709	705	702	134
135	758	754	750	746	742	738	734	730	726	722	718	714	711	707	135
136	764	760	756	751	747	743	739	735	731	727	723	720	716	712	136
137	770	765	761	757	753	749	745	741	737	733	729	725	721	717	137
138	775	771	767	762	758	754	750	746	742	738	734	730	726	723	138
139	781	777	772	768	764	760	755	751	747	743	739	735	732	728	139
140	787	782	778	773	769	765	761	757	753	749	745	741	737	733	140
141	792	788	783	779	775	770	766	762	758	754	750	746	742	738	141
142	798	793	789	785	780	776	772	768	763	759	755	751	747	743	142
143	803	799	794	790	786	781	777	773	769	765	761	757	753	749	143
144	809	804	800	796	791	787	783	778	774	770	766	762	758	754	144
145	815	810	806	801	797	792	788	784	780	775	771	767	763	759	145
146	820	816	811	807	802	798	793	789	785	781	777	772	768	764	146
147	826	821	817	812	808	803	799	795	790	786	782	778	774	770	147
148	831	827	822	818	813	809	804	800	796	791	787	783	779	775	148
149	837	832	828	823	819	814	810	805	801	797	793	788	784	780	149
150	843	838	833	829	824	820	815	811	806	802	798	794	789	785	150
151	848	844	839	834	830	825	821	816	812	807	803	799	795	791	151
152	854	849	844	840	835	831	826	822	817	813	809	804	800	796	152
153	860	855	850	845	841	836	832	827	823	818	814	810	805	801	153
154	865	860	856	851	846	842	837	832	828	824	819	815	811	806	154
155	871	866	861	856	852	847	842	838	833	829	824	820	816	812	155
156	876	872	867	862	857	852	848	843	839	834	830	825	821	817	156
157	882	877	872	867	863	858	853	849	844	840	835	831	826	822	157
158	888	883	878	873	868	863	859	854	849	845	840	836	832	827	158
159	893	888	883	878	874	869	864	859	855	850	846	841	837	832	159
160	899	894	889	884	879	874	870	865	860	856	851	847	842	838	160
161	904	899	894	890	885	880	875	870	866	861	856	852	847	843	161
162	910	905	900	895	890	885	880	876	871	866	862	857	853	848	162
163	916	911	906	901	896	891	886	881	876	872	867	862	858	853	163
164	921	916	911	906	901	896	891	886	882	877	872	868	863	859	164
165	927	922	917	912	907	902	897	892	887	882	878	873	868	864	165
	178	179	180	181	82	183	184	185	186	187	188	189	190	191	

CALCULATING INDICES.

(continued).

	192	193	194	195	196	197	198	199	200	201	202	203	204	205	
115	599	596	593	590	587	584	581	578	575	572	569	567	564	561	115
116	604	601	598	595	592	589	586	583	580	577	574	571	569	566	116
117	609	606	603	600	597	594	591	588	585	582	579	576	574	571	117
118	615	611	608	605	602	599	596	593	590	587	584	581	578	576	118
119	620	617	613	610	607	604	601	598	595	592	589	586	583	580	119
120	625	622	619	615	612	609	606	603	600	597	594	591	588	585	120
121	630	627	624	621	617	614	611	608	605	602	599	596	593	590	121
122	635	632	629	626	622	619	616	613	610	607	604	601	598	595	122
123	641	637	634	631	628	624	621	618	615	612	609	606	603	600	123
124	646	642	639	636	633	629	626	623	620	617	614	611	608	605	124
125	651	648	644	641	638	635	631	628	625	622	619	616	613	610	125
126	656	653	649	646	643	640	636	633	630	627	624	621	618	615	126
127	661	658	655	651	648	645	641	638	635	632	629	626	623	620	127
128	667	663	660	656	653	650	646	643	640	637	634	631	627	624	128
129	672	668	665	662	658	655	652	648	645	642	639	635	632	629	129
130	677	674	670	667	663	660	657	653	650	647	644	640	637	634	130
131	682	679	675	672	668	665	662	658	655	652	649	645	642	639	131
132	688	684	680	677	673	670	667	663	660	657	653	650	647	644	132
133	693	689	686	682	679	675	672	668	665	662	658	655	652	649	133
134	698	694	691	687	684	680	677	673	670	667	663	660	657	654	134
135	703	699	696	692	689	685	682	678	675	672	668	665	662	659	135
136	708	705	701	697	694	690	687	683	680	677	673	670	667	663	136
137	714	710	706	703	699	695	692	688	685	682	678	675	672	668	137
138	719	715	711	708	704	701	697	693	690	687	683	680	676	673	138
139	724	720	716	713	709	706	702	698	695	692	688	685	681	678	139
140	729	725	722	718	714	711	707	704	700	697	693	690	686	683	140
141	734	731	727	723	719	716	712	709	705	701	698	695	691	688	141
142	740	736	732	728	724	721	717	714	710	706	703	700	696	693	142
143	745	741	737	733	730	726	722	719	715	711	708	704	701	698	143
144	750	746	742	738	735	731	727	724	720	716	713	709	706	702	144
145	755	751	747	744	740	736	732	729	725	721	718	714	711	707	145
146	760	756	753	749	745	741	737	734	730	726	723	719	716	712	146
147	766	762	758	754	750	746	742	739	735	731	728	724	721	717	147
148	771	767	763	759	755	751	747	744	740	736	733	729	725	722	148
149	776	772	768	764	760	756	753	749	745	741	738	734	730	727	149
150	781	777	773	769	765	761	758	754	750	746	743	739	735	732	150
151	786	782	778	774	770	766	763	759	755	751	748	744	740	737	151
152	792	788	784	779	776	772	768	764	760	756	752	749	745	741	152
153	797	793	789	785	781	777	773	769	765	761	757	754	750	746	153
154	802	798	794	790	786	782	778	774	770	766	762	759	755	751	154
155	807	803	799	795	791	787	783	779	775	771	767	764	760	756	155
156	813	808	804	800	796	792	788	784	780	776	772	768	765	761	156
157	818	813	809	805	801	797	793	789	785	781	777	773	770	766	157
158	823	819	814	810	806	802	798	794	790	786	782	778	775	771	158
159	828	824	820	815	811	807	803	799	795	791	787	783	779	776	159
160	833	829	825	821	816	812	808	804	800	796	792	788	784	780	160
161	839	834	830	826	821	817	813	809	805	801	797	793	789	785	161
162	844	839	835	831	827	822	818	814	810	806	802	798	794	790	162
163	849	845	840	836	832	827	823	819	815	811	807	803	799	795	163
164	854	850	845	841	837	832	828	824	820	816	812	808	804	800	164
165	859	855	851	846	842	838	833	829	825	821	817	813	809	805	165
	192	193	194	195	196	197	198	199	200	201	202	203	204	205	

TABLES FOR
TABLE II.—For calculating Nasal

	33	34	35	36	37	38	39	40	41	42	43	44	45	46
18	545	529	514	500	486	474	462	450	439	429	419	409	400	391
19	576	559	543	528	514	500	487	475	463	452	442	432	422	413
20	606	588	571	556	541	526	513	500	488	476	465	455	444	435
21	636	618	600	583	568	553	538	525	512	500	488	477	467	457
22	667	647	629	611	595	579	564	550	537	524	512	500	489	478
23	697	676	657	639	622	605	590	575	561	548	535	523	511	500
24	727	706	686	667	649	632	615	600	585	571	558	545	533	522
25	758	735	714	694	676	658	641	625	610	595	581	568	556	543
26	788	765	743	722	703	684	667	650	634	619	605	591	578	565
27	818	794	771	750	730	710	692	675	659	643	628	614	600	587
28	848	824	800	778	757	737	718	700	683	667	651	636	622	609
29	879	853	829	806	784	763	744	725	707	690	674	659	644	630
30	909	882	857	833	811	789	769	750	732	714	698	682	667	652
31	939	912	886	861	838	816	795	775	756	738	721	705	689	674
32	970	941	914	889	865	842	821	800	780	762	744	727	711	696
33	1000	971	943	917	892	868	846	825	805	786	767	750	733	717
34	1030	1000	971	944	919	895	872	850	829	810	791	773	756	739
35	1061	1029	1000	972	946	921	897	875	854	833	814	795	778	761
36	1091	1059	1029	1000	973	947	923	900	878	857	837	818	800	783
37	1121	1088	1057	1028	1000	974	949	925	902	881	860	841	822	804
38	1152	1118	1086	1056	1027	1000	974	950	927	905	884	864	844	826
39	1182	1147	1114	1083	1054	1026	1000	975	951	929	907	886	867	848
40	1212	1176	1143	1111	1081	1053	1026	1000	976	952	930	909	889	870
	33	34	35	36	37	38	39	40	41	42	43	44	45	46

TABLE III.—For calculating

	86	87	88	89	90	91	92	93	94	95	96	97	98	99
86	1000	989	977	966	956	945	935	925	915	905	896	887	878	869
87	1012	1000	989	978	967	956	946	935	926	916	906	897	888	879
88	1023	1011	1000	989	978	967	957	946	936	926	917	907	898	889
89	1035	1023	1011	1000	989	978	967	957	947	937	927	918	908	899
90	1047	1034	1023	1011	1000	989	978	968	957	947	938	928	918	909
91	1058	1046	1034	1022	1011	1000	989	978	968	958	948	938	929	919
92	1070	1057	1045	1034	1022	1011	1000	989	979	968	958	948	939	929
93	1081	1069	1057	1045	1033	1022	1011	1000	989	979	969	959	949	939
94	1093	1080	1068	1056	1044	1033	1022	1011	1000	989	979	969	959	949
95	1105	1092	1080	1067	1056	1044	1033	1022	1011	1000	990	979	969	960
96	1116	1103	1091	1079	1067	1055	1043	1032	1021	1011	1000	990	980	970
97	1128	1115	1102	1090	1078	1066	1054	1043	1032	1021	1010	1000	990	980
98	1140	1126	1114	1101	1089	1077	1065	1054	1043	1032	1021	1010	1000	990
99	1151	1138	1125	1112	1100	1088	1076	1065	1053	1042	1031	1021	1010	1000
100	1163	1149	1136	1124	1111	1099	1087	1075	1064	1053	1042	1031	1020	1010
101	1174	1161	1148	1135	1122	1110	1098	1086	1074	1063	1052	1041	1031	1020
102	1186	1172	1159	1146	1133	1121	1109	1097	1085	1074	1062	1052	1041	1030
103	1198	1184	1170	1157	1144	1132	1120	1108	1096	1084	1073	1062	1051	1040
104	1209	1195	1182	1169	1156	1143	1130	1118	1106	1095	1083	1072	1061	1051
105	1221	1207	1193	1180	1167	1154	1141	1129	1117	1105	1094	1082	1071	1061
106	1233	1218	1205	1191	1178	1165	1152	1140	1128	1116	1104	1093	1082	1071
107	1244	1230	1216	1202	1189	1176	1163	1151	1138	1126	1115	1103	1092	1081
108	1256	1241	1227	1213	1200	1187	1174	1161	1149	1137	1125	1113	1102	1091
109	1267	1253	1239	1225	1211	1198	1185	1172	1160	1147	1135	1124	1112	1101
110	1279	1264	1250	1236	1222	1209	1196	1183	1170	1158	1146	1134	1122	1111
111	1291	1276	1261	1247	1233	1220	1207	1194	1181	1168	1156	1144	1133	1121
112	1302	1287	1273	1258	1244	1231	1217	1204	1191	1179	1167	1155	1143	1131
113	1314	1299	1284	1270	1256	1242	1228	1215	1202	1189	1177	1165	1153	1141
114	1326	1310	1295	1281	1267	1253	1239	1226	1213	1200	1188	1175	1163	1152
115	1337	1322	1307	1292	1278	1264	1250	1237	1223	1211	1198	1186	1173	1162
	86	87	88	89	90	91	92	93	94	95	96	97	98	99

CALCULATING INDICES.

and Orbital Indices.

47	48	49	50	51	52	53	54	55	56	57	58	59	60	
383	375	367	360	353	346	340	333	327	321	315	310	305	300	18
404	396	388	380	373	365	358	352	345	339	333	328	322	317	19
426	417	408	400	392	385	377	370	364	357	351	345	339	333	20
447	438	429	420	412	404	396	389	382	375	368	362	356	350	21
468	458	449	440	431	423	415	407	400	393	386	379	373	367	22
489	479	469	460	451	442	434	426	418	411	404	397	390	383	23
511	500	490	480	471	462	453	444	436	429	421	414	407	400	24
532	521	510	500	490	481	472	463	455	446	439	431	424	417	25
553	542	531	520	510	500	491	481	473	464	456	448	441	433	26
574	563	551	540	529	519	509	500	491	482	474	466	458	450	27
596	583	571	560	549	538	528	519	509	500	491	483	475	467	28
617	604	592	580	569	558	547	537	527	518	509	500	492	483	29
638	625	612	600	588	577	566	556	545	536	526	517	508	500	30
660	646	633	620	608	596	585	574	564	554	544	534	525	517	31
681	667	653	640	627	615	604	593	582	571	561	552	542	533	32
702	688	673	660	647	635	623	611	600	589	579	569	559	550	33
723	708	694	680	667	654	642	630	618	607	596	586	576	567	34
745	729	714	700	686	673	660	648	636	625	614	603	593	583	35
766	750	735	720	706	692	679	667	655	643	632	621	610	600	36
787	771	755	740	725	712	698	685	673	661	649	638	627	617	37
809	792	776	760	745	731	717	704	691	679	667	655	644	633	38
830	813	796	780	765	750	736	722	709	696	684	672	661	650	39
851	833	816	800	784	769	755	741	727	714	702	690	678	667	40
47	48	49	50	51	52	53	54	55	56	57	58	59	60	

Alveolar Indices.

100	101	102	103	104	105	106	107	108	109	110	111	112	113	
860	851	843	835	827	819	811	804	796	789	782	775	768	761	86
870	861	853	845	837	829	821	813	806	798	791	784	777	770	87
880	871	863	854	846	838	830	822	815	807	800	793	786	779	88
890	881	873	864	856	848	840	832	824	817	809	802	795	788	89
900	891	882	874	865	857	849	841	833	826	818	811	804	796	90
910	901	892	883	875	867	858	850	843	835	827	820	813	805	91
920	911	902	893	885	876	868	860	852	844	836	829	821	814	92
930	921	912	903	894	886	877	869	861	853	845	838	830	823	93
940	931	922	913	904	895	887	879	870	862	855	847	839	832	94
950	941	931	922	913	905	896	888	880	872	864	856	848	841	95
960	950	941	932	923	914	906	897	889	881	873	865	857	850	96
970	960	951	942	933	924	915	907	898	890	882	874	866	858	97
980	970	961	951	942	933	925	916	907	899	891	883	875	867	98
990	980	971	961	952	943	934	925	917	908	900	892	884	876	99
1000	990	980	971	962	952	943	935	926	917	909	901	893	885	100
1010	1000	990	981	971	962	953	944	935	927	918	910	902	894	101
1020	1010	1000	990	981	971	962	953	944	936	927	919	911	903	102
1030	1020	1010	1000	990	981	972	963	954	945	936	928	920	912	103
1040	1030	1020	1010	1000	990	981	972	963	954	945	937	929	920	104
1050	1040	1029	1019	1010	1000	991	981	972	963	955	946	938	929	105
1060	1050	1039	1029	1019	1010	1000	991	981	972	964	955	946	938	106
1070	1059	1049	1039	1029	1019	1009	1000	991	982	973	964	955	947	107
1080	1069	1059	1049	1038	1029	1019	1009	1000	991	982	973	964	956	108
1090	1079	1069	1058	1048	1038	1028	1019	1009	1000	991	982	973	965	109
1100	1089	1078	1068	1058	1048	1038	1028	1019	1009	1000	991	982	973	110
1110	1099	1088	1078	1067	1057	1047	1037	1028	1018	1009	1000	991	982	111
1120	1109	1098	1087	1077	1067	1057	1047	1037	1028	1018	1009	1000	991	112
1130	1119	1108	1097	1087	1076	1066	1056	1046	1037	1027	1018	1009	1000	113
1140	1129	1118	1107	1096	1086	1075	1065	1056	1046	1036	1027	1018	1009	114
1150	1139	1127	1117	1106	1095	1085	1075	1065	1055	1045	1036	1027	1018	115
100	101	102	103	104	105	106	107	108	109	110	111	112	113	

LIST OF SPECIMENS (NOT CONTAINED IN SERIES I.,
SECTION B) SHOWING ABNORMALITIES.

Metopic skulls.

290, 296, 301, 306, 318⁵, 359, 361, 362, 363, 364, 390,
415, 418, 420, 432, 441, 448, 488, 506, 511, 513, 518,
526, 534, 535, 544⁴, 546¹, 553, 560¹, 560⁷, 560¹¹, 560¹³,
560¹⁴, 561, 565¹, 565², 576, 580, 589, 600, 600¹, 612,
613⁷, 613³³, 613⁶⁰, 616, 629¹, 630², 631^{11*}, 631^{20*}, 631^{41*},
631^{52*}, 631^{73*}, 631^{77*}, 631^{79*}, 631^{84*}, 632^{21*}, 633^{67*}, 655,
673⁴⁵, 673⁴⁸, 694², 696, 746², 837, 861, 912, 922, 960,
991, 1097, 1132, 1158, 1216¹, 1257^{1*}, 1277¹, 1278,
1292, 1299¹, 1301.

Squamosal meets the frontal

on both sides :

377, 635, 681, 703, 876, 922, 990, 1031, 1057, 1061,
1088, 1154, 1157, 1159, 1160, 1161, 1198, 1251, 1287.

on the right side :

381, 397, 437, 574, 691³, 712, 777, 946, 1033, 1083,
1114, 1118, 1158, 1184, 1249, 1281.

on the left side :

374¹, 394, 423, 443, 604, 682, 1028, 1032, 1066, 1071,
1115, 1129, 1146, 1201⁴, 1201⁵, 1250, 1283.

Osseous growths in the meatus.

567, 765¹⁰, 765¹², 765¹³, 765²¹, 838, 870, 875, 893, 895,
898, 911, 999, 1000, 1001, 1005, 1011², 1084, 1119,
• 1139.

Articulation between the skull and the transverse process of
the atlas.

140, 141, 368, 557, 747, 865.

Ankylosis between the skull and the atlas.

631^{90*}, 633^{21*}, 633^{33*}, 633³⁷, 674²¹, 683¹¹, 844, 933, 1257⁷.

Abnormalities of the vertebral column.

346¹, 583¹¹, 834, 835, 836, 1025³, 1032, 1206, 1216¹.

Abnormalities of the ribs.

800, 1045.



